

Attachment 2

Other Addition Non-Regulated Monitoring Data

Customer Service Samples

DC Water operates a program where customers request a lead sampling kit on an annual basis. The kit comes with bottles and instructions on how to take first and second draw samples. Customers collect their own samples and contact DC Water to deliver the bottles to the Washington Aqueduct. Results are then reported back to the customer through DC Water's Customer Service Program.



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-019

Sample Location: 1st Draw 1002 9th St NE
Customer Sample Number:
Date / Time Collected: 11/25/2022 6:32 PM

Customer Program Code: DS
Laboratory Sample Number: 2212057-019
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1002 9th St NE
Customer Sample Number:
Date / Time Collected: 11/25/2022 6:34 PM

Customer Program Code: DS
Laboratory Sample Number: 2212057-020
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-051

Sample Location: 1st Draw 1005 E Capitol St SE

Customer Sample Number:

Date / Time Collected: 11/27/2022 8:29 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-051

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1005 E Capitol St SE

Customer Sample Number:

Date / Time Collected: 11/27/2022 8:31 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-052

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212013-033

Sample Location: 1st Draw 1009 9th St NE

Customer Sample Number:

Date / Time Collected: 11/23/2022 7:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-033

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1009 9th St NE

Customer Sample Number:

Date / Time Collected: 11/23/2022 7:47 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-034

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212013-023

Sample Location: 1st Draw 1019 Independence Ave SE
Customer Sample Number:
Date / Time Collected: 11/27/2022 6:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2212013-023
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1019 Independence Ave SE
Customer Sample Number:
Date / Time Collected: 11/27/2022 6:10 PM

Customer Program Code: DS
Laboratory Sample Number: 2212013-024
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211139-011

Sample Location: 1st Draw 1026 Girard St NE

Customer Sample Number:

Date / Time Collected: 11/6/2022 7:47 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-011

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 1026 Girard St NE

Customer Sample Number:

Date / Time Collected: 11/6/2022 7:51 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-012

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212013-035

Sample Location: 1st Draw 106 Quincy PI NE

Customer Sample Number:

Date / Time Collected: 11/25/2022 6:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-036

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 106 Quincy PI NE

Customer Sample Number:

Date / Time Collected: 11/25/2022 6:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-036

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-113

Sample Location: 1st Draw 1124 Geranium St NW

Customer Sample Number:

Date / Time Collected: 11/30/2022 9:29 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-113

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1124 Geranium St NW

Customer Sample Number:

Date / Time Collected: 11/30/2022 9:31 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-114

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211139-035 &
2211139-036, the Customer Program Code was
changed from DS to DS250 as reported on the
chain of custody.

Report Number: L-DC-DS-2211139-035

Sample Location: 1st Draw 115 Tennessee Ave NE

Customer Sample Number:

Date / Time Collected: 11/9/2022 6:30 AM

Customer Program Code: DS250

Laboratory Sample Number: 2211139-035

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 115 Tennessee Ave NE

Customer Sample Number:

Date / Time Collected: 11/9/2022 6:30 AM

Customer Program Code: DS250

Laboratory Sample Number: 2211139-036

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211145-011

Sample Location: 1st Draw 1206 Shepherd St NE

Customer Sample Number:

Date / Time Collected: 8/4/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-011

Date / Time Received: 11/18/2022 10:25:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	11/29/2022	Lgallimore

Sample Location: 2nd Draw 1206 Shepherd St NE

Customer Sample Number:

Date / Time Collected: 8/4/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-012

Date / Time Received: 11/18/2022 10:25:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211139-037 &
2211139-038, the Customer Program Code was
changed from DS to DS250 as reported on the
chain of custody.

Report Number: L-DC-DS-2211139-037

Sample Location: 1st Draw 1211 Holbrook Ter Apt 3

Customer Sample Number:

Date / Time Collected: 11/6/2022 9:44 AM

Customer Program Code: DS250

Laboratory Sample Number: 2211139-037

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 1211 Holbrook Ter Apt 3

Customer Sample Number:

Date / Time Collected: 11/6/2022 9:44 AM

Customer Program Code: DS250

Laboratory Sample Number: 2211139-038

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212013-015

Sample Location: 1st Draw 1215 Congress St SE

Customer Sample Number:

Date / Time Collected: 11/20/2022 10:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-015

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1215 Congress St SE

Customer Sample Number:

Date / Time Collected: 11/20/2022 10:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-016

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-064

Sample Location: 1st Draw 1226 29th St NW

Customer Sample Number:

Date / Time Collected: 11/28/2022 6:58 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-064

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	7.9	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1226 29th St NW

Customer Sample Number:

Date / Time Collected: 11/28/2022 7:07 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-065

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211145-009

Sample Location: 1st Draw 1227 Underwood St NW
Customer Sample Number:
Date / Time Collected: 11/15/2022 7:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2211145-009
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 1227 Underwood St NW
Customer Sample Number:
Date / Time Collected: 11/15/2022 7:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2211145-010
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-047

Sample Location: 1st Draw 1236 D St SE
Customer Sample Number:
Date / Time Collected: 11/27/2022 8:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-047
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1236 D St SE
Customer Sample Number:
Date / Time Collected: 11/27/2022 8:05 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-048
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211145-033

Sample Location: 1st Draw 1316 11th St NW

Customer Sample Number:

Date / Time Collected: 11/9/2022 7:12 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-033

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 1316 11th St NW

Customer Sample Number:

Date / Time Collected: 11/9/2022 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-034

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-017

Sample Location: 1st Draw 1328 35th St NW

Customer Sample Number:

Date / Time Collected: 11/25/2022 12:25 PM

Customer Program Code: DS

Laboratory Sample Number: 2212057-017

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1328 35th St NW

Customer Sample Number:

Date / Time Collected: 11/25/2022 12:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2212057-018

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211139-033 &
2211139-034, the Customer Program Code was
changed from DS to Post-LSR as reported on the
chain of custody.

Report Number: L-DC-DS-2211139-033

Sample Location: 1st Draw 133 Varnum St NW

Customer Sample Number:

Date / Time Collected: 11/9/2022 4:00 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211139-033

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 133 Varnum St NW

Customer Sample Number:

Date / Time Collected: 11/9/2022 4:15 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211139-034

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-013

Sample Location: 1st Draw 1331 G St SE
Customer Sample Number:
Date / Time Collected: 11/25/2022 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-013
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1331 G St SE
Customer Sample Number:
Date / Time Collected: 11/25/2022 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-014
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-131

Sample Location: 1st Draw 1346 Rittenhouse St NW

Customer Sample Number:

Date / Time Collected: 12/2/2022 6:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-131

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1346 Rittenhouse St NW

Customer Sample Number:

Date / Time Collected: 12/2/2022 6:43 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-132

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211145-015

Sample Location: 1st Draw 1347 Montague St NW

Customer Sample Number:

Date / Time Collected: 11/15/2022 5:04 PM

Customer Program Code: DS

Laboratory Sample Number: 2211145-015

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 1347 Montague St NW

Customer Sample Number:

Date / Time Collected: 11/15/2022 5:07 PM

Customer Program Code: DS

Laboratory Sample Number: 2211145-016

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212013-027

Sample Location: 1st Draw 1350 Kenyon St NW Apt 1
Customer Sample Number:
Date / Time Collected: 11/22/2022 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2212013-027
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1350 Kenyon St NW Apt 1
Customer Sample Number:
Date / Time Collected: 11/22/2022 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2212013-028
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-049

Sample Location: 1st Draw 1405 Varnum St
Customer Sample Number:
Date / Time Collected: 11/27/2022 8:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-049
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1405 Varnum St
Customer Sample Number:
Date / Time Collected: 11/27/2022 8:10 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-050
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-007

Sample Location: 1st Draw 1438 Florida Ave NW

Customer Sample Number:

Date / Time Collected: 11/19/2022 6:13 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-007

Date / Time Received: 12/7/2022 10:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	12/20/2022	SBrooks

Sample Location: 2nd Draw 1438 Florida Ave NW

Customer Sample Number:

Date / Time Collected: 11/19/2022 6:14 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-008

Date / Time Received: 12/7/2022 10:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211139-013

Sample Location: 1st Draw 1444 Corcoran St NW #2

Customer Sample Number:

Date / Time Collected: 11/8/2022 6:41 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-013

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 1444 Corcoran St NW #2

Customer Sample Number:

Date / Time Collected: 11/8/2022 6:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-014

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211139-001

Sample Location: 1st Draw 1532 33rd St. NW

Customer Sample Number:

Date / Time Collected: 11/6/2022 2:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2211139-001

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 1532 33rd St. NW

Customer Sample Number:

Date / Time Collected: 11/6/2022 2:02 PM

Customer Program Code: DS

Laboratory Sample Number: 2211139-002

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211145-023

Sample Location: 1st Draw 1532 A St NE
Customer Sample Number:
Date / Time Collected: 11/8/2022 6:45 AM

Customer Program Code: DS
Laboratory Sample Number: 2211145-023
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 1532 A St NE
Customer Sample Number:
Date / Time Collected: 11/8/2022 6:46 AM

Customer Program Code: DS
Laboratory Sample Number: 2211145-024
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-056

Sample Location: 1st Draw 16 14th St SE
Customer Sample Number:
Date / Time Collected: 11/27/2022 9:42 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-056
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 16 14th St SE
Customer Sample Number:
Date / Time Collected: 11/27/2022 9:45 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-057
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-094

Sample Location: 1st Draw 1622 Upshur St NW

Customer Sample Number:

Date / Time Collected: 11/29/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-094

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1622 Upshur St NW

Customer Sample Number:

Date / Time Collected: 11/29/2022 7:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-095

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211145-039

Sample Location: 1st Draw 1622 Varnum PI NE

Customer Sample Number:

Date / Time Collected: 11/14/2022 6:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-039

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 1622 Varnum PI NE

Customer Sample Number:

Date / Time Collected: 11/14/2022 7:01 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-040

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2212013-011 &
2212013-012, the Customer Program Code was
changed from DS to Post-LSR as requested by
DC Water on 1/11/23.

Report Number: L-DC-DS-2212013-011

Sample Location: 1st Draw 1647 Kramer St NE

Customer Sample Number:

Date / Time Collected: 11/28/2022 6:45 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212013-011

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1647 Kramer St NE

Customer Sample Number:

Date / Time Collected: 11/28/2022 6:47 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212013-012

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-027

Sample Location: 1st Draw 1727 Riggs Place NW

Customer Sample Number:

Date / Time Collected: 11/26/2022 5:09 PM

Customer Program Code: DS

Laboratory Sample Number: 2212057-027

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1727 Riggs Place NW

Customer Sample Number:

Date / Time Collected: 11/26/2022 5:09 PM

Customer Program Code: DS

Laboratory Sample Number: 2212057-028

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-078

Sample Location: 1st Draw 1732 27th St SE
Customer Sample Number:
Date / Time Collected: 11/28/2022 4:51 PM

Customer Program Code: DS
Laboratory Sample Number: 2212057-078
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1732 27th St SE
Customer Sample Number:
Date / Time Collected: 11/28/2022 4:54 PM

Customer Program Code: DS
Laboratory Sample Number: 2212057-079
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-041

Sample Location: 1st Draw 1736 R St NW
Customer Sample Number:
Date / Time Collected: 11/27/2022 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-041
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1736 R St NW
Customer Sample Number:
Date / Time Collected: 11/27/2022 7:02 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-042
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-053

Sample Location: 1st Draw 1802 37th St NW

Customer Sample Number:

Date / Time Collected: 11/27/2022 8:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-053

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1802 37th St NW

Customer Sample Number:

Date / Time Collected: 11/27/2022 8:31 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-054

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-025

Sample Location: 1st Draw 1823 Burke St SE

Customer Sample Number:

Date / Time Collected: 11/26/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-025

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1823 Burke St SE

Customer Sample Number:

Date / Time Collected: 11/26/2022 7:02 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-026

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212013-003

Sample Location: 1st Draw 1842 N Capitol St NW

Customer Sample Number:

Date / Time Collected: 11/21/2022 5:34 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-003

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1842 N Capitol St NW

Customer Sample Number:

Date / Time Collected: 11/21/2022 5:37 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-004

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/10/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2212057-127

Sample Location: 1st Draw 1923 S St SE
Customer Sample Number:
Date / Time Collected: 12/1/2022 7:40 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-127
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1923 S St SE
Customer Sample Number:
Date / Time Collected: 12/1/2022 7:45 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-128
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211145-027

Sample Location: 1st Draw 2003 Kalorama Rd NW

Customer Sample Number:

Date / Time Collected: 11/10/2022 6:16 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-027

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 2003 Kalorama Rd NW

Customer Sample Number:

Date / Time Collected: 11/10/2022 6:19 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-028

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211145-001

Sample Location: 1st Draw 2007 4th St NE Unit A

Customer Sample Number:

Date / Time Collected: 11/13/2022 10:20 PM

Customer Program Code: DS

Laboratory Sample Number: 2211145-001

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 2007 4th St NE Unit A

Customer Sample Number:

Date / Time Collected: 11/13/2022 10:20 PM

Customer Program Code: DS

Laboratory Sample Number: 2211145-002

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-055

Sample Location: 1st Draw 2124 Newport PI NW

Customer Sample Number:

Date / Time Collected: 11/27/2022 8:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-055

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212013-001

Sample Location: 1st Draw 2126 15th St SE
Customer Sample Number:
Date / Time Collected: 11/28/2022 7:12 AM

Customer Program Code: DS
Laboratory Sample Number: 2212013-001
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 2126 15th St SE
Customer Sample Number:
Date / Time Collected: 11/28/2022 7:15 AM

Customer Program Code: DS
Laboratory Sample Number: 2212013-002
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211139-009

Sample Location: 1st Draw 2214 38th PI NW

Customer Sample Number:

Date / Time Collected: 10/17/2022 7:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-009

Date / Time Received: 11/17/2022 12:42:00 PM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/29/2022	Lgallimore

Sample Location: 2nd Draw 2214 38th PI NW

Customer Sample Number:

Date / Time Collected: 10/17/2022 7:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-010

Date / Time Received: 11/17/2022 12:42:00 PM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/10/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2211180-020

Sample Location: 1st Draw 2216 S St. SE
Customer Sample Number:
Date / Time Collected: 11/18/2022 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2211180-020
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 2216 S St. SE
Customer Sample Number:
Date / Time Collected: 11/18/2022 6:05 AM

Customer Program Code: DS
Laboratory Sample Number: 2211180-021
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211145-003

Sample Location: 1st Draw 2259 12th PI NW

Customer Sample Number:

Date / Time Collected: 11/10/2022 7:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-003

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 2259 12th PI NW

Customer Sample Number:

Date / Time Collected: 11/10/2022 7:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-004

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211180-026

Sample Location: 1st Draw 238 10th St SE
Customer Sample Number:
Date / Time Collected: 11/18/2022 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2211180-026
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 238 10th St SE
Customer Sample Number:
Date / Time Collected: 11/18/2022 7:05 AM

Customer Program Code: DS
Laboratory Sample Number: 2211180-027
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211180-036

Sample Location: 1st Draw 2634 Woodley PI NW Apt 1

Customer Sample Number:

Date / Time Collected: 11/20/2022 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-036

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 2634 Woodley PI NW Apt 1

Customer Sample Number:

Date / Time Collected: 11/20/2022 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-037

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211145-031

Sample Location: 1st Draw 2712 O St NW

Customer Sample Number:

Date / Time Collected: 11/2/2022 2:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2211145-031

Date / Time Received: 11/18/2022 10:25:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/29/2022	Lgallimore

Sample Location: 2nd Draw 2712 O St NW

Customer Sample Number:

Date / Time Collected: 11/2/2022 2:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2211145-032

Date / Time Received: 11/18/2022 10:25:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-086

Sample Location: 1st Draw 28 53rd St SE
Customer Sample Number:
Date / Time Collected: 11/29/2022 6:03 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-086
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 28 53rd St SE
Customer Sample Number:
Date / Time Collected: 11/29/2022 6:05 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-087
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211139-019 &
2211139-020, the Customer Program Code was
changed from DS to Post-LSR as reported on the
chain of custody.

Report Number: L-DC-DS-2211139-019

Sample Location: 1st Draw 2801 Brandywine St NW

Customer Sample Number:

Date / Time Collected: 11/7/2022 4:30 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211139-019

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 2801 Brandywine St NW

Customer Sample Number:

Date / Time Collected: 11/7/2022 4:45 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211139-020

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/10/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2211145-044

Sample Location: 2nd Draw 2914 Cortland PI NW

Customer Sample Number:

Date / Time Collected: 11/16/2022 7:41 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-044

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023 *Report revised on 1/12/23 by mc.
For Laboratory Sample Number 2212057-077, the Date/Time
Received was changed from 12/14/22 09:38 to 12/7/22 10:50
as recorded on the chain of custody and the holding time
qualifier was removed.*

Report Number: L-DC-DS-2212057-076

Sample Location: 1st Draw 2915 Woodland Dr NW	Customer Program Code: DS
Customer Sample Number:	Laboratory Sample Number: 2212057-076
Date / Time Collected: 11/28/2022 12:30 PM	Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 2915 Woodland Dr NW	Customer Program Code: DS
Customer Sample Number:	Laboratory Sample Number: 2212057-077
Date / Time Collected: 11/28/2022 12:31 PM	Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-001

Sample Location: 1st Draw 2938 Upton St NW

Customer Sample Number:

Date / Time Collected: 11/3/2022 3:29 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-001

Date / Time Received: 12/7/2022 10:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	12/20/2022	SBrooks

Sample Location: 2nd Draw 2938 Upton St NW

Customer Sample Number:

Date / Time Collected: 11/3/2022 3:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-002

Date / Time Received: 12/7/2022 10:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/10/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2212057-060

Sample Location: 1st Draw 2941 Upton St NW

Customer Sample Number:

Date / Time Collected: 11/28/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-060

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 2941 Upton St NW

Customer Sample Number:

Date / Time Collected: 11/28/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-061

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-092

Sample Location: 1st Draw 2945 Upton St NW

Customer Sample Number:

Date / Time Collected: 11/29/2022 6:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-092

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 2945 Upton St NW

Customer Sample Number:

Date / Time Collected: 11/29/2022 6:57 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-093

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.3	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211180-030

Sample Location: 1st Draw 3011 Legation St. NW

Customer Sample Number:

Date / Time Collected: 11/19/2022 6:53 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-030

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 3011 Legation St. NW

Customer Sample Number:

Date / Time Collected: 11/19/2022 6:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-031

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-011

Sample Location: 1st Draw 3049 M St SE
Customer Sample Number:
Date / Time Collected: 11/23/2022 9:15 PM

Customer Program Code: DS
Laboratory Sample Number: 2212057-011
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 3049 M St SE
Customer Sample Number:
Date / Time Collected: 11/23/2022 9:17 PM

Customer Program Code: DS
Laboratory Sample Number: 2212057-012
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-015

Sample Location: 1st Draw 3109 Garfield St NW

Customer Sample Number:

Date / Time Collected: 11/25/2022 7:12 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-015

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 3109 Garfield St NW

Customer Sample Number:

Date / Time Collected: 11/25/2022 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-016

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/10/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2212057-072

Sample Location: 1st Draw 3124 Oliver St NW

Customer Sample Number:

Date / Time Collected: 11/28/2022 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-072

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 3124 Oliver St NW

Customer Sample Number:

Date / Time Collected: 11/28/2022 7:33 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-073

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211145-029

Sample Location: 1st Draw 3205 33rd PI NW

Customer Sample Number:

Date / Time Collected: 11/14/2022 8:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2211145-029

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 3205 33rd PI NW

Customer Sample Number:

Date / Time Collected: 11/14/2022 8:17 PM

Customer Program Code: DS

Laboratory Sample Number: 2211145-030

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211139-021

Sample Location: 1st Draw 3219 Oliver St NW

Customer Sample Number:

Date / Time Collected: 11/3/2022 8:13 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-021

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 3219 Oliver St NW

Customer Sample Number:

Date / Time Collected: 11/3/2022 8:16 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-022

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212013-031

Sample Location: 1st Draw 322 14th Street NE

Customer Sample Number:

Date / Time Collected: 11/20/2022 8:27 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-031

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 322 14th Street NE

Customer Sample Number:

Date / Time Collected: 11/20/2022 8:29 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-032

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211139-005

Sample Location: 1st Draw 3225 Garfield St NW

Customer Sample Number:

Date / Time Collected: 11/8/2022 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-005

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 3225 Garfield St NW

Customer Sample Number:

Date / Time Collected: 11/8/2022 7:32 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-006

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212013-009

Sample Location: 1st Draw 3231 Reservoir Rd NW

Customer Sample Number:

Date / Time Collected: 11/21/2022 7:13 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-009

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 3231 Reservoir Rd NW

Customer Sample Number:

Date / Time Collected: 11/21/2022 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-010

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-037

Sample Location: 1st Draw 326 17th NE
Customer Sample Number:
Date / Time Collected: 11/27/2022 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-037
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 326 17th NE
Customer Sample Number:
Date / Time Collected: 11/27/2022 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-038
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211180-016

Sample Location: 1st Draw 3310 Volta PL NW

Customer Sample Number:

Date / Time Collected: 11/17/2022 7:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-016

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 3310 Volta PL NW

Customer Sample Number:

Date / Time Collected: 11/17/2022 7:41 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-017

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211145-013

Sample Location: 1st Draw 3338 Dent PI NW

Customer Sample Number:

Date / Time Collected: 11/16/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-013

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 3338 Dent PI NW

Customer Sample Number:

Date / Time Collected: 11/16/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-014

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211139-015 &
2211139-016, the Customer Program Code was
changed from DS to Post-LSR as reported on the chain
of custody.

Report Number: L-DC-DS-2211139-015

Sample Location: 1st Draw 334 Allison St NW

Customer Sample Number:

Date / Time Collected: 11/7/2022 10:30 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211139-015

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 334 Allison St NW

Customer Sample Number:

Date / Time Collected: 11/7/2022 10:30 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211139-016

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-043

Sample Location: 1st Draw 3410 N St NW
Customer Sample Number:
Date / Time Collected: 11/27/2022 7:42 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-043
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 3410 N St NW
Customer Sample Number:
Date / Time Collected: 11/27/2022 7:46 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-044
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-129

Sample Location: 1st Draw 3461 Lowell St NW

Customer Sample Number:

Date / Time Collected: 12/1/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-129

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 3461 Lowell St NW

Customer Sample Number:

Date / Time Collected: 12/1/2022 8:01 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-130

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-031

Sample Location: 1st Draw 3508 Rittenhouse St NW
Customer Sample Number:
Date / Time Collected: 11/26/2022 8:41 PM

Customer Program Code: DS
Laboratory Sample Number: 2212057-031
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 3508 Rittenhouse St NW
Customer Sample Number:
Date / Time Collected: 11/26/2022 8:43 PM

Customer Program Code: DS
Laboratory Sample Number: 2212057-032
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211180-009

Sample Location: 1st Draw 3542 Porter St. NW

Customer Sample Number:

Date / Time Collected: 11/14/2022 6:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-009

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 3542 Porter St. NW

Customer Sample Number:

Date / Time Collected: 11/14/2022 6:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-010

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-009

Sample Location: 1st Draw 3700 Military Rd NW

Customer Sample Number:

Date / Time Collected: 11/20/2022 6:23 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-009

Date / Time Received: 12/7/2022 10:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L	H	12/20/2022	SBrooks

Sample Location: 2nd Draw 3700 Military Rd NW

Customer Sample Number:

Date / Time Collected: 11/20/2022 6:26 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-010

Date / Time Received: 12/7/2022 10:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.0	ug/L	H	12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-107

Sample Location: 1st Draw 3816 Windom PI NW

Customer Sample Number:

Date / Time Collected: 11/30/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-107

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 3816 Windom PI NW

Customer Sample Number:

Date / Time Collected: 11/30/2022 7:01 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-108

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211145-005

Sample Location: 1st Draw 3826 W St NW
Customer Sample Number:
Date / Time Collected: 11/13/2022 12:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2211145-005
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 3826 W St NW
Customer Sample Number:
Date / Time Collected: 11/13/2022 12:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2211145-006
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-088

Sample Location: 1st Draw 3842 Cathedral Ave NW
Customer Sample Number:
Date / Time Collected: 11/29/2022 6:15 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-088
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 3842 Cathedral Ave NW
Customer Sample Number:
Date / Time Collected: 11/29/2022 6:17 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-089
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211180-046

Sample Location: 1st Draw 3920 13th St. NE

Customer Sample Number:

Date / Time Collected: 11/21/2022 4:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2211180-046

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 3920 13th St. NE

Customer Sample Number:

Date / Time Collected: 11/21/2022 4:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2211180-047

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211139-017 &
2211139-018, the Customer Program Code was
changed from DS to Post-LSR as reported on
the chain of custody.

Report Number: L-DC-DS-2211139-017

Sample Location: 1st Draw 3920 McKinley St NW

Customer Sample Number:

Date / Time Collected: 10/22/2022 8:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211139-017

Date / Time Received: 11/17/2022 12:42:00 PM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	8.1	ug/L	H	12/6/2022	SBrooks

Sample Location: 2nd Draw 3920 McKinley St NW

Customer Sample Number:

Date / Time Collected: 10/22/2022 8:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211139-018

Date / Time Received: 11/17/2022 12:42:00 PM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/10/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2211180-024

Sample Location: 1st Draw 3941 Garrison St. NW

Customer Sample Number:

Date / Time Collected: 11/18/2022 6:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-024

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 3941 Garrison St. NW

Customer Sample Number:

Date / Time Collected: 11/18/2022 6:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-025

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211139-039 &
2211139-040, the Customer Program Code was
changed from DS to DS250 as reported on the
chain of custody.

Report Number: L-DC-DS-2211139-039

Sample Location: 1st Draw 410 11th St NE Apt 17

Customer Sample Number:

Date / Time Collected: 11/9/2022 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2211139-039

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 410 11th St NE Apt 17

Customer Sample Number:

Date / Time Collected: 11/9/2022 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2211139-040

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-005

Sample Location: 1st Draw 4136 Arkansas Ave NW

Customer Sample Number:

Date / Time Collected: 11/19/2022 6:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-005

Date / Time Received: 12/7/2022 10:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	12/20/2022	SBrooks

Sample Location: 2nd Draw 4136 Arkansas Ave NW

Customer Sample Number:

Date / Time Collected: 11/19/2022 6:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-006

Date / Time Received: 12/7/2022 10:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-039

Sample Location: 1st Draw 434 Peabody St NW

Customer Sample Number:

Date / Time Collected: 11/27/2022 6:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-039

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 434 Peabody St NW

Customer Sample Number:

Date / Time Collected: 11/27/2022 6:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-040

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-062

Sample Location: 1st Draw 4345 Ellicott St NW

Customer Sample Number:

Date / Time Collected: 11/28/2022 6:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-062

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 4345 Ellicott St NW

Customer Sample Number:

Date / Time Collected: 11/28/2022 6:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-063

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212013-021

Sample Location: 1st Draw 4346 Brandywine St NW

Customer Sample Number:

Date / Time Collected: 11/22/2022 7:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-021

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 4346 Brandywine St NW

Customer Sample Number:

Date / Time Collected: 11/22/2022 7:08 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-022

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-074

Sample Location: 1st Draw 436 16th St SE
Customer Sample Number:
Date / Time Collected: 11/28/2022 8:05 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-074
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 436 16th St SE
Customer Sample Number:
Date / Time Collected: 11/28/2022 8:15 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-075
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212013-029

Sample Location: 1st Draw 4406 VOLTA PL NW

Customer Sample Number:

Date / Time Collected: 11/21/2022 7:11 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-029

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 4406 VOLTA PL NW

Customer Sample Number:

Date / Time Collected: 11/21/2022 7:16 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-030

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-125

Sample Location: 1st Draw 4501 48th St NW

Customer Sample Number:

Date / Time Collected: 12/1/2022 7:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-125

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 4501 48th St NW

Customer Sample Number:

Date / Time Collected: 12/1/2022 7:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-126

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-045

Sample Location: 1st Draw 4513 Windom PI NW

Customer Sample Number:

Date / Time Collected: 11/27/2022 7:54 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-045

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 4513 Windom PI NW

Customer Sample Number:

Date / Time Collected: 11/27/2022 7:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-046

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211145-007

Sample Location: 1st Draw 4518 9th St NW

Customer Sample Number:

Date / Time Collected: 10/19/2022 7:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2211145-007

Date / Time Received: 11/18/2022 10:25:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	20.4	ug/L	H	11/29/2022	Lgallimore

Sample Location: 2nd Draw 4518 9th St NW

Customer Sample Number:

Date / Time Collected: 10/19/2022 7:05 PM

Customer Program Code: DS

Laboratory Sample Number: 2211145-008

Date / Time Received: 11/18/2022 10:25:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	77.1	ug/L	H	11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-121

Sample Location: 1st Draw 4520 Van Ness St NW

Customer Sample Number:

Date / Time Collected: 12/1/2022 6:57 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-121

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 4520 Van Ness St NW

Customer Sample Number:

Date / Time Collected: 12/1/2022 6:59 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-122

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-133

Sample Location: 1st Draw 4602 New Hampshire Ave NW

Customer Sample Number:

Date / Time Collected: 12/2/2022 6:47 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-133

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 4602 New Hampshire Ave NW

Customer Sample Number:

Date / Time Collected: 12/2/2022 6:49 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-134

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211139-031

Sample Location: 1st Draw 4623 Kenmore Dr NW

Customer Sample Number:

Date / Time Collected: 11/8/2022 5:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-031

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 4623 Kenmore Dr NW

Customer Sample Number:

Date / Time Collected: 11/8/2022 5:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-032

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-099

Sample Location: 1st Draw 4712 32nd St NW

Customer Sample Number:

Date / Time Collected: 11/29/2022 7:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-099

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 4712 32nd St NW

Customer Sample Number:

Date / Time Collected: 11/29/2022 7:48 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-100

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-090

Sample Location: 1st Draw 4716 Ellicott St NW

Customer Sample Number:

Date / Time Collected: 11/29/2022 6:44 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-090

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 4716 Ellicott St NW

Customer Sample Number:

Date / Time Collected: 11/29/2022 6:46 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-091

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211139-029

Sample Location: 1st Draw 4821 Dexster St NW

Customer Sample Number:

Date / Time Collected: 11/5/2022 7:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-029

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 4821 Dexster St NW

Customer Sample Number:

Date / Time Collected: 11/5/2022 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-030

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/10/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2212057-097

Sample Location: 1st Draw 4826 7th St NW
Customer Sample Number:
Date / Time Collected: 11/29/2022 7:43 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-097
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 4826 7th St NW
Customer Sample Number:
Date / Time Collected: 11/29/2022 7:44 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-098
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212013-013

Sample Location: 1st Draw 4915 42nd St NW

Customer Sample Number:

Date / Time Collected: 11/22/2022 6:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-013

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 4915 42nd St NW

Customer Sample Number:

Date / Time Collected: 11/22/2022 6:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-014

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212013-005

Sample Location: 1st Draw 505 4th St SE
Customer Sample Number:
Date / Time Collected: 11/27/2022 7:06 AM

Customer Program Code: DS
Laboratory Sample Number: 2212013-005
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 505 4th St SE
Customer Sample Number:
Date / Time Collected: 11/27/2022 7:07 AM

Customer Program Code: DS
Laboratory Sample Number: 2212013-006
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211180-013

Sample Location: 1st Draw 5070 Central Ave. SE

Customer Sample Number:

Date / Time Collected: 11/16/2022 4:07 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-013

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211139-003

Sample Location: 1st Draw 5107 North Capitol St NE

Customer Sample Number:

Date / Time Collected: 10/30/2022 8:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-003

Date / Time Received: 11/17/2022 12:42:00 PM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/29/2022	Lgallimore

Sample Location: 2nd Draw 5107 North Capitol St NE

Customer Sample Number:

Date / Time Collected: 10/30/2022 8:31 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-004

Date / Time Received: 11/17/2022 12:42:00 PM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211145-021

Sample Location: 1st Draw 511 M St NE #A
Customer Sample Number:
Date / Time Collected: 11/16/2022 6:05 AM

Customer Program Code: DS
Laboratory Sample Number: 2211145-021
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 511 M St NE #A
Customer Sample Number:
Date / Time Collected: 11/16/2022 6:07 AM

Customer Program Code: DS
Laboratory Sample Number: 2211145-022
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211145-019

Sample Location: 1st Draw 5124 New Hampshire Ave NW

Customer Sample Number:

Date / Time Collected: 11/13/2022 8:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-019

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 5124 New Hampshire Ave NW

Customer Sample Number:

Date / Time Collected: 11/13/2022 8:14 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-020

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-021

Sample Location: 1st Draw 5225 Chevy Chase Pkwy NW

Customer Sample Number:

Date / Time Collected: 11/25/2022 10:02 PM

Customer Program Code: DS

Laboratory Sample Number: 2212057-021

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 5225 Chevy Chase Pkwy NW

Customer Sample Number:

Date / Time Collected: 11/25/2022 10:04 PM

Customer Program Code: DS

Laboratory Sample Number: 2212057-022

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211145-037

Sample Location: 1st Draw 527 12th St SE
Customer Sample Number:
Date / Time Collected: 11/8/2022 4:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2211145-037
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 527 12th St SE
Customer Sample Number:
Date / Time Collected: 11/8/2022 4:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2211145-038
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211145-017

Sample Location: 1st Draw 5439 42nd St NW

Customer Sample Number:

Date / Time Collected: 11/14/2022 6:18 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-017

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 5439 42nd St NW

Customer Sample Number:

Date / Time Collected: 11/14/2022 6:19 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-018

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-101

Sample Location: 1st Draw 5721 Utah Ave NW

Customer Sample Number:

Date / Time Collected: 11/29/2022 9:51 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-101

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 5721 Utah Ave NW

Customer Sample Number:

Date / Time Collected: 11/29/2022 10:07 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-102

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211139-023 &
2211139-024, the Customer Program Code was
changed from DS to Post-LSR as reported on the
chain of custody.

Report Number: L-DC-DS-2211139-023

Sample Location: 1st Draw 5820 Chevy Chase Pkwy NW

Customer Sample Number:

Date / Time Collected: 11/7/2022 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211139-023

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 5820 Chevy Chase Pkwy NW

Customer Sample Number:

Date / Time Collected: 11/7/2022 7:01 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211139-024

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-103

Sample Location: 1st Draw 59 Underwood PI NW

Customer Sample Number:

Date / Time Collected: 11/30/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-103

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 59 Underwood PI NW

Customer Sample Number:

Date / Time Collected: 11/30/2022 6:39 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-104

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-109

Sample Location: 1st Draw 6005 4th St NW
Customer Sample Number:
Date / Time Collected: 11/30/2022 7:07 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-109
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 6005 4th St NW
Customer Sample Number:
Date / Time Collected: 11/30/2022 7:09 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-110
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-029

Sample Location: 1st Draw 6024 N Dakota Ave NW

Customer Sample Number:

Date / Time Collected: 11/26/2022 6:37 PM

Customer Program Code: DS

Laboratory Sample Number: 2212057-029

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 6024 N Dakota Ave NW

Customer Sample Number:

Date / Time Collected: 11/26/2022 6:39 PM

Customer Program Code: DS

Laboratory Sample Number: 2212057-030

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211180-034

Sample Location: 1st Draw 6213 30th St. NW

Customer Sample Number:

Date / Time Collected: 11/20/2022 6:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-034

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 6213 30th St. NW

Customer Sample Number:

Date / Time Collected: 11/20/2022 6:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-035

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211180-040

Sample Location: 1st Draw 6231 North Dakota Ave

Customer Sample Number:

Date / Time Collected: 11/21/2022 4:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-040

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 6231 North Dakota Ave

Customer Sample Number:

Date / Time Collected: 11/21/2022 4:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-041

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/10/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2212057-123

Sample Location: 1st Draw 6247 29th St NW

Customer Sample Number:

Date / Time Collected: 12/1/2022 7:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-123

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 6247 29th St NW

Customer Sample Number:

Date / Time Collected: 12/1/2022 7:26 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-124

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-111

Sample Location: 1st Draw 6300 7th St NW
Customer Sample Number:
Date / Time Collected: 11/30/2022 9:03 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-111
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 6300 7th St NW
Customer Sample Number:
Date / Time Collected: 11/30/2022 9:06 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-112
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211139-027

Sample Location: 1st Draw 6318 31st St NW

Customer Sample Number:

Date / Time Collected: 11/4/2022 8:44 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-027

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 6318 31st St NW

Customer Sample Number:

Date / Time Collected: 11/4/2022 8:47 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-028

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-115

Sample Location: 1st Draw 6330 31st St NW

Customer Sample Number:

Date / Time Collected: 12/1/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-115

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 6330 31st St NW

Customer Sample Number:

Date / Time Collected: 12/1/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-116

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211139-025

Sample Location: 1st Draw 6424 31st St NW

Customer Sample Number:

Date / Time Collected: 11/4/2022 6:18 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-025

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 6424 31st St NW

Customer Sample Number:

Date / Time Collected: 11/4/2022 6:22 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-026

Date / Time Received: 11/17/2022 12:42:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-080

Sample Location: 1st Draw 644 Keefer PI NW

Customer Sample Number:

Date / Time Collected: 11/28/2022 10:10 PM

Customer Program Code: DS

Laboratory Sample Number: 2212057-080

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 644 Keefer PI NW

Customer Sample Number:

Date / Time Collected: 11/28/2022 10:14 PM

Customer Program Code: DS

Laboratory Sample Number: 2212057-081

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.6	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211139-007

Sample Location: 1st Draw 6505 Barnaby St NW

Customer Sample Number:

Date / Time Collected: 11/2/2022 11:01 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-007

Date / Time Received: 11/17/2022 12:42:00 PM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/29/2022	Lgallimore

Sample Location: 2nd Draw 6505 Barnaby St NW

Customer Sample Number:

Date / Time Collected: 11/2/2022 11:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2211139-008

Date / Time Received: 11/17/2022 12:42:00 PM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212013-017

Sample Location: 1st Draw 660 E St NE
Customer Sample Number:
Date / Time Collected: 11/21/2022 4:30 PM

Customer Program Code: DS
Laboratory Sample Number: 2212013-017
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 660 E St NE
Customer Sample Number:
Date / Time Collected: 11/21/2022 4:30 PM

Customer Program Code: DS
Laboratory Sample Number: 2212013-018
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211145-025

Sample Location: 1st Draw 6604 5th St NW
Customer Sample Number:
Date / Time Collected: 11/12/2022 9:20 AM

Customer Program Code: DS
Laboratory Sample Number: 2211145-025
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 6604 5th St NW
Customer Sample Number:
Date / Time Collected: 11/12/2022 9:22 AM

Customer Program Code: DS
Laboratory Sample Number: 2211145-026
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212057-084

Sample Location: 1st Draw 712 Somerset PI NW

Customer Sample Number:

Date / Time Collected: 11/29/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-084

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 712 Somerset PI NW

Customer Sample Number:

Date / Time Collected: 11/29/2022 6:04 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-085

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2212057-105 &
2212057-106, the Customer Program Code was
changed from DS to Post-LSR as requested by
DC Water on 1/11/23.

Report Number: L-DC-DS-2212057-105

Sample Location: 1st Draw 717 Madison St NW

Customer Sample Number:

Date / Time Collected: 11/30/2022 6:41 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212057-105

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 717 Madison St NW

Customer Sample Number:

Date / Time Collected: 11/30/2022 6:44 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212057-106

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/10/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2212057-070

Sample Location: 1st Draw 722 K St NE
Customer Sample Number:
Date / Time Collected: 11/28/2022 7:25 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-070
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 722 K St NE
Customer Sample Number:
Date / Time Collected: 11/28/2022 7:25 AM

Customer Program Code: DS
Laboratory Sample Number: 2212057-071
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212013-007

Sample Location: 1st Draw 743 Irving St NW

Customer Sample Number:

Date / Time Collected: 11/21/2022 1:45 PM

Customer Program Code: DS

Laboratory Sample Number: 2212013-007

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	25.1	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 743 Irving St NW

Customer Sample Number:

Date / Time Collected: 11/21/2022 1:46 PM

Customer Program Code: DS

Laboratory Sample Number: 2212013-008

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.8	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212013-025

Sample Location: 1st Draw 813 Taylor St NE

Customer Sample Number:

Date / Time Collected: 11/21/2022 2:51 PM

Customer Program Code: DS

Laboratory Sample Number: 2212013-025

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 813 Taylor St NE

Customer Sample Number:

Date / Time Collected: 11/21/2022 2:53 PM

Customer Program Code: DS

Laboratory Sample Number: 2212013-026

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2212013-019

Sample Location: 1st Draw 819 Aspen St NW

Customer Sample Number:

Date / Time Collected: 11/23/2022 6:33 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-019

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 819 Aspen St NW

Customer Sample Number:

Date / Time Collected: 11/23/2022 6:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-020

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS-2211145-035

Sample Location: 1st Draw 924 8TH ST NE
Customer Sample Number:
Date / Time Collected: 11/8/2022 7:20 AM

Customer Program Code: DS
Laboratory Sample Number: 2211145-036
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 924 8TH ST NE
Customer Sample Number:
Date / Time Collected: 11/8/2022 7:21 AM

Customer Program Code: DS
Laboratory Sample Number: 2211145-036
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS250- 2212056-001

Sample Location: 1st Draw 1313 Vermont Ave NW #17

Customer Sample Number:

Date / Time Collected: 11/27/2022 9:30 AM

Customer Program Code: DS250

Laboratory Sample Number: 2212056-001

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1313 Vermont Ave NW #17

Customer Sample Number:

Date / Time Collected: 11/27/2022 9:30 AM

Customer Program Code: DS250

Laboratory Sample Number: 2212056-002

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS250- 2211145-084

Sample Location: 1st Draw 1923 9th St NW #2

Customer Sample Number:

Date / Time Collected: 11/13/2022 4:32 PM

Customer Program Code: DS250

Laboratory Sample Number: 2211145-084

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 1923 9th St NW #2

Customer Sample Number:

Date / Time Collected: 11/13/2022 4:32 PM

Customer Program Code: DS250

Laboratory Sample Number: 2211145-085

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS250- 2211145-086

Sample Location: 1st Draw 2415 20th St NW, Apt 38

Customer Sample Number:

Date / Time Collected: 11/15/2022 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2211145-086

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 2415 20th St NW, Apt 38

Customer Sample Number:

Date / Time Collected: 11/15/2022 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2211145-087

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS250- 2212056-003

Sample Location: 1st Draw 2900 Q St. NW Apt 300

Customer Sample Number:

Date / Time Collected: 11/29/2022 7:29 AM

Customer Program Code: DS250

Laboratory Sample Number: 2212056-003

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 2900 Q St. NW Apt 300

Customer Sample Number:

Date / Time Collected: 11/29/2022 7:29 AM

Customer Program Code: DS250

Laboratory Sample Number: 2212056-004

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-DS250- 2212056-005

Sample Location: 1st Draw 84 P St NW Apt A

Customer Sample Number:

Date / Time Collected: 12/1/2022 6:15 AM

Customer Program Code: DS250

Laboratory Sample Number: 2212056-005

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 84 P St NW Apt A

Customer Sample Number:

Date / Time Collected: 12/1/2022 6:15 AM

Customer Program Code: DS250

Laboratory Sample Number: 2212056-006

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-013

Sample Location: 1st Draw 1000 G St. NE
Customer Sample Number:
Date / Time Collected: 12/17/2022 8:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2301019-013
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 1000 G St. NE
Customer Sample Number:
Date / Time Collected: 12/17/2022 8:05 AM

Customer Program Code: DS
Laboratory Sample Number: 2301019-014
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-009

Sample Location: 1st Draw 1020 5th St. NE
Customer Sample Number:
Date / Time Collected: 12/16/2022 10:05 AM

Customer Program Code: DS
Laboratory Sample Number: 2301019-009
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 1020 5th St. NE
Customer Sample Number:
Date / Time Collected: 12/16/2022 10:06 AM

Customer Program Code: DS
Laboratory Sample Number: 2301019-010
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.6	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-057

Sample Location: 1st Draw 1307 Farragut St NW

Customer Sample Number:

Date / Time Collected: 12/6/2022 5:34 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-057

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1307 Farragut St NW

Customer Sample Number:

Date / Time Collected: 12/6/2022 5:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-058

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-027

Sample Location: 1st Draw 1314 Independence SE

Customer Sample Number:

Date / Time Collected: 11/19/2022 9:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-027

Date / Time Received: 12/15/2022 9:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L	H	1/11/2023	Bprakash

Sample Location: 2nd Draw 1314 Independence SE

Customer Sample Number:

Date / Time Collected: 11/19/2022 9:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-028

Date / Time Received: 12/15/2022 9:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L	H	1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-045

Sample Location: 1st Draw 1327 Randolph St. NW

Customer Sample Number:

Date / Time Collected: 12/5/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-045

Date / Time Received: 12/28/2022 8:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/18/2023	Bprakash

Sample Location: 2nd Draw 1327 Randolph St. NW

Customer Sample Number:

Date / Time Collected: 12/5/2022 6:31 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-046

Date / Time Received: 12/28/2022 8:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-023

Sample Location: 1st Draw 1331 Spring Rd. NW

Customer Sample Number:

Date / Time Collected: 12/18/2022 7:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-023

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 1331 Spring Rd. NW

Customer Sample Number:

Date / Time Collected: 12/18/2022 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-024

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-029

Sample Location: 1st Draw 1339 Somerset PL NW

Customer Sample Number:

Date / Time Collected: 12/18/2022 8:17 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-029

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 1339 Somerset PL NW

Customer Sample Number:

Date / Time Collected: 12/18/2022 8:21 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-030

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-021

Sample Location: 1st Draw 1387 F St NE
Customer Sample Number:
Date / Time Collected: 12/7/2022 7:15 AM

Customer Program Code: DS
Laboratory Sample Number: 2212102-021
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1387 F St NE
Customer Sample Number:
Date / Time Collected: 12/7/2022 7:15 AM

Customer Program Code: DS
Laboratory Sample Number: 2212102-022
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-001

Sample Location: 1st Draw 1418 Q St. NW

Customer Sample Number:

Date / Time Collected: 12/7/2022 5:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-001

Date / Time Received: 12/28/2022 8:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	1/18/2023	Bprakash

Sample Location: 2nd Draw 1418 Q St. NW

Customer Sample Number:

Date / Time Collected: 12/7/2022 5:22 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-002

Date / Time Received: 12/28/2022 8:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-019

Sample Location: 1st Draw 1430 Perry PL NW

Customer Sample Number:

Date / Time Collected: 12/18/2022 5:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2301019-019

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 1430 Perry PL NW

Customer Sample Number:

Date / Time Collected: 12/18/2022 5:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2301019-020

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-001

Sample Location: 1st Draw 1521 Otis St NE
Customer Sample Number:
Date / Time Collected: 12/9/2022 7:09 AM

Customer Program Code: DS
Laboratory Sample Number: 2212102-001
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1521 Otis St NE
Customer Sample Number:
Date / Time Collected: 12/9/2022 7:14 AM

Customer Program Code: DS
Laboratory Sample Number: 2212102-002
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-073

Sample Location: 1st Draw 1616 Taylor St NW

Customer Sample Number:

Date / Time Collected: 12/5/2022 8:06 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-073

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1616 Taylor St NW

Customer Sample Number:

Date / Time Collected: 12/5/2022 8:12 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-074

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-013

Sample Location: 1st Draw 1738 Kilbourne PI NW

Customer Sample Number:

Date / Time Collected: 12/3/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-013

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1738 Kilbourne PI NW

Customer Sample Number:

Date / Time Collected: 12/3/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-014

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-061

Sample Location: 1st Draw 1750 Lyman PI NE

Customer Sample Number:

Date / Time Collected: 12/7/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-061

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1750 Lyman PI NE

Customer Sample Number:

Date / Time Collected: 12/7/2022 7:01 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-062

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-015

Sample Location: 1st Draw 1805 18th St SE
Customer Sample Number:
Date / Time Collected: 12/4/2022 8:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2212102-015
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1805 18th St SE
Customer Sample Number:
Date / Time Collected: 12/4/2022 8:31 AM

Customer Program Code: DS
Laboratory Sample Number: 2212102-016
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-033

Sample Location: 1st Draw 1835 California St. NW #1
Customer Sample Number:
Date / Time Collected: 12/19/2022 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2301019-033
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 1835 California St. NW #1
Customer Sample Number:
Date / Time Collected: 12/19/2022 6:01 AM

Customer Program Code: DS
Laboratory Sample Number: 2301019-034
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-051

Sample Location: 1st Draw 1907 Alabama Ave SE

Customer Sample Number:

Date / Time Collected: 12/7/2022 10:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-051

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1907 Alabama Ave SE

Customer Sample Number:

Date / Time Collected: 12/7/2022 10:41 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-052

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-003

Sample Location: 1st Draw 1917 Randolph St NE

Customer Sample Number:

Date / Time Collected: 12/2/2022 10:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-003

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1917 Randolph St NE

Customer Sample Number:

Date / Time Collected: 12/2/2022 10:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-004

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/26/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS- 2301019-021

Sample Location: 1st Draw 1936 Capitol Ave. NE

Customer Sample Number:

Date / Time Collected: 12/18/2022 6:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-021

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 1936 Capitol Ave. NE

Customer Sample Number:

Date / Time Collected: 12/18/2022 6:52 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-022

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-039

Sample Location: 1st Draw 2006 E St NE
Customer Sample Number:
Date / Time Collected: 12/5/2022 7:26 AM

Customer Program Code: DS
Laboratory Sample Number: 2212102-039
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 2006 E St NE
Customer Sample Number:
Date / Time Collected: 12/5/2022 7:28 AM

Customer Program Code: DS
Laboratory Sample Number: 2212102-040
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-065

Sample Location: 1st Draw 2016 Tunlaw Rd. NW

Customer Sample Number:

Date / Time Collected: 12/20/2022 5:46 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-065

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 2016 Tunlaw Rd. NW

Customer Sample Number:

Date / Time Collected: 12/20/2022 5:47 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-066

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-011

Sample Location: 1st Draw 203 Peabody St. NW

Customer Sample Number:

Date / Time Collected: 12/5/2022 5:56 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-011

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 203 Peabody St. NW

Customer Sample Number:

Date / Time Collected: 12/5/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-012

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-017

Sample Location: 1st Draw 2202 15th St. NE
Customer Sample Number:
Date / Time Collected: 12/17/2022 9:23 PM

Customer Program Code: DS
Laboratory Sample Number: 2301019-017
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 2202 15th St. NE
Customer Sample Number:
Date / Time Collected: 12/17/2022 9:25 PM

Customer Program Code: DS
Laboratory Sample Number: 2301019-018
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-015

Sample Location: 1st Draw 224 9th St. SE
Customer Sample Number:
Date / Time Collected: 12/17/2022 8:39 AM

Customer Program Code: DS
Laboratory Sample Number: 2301019-015
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.2	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 224 9th St. SE
Customer Sample Number:
Date / Time Collected: 12/17/2022 8:42 AM

Customer Program Code: DS
Laboratory Sample Number: 2301019-016
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-051

Sample Location: 1st Draw 2302 Kalorama Rd. NW

Customer Sample Number:

Date / Time Collected: 12/14/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-051

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 2302 Kalorama Rd. NW

Customer Sample Number:

Date / Time Collected: 12/14/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-052

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-053

Sample Location: 1st Draw 2324 39th St. NW

Customer Sample Number:

Date / Time Collected: 12/15/2022 6:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-053

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 2324 39th St. NW

Customer Sample Number:

Date / Time Collected: 12/15/2022 6:17 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-054

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-031

Sample Location: 1st Draw 2443 Monroe St. NE

Customer Sample Number:

Date / Time Collected: 12/18/2022 8:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-031

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 2443 Monroe St. NE

Customer Sample Number:

Date / Time Collected: 12/18/2022 8:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-032

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-025

Sample Location: 1st Draw 314 6th St. NE
Customer Sample Number:
Date / Time Collected: 12/18/2022 7:33 AM

Customer Program Code: DS
Laboratory Sample Number: 2301019-025
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 314 6th St. NE
Customer Sample Number:
Date / Time Collected: 12/18/2022 7:35 AM

Customer Program Code: DS
Laboratory Sample Number: 2301019-026
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-037

Sample Location: 1st Draw 320 11th St. NE

Customer Sample Number:

Date / Time Collected: 12/19/2022 7:58 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-037

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 320 11th St. NE

Customer Sample Number:

Date / Time Collected: 12/19/2022 7:58 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-038

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-009

Sample Location: 1st Draw 320 14th St NW
Customer Sample Number:
Date / Time Collected: 12/5/2022 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2212102-009
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 320 14th St NW
Customer Sample Number:
Date / Time Collected: 12/5/2022 6:03 AM

Customer Program Code: DS
Laboratory Sample Number: 2212102-010
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.6	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-067

Sample Location: 1st Draw 3205 Rittenhouse St NW

Customer Sample Number:

Date / Time Collected: 12/7/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-067

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 3205 Rittenhouse St NW

Customer Sample Number:

Date / Time Collected: 12/7/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-068

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/26/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS- 2212102-005

Sample Location: 1st Draw 3222 Northampton St NW

Customer Sample Number:

Date / Time Collected: 12/9/2022 5:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-005

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 3222 Northampton St NW

Customer Sample Number:

Date / Time Collected: 12/9/2022 5:33 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-006

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-059

Sample Location: 1st Draw 3322 17th St NW

Customer Sample Number:

Date / Time Collected: 12/9/2022 6:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-059

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.4	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 3322 17th St NW

Customer Sample Number:

Date / Time Collected: 12/9/2022 6:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-060

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.9	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-063

Sample Location: 1st Draw 35 Seaton PL NW

Customer Sample Number:

Date / Time Collected: 12/19/2022 7:14 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-063

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 35 Seaton PL NW

Customer Sample Number:

Date / Time Collected: 12/19/2022 7:18 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-064

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/26/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS- 2212102-037

Sample Location: 1st Draw 3715 Upton St NW

Customer Sample Number:

Date / Time Collected: 12/5/2022 7:41 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-037

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 3715 Upton St NW

Customer Sample Number:

Date / Time Collected: 12/5/2022 7:46 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-038

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-043

Sample Location: 1st Draw 3814 20th St. NE

Customer Sample Number:

Date / Time Collected: 11/13/2022 7:02 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-043

Date / Time Received: 12/28/2022 8:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/18/2023	Bprakash

Sample Location: 2nd Draw 3814 20th St. NE

Customer Sample Number:

Date / Time Collected: 11/13/2022 7:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-044

Date / Time Received: 12/28/2022 8:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-017

Sample Location: 1st Draw 3901 20th St NE
Customer Sample Number:
Date / Time Collected: 12/7/2022 3:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2212102-017
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 3901 20th St NE
Customer Sample Number:
Date / Time Collected: 12/7/2022 3:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2212102-018
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-025

Sample Location: 1st Draw 3977 Alabama Ave SE

Customer Sample Number:

Date / Time Collected: 12/6/2022 6:16 PM

Customer Program Code: DS

Laboratory Sample Number: 2212102-025

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 3977 Alabama Ave SE

Customer Sample Number:

Date / Time Collected: 12/6/2022 6:20 PM

Customer Program Code: DS

Laboratory Sample Number: 2212102-026

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/26/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS- 2301019-005

Sample Location: 1st Draw 4028 Ely Place SE

Customer Sample Number:

Date / Time Collected: 12/16/2022 7:06 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-005

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 4028 Ely Place SE

Customer Sample Number:

Date / Time Collected: 12/16/2022 7:09 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-006

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-035

Sample Location: 1st Draw 4208 13th St NE
Customer Sample Number:
Date / Time Collected: 12/7/2022 7:39 AM

Customer Program Code: DS
Laboratory Sample Number: 2212102-035
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 4208 13th St NE
Customer Sample Number:
Date / Time Collected: 12/7/2022 7:43 AM

Customer Program Code: DS
Laboratory Sample Number: 2212102-036
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-071

Sample Location: 1st Draw 4335 Brandywine St NW
Customer Sample Number:
Date / Time Collected: 12/9/2022 5:35 AM

Customer Program Code: DS
Laboratory Sample Number: 2212102-071
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 4335 Brandywine St NW
Customer Sample Number:
Date / Time Collected: 12/9/2022 5:38 AM

Customer Program Code: DS
Laboratory Sample Number: 2212102-072
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-019

Sample Location: 1st Draw 4344 F St SE
Customer Sample Number:
Date / Time Collected: 12/7/2022 4:55 PM

Customer Program Code: DS
Laboratory Sample Number: 2212102-019
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 4344 F St SE
Customer Sample Number:
Date / Time Collected: 12/7/2022 4:55 PM

Customer Program Code: DS
Laboratory Sample Number: 2212102-020
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-041

Sample Location: 1st Draw 4410 Chesapeake St. NW

Customer Sample Number:

Date / Time Collected: 12/20/2022 7:34 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-041

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 4410 Chesapeake St. NW

Customer Sample Number:

Date / Time Collected: 12/20/2022 7:34 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-042

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-049

Sample Location: 1st Draw 4418 Ellicott NW

Customer Sample Number:

Date / Time Collected: 11/27/2022 7:37 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-049

Date / Time Received: 12/15/2022 9:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/11/2023	Bprakash

Sample Location: 2nd Draw 4418 Ellicott NW

Customer Sample Number:

Date / Time Collected: 11/27/2022 7:38 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-050

Date / Time Received: 12/15/2022 9:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-007

Sample Location: 1st Draw 4441 Warren St NW

Customer Sample Number:

Date / Time Collected: 12/9/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-007

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 4441 Warren St NW

Customer Sample Number:

Date / Time Collected: 12/9/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-008

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-069

Sample Location: 1st Draw 4554 Lowell St NW

Customer Sample Number:

Date / Time Collected: 12/5/2022 8:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-069

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 4554 Lowell St NW

Customer Sample Number:

Date / Time Collected: 12/5/2022 8:37 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-070

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-043

Sample Location: 1st Draw 4940 Rodman St NW

Customer Sample Number:

Date / Time Collected: 12/6/2022 8:43 PM

Customer Program Code: DS

Laboratory Sample Number: 2212102-043

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 4940 Rodman St NW

Customer Sample Number:

Date / Time Collected: 12/6/2022 8:45 PM

Customer Program Code: DS

Laboratory Sample Number: 2212102-044

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/26/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS- 2301019-027

Sample Location: 1st Draw 5001 4th St. NW

Customer Sample Number:

Date / Time Collected: 12/18/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-027

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 5001 4th St. NW

Customer Sample Number:

Date / Time Collected: 12/18/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-028

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-055

Sample Location: 1st Draw 5024 Sedgwick St NW

Customer Sample Number:

Date / Time Collected: 12/6/2022 6:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-055

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 5024 Sedgwick St NW

Customer Sample Number:

Date / Time Collected: 12/6/2022 6:18 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-056

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-039

Sample Location: 1st Draw 5053 Sedgwick St. NW

Customer Sample Number:

Date / Time Collected: 12/20/2022 6:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-039

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 5053 Sedgwick St. NW

Customer Sample Number:

Date / Time Collected: 12/20/2022 6:18 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-040

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-041

Sample Location: 1st Draw 507 East Capitol St SE

Customer Sample Number:

Date / Time Collected: 12/7/2022 6:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-041

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 507 East Capitol St SE

Customer Sample Number:

Date / Time Collected: 12/7/2022 6:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-042

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-031

Sample Location: 1st Draw 5333 Sherier PI NW

Customer Sample Number:

Date / Time Collected: 12/7/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-031

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 5333 Sherier PI NW

Customer Sample Number:

Date / Time Collected: 12/7/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-032

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-033

Sample Location: 1st Draw 549 24th St NE
Customer Sample Number:
Date / Time Collected: 12/6/2022 6:21 AM

Customer Program Code: DS
Laboratory Sample Number: 2212102-033
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 549 24th St NE
Customer Sample Number:
Date / Time Collected: 12/6/2022 6:25 AM

Customer Program Code: DS
Laboratory Sample Number: 2212102-034
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-029

Sample Location: 1st Draw 5810 CHEVY CHASE PKWY NW
Customer Sample Number:
Date / Time Collected: 12/2/2022 6:50 AM

Customer Program Code: DS
Laboratory Sample Number: 2212102-029
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 5810 CHEVY CHASE PKWY NW
Customer Sample Number:
Date / Time Collected: 12/2/2022 6:52 AM

Customer Program Code: DS
Laboratory Sample Number: 2212102-030
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-011

Sample Location: 1st Draw 621 6th St. NE
Customer Sample Number:
Date / Time Collected: 12/17/2022 7:20 AM

Customer Program Code: DS
Laboratory Sample Number: 2301019-011
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 621 6th St. NE
Customer Sample Number:
Date / Time Collected: 12/17/2022 7:22 AM

Customer Program Code: DS
Laboratory Sample Number: 2301019-012
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-057

Sample Location: 1st Draw 623 Keefer PL NW

Customer Sample Number:

Date / Time Collected: 12/16/2022 4:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-057

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 623 Keefer PL NW

Customer Sample Number:

Date / Time Collected: 12/16/2022 4:39 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-058

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-003

Sample Location: 1st Draw 6402 N. Capitol St NW

Customer Sample Number:

Date / Time Collected: 12/13/2022 6:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-003

Date / Time Received: 12/28/2022 8:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L	H	1/18/2023	Bprakash

Sample Location: 2nd Draw 6402 N. Capitol St NW

Customer Sample Number:

Date / Time Collected: 12/13/2022 6:43 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-004

Date / Time Received: 12/28/2022 8:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-053

Sample Location: 1st Draw 648 Chaplin St SE

Customer Sample Number:

Date / Time Collected: 12/8/2022 7:26 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-053

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 648 Chaplin St SE

Customer Sample Number:

Date / Time Collected: 12/8/2022 7:29 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-054

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-047

Sample Location: 1st Draw 6613 Piney Branch Rd NW

Customer Sample Number:

Date / Time Collected: 9/30/2022 10:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-047

Date / Time Received: 12/15/2022 9:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/11/2023	Bprakash

Sample Location: 2nd Draw 6613 Piney Branch Rd NW

Customer Sample Number:

Date / Time Collected: 9/30/2022 10:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-048

Date / Time Received: 12/15/2022 9:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-023

Sample Location: 1st Draw 710 Roxboro PI NW

Customer Sample Number:

Date / Time Collected: 12/7/2022 6:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-023

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 710 Roxboro PI NW

Customer Sample Number:

Date / Time Collected: 12/7/2022 6:54 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-024

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2212102-045

Sample Location: 1st Draw 720 Sheridan St NW

Customer Sample Number:

Date / Time Collected: 12/7/2022 6:02 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-045

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 720 Sheridan St NW

Customer Sample Number:

Date / Time Collected: 12/7/2022 6:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2212102-046

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-061

Sample Location: 1st Draw 750 Harvard St. NW

Customer Sample Number:

Date / Time Collected: 12/19/2022 6:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-061

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 750 Harvard St. NW

Customer Sample Number:

Date / Time Collected: 12/19/2022 6:38 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-062

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-035

Sample Location: 1st Draw 8024 16th St. NW

Customer Sample Number:

Date / Time Collected: 12/19/2022 6:12 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-035

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 8024 16th St. NW

Customer Sample Number:

Date / Time Collected: 12/19/2022 6:14 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-036

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS- 2301019-007

Sample Location: 1st Draw 904 O St. NW
Customer Sample Number:
Date / Time Collected: 12/16/2022 8:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2301019-007
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 904 O St. NW
Customer Sample Number:
Date / Time Collected: 12/16/2022 8:31 AM

Customer Program Code: DS
Laboratory Sample Number: 2301019-008
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS250- 2212109-003

Sample Location: 1st Draw 1613 A St NE #2

Customer Sample Number:

Date / Time Collected: 12/3/2022 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2212109-003

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1613 A St NE #2

Customer Sample Number:

Date / Time Collected: 12/3/2022 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2212109-004

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS250- 2301018-001

Sample Location: 1st Draw 2300 19th St NW, Apt 3

Customer Sample Number:

Date / Time Collected: 12/16/2022 7:10 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301018-001

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	BPrakash

Sample Location: 2nd Draw 2300 19th St NW, Apt 3

Customer Sample Number:

Date / Time Collected: 12/16/2022 7:10 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301018-002

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-DS250- 2212109-001

Sample Location: 1st Draw 2500 Q St NW, Apt 518

Customer Sample Number:

Date / Time Collected: 12/5/2022 11:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2212109-001

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 2500 Q St NW, Apt 518

Customer Sample Number:

Date / Time Collected: 12/5/2022 11:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2212109-002

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-083

Sample Location: 1st Draw 1017 Lamont St NW

Customer Sample Number:

Date / Time Collected: 12/8/2022 3:44 PM

Customer Program Code: DS

Laboratory Sample Number: 2212144-083

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1017 Lamont St NW

Customer Sample Number:

Date / Time Collected: 12/8/2022 3:45 PM

Customer Program Code: DS

Laboratory Sample Number: 2212144-084

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-029

Sample Location: 1st Draw 1225 E St NE
Customer Sample Number:
Date / Time Collected: 12/11/2022 9:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-029
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1225 E St NE
Customer Sample Number:
Date / Time Collected: 12/11/2022 9:35 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-030
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.3	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-075

Sample Location: 1st Draw 1334 Randolph St NW

Customer Sample Number:

Date / Time Collected: 12/14/2022 7:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-075

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1334 Randolph St NW

Customer Sample Number:

Date / Time Collected: 12/14/2022 7:12 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-076

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-033

Sample Location: 1st Draw 1336 Randolph St NW

Customer Sample Number:

Date / Time Collected: 12/15/2022 5:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-033

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1336 Randolph St NW

Customer Sample Number:

Date / Time Collected: 12/15/2022 5:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-034

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/27/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS- 2212144-053

Sample Location: 1st Draw 1374 E St NE
Customer Sample Number:
Date / Time Collected: 12/12/2022 5:34 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-053
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1374 E St NE
Customer Sample Number:
Date / Time Collected: 12/12/2022 5:39 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-054
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-049

Sample Location: 1st Draw 1423 Whittier St NW

Customer Sample Number:

Date / Time Collected: 12/8/2022 7:37 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-049

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1423 Whittier St NW

Customer Sample Number:

Date / Time Collected: 12/8/2022 7:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-050

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-031

Sample Location: 1st Draw 1433 Parkwood PI NW

Customer Sample Number:

Date / Time Collected: 12/12/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-031

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1433 Parkwood PI NW

Customer Sample Number:

Date / Time Collected: 12/12/2022 6:32 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-032

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-043

Sample Location: 1st Draw 1513 Fort Davis PI SE

Customer Sample Number:

Date / Time Collected: 12/9/2022 5:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-043

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1513 Fort Davis PI SE

Customer Sample Number:

Date / Time Collected: 12/9/2022 5:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-044

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-041

Sample Location: 1st Draw 1516 Varnum St NW

Customer Sample Number:

Date / Time Collected: 12/12/2022 8:09 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-041

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1516 Varnum St NW

Customer Sample Number:

Date / Time Collected: 12/12/2022 8:11 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-042

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-077

Sample Location: 1st Draw 1702 Lyman PI NE
Customer Sample Number:
Date / Time Collected: 12/13/2022 6:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-077
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1702 Lyman PI NE
Customer Sample Number:
Date / Time Collected: 12/13/2022 6:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-078
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/27/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS- 2212144-065

Sample Location: 1st Draw 1917 T PI SE
Customer Sample Number:
Date / Time Collected: 12/12/2022 7:15 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-065
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1917 T PI SE
Customer Sample Number:
Date / Time Collected: 12/12/2022 7:16 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-066
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-011

Sample Location: 1st Draw 2424 Chain Bridge Rd NW

Customer Sample Number:

Date / Time Collected: 12/12/2022 11:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-011

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 2424 Chain Bridge Rd NW

Customer Sample Number:

Date / Time Collected: 12/12/2022 11:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-012

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/27/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS- 2212144-087

Sample Location: 1st Draw 2900 15th St NE

Customer Sample Number:

Date / Time Collected: 12/13/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-087

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 2900 15th St NE

Customer Sample Number:

Date / Time Collected: 12/13/2022 7:04 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-088

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-057

Sample Location: 1st Draw 3018 44th PI NW

Customer Sample Number:

Date / Time Collected: 11/2/2022 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-057

Date / Time Received: 12/20/2022 11:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.6	ug/L	H	1/11/2023	Bprakash

Sample Location: 2nd Draw 3018 44th PI NW

Customer Sample Number:

Date / Time Collected: 11/2/2022 7:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-058

Date / Time Received: 12/20/2022 11:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L	H	1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-079

Sample Location: 1st Draw 3047 N St NW

Customer Sample Number:

Date / Time Collected: 12/3/2022 4:02 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-079

Date / Time Received: 12/20/2022 11:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/11/2023	Bprakash

Sample Location: 2nd Draw 3047 N St NW

Customer Sample Number:

Date / Time Collected: 12/3/2022 4:03 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-080

Date / Time Received: 12/20/2022 11:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-017

Sample Location: 1st Draw 327 56th St NE
Customer Sample Number:
Date / Time Collected: 12/12/2022 7:43 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-017
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 327 56th St NE
Customer Sample Number:
Date / Time Collected: 12/12/2022 7:49 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-018
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-027

Sample Location: 1st Draw 3421 Prospect St NW

Customer Sample Number:

Date / Time Collected: 12/8/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-027

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 3421 Prospect St NW

Customer Sample Number:

Date / Time Collected: 12/8/2022 7:02 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-028

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-059

Sample Location: 1st Draw 3522 13th St NW Apt B

Customer Sample Number:

Date / Time Collected: 10/1/2022 7:34 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-059

Date / Time Received: 12/20/2022 11:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/11/2023	Bprakash

Sample Location: 2nd Draw 3522 13th St NW Apt B

Customer Sample Number:

Date / Time Collected: 10/1/2022 7:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-060

Date / Time Received: 12/20/2022 11:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-013

Sample Location: 1st Draw 3600 26th St NE

Customer Sample Number:

Date / Time Collected: 12/11/2022 7:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-013

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 3600 26th St NE

Customer Sample Number:

Date / Time Collected: 12/11/2022 7:27 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-014

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-091

Sample Location: 1st Draw 3628 Van Ness St NW

Customer Sample Number:

Date / Time Collected: 12/12/2022 7:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-091

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 3628 Van Ness St NW

Customer Sample Number:

Date / Time Collected: 12/12/2022 7:47 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-092

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-019

Sample Location: 1st Draw 4040 Brandywine St NW
Customer Sample Number:
Date / Time Collected: 12/11/2022 8:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-019
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 4040 Brandywine St NW
Customer Sample Number:
Date / Time Collected: 12/11/2022 8:01 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-020
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-063

Sample Location: 1st Draw 41 Underwood PI NW

Customer Sample Number:

Date / Time Collected: 12/8/2022 12:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-063

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 41 Underwood PI NW

Customer Sample Number:

Date / Time Collected: 12/8/2022 12:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-064

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/27/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS- 2212144-039

Sample Location: 1st Draw 4211 20th St, NE
Customer Sample Number:
Date / Time Collected: 12/14/2022 10:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-039
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 4211 20th St, NE
Customer Sample Number:
Date / Time Collected: 12/14/2022 10:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-040
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-005

Sample Location: 1st Draw 4228 Alton PI NW
Customer Sample Number:
Date / Time Collected: 12/6/2022 5:10 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-005
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 4228 Alton PI NW
Customer Sample Number:
Date / Time Collected: 12/6/2022 5:12 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-006
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-045

Sample Location: 1st Draw 4316 Windom PI NW

Customer Sample Number:

Date / Time Collected: 12/14/2022 5:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-045

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 4316 Windom PI NW

Customer Sample Number:

Date / Time Collected: 12/14/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-046

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-023

Sample Location: 1st Draw 449 19th St NE
Customer Sample Number:
Date / Time Collected: 12/11/2022 6:02 PM

Customer Program Code: DS
Laboratory Sample Number: 2212144-023
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 449 19th St NE
Customer Sample Number:
Date / Time Collected: 12/11/2022 6:06 PM

Customer Program Code: DS
Laboratory Sample Number: 2212144-024
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-003

Sample Location: 1st Draw 4500 Dexter St NW

Customer Sample Number:

Date / Time Collected: 12/3/2022 6:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-003

Date / Time Received: 12/20/2022 11:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/11/2023	Bprakash

Sample Location: 2nd Draw 4500 Dexter St NW

Customer Sample Number:

Date / Time Collected: 12/3/2022 6:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-004

Date / Time Received: 12/20/2022 11:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-051

Sample Location: 1st Draw 4515 Yuma St NW

Customer Sample Number:

Date / Time Collected: 12/12/2022 8:13 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-051

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 4515 Yuma St NW

Customer Sample Number:

Date / Time Collected: 12/12/2022 8:13 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-052

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-009

Sample Location: 1st Draw 4829 9TH ST NW

Customer Sample Number:

Date / Time Collected: 12/6/2022 4:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-009

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 4829 9TH ST NW

Customer Sample Number:

Date / Time Collected: 12/6/2022 4:31 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-010

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-025

Sample Location: 1st Draw 4839 Hutchins PI NW

Customer Sample Number:

Date / Time Collected: 12/5/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-025

Date / Time Received: 12/20/2022 11:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/11/2023	Bprakash

Sample Location: 2nd Draw 4839 Hutchins PI NW

Customer Sample Number:

Date / Time Collected: 12/5/2022 6:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-026

Date / Time Received: 12/20/2022 11:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-035

Sample Location: 1st Draw 4961 12th St NE

Customer Sample Number:

Date / Time Collected: 12/2/2022 3:13 PM

Customer Program Code: DS

Laboratory Sample Number: 2212144-035

Date / Time Received: 12/20/2022 11:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/11/2023	Bprakash

Sample Location: 2nd Draw 4961 12th St NE

Customer Sample Number:

Date / Time Collected: 12/2/2022 3:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2212144-036

Date / Time Received: 12/20/2022 11:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-021

Sample Location: 1st Draw 5001 Sedgwick St NW

Customer Sample Number:

Date / Time Collected: 12/12/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-021

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 5001 Sedgwick St NW

Customer Sample Number:

Date / Time Collected: 12/12/2022 7:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-022

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-055

Sample Location: 1st Draw 722 Sheridan St NW

Customer Sample Number:

Date / Time Collected: 12/12/2022 5:40 PM

Customer Program Code: DS

Laboratory Sample Number: 2212144-055

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 722 Sheridan St NW

Customer Sample Number:

Date / Time Collected: 12/12/2022 5:41 PM

Customer Program Code: DS

Laboratory Sample Number: 2212144-056

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-015

Sample Location: 1st Draw 724 Quebec PI NW

Customer Sample Number:

Date / Time Collected: 12/13/2022 8:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-015

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 724 Quebec PI NW

Customer Sample Number:

Date / Time Collected: 12/13/2022 8:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2212144-016

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.1	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-007

Sample Location: 1st Draw 806 A St SE
Customer Sample Number:
Date / Time Collected: 12/6/2022 5:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-007
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 806 A St SE
Customer Sample Number:
Date / Time Collected: 12/6/2022 5:35 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-008
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-001

Sample Location: 1st Draw 810 21st St NE
Customer Sample Number:
Date / Time Collected: 12/13/2022 8:35 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-001
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 810 21st St NE
Customer Sample Number:
Date / Time Collected: 12/13/2022 8:39 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-002
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS- 2212144-037

Sample Location: 1st Draw 900 Porter NE
Customer Sample Number:
Date / Time Collected: 12/12/2022 5:14 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-037
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	10.2	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 900 Porter NE
Customer Sample Number:
Date / Time Collected: 12/12/2022 5:16 AM

Customer Program Code: DS
Laboratory Sample Number: 2212144-038
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-DS250- 2212143-001

Sample Location: 1st Draw 1200 14th St NW, Apt 1014
Customer Sample Number:
Date / Time Collected: 12/12/2022 6:30 AM

Customer Program Code: DS250
Laboratory Sample Number: 2212143-001
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	BPrakash

Sample Location: 2nd Draw 1200 14th St NW, Apt 1014
Customer Sample Number:
Date / Time Collected: 12/12/2022 6:30 AM

Customer Program Code: DS250
Laboratory Sample Number: 2212143-002
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 2/8/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2301019-067

Sample Location: 1st Draw 6 Hanover PL NW

Customer Sample Number:

Date / Time Collected: 12/17/2022 9:38 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-067

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		1/26/2023	LGallimore

Sample Location: 2nd Draw 6 Hanover PL NW

Customer Sample Number:

Date / Time Collected: 12/17/2022 9:46 AM

Customer Program Code: DS

Laboratory Sample Number: 2301019-068

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		1/26/2023	LGallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/13/2023

Report Number: L-DC-DS-2301020-031

Sample Location: 1st Draw 1346 Constitution Ave. NE
Customer Sample Number:
Date / Time Collected: 12/26/2022 6:45 AM

Customer Program Code: DS
Laboratory Sample Number: 2301020-031
Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 1346 Constitution Ave. NE
Customer Sample Number:
Date / Time Collected: 12/26/2022 6:45 AM

Customer Program Code: DS
Laboratory Sample Number: 2301020-032
Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.4	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/13/2023

Report Number: L-DC-DS-2301020-013

Sample Location: 1st Draw 14 Underwood PL NW

Customer Sample Number:

Date / Time Collected: 12/21/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301020-013

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 14 Underwood PL NW

Customer Sample Number:

Date / Time Collected: 12/21/2022 7:03 AM

Customer Program Code: DS

Laboratory Sample Number: 2301020-014

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/13/2023

Report Number: L-DC-DS-2301020-003

Sample Location: 1st Draw 1434 18th PL SE
Customer Sample Number:
Date / Time Collected: 12/18/2022 11:04 AM

Customer Program Code: DS
Laboratory Sample Number: 2301020-003
Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 1434 18th PL SE
Customer Sample Number:
Date / Time Collected: 12/18/2022 11:10 AM

Customer Program Code: DS
Laboratory Sample Number: 2301020-004
Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/13/2023

Report Number: L-DC-DS-2301020-029

Sample Location: 1st Draw 1524 Fort Davis St. SE

Customer Sample Number:

Date / Time Collected: 12/24/2022 12:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2301020-029

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 1524 Fort Davis St. SE

Customer Sample Number:

Date / Time Collected: 12/24/2022 12:13 AM

Customer Program Code: DS

Laboratory Sample Number: 2301020-030

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/13/2023

Report Number: L-DC-DS-2301020-021

Sample Location: 1st Draw 1605 Otis St. NE
Customer Sample Number:
Date / Time Collected: 12/22/2022 5:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2301020-021
Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 1605 Otis St. NE
Customer Sample Number:
Date / Time Collected: 12/22/2022 5:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2301020-022
Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 2/13/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2301020-009

Sample Location: 1st Draw 1614 Lang PL NE
Customer Sample Number:
Date / Time Collected: 12/20/2022 8:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2301020-009
Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 1614 Lang PL NE
Customer Sample Number:
Date / Time Collected: 12/20/2022 8:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2301020-010
Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/13/2023

Report Number: L-DC-DS-2301020-019

Sample Location: 1st Draw 1623 Lyman Place NE

Customer Sample Number:

Date / Time Collected: 12/21/2022 9:07 AM

Customer Program Code: DS

Laboratory Sample Number: 2301020-019

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 1623 Lyman Place NE

Customer Sample Number:

Date / Time Collected: 12/21/2022 9:08 AM

Customer Program Code: DS

Laboratory Sample Number: 2301020-020

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/13/2023

Report Number: L-DC-DS-2301020-027

Sample Location: 1st Draw 2326 13th PL NE

Customer Sample Number:

Date / Time Collected: 12/23/2022 12:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2301020-027

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 2326 13th PL NE

Customer Sample Number:

Date / Time Collected: 12/23/2022 12:31 PM

Customer Program Code: DS

Laboratory Sample Number: 2301020-028

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/13/2023

Report Number: L-DC-DS-2301020-005

Sample Location: 1st Draw 4019 South Dakota Ave NE

Customer Sample Number:

Date / Time Collected: 12/18/2022 8:22 PM

Customer Program Code: DS

Laboratory Sample Number: 2301020-005

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 4019 South Dakota Ave NE

Customer Sample Number:

Date / Time Collected: 12/18/2022 8:24 PM

Customer Program Code: DS

Laboratory Sample Number: 2301020-006

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/13/2023

Report Number: L-DC-DS-2301020-001

Sample Location: 1st Draw 438 Jefferson St. NW

Customer Sample Number:

Date / Time Collected: 11/28/2022 7:12 AM

Customer Program Code: DS

Laboratory Sample Number: 2301020-001

Date / Time Received: 12/29/2022 10:24:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	1/26/2023	Lgallimore

Sample Location: 2nd Draw 438 Jefferson St. NW

Customer Sample Number:

Date / Time Collected: 11/28/2022 7:16 AM

Customer Program Code: DS

Laboratory Sample Number: 2301020-002

Date / Time Received: 12/29/2022 10:24:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.2	ug/L	H	1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 2/13/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2301020-017

Sample Location: 1st Draw 44 Tuckerman St. NW

Customer Sample Number:

Date / Time Collected: 12/21/2022 9:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301020-017

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 44 Tuckerman St. NW

Customer Sample Number:

Date / Time Collected: 12/21/2022 9:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301020-018

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/13/2023

Report Number: L-DC-DS-2301020-025

Sample Location: 1st Draw 4718 10th St. NE

Customer Sample Number:

Date / Time Collected: 12/22/2022 5:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301020-025

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 4718 10th St. NE

Customer Sample Number:

Date / Time Collected: 12/22/2022 5:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301020-026

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/13/2023

Report Number: L-DC-DS-2301020-007

Sample Location: 1st Draw 5053 Glenbrook Tr. NW	Customer Program Code: DS
Customer Sample Number:	Laboratory Sample Number: 2301020-007
Date / Time Collected: 12/19/2022 11:00 AM	Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 5053 Glenbrook Tr. NW	Customer Program Code: DS
Customer Sample Number:	Laboratory Sample Number: 2301020-008
Date / Time Collected: 12/19/2022 11:10 AM	Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/13/2023

Report Number: L-DC-DS-2301020-035

Sample Location: 1st Draw 5113 New Hampshire Ave NW

Customer Sample Number:

Date / Time Collected: 12/21/2022 6:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2301020-035

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 5113 New Hampshire Ave NW

Customer Sample Number:

Date / Time Collected: 12/21/2022 6:47 AM

Customer Program Code: DS

Laboratory Sample Number: 2301020-036

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/13/2023

Report Number: L-DC-DS-2301020-023

Sample Location: 1st Draw 512 D St. SE
Customer Sample Number:
Date / Time Collected: 12/22/2022 5:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2301020-023
Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 512 D St. SE
Customer Sample Number:
Date / Time Collected: 12/22/2022 5:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2301020-024
Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/13/2023

Report Number: L-DC-DS-2301020-011

Sample Location: 1st Draw 516 E Capitol St. NE

Customer Sample Number:

Date / Time Collected: 12/21/2022 5:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2301020-011

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 516 E Capitol St. NE

Customer Sample Number:

Date / Time Collected: 12/21/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301020-012

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/13/2023

Report Number: L-DC-DS-2301020-015

Sample Location: 1st Draw 709 Dahlia St. NW

Customer Sample Number:

Date / Time Collected: 12/21/2022 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2301020-015

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 709 Dahlia St. NW

Customer Sample Number:

Date / Time Collected: 12/21/2022 7:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2301020-016

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/13/2023

Report Number: L-DC-DS250- 2301067-003

Sample Location: 1st Draw 1613 Harvard St NW #216

Customer Sample Number:

Date / Time Collected: 1/3/2023 7:40 PM

Customer Program Code: DS250

Laboratory Sample Number: 2301067-003

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 1613 Harvard St NW #216

Customer Sample Number:

Date / Time Collected: 1/3/2023 7:40 PM

Customer Program Code: DS250

Laboratory Sample Number: 2301067-004

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/13/2023

Report Number: L-DC-DS250- 2301067-001

Sample Location: 1st Draw 2576 Sherman Ave. NW #302

Customer Sample Number:

Date / Time Collected: 12/28/2022 7:15 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301067-001

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 2576 Sherman Ave. NW #302

Customer Sample Number:

Date / Time Collected: 12/28/2022 7:15 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301067-002

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 2/14/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2301068-013

Sample Location: 1st Draw 112 7th St. SE
Customer Sample Number:
Date / Time Collected: 12/29/2022 8:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2301068-013
Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 112 7th St. SE
Customer Sample Number:
Date / Time Collected: 12/29/2022 8:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2301068-014
Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301115-005

Sample Location: 1st Draw 1128 Geranium St. NW

Customer Sample Number:

Date / Time Collected: 12/21/2022 2:16 PM

Customer Program Code: DS

Laboratory Sample Number: 2301115-005

Date / Time Received: 1/11/2023 7:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/26/2023	Lgallimore

Sample Location: 2nd Draw 1128 Geranium St. NW

Customer Sample Number:

Date / Time Collected: 12/21/2022 2:17 PM

Customer Program Code: DS

Laboratory Sample Number: 2301115-006

Date / Time Received: 1/11/2023 7:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301115-001

Sample Location: 1st Draw 1322 Girard St. NE

Customer Sample Number:

Date / Time Collected: 1/2/2023 4:27 PM

Customer Program Code: DS

Laboratory Sample Number: 2301115-001

Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 1322 Girard St. NE

Customer Sample Number:

Date / Time Collected: 1/2/2023 4:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2301115-002

Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-003

Sample Location: 1st Draw 1333 Wallach PL NW

Customer Sample Number:

Date / Time Collected: 12/21/2022 9:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-003

Date / Time Received: 1/9/2023 11:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	1/26/2023	Lgallimore

Sample Location: 2nd Draw 1333 Wallach PL NW

Customer Sample Number:

Date / Time Collected: 12/21/2022 9:31 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-004

Date / Time Received: 1/9/2023 11:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-041

Sample Location: 1st Draw 1537 Fort Duont St. SE

Customer Sample Number:

Date / Time Collected: 1/3/2023 9:11 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-041

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 1537 Fort Duont St. SE

Customer Sample Number:

Date / Time Collected: 1/3/2023 9:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-042

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-051

Sample Location: 1st Draw 1678 Montello Ave. NE

Customer Sample Number:

Date / Time Collected: 12/28/2022 4:59 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-051

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 1678 Montello Ave. NE

Customer Sample Number:

Date / Time Collected: 12/28/2022 5:01 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-052

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-035

Sample Location: 1st Draw 1729 Irving St. NW

Customer Sample Number:

Date / Time Collected: 1/3/2023 5:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-035

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 1729 Irving St. NW

Customer Sample Number:

Date / Time Collected: 1/3/2023 5:06 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-036

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-069

Sample Location: 1st Draw 1807 Monroe St. NE

Customer Sample Number:

Date / Time Collected: 1/3/2023 9:26 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-069

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 1807 Monroe St. NE

Customer Sample Number:

Date / Time Collected: 1/3/2023 9:28 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-070

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.2	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-011

Sample Location: 1st Draw 1814 Independence Ave. SE
Customer Sample Number:
Date / Time Collected: 12/29/2022 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2301068-011
Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 1814 Independence Ave. SE
Customer Sample Number:
Date / Time Collected: 12/29/2022 7:05 AM

Customer Program Code: DS
Laboratory Sample Number: 2301068-012
Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-017

Sample Location: 1st Draw 1865 Park Rd NW #2

Customer Sample Number:

Date / Time Collected: 12/30/2022 8:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-017

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 1865 Park Rd NW #2

Customer Sample Number:

Date / Time Collected: 12/30/2022 8:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-018

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-033

Sample Location: 1st Draw 214 Gallatin St. NW

Customer Sample Number:

Date / Time Collected: 1/2/2023 9:27 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-033

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 214 Gallatin St. NW

Customer Sample Number:

Date / Time Collected: 1/2/2023 9:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-034

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-009

Sample Location: 1st Draw 2337 34th St. SE

Customer Sample Number:

Date / Time Collected: 12/29/2022 5:01 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-009

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 2337 34th St. SE

Customer Sample Number:

Date / Time Collected: 12/29/2022 5:04 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-010

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 2/14/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2301068-057

Sample Location: 1st Draw 2412 10th St. NE

Customer Sample Number:

Date / Time Collected: 12/29/2022 7:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-057

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 2412 10th St. NE

Customer Sample Number:

Date / Time Collected: 12/29/2022 7:13 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-058

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-047

Sample Location: 1st Draw 2703 O St. NW
Customer Sample Number:
Date / Time Collected: 12/28/2022 6:29 AM

Customer Program Code: DS
Laboratory Sample Number: 2301068-047
Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 2703 O St. NW
Customer Sample Number:
Date / Time Collected: 12/28/2022 6:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2301068-048
Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-005

Sample Location: 1st Draw 300 East Capitol St. NE

Customer Sample Number:

Date / Time Collected: 12/24/2022 10:13 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-005

Date / Time Received: 1/9/2023 11:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	1/26/2023	Lgallimore

Sample Location: 2nd Draw 300 East Capitol St. NE

Customer Sample Number:

Date / Time Collected: 12/24/2022 10:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-006

Date / Time Received: 1/9/2023 11:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-063

Sample Location: 1st Draw 3231 Stepherson PL NW

Customer Sample Number:

Date / Time Collected: 1/2/2023 9:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-063

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 3231 Stepherson PL NW

Customer Sample Number:

Date / Time Collected: 1/2/2023 9:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-064

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-029

Sample Location: 1st Draw 3420 South Dakota Ave. NE

Customer Sample Number:

Date / Time Collected: 1/2/2023 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-029

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 3420 South Dakota Ave. NE

Customer Sample Number:

Date / Time Collected: 1/2/2023 7:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-030

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 2/14/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2301068-021

Sample Location: 1st Draw 3719 Oakview Ter NE

Customer Sample Number:

Date / Time Collected: 12/31/2022 6:33 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-021

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 3719 Oakview Ter NE

Customer Sample Number:

Date / Time Collected: 12/31/2022 6:34 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-022

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-037

Sample Location: 1st Draw 3808 24th St. NE

Customer Sample Number:

Date / Time Collected: 1/3/2023 6:03 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-037

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 3808 24th St. NE

Customer Sample Number:

Date / Time Collected: 1/3/2023 6:06 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-038

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-031

Sample Location: 1st Draw 3811 South Dakota Ave NE

Customer Sample Number:

Date / Time Collected: 1/2/2023 8:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-031

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 3811 South Dakota Ave NE

Customer Sample Number:

Date / Time Collected: 1/2/2023 8:08 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-032

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-059

Sample Location: 1st Draw 4632 Reservoir Rd. NW

Customer Sample Number:

Date / Time Collected: 12/31/2022 1:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2301068-059

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 4632 Reservoir Rd. NW

Customer Sample Number:

Date / Time Collected: 12/31/2022 1:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2301068-060

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-001

Sample Location: 1st Draw 4710 Clay St. NE

Customer Sample Number:

Date / Time Collected: 12/11/2022 3:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-001

Date / Time Received: 1/9/2023 11:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/26/2023	Lgallimore

Sample Location: 2nd Draw 4710 Clay St. NE

Customer Sample Number:

Date / Time Collected: 12/11/2022 3:02 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-002

Date / Time Received: 1/9/2023 11:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-065

Sample Location: 1st Draw 4921 Butterworth PL NW

Customer Sample Number:

Date / Time Collected: 1/2/2023 8:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2301068-066

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 4921 Butterworth PL NW

Customer Sample Number:

Date / Time Collected: 1/2/2023 8:10 PM

Customer Program Code: DS

Laboratory Sample Number: 2301068-066

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-015

Sample Location: 1st Draw 4925 7th St. NW

Customer Sample Number:

Date / Time Collected: 12/30/2022 7:34 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-015

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 4925 7th St. NW

Customer Sample Number:

Date / Time Collected: 12/30/2022 7:37 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-016

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-061

Sample Location: 1st Draw 5027 5th St. NW

Customer Sample Number:

Date / Time Collected: 1/1/2023 11:27 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-061

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 5027 5th St. NW

Customer Sample Number:

Date / Time Collected: 1/1/2023 11:28 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-062

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.4	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-027

Sample Location: 1st Draw 5455 30th St. NW

Customer Sample Number:

Date / Time Collected: 1/2/2023 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-027

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 5455 30th St. NW

Customer Sample Number:

Date / Time Collected: 1/2/2023 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-028

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-045

Sample Location: 1st Draw 611 18th St. NE
Customer Sample Number:
Date / Time Collected: 12/27/2022 3:20 PM

Customer Program Code: DS
Laboratory Sample Number: 2301068-046
Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 611 18th St. NE
Customer Sample Number:
Date / Time Collected: 12/27/2022 3:22 PM

Customer Program Code: DS
Laboratory Sample Number: 2301068-046
Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301115-003

Sample Location: 1st Draw 6121 32nd PL NW

Customer Sample Number:

Date / Time Collected: 12/29/2022 7:22 AM

Customer Program Code: DS

Laboratory Sample Number: 2301115-003

Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 6121 32nd PL NW

Customer Sample Number:

Date / Time Collected: 12/29/2022 7:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2301115-004

Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-043

Sample Location: 1st Draw 639 Keefer PL NW

Customer Sample Number:

Date / Time Collected: 12/26/2022 8:43 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-043

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 639 Keefer PL NW

Customer Sample Number:

Date / Time Collected: 12/26/2022 8:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-044

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-039

Sample Location: 1st Draw 803 9th St. NE
Customer Sample Number:
Date / Time Collected: 1/3/2023 6:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2301068-039
Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 803 9th St. NE
Customer Sample Number:
Date / Time Collected: 1/3/2023 6:33 AM

Customer Program Code: DS
Laboratory Sample Number: 2301068-040
Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-025

Sample Location: 1st Draw 813 20th St. NE
Customer Sample Number:
Date / Time Collected: 1/1/2023 9:35 PM

Customer Program Code: DS
Laboratory Sample Number: 2301068-025
Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		2/2/2023	SBrooks

Sample Location: 2nd Draw 813 20th St. NE
Customer Sample Number:
Date / Time Collected: 1/1/2023 9:35 PM

Customer Program Code: DS
Laboratory Sample Number: 2301068-026
Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-007

Sample Location: 1st Draw 833 6th St. NE
Customer Sample Number:
Date / Time Collected: 12/27/2022 8:58 AM

Customer Program Code: DS
Laboratory Sample Number: 2301068-007
Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 833 6th St. NE
Customer Sample Number:
Date / Time Collected: 12/27/2022 8:59 PM

Customer Program Code: DS
Laboratory Sample Number: 2301068-008
Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS-2301068-049

Sample Location: 1st Draw 912 Maryland Ave. NE

Customer Sample Number:

Date / Time Collected: 12/28/2022 7:23 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-049

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 912 Maryland Ave. NE

Customer Sample Number:

Date / Time Collected: 12/28/2022 7:26 AM

Customer Program Code: DS

Laboratory Sample Number: 2301068-050

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS250- 2301123-001

Sample Location: 1st Draw 1126 11th St NW Apt 203

Customer Sample Number:

Date / Time Collected: 1/5/2023 7:00 PM

Customer Program Code: DS250

Laboratory Sample Number: 2301123-001

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 1126 11th St NW Apt 203

Customer Sample Number:

Date / Time Collected: 1/5/2023 7:00 PM

Customer Program Code: DS250

Laboratory Sample Number: 2301123-002

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS250- 2301123-005

Sample Location: 1st Draw 1501 Harry Thomas Way #306

Customer Sample Number:

Date / Time Collected: 1/10/2023 7:18 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301123-005

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 1501 Harry Thomas Way #306

Customer Sample Number:

Date / Time Collected: 1/10/2023 7:20 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301123-006

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-DS250- 2301123-003

Sample Location: 1st Draw 2440 16th St NW, Apt 419

Customer Sample Number:

Date / Time Collected: 1/8/2023 9:45 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301123-003

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 2440 16th St NW, Apt 419

Customer Sample Number:

Date / Time Collected: 1/8/2023 9:45 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301123-004

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-021

Sample Location: 1st Draw 3151 Tennyson St. NW

Customer Sample Number:

Date / Time Collected: 1/6/2023 6:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-021

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 3151 Tennyson St. NW

Customer Sample Number:

Date / Time Collected: 1/6/2023 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-022

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-051

Sample Location: 1st Draw 1068 30th St. NW

Customer Sample Number:

Date / Time Collected: 1/8/2023 8:11 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-051

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1068 30th St. NW

Customer Sample Number:

Date / Time Collected: 1/8/2023 8:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-052

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.2	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-039

Sample Location: 1st Draw 1316 Taylor St. NE

Customer Sample Number:

Date / Time Collected: 1/7/2023 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-039

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1316 Taylor St. NE

Customer Sample Number:

Date / Time Collected: 1/7/2023 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-040

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-035

Sample Location: 1st Draw 1317 44th St. NE

Customer Sample Number:

Date / Time Collected: 1/7/2023 7:11 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-035

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1317 44th St. NE

Customer Sample Number:

Date / Time Collected: 1/7/2023 7:13 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-036

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-013

Sample Location: 1st Draw 1323 Webster St. NE

Customer Sample Number:

Date / Time Collected: 1/5/2023 6:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-013

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1323 Webster St. NE

Customer Sample Number:

Date / Time Collected: 1/5/2023 6:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-014

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-003

Sample Location: 1st Draw 1329 Q St. NW

Customer Sample Number:

Date / Time Collected: 12/26/2022 6:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2301124-003

Date / Time Received: 1/17/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/6/2023	SBrooks

Sample Location: 2nd Draw 1329 Q St. NW

Customer Sample Number:

Date / Time Collected: 12/26/2022 6:01 PM

Customer Program Code: DS

Laboratory Sample Number: 2301124-004

Date / Time Received: 1/17/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-007

Sample Location: 1st Draw 1331 Webster St. NE

Customer Sample Number:

Date / Time Collected: 1/5/2023 3:32 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-007

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	12.9	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1331 Webster St. NE

Customer Sample Number:

Date / Time Collected: 1/5/2023 3:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-008

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-079

Sample Location: 1st Draw 1339 27th St. NW

Customer Sample Number:

Date / Time Collected: 1/11/2023 10:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-079

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	71.0	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1339 27th St. NW

Customer Sample Number:

Date / Time Collected: 1/11/2023 10:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-080

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.7	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 2/15/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2301124-077

Sample Location: 1st Draw 1385 F St. NE
Customer Sample Number:
Date / Time Collected: 1/11/2023 6:07 AM

Customer Program Code: DS
Laboratory Sample Number: 2301124-077
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1385 F St. NE
Customer Sample Number:
Date / Time Collected: 1/11/2023 6:08 AM

Customer Program Code: DS
Laboratory Sample Number: 2301124-078
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-027

Sample Location: 1st Draw 1408 Sheridan St. NW

Customer Sample Number:

Date / Time Collected: 1/6/2023 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-027

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1408 Sheridan St. NW

Customer Sample Number:

Date / Time Collected: 1/6/2023 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-028

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-019

Sample Location: 1st Draw 1463 Morris Rd. SE

Customer Sample Number:

Date / Time Collected: 1/5/2023 4:57 PM

Customer Program Code: DS

Laboratory Sample Number: 2301124-019

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1463 Morris Rd. SE

Customer Sample Number:

Date / Time Collected: 1/5/2023 5:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2301124-020

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-031

Sample Location: 1st Draw 1500 Allison St. NW

Customer Sample Number:

Date / Time Collected: 1/7/2023 5:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-031

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1500 Allison St. NW

Customer Sample Number:

Date / Time Collected: 1/7/2023 5:04 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-032

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-057

Sample Location: 1st Draw 1504 Queen St. NE

Customer Sample Number:

Date / Time Collected: 1/8/2023 10:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-057

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1504 Queen St. NE

Customer Sample Number:

Date / Time Collected: 1/8/2023 10:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-058

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-049

Sample Location: 1st Draw 1514 Swann St. NW

Customer Sample Number:

Date / Time Collected: 1/8/2023 8:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-049

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1514 Swann St. NW

Customer Sample Number:

Date / Time Collected: 1/8/2023 8:07 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-050

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-029

Sample Location: 1st Draw 1611 25th St. SE
Customer Sample Number:
Date / Time Collected: 1/6/2023 1:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2301124-029
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1611 25th St. SE
Customer Sample Number:
Date / Time Collected: 1/6/2023 1:05 PM

Customer Program Code: DS
Laboratory Sample Number: 2301124-030
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-065

Sample Location: 1st Draw 1622 Lang PL NE

Customer Sample Number:

Date / Time Collected: 1/9/2023 2:40 PM

Customer Program Code: DS

Laboratory Sample Number: 2301124-066

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1622 Lang PL NE

Customer Sample Number:

Date / Time Collected: 1/9/2023 2:46 PM

Customer Program Code: DS

Laboratory Sample Number: 2301124-066

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-047

Sample Location: 1st Draw 1635 35th St. NW

Customer Sample Number:

Date / Time Collected: 1/8/2023 7:22 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-047

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1635 35th St. NW

Customer Sample Number:

Date / Time Collected: 1/8/2023 7:22 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-048

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-071

Sample Location: 1st Draw 1735 Lang PL NE

Customer Sample Number:

Date / Time Collected: 1/10/2023 8:49 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-071

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1735 Lang PL NE

Customer Sample Number:

Date / Time Collected: 1/10/2023 8:52 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-072

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-055

Sample Location: 1st Draw 1936 4th St. NE

Customer Sample Number:

Date / Time Collected: 1/8/2023 9:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-055

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1936 4th St. NE

Customer Sample Number:

Date / Time Collected: 1/8/2023 9:37 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-056

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-085

Sample Location: 1st Draw 2107 Huidekoper PL NW
Customer Sample Number:
Date / Time Collected: 1/6/2023 7:09 AM

Customer Program Code: DS
Laboratory Sample Number: 2301124-085
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 2107 Huidekoper PL NW
Customer Sample Number:
Date / Time Collected: 1/6/2023 7:10 AM

Customer Program Code: DS
Laboratory Sample Number: 2301124-086
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-087

Sample Location: 1st Draw 2934 28th St. NW

Customer Sample Number:

Date / Time Collected: 1/8/2023 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-087

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 2934 28th St. NW

Customer Sample Number:

Date / Time Collected: 1/8/2023 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-088

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-053

Sample Location: 1st Draw 3017 Clinton St. NE

Customer Sample Number:

Date / Time Collected: 1/8/2023 9:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-053

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 3017 Clinton St. NE

Customer Sample Number:

Date / Time Collected: 1/8/2023 9:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-054

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-059

Sample Location: 1st Draw 3264 N St. NW
Customer Sample Number:
Date / Time Collected: 1/8/2023 3:31 PM

Customer Program Code: DS
Laboratory Sample Number: 2301124-059
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 3264 N St. NW
Customer Sample Number:
Date / Time Collected: 1/8/2023 3:33 PM

Customer Program Code: DS
Laboratory Sample Number: 2301124-060
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-061

Sample Location: 1st Draw 329 18th St. NE
Customer Sample Number:
Date / Time Collected: 1/9/2023 6:57 AM

Customer Program Code: DS
Laboratory Sample Number: 2301124-061
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 329 18th St. NE
Customer Sample Number:
Date / Time Collected: 1/9/2023 6:58 AM

Customer Program Code: DS
Laboratory Sample Number: 2301124-062
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-083

Sample Location: 1st Draw 3321 E St. SE
Customer Sample Number:
Date / Time Collected: 1/5/2023 3:36 AM

Customer Program Code: DS
Laboratory Sample Number: 2301124-083
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 3321 E St. SE
Customer Sample Number:
Date / Time Collected: 1/5/2023 3:40 AM

Customer Program Code: DS
Laboratory Sample Number: 2301124-084
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-075

Sample Location: 1st Draw 3934 10th St. NE unit #1
Customer Sample Number:
Date / Time Collected: 1/10/2023 10:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2301124-075
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 3934 10th St. NE unit #1
Customer Sample Number:
Date / Time Collected: 1/10/2023 10:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2301124-076
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-041

Sample Location: 1st Draw 3940 Clay PL NE

Customer Sample Number:

Date / Time Collected: 1/7/2023 9:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-041

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 3940 Clay PL NE

Customer Sample Number:

Date / Time Collected: 1/7/2023 9:38 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-042

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-009

Sample Location: 1st Draw 3957 Clay PL NE

Customer Sample Number:

Date / Time Collected: 1/5/2023 5:29 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-009

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 3957 Clay PL NE

Customer Sample Number:

Date / Time Collected: 1/5/2023 5:34 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-010

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-005

Sample Location: 1st Draw 411 21st Street NE

Customer Sample Number:

Date / Time Collected: 12/31/2022 1:49 PM

Customer Program Code: DS

Laboratory Sample Number: 2301124-005

Date / Time Received: 1/17/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/6/2023	SBrooks

Sample Location: 2nd Draw 411 21st Street NE

Customer Sample Number:

Date / Time Collected: 12/31/2022 1:50 PM

Customer Program Code: DS

Laboratory Sample Number: 2301124-006

Date / Time Received: 1/17/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-081

Sample Location: 1st Draw 4514 S. Dakota Ave NE

Customer Sample Number:

Date / Time Collected: 12/15/2022 6:45 PM

Customer Program Code: DS

Laboratory Sample Number: 2301124-081

Date / Time Received: 1/17/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/6/2023	SBrooks

Sample Location: 2nd Draw 4514 S. Dakota Ave NE

Customer Sample Number:

Date / Time Collected: 12/15/2022 6:45 PM

Customer Program Code: DS

Laboratory Sample Number: 2301124-082

Date / Time Received: 1/17/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-097

Sample Location: 1st Draw 4713 46th St. NW
Customer Sample Number:
Date / Time Collected: 1/11/2023 6:41 AM

Customer Program Code: DS
Laboratory Sample Number: 2301124-097
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 4713 46th St. NW
Customer Sample Number:
Date / Time Collected: 1/11/2023 6:43 AM

Customer Program Code: DS
Laboratory Sample Number: 2301124-098
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 2/15/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2301124-017

Sample Location: 1st Draw 5012 S. Dakota Ave.

Customer Sample Number:

Date / Time Collected: 1/5/2023 7:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-017

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 5012 S. Dakota Ave.

Customer Sample Number:

Date / Time Collected: 1/5/2023 7:43 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-018

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-037

Sample Location: 1st Draw 5030 Sedgwick St.

Customer Sample Number:

Date / Time Collected: 1/7/2023 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-037

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 5030 Sedgwick St.

Customer Sample Number:

Date / Time Collected: 1/7/2023 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-038

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-063

Sample Location: 1st Draw 5073 Lowell St. NW

Customer Sample Number:

Date / Time Collected: 1/9/2023 7:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-063

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 5073 Lowell St. NW

Customer Sample Number:

Date / Time Collected: 1/9/2023 7:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-064

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-015

Sample Location: 1st Draw 517 23rd PL NE

Customer Sample Number:

Date / Time Collected: 1/5/2023 6:46 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-015

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 517 23rd PL NE

Customer Sample Number:

Date / Time Collected: 1/5/2023 6:47 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-016

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-033

Sample Location: 1st Draw 523 Sheridan St. NW

Customer Sample Number:

Date / Time Collected: 1/7/2023 6:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-033

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 523 Sheridan St. NW

Customer Sample Number:

Date / Time Collected: 1/7/2023 6:41 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-034

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-067

Sample Location: 1st Draw 621 Gallatin St. NE

Customer Sample Number:

Date / Time Collected: 1/10/2023 5:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-067

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 621 Gallatin St. NE

Customer Sample Number:

Date / Time Collected: 1/10/2023 5:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-068

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-001

Sample Location: 1st Draw 626 Acker PL NE

Customer Sample Number:

Date / Time Collected: 12/9/2022 7:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-001

Date / Time Received: 1/17/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/6/2023	SBrooks

Sample Location: 2nd Draw 626 Acker PL NE

Customer Sample Number:

Date / Time Collected: 12/9/2022 7:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-002

Date / Time Received: 1/17/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-093

Sample Location: 1st Draw 6370 31st PL NW
Customer Sample Number:
Date / Time Collected: 1/10/2023 5:30 PM

Customer Program Code: DS
Laboratory Sample Number: 2301124-093
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 6370 31st PL NW
Customer Sample Number:
Date / Time Collected: 1/10/2023 5:35 PM

Customer Program Code: DS
Laboratory Sample Number: 2301124-094
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-045

Sample Location: 1st Draw 642 I St. NE
Customer Sample Number:
Date / Time Collected: 1/8/2023 7:08 AM

Customer Program Code: DS
Laboratory Sample Number: 2301124-045
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 642 I St. NE
Customer Sample Number:
Date / Time Collected: 1/8/2023 7:13 AM

Customer Program Code: DS
Laboratory Sample Number: 2301124-046
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-023

Sample Location: 1st Draw 6630 31st PL NW

Customer Sample Number:

Date / Time Collected: 1/6/2023 6:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-023

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 6630 31st PL NW

Customer Sample Number:

Date / Time Collected: 1/6/2023 6:37 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-024

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-011

Sample Location: 1st Draw 6701 4th St. NW

Customer Sample Number:

Date / Time Collected: 1/5/2023 6:12 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-011

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 6701 4th St. NW

Customer Sample Number:

Date / Time Collected: 1/5/2023 6:14 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-012

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-043

Sample Location: 1st Draw 6833 Piney Branch Rd. NW

Customer Sample Number:

Date / Time Collected: 1/8/2023 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-043

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 6833 Piney Branch Rd. NW

Customer Sample Number:

Date / Time Collected: 1/8/2023 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-044

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 2/15/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2301124-073

Sample Location: 1st Draw 843 51st St. SE

Customer Sample Number:

Date / Time Collected: 1/10/2023 9:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-073

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 843 51st St. SE

Customer Sample Number:

Date / Time Collected: 1/10/2023 9:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-074

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-DS-2301124-069

Sample Location: 1st Draw 917 Constitution Ave. NE

Customer Sample Number:

Date / Time Collected: 1/10/2023 5:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-069

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 917 Constitution Ave. NE

Customer Sample Number:

Date / Time Collected: 1/10/2023 5:38 AM

Customer Program Code: DS

Laboratory Sample Number: 2301124-070

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-015

Sample Location: 1st Draw 1003 15th St. SE

Customer Sample Number:

Date / Time Collected: 1/24/2023 6:33 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-015

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1003 15th St. SE

Customer Sample Number:

Date / Time Collected: 1/24/2023 6:34 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-016

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-003

Sample Location: 1st Draw 1011 North Carolina Ave. SE

Customer Sample Number:

Date / Time Collected: 1/8/2023 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-003

Date / Time Received: 1/23/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/6/2023	SBrooks

Sample Location: 2nd Draw 1011 North Carolina Ave. SE

Customer Sample Number:

Date / Time Collected: 1/8/2023 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-004

Date / Time Received: 1/23/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-093

Sample Location: 1st Draw 1038 Buchanan St. NE

Customer Sample Number:

Date / Time Collected: 1/24/2023 5:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-093

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1038 Buchanan St. NE

Customer Sample Number:

Date / Time Collected: 1/24/2023 5:44 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-094

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-049

Sample Location: 1st Draw 110 6th St. SE
Customer Sample Number:
Date / Time Collected: 1/20/2023 6:15 AM

Customer Program Code: DS
Laboratory Sample Number: 2301189-049
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 110 6th St. SE
Customer Sample Number:
Date / Time Collected: 1/20/2023 6:20 AM

Customer Program Code: DS
Laboratory Sample Number: 2301189-050
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-073

Sample Location: 1st Draw 1217 I St. SE
Customer Sample Number:
Date / Time Collected: 1/16/2023 10:10 AM

Customer Program Code: DS
Laboratory Sample Number: 2301164-073
Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1217 I St. SE
Customer Sample Number:
Date / Time Collected: 1/16/2023 10:10 AM

Customer Program Code: DS
Laboratory Sample Number: 2301164-074
Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-047

Sample Location: 1st Draw 1220 Trenton PL SE

Customer Sample Number:

Date / Time Collected: 1/20/2023 4:48 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-047

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1220 Trenton PL SE

Customer Sample Number:

Date / Time Collected: 1/20/2023 4:53 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-048

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-085

Sample Location: 1st Draw 1255 Owen PL NE

Customer Sample Number:

Date / Time Collected: 1/23/2023 8:24 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-085

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1255 Owen PL NE

Customer Sample Number:

Date / Time Collected: 1/23/2023 8:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-086

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-035

Sample Location: 1st Draw 1316 10th St. NW

Customer Sample Number:

Date / Time Collected: 1/9/2023 7:36 PM

Customer Program Code: DS

Laboratory Sample Number: 2301164-035

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1316 10th St. NW

Customer Sample Number:

Date / Time Collected: 1/9/2023 7:37 PM

Customer Program Code: DS

Laboratory Sample Number: 2301164-036

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-011

Sample Location: 1st Draw 1331 Downing St. NE

Customer Sample Number:

Date / Time Collected: 1/22/2023 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-011

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1331 Downing St. NE

Customer Sample Number:

Date / Time Collected: 1/22/2023 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-012

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-073

Sample Location: 1st Draw 1336 Emerald St. NE

Customer Sample Number:

Date / Time Collected: 1/22/2023 8:31 PM

Customer Program Code: DS

Laboratory Sample Number: 2301189-073

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1336 Emerald St. NE

Customer Sample Number:

Date / Time Collected: 1/22/2023 8:35 PM

Customer Program Code: DS

Laboratory Sample Number: 2301189-074

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-061

Sample Location: 1st Draw 135 47th St. NE

Customer Sample Number:

Date / Time Collected: 1/21/2023 9:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-061

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 135 47th St. NE

Customer Sample Number:

Date / Time Collected: 1/21/2023 9:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-062

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-081

Sample Location: 1st Draw 1367 F St. NE
Customer Sample Number:
Date / Time Collected: 1/23/2023 7:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2301189-081
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1367 F St. NE
Customer Sample Number:
Date / Time Collected: 1/23/2023 7:32 AM

Customer Program Code: DS
Laboratory Sample Number: 2301189-082
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-013

Sample Location: 1st Draw 1389 F St. NE
Customer Sample Number:
Date / Time Collected: 1/22/2023 9:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2301189-013
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1389 F St. NE
Customer Sample Number:
Date / Time Collected: 1/22/2023 9:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2301189-014
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-069

Sample Location: 1st Draw 1401 West Virginia Ave NE

Customer Sample Number:

Date / Time Collected: 1/16/2023 6:56 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-069

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1401 West Virginia Ave NE

Customer Sample Number:

Date / Time Collected: 1/16/2023 6:58 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-070

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-079

Sample Location: 1st Draw 1499 Fort Davis St. SE

Customer Sample Number:

Date / Time Collected: 1/18/2023 7:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-079

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1499 Fort Davis St. SE

Customer Sample Number:

Date / Time Collected: 1/18/2023 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-080

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-051

Sample Location: 1st Draw 1514 34th St. NW

Customer Sample Number:

Date / Time Collected: 1/20/2023 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-051

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1514 34th St. NW

Customer Sample Number:

Date / Time Collected: 1/20/2023 6:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-052

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-089

Sample Location: 1st Draw 1612 16th St. SE

Customer Sample Number:

Date / Time Collected: 1/23/2023 2:45 PM

Customer Program Code: DS

Laboratory Sample Number: 2301189-089

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1612 16th St. SE

Customer Sample Number:

Date / Time Collected: 1/23/2023 2:48 PM

Customer Program Code: DS

Laboratory Sample Number: 2301189-090

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-067

Sample Location: 1st Draw 1624 34th St. NW

Customer Sample Number:

Date / Time Collected: 1/22/2023 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-067

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1624 34th St. NW

Customer Sample Number:

Date / Time Collected: 1/22/2023 7:18 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-068

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-027

Sample Location: 1st Draw 1711 C St. SE
Customer Sample Number:
Date / Time Collected: 1/17/2023 7:22 AM

Customer Program Code: DS
Laboratory Sample Number: 2301189-027
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1711 C St. SE
Customer Sample Number:
Date / Time Collected: 1/17/2023 7:23 AM

Customer Program Code: DS
Laboratory Sample Number: 2301189-028
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-039

Sample Location: 1st Draw 1721 Lyman PL NE

Customer Sample Number:

Date / Time Collected: 1/12/2023 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-039

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1721 Lyman PL NE

Customer Sample Number:

Date / Time Collected: 1/12/2023 6:32 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-040

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-037

Sample Location: 1st Draw 1733 D Street NE
Customer Sample Number:
Date / Time Collected: 1/12/2023 5:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2301164-037
Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1733 D Street NE
Customer Sample Number:
Date / Time Collected: 1/12/2023 5:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2301164-038
Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301182-001

Sample Location: 1st Draw 2017 O St NW #1
Customer Sample Number:
Date / Time Collected: 1/18/2023 8:08 AM

Customer Program Code: DS
Laboratory Sample Number: 2301182-001
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 2017 O St NW #1
Customer Sample Number:
Date / Time Collected: 1/18/2023 8:10 AM

Customer Program Code: DS
Laboratory Sample Number: 2301182-002
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-065

Sample Location: 1st Draw 208 9th St. SE
Customer Sample Number:
Date / Time Collected: 1/15/2023 7:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2301164-066
Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 208 9th St. SE
Customer Sample Number:
Date / Time Collected: 1/15/2023 7:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2301164-066
Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-075

Sample Location: 1st Draw 219 Hawaii Ave. NE

Customer Sample Number:

Date / Time Collected: 1/23/2023 5:34 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-075

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 219 Hawaii Ave. NE

Customer Sample Number:

Date / Time Collected: 1/23/2023 5:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-076

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-043

Sample Location: 1st Draw 2211 Rand PL NE

Customer Sample Number:

Date / Time Collected: 1/12/2023 7:11 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-043

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 2211 Rand PL NE

Customer Sample Number:

Date / Time Collected: 1/12/2023 7:12 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-044

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-051

Sample Location: 1st Draw 2228 Kearny St. NE

Customer Sample Number:

Date / Time Collected: 1/13/2023 5:04 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-051

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 2228 Kearny St. NE

Customer Sample Number:

Date / Time Collected: 1/13/2023 5:07 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-052

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-061

Sample Location: 1st Draw 2716 Minnesota Ave SE
Customer Sample Number:
Date / Time Collected: 1/14/2023 6:32 PM

Customer Program Code: DS
Laboratory Sample Number: 2301164-061
Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 2716 Minnesota Ave SE
Customer Sample Number:
Date / Time Collected: 1/14/2023 6:36 PM

Customer Program Code: DS
Laboratory Sample Number: 2301164-062
Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-031

Sample Location: 1st Draw 2719 Dumbarton St.

Customer Sample Number:

Date / Time Collected: 1/18/2023 8:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-031

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 2719 Dumbarton St.

Customer Sample Number:

Date / Time Collected: 1/18/2023 8:48 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-032

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-019

Sample Location: 1st Draw 2729 4th St. NE

Customer Sample Number:

Date / Time Collected: 1/25/2023 8:09 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-019

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 2729 4th St. NE

Customer Sample Number:

Date / Time Collected: 1/25/2023 8:13 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-020

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-049

Sample Location: 1st Draw 2741 Central Ave. NE

Customer Sample Number:

Date / Time Collected: 1/12/2023 9:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-049

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 2741 Central Ave. NE

Customer Sample Number:

Date / Time Collected: 1/12/2023 9:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-050

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-029

Sample Location: 1st Draw 2905 28th St. NW

Customer Sample Number:

Date / Time Collected: 1/18/2023 6:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-029

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 2905 28th St. NW

Customer Sample Number:

Date / Time Collected: 1/18/2023 6:38 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-030

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-063

Sample Location: 1st Draw 2907 Dumbarton St. NW
Customer Sample Number:
Date / Time Collected: 1/15/2023 6:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2301164-063
Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 2907 Dumbarton St. NW
Customer Sample Number:
Date / Time Collected: 1/15/2023 6:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2301164-064
Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-071

Sample Location: 1st Draw 2928 17th St. NE

Customer Sample Number:

Date / Time Collected: 1/22/2023 1:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2301189-071

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 2928 17th St. NE

Customer Sample Number:

Date / Time Collected: 1/22/2023 1:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2301189-072

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-069

Sample Location: 1st Draw 3000 10th St. NE

Customer Sample Number:

Date / Time Collected: 1/22/2023 8:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-069

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 3000 10th St. NE

Customer Sample Number:

Date / Time Collected: 1/22/2023 8:52 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-070

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-097

Sample Location: 1st Draw 3023 S. Dakota Ave. NE

Customer Sample Number:

Date / Time Collected: 1/24/2023 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-097

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 3023 S. Dakota Ave. NE

Customer Sample Number:

Date / Time Collected: 1/24/2023 6:01 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-098

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-059

Sample Location: 1st Draw 3031 K St. SE
Customer Sample Number:
Date / Time Collected: 1/21/2023 6:20 AM

Customer Program Code: DS
Laboratory Sample Number: 2301189-059
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 3031 K St. SE
Customer Sample Number:
Date / Time Collected: 1/21/2023 6:23 AM

Customer Program Code: DS
Laboratory Sample Number: 2301189-060
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-045

Sample Location: 1st Draw 309 17th St. SE
Customer Sample Number:
Date / Time Collected: 1/12/2023 7:19 AM

Customer Program Code: DS
Laboratory Sample Number: 2301164-045
Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 309 17th St. SE
Customer Sample Number:
Date / Time Collected: 1/12/2023 7:21 AM

Customer Program Code: DS
Laboratory Sample Number: 2301164-046
Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-017

Sample Location: 1st Draw 311 Todd Place NE

Customer Sample Number:

Date / Time Collected: 1/25/2023 6:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-017

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 311 Todd Place NE

Customer Sample Number:

Date / Time Collected: 1/25/2023 6:56 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-018

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-033

Sample Location: 1st Draw 3125 Aberfoyle PL NW

Customer Sample Number:

Date / Time Collected: 1/5/2023 8:19 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-033

Date / Time Received: 1/23/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/6/2023	SBrooks

Sample Location: 2nd Draw 3125 Aberfoyle PL NW

Customer Sample Number:

Date / Time Collected: 1/5/2023 8:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-034

Date / Time Received: 1/23/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-103

Sample Location: 1st Draw 314 T St. NW
Customer Sample Number:
Date / Time Collected: 1/24/2023 6:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2301189-103
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 314 T St. NW
Customer Sample Number:
Date / Time Collected: 1/24/2023 6:34 AM

Customer Program Code: DS
Laboratory Sample Number: 2301189-104
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-007

Sample Location: 1st Draw 316 18th St. NE
Customer Sample Number:
Date / Time Collected: 1/11/2023 7:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2301164-007
Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 316 18th St. NE
Customer Sample Number:
Date / Time Collected: 1/11/2023 7:35 AM

Customer Program Code: DS
Laboratory Sample Number: 2301164-008
Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-015

Sample Location: 1st Draw 3210 20th St. NE

Customer Sample Number:

Date / Time Collected: 1/13/2023 8:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-015

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 3210 20th St. NE

Customer Sample Number:

Date / Time Collected: 1/13/2023 8:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-016

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-077

Sample Location: 1st Draw 3232 Prospect St. NW

Customer Sample Number:

Date / Time Collected: 1/23/2023 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-077

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 3232 Prospect St. NW

Customer Sample Number:

Date / Time Collected: 1/23/2023 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-078

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-009

Sample Location: 1st Draw 325 19th St. NE
Customer Sample Number:
Date / Time Collected: 1/11/2023 2:42 PM

Customer Program Code: DS
Laboratory Sample Number: 2301164-009
Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 325 19th St. NE
Customer Sample Number:
Date / Time Collected: 1/11/2023 2:44 PM

Customer Program Code: DS
Laboratory Sample Number: 2301164-010
Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-067

Sample Location: 1st Draw 3342 Clay PL NE

Customer Sample Number:

Date / Time Collected: 1/15/2023 8:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-067

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 3342 Clay PL NE

Customer Sample Number:

Date / Time Collected: 1/15/2023 8:07 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-068

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-057

Sample Location: 1st Draw 3345 Q St. NW
Customer Sample Number:
Date / Time Collected: 1/13/2023 7:20 AM

Customer Program Code: DS
Laboratory Sample Number: 2301164-057
Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 3345 Q St. NW
Customer Sample Number:
Date / Time Collected: 1/13/2023 7:20 AM

Customer Program Code: DS
Laboratory Sample Number: 2301164-058
Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-013

Sample Location: 1st Draw 3351 Dubois PL SE

Customer Sample Number:

Date / Time Collected: 1/12/2023 9:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2301164-013

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 3351 Dubois PL SE

Customer Sample Number:

Date / Time Collected: 1/12/2023 9:35 PM

Customer Program Code: DS

Laboratory Sample Number: 2301164-014

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-011

Sample Location: 1st Draw 3609 28th St. NE

Customer Sample Number:

Date / Time Collected: 1/12/2023 6:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-011

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 3609 28th St. NE

Customer Sample Number:

Date / Time Collected: 1/12/2023 6:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-012

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-071

Sample Location: 1st Draw 3647 Alton Place NW

Customer Sample Number:

Date / Time Collected: 1/16/2023 7:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-071

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 3647 Alton Place NW

Customer Sample Number:

Date / Time Collected: 1/16/2023 7:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-072

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-027

Sample Location: 1st Draw 3700 Van Ness St. NW

Customer Sample Number:

Date / Time Collected: 1/17/2023 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-027

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 3700 Van Ness St. NW

Customer Sample Number:

Date / Time Collected: 1/17/2023 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-028

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-105

Sample Location: 1st Draw 3815 25th Place NE

Customer Sample Number:

Date / Time Collected: 1/24/2023 6:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-105

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 3815 25th Place NE

Customer Sample Number:

Date / Time Collected: 1/24/2023 6:59 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-106

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 2/16/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2301189-035

Sample Location: 1st Draw 413 I St. NE
Customer Sample Number:
Date / Time Collected: 1/18/2023 6:18 PM

Customer Program Code: DS
Laboratory Sample Number: 2301189-035
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 413 I St. NE
Customer Sample Number:
Date / Time Collected: 1/18/2023 6:21 PM

Customer Program Code: DS
Laboratory Sample Number: 2301189-036
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-033

Sample Location: 1st Draw 4221 43rd St. NW

Customer Sample Number:

Date / Time Collected: 1/18/2023 5:50 PM

Customer Program Code: DS

Laboratory Sample Number: 2301189-033

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 4221 43rd St. NW

Customer Sample Number:

Date / Time Collected: 1/18/2023 5:55 PM

Customer Program Code: DS

Laboratory Sample Number: 2301189-034

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-005

Sample Location: 1st Draw 424 24th St. NE
Customer Sample Number:
Date / Time Collected: 1/18/2023 6:50 AM

Customer Program Code: DS
Laboratory Sample Number: 2301189-005
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 424 24th St. NE
Customer Sample Number:
Date / Time Collected: 1/18/2023 6:50 AM

Customer Program Code: DS
Laboratory Sample Number: 2301189-006
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-025

Sample Location: 1st Draw 4310 42nd St. NW

Customer Sample Number:

Date / Time Collected: 1/17/2023 5:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-025

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 4310 42nd St. NW

Customer Sample Number:

Date / Time Collected: 1/17/2023 5:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-026

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-031

Sample Location: 1st Draw 4312 10th St. NE

Customer Sample Number:

Date / Time Collected: 1/18/2023 9:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-031

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	1.0	3.1	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 4312 10th St. NE

Customer Sample Number:

Date / Time Collected: 1/18/2023 9:12 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-032

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 2/16/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2301164-029

Sample Location: 1st Draw 4505 Dexter St. NW

Customer Sample Number:

Date / Time Collected: 1/17/2023 7:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-029

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 4505 Dexter St. NW

Customer Sample Number:

Date / Time Collected: 1/17/2023 7:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-030

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-091

Sample Location: 1st Draw 4523 Windom PL NW

Customer Sample Number:

Date / Time Collected: 1/24/2023 5:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-091

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 4523 Windom PL NW

Customer Sample Number:

Date / Time Collected: 1/24/2023 5:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-092

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-063

Sample Location: 1st Draw 4616 South Dakota Ave. NE

Customer Sample Number:

Date / Time Collected: 1/21/2023 9:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-063

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 4616 South Dakota Ave. NE

Customer Sample Number:

Date / Time Collected: 1/21/2023 9:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-064

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 2/16/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2301189-083

Sample Location: 1st Draw 47 U St. NW
Customer Sample Number:
Date / Time Collected: 1/23/2023 8:01 AM

Customer Program Code: DS
Laboratory Sample Number: 2301189-083
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 47 U St. NW
Customer Sample Number:
Date / Time Collected: 1/23/2023 8:03 AM

Customer Program Code: DS
Laboratory Sample Number: 2301189-084
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 2/16/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2301164-017

Sample Location: 1st Draw 4713 Piney Branch Rd. NW

Customer Sample Number:

Date / Time Collected: 1/15/2023 6:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-017

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 4713 Piney Branch Rd. NW

Customer Sample Number:

Date / Time Collected: 1/15/2023 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-018

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-079

Sample Location: 1st Draw 4815 41st St. NW

Customer Sample Number:

Date / Time Collected: 1/23/2023 6:34 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-079

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 4815 41st St. NW

Customer Sample Number:

Date / Time Collected: 1/23/2023 6:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-080

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-001

Sample Location: 1st Draw 4921 11th St. NE

Customer Sample Number:

Date / Time Collected: 1/5/2023 5:50 PM

Customer Program Code: DS

Laboratory Sample Number: 2301164-001

Date / Time Received: 1/23/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/6/2023	SBrooks

Sample Location: 2nd Draw 4921 11th St. NE

Customer Sample Number:

Date / Time Collected: 1/5/2023 5:55 PM

Customer Program Code: DS

Laboratory Sample Number: 2301164-002

Date / Time Received: 1/23/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-005

Sample Location: 1st Draw 5018 South Dakota Ave NE

Customer Sample Number:

Date / Time Collected: 1/10/2023 7:49 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-005

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 5018 South Dakota Ave NE

Customer Sample Number:

Date / Time Collected: 1/10/2023 7:51 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-006

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-019

Sample Location: 1st Draw 5104 Brooks St. NE

Customer Sample Number:

Date / Time Collected: 1/16/2023 11:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-019

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 5104 Brooks St. NE

Customer Sample Number:

Date / Time Collected: 1/16/2023 11:26 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-020

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-007

Sample Location: 1st Draw 5221 Chevy Chase Pkwy
Customer Sample Number:
Date / Time Collected: 1/19/2023 6:35 AM

Customer Program Code: DS
Laboratory Sample Number: 2301189-007
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 5221 Chevy Chase Pkwy
Customer Sample Number:
Date / Time Collected: 1/19/2023 6:38 AM

Customer Program Code: DS
Laboratory Sample Number: 2301189-008
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-009

Sample Location: 1st Draw 529 Cedar St. NW

Customer Sample Number:

Date / Time Collected: 1/21/2023 5:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2301189-009

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 529 Cedar St. NW

Customer Sample Number:

Date / Time Collected: 1/21/2023 5:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2301189-010

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 2/16/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2301164-077

Sample Location: 1st Draw 531 25th PL NE
Customer Sample Number:
Date / Time Collected: 1/17/2023 6:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2301164-077
Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 531 25th PL NE
Customer Sample Number:
Date / Time Collected: 1/17/2023 6:34 AM

Customer Program Code: DS
Laboratory Sample Number: 2301164-078
Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-021

Sample Location: 1st Draw 5823 5th St. NW

Customer Sample Number:

Date / Time Collected: 1/16/2023 12:47 PM

Customer Program Code: DS

Laboratory Sample Number: 2301164-021

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 5823 5th St. NW

Customer Sample Number:

Date / Time Collected: 1/16/2023 12:49 PM

Customer Program Code: DS

Laboratory Sample Number: 2301164-022

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-037

Sample Location: 1st Draw 6019 Western Ave. NW

Customer Sample Number:

Date / Time Collected: 1/19/2023 6:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-037

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 6019 Western Ave. NW

Customer Sample Number:

Date / Time Collected: 1/19/2023 6:12 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-038

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-111

Sample Location: 1st Draw 6020 28th St. NW

Customer Sample Number:

Date / Time Collected: 1/24/2023 10:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-111

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 6020 28th St. NW

Customer Sample Number:

Date / Time Collected: 1/24/2023 10:44 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-112

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-047

Sample Location: 1st Draw 645 Massachusetts Ave. NE

Customer Sample Number:

Date / Time Collected: 1/12/2023 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-047

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 645 Massachusetts Ave. NE

Customer Sample Number:

Date / Time Collected: 1/12/2023 8:01 AM

Customer Program Code: DS

Laboratory Sample Number: 2301164-048

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-001

Sample Location: 1st Draw 706 Farragut PL NE

Customer Sample Number:

Date / Time Collected: 1/17/2023 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-001

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 706 Farragut PL NE

Customer Sample Number:

Date / Time Collected: 1/17/2023 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-002

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301164-023

Sample Location: 1st Draw 706 N. Carolina Ave SE

Customer Sample Number:

Date / Time Collected: 1/16/2023 5:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2301164-023

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 706 N. Carolina Ave SE

Customer Sample Number:

Date / Time Collected: 1/16/2023 5:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2301164-024

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-087

Sample Location: 1st Draw 709 Oneida PL NW

Customer Sample Number:

Date / Time Collected: 1/23/2023 8:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-087

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 709 Oneida PL NW

Customer Sample Number:

Date / Time Collected: 1/23/2023 8:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-088

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS-2301189-023

Sample Location: 1st Draw 712 Farragut PL NE

Customer Sample Number:

Date / Time Collected: 1/14/2023 7:03 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-023

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 712 Farragut PL NE

Customer Sample Number:

Date / Time Collected: 1/14/2023 7:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2301189-024

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS250- 2301195-001

Sample Location: 1st Draw 1000 Rittenhouse St. NW E

Customer Sample Number:

Date / Time Collected: 1/17/2023 6:43 PM

Customer Program Code: DS250

Laboratory Sample Number: 2301195-001

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1000 Rittenhouse St. NW E

Customer Sample Number:

Date / Time Collected: 1/17/2023 6:43 PM

Customer Program Code: DS250

Laboratory Sample Number: 2301195-002

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS250- 2301195-005

Sample Location: 1st Draw 1126 11th St NW #406

Customer Sample Number:

Date / Time Collected: 1/22/2023 9:09 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301195-005

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1126 11th St NW #406

Customer Sample Number:

Date / Time Collected: 1/22/2023 9:09 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301195-006

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS250- 2301163-005

Sample Location: 1st Draw 1808 Belmont Rd. NW #4

Customer Sample Number:

Date / Time Collected: 1/18/2023 7:15 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301163-005

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1808 Belmont Rd. NW #4

Customer Sample Number:

Date / Time Collected: 1/18/2023 7:15 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301163-006

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS250- 2301195-015

Sample Location: 1st Draw 1825 New Hampshire Ave. NW #301

Customer Sample Number:

Date / Time Collected: 1/24/2023 6:24 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301195-015

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1825 New Hampshire Ave. NW #301

Customer Sample Number:

Date / Time Collected: 1/24/2023 6:24 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301195-016

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS250- 2301195-013

Sample Location: 1st Draw 2122 Massachusetts Ave. NW #528

Customer Sample Number:

Date / Time Collected: 1/23/2023 5:20 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301195-013

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 2122 Massachusetts Ave. NW #528

Customer Sample Number:

Date / Time Collected: 1/23/2023 5:20 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301195-014

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS250- 2301195-009

Sample Location: 1st Draw 249 11th St. NE

Customer Sample Number:

Date / Time Collected: 1/22/2023 9:30 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301195-009

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 249 11th St. NE

Customer Sample Number:

Date / Time Collected: 1/22/2023 9:30 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301195-010

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS250- 2301195-011

Sample Location: 1st Draw 2500 Wisconsin Ave. NW Apt 855

Customer Sample Number:

Date / Time Collected: 1/22/2023 9:45 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301195-011

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 2500 Wisconsin Ave. NW Apt 855

Customer Sample Number:

Date / Time Collected: 1/22/2023 9:45 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301195-012

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS250- 2301195-007

Sample Location: 1st Draw 2712 Wisconsin Ave. NW #511

Customer Sample Number:

Date / Time Collected: 1/22/2023 9:05 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301195-007

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 2712 Wisconsin Ave. NW #511

Customer Sample Number:

Date / Time Collected: 1/22/2023 9:05 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301195-008

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS250- 2301195-017

Sample Location: 1st Draw 3030 Wisconsin Ave. NW Apt 3

Customer Sample Number:

Date / Time Collected: 1/24/2023 6:40 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301195-017

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 3030 Wisconsin Ave. NW Apt 3

Customer Sample Number:

Date / Time Collected: 1/24/2023 6:40 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301195-018

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS250- 2301163-003

Sample Location: 1st Draw 3223 11th St. NW

Customer Sample Number:

Date / Time Collected: 1/16/2023 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301163-003

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 3223 11th St. NW

Customer Sample Number:

Date / Time Collected: 1/16/2023 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301163-004

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS250- 2301163-001

Sample Location: 1st Draw 4411 1st PI NE Unit 8

Customer Sample Number:

Date / Time Collected: 1/12/2023 7:40 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301163-001

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 4411 1st PI NE Unit 8

Customer Sample Number:

Date / Time Collected: 1/12/2023 7:40 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301163-002

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-DS250- 2301195-003

Sample Location: 1st Draw 506 Longfellow St. NW #103

Customer Sample Number:

Date / Time Collected: 1/18/2023 7:08 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301195-003

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 506 Longfellow St. NW #103

Customer Sample Number:

Date / Time Collected: 1/18/2023 7:08 AM

Customer Program Code: DS250

Laboratory Sample Number: 2301195-004

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-015

Sample Location: 1st Draw 1173 Summit St. NE

Customer Sample Number:

Date / Time Collected: 1/29/2023 9:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-015

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 1173 Summit St. NE

Customer Sample Number:

Date / Time Collected: 1/29/2023 9:21 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-016

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-001

Sample Location: 1st Draw 1341 Massachusetts Ave. SE

Customer Sample Number:

Date / Time Collected: 1/22/2023 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-001

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 1341 Massachusetts Ave. SE

Customer Sample Number:

Date / Time Collected: 1/22/2023 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-002

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-059

Sample Location: 1st Draw 1658 29th St. NW

Customer Sample Number:

Date / Time Collected: 1/29/2023 4:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2302024-059

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 1658 29th St. NW

Customer Sample Number:

Date / Time Collected: 1/29/2023 4:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2302024-060

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-011

Sample Location: 1st Draw 1832 Central PL NE

Customer Sample Number:

Date / Time Collected: 1/27/2023 7:47 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-011

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 1832 Central PL NE

Customer Sample Number:

Date / Time Collected: 1/27/2023 7:47 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-012

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-009

Sample Location: 1st Draw 1834 Central PL NE

Customer Sample Number:

Date / Time Collected: 1/27/2023 7:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-009

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 1834 Central PL NE

Customer Sample Number:

Date / Time Collected: 1/27/2023 7:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-010

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-055

Sample Location: 1st Draw 200 Morgan St. NW

Customer Sample Number:

Date / Time Collected: 1/29/2023 12:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2302024-055

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 200 Morgan St. NW

Customer Sample Number:

Date / Time Collected: 1/29/2023 12:35 PM

Customer Program Code: DS

Laboratory Sample Number: 2302024-056

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.9	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-061

Sample Location: 1st Draw 2041 Rosemont Ave. NW

Customer Sample Number:

Date / Time Collected: 1/30/2023 6:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-061

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 2041 Rosemont Ave. NW

Customer Sample Number:

Date / Time Collected: 1/30/2023 6:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-062

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-041

Sample Location: 1st Draw 2424 Chain Bridge Rd. NW

Customer Sample Number:

Date / Time Collected: 1/26/2023 7:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-041

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 2424 Chain Bridge Rd. NW

Customer Sample Number:

Date / Time Collected: 1/26/2023 7:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-042

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-029

Sample Location: 1st Draw 2515 Palmer PL SE

Customer Sample Number:

Date / Time Collected: 1/22/2023 5:33 PM

Customer Program Code: DS

Laboratory Sample Number: 2302024-029

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.9	ug/L		2/23/2023	SBrooks

Sample Location: 2nd Draw 2515 Palmer PL SE

Customer Sample Number:

Date / Time Collected: 1/22/2023 5:37 PM

Customer Program Code: DS

Laboratory Sample Number: 2302024-030

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-053

Sample Location: 1st Draw 2908 N St. NW
Customer Sample Number:
Date / Time Collected: 1/28/2023 8:40 AM

Customer Program Code: DS
Laboratory Sample Number: 2302024-053
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 2908 N St. NW
Customer Sample Number:
Date / Time Collected: 1/28/2023 8:45 AM

Customer Program Code: DS
Laboratory Sample Number: 2302024-054
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-013

Sample Location: 1st Draw 308 19th St. NE
Customer Sample Number:
Date / Time Collected: 1/29/2023 7:40 AM

Customer Program Code: DS
Laboratory Sample Number: 2302024-013
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 308 19th St. NE
Customer Sample Number:
Date / Time Collected: 1/29/2023 7:44 AM

Customer Program Code: DS
Laboratory Sample Number: 2302024-014
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-049

Sample Location: 1st Draw 3210 38th St. NW

Customer Sample Number:

Date / Time Collected: 1/28/2023 6:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-049

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 3210 38th St. NW

Customer Sample Number:

Date / Time Collected: 1/28/2023 6:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-050

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	45.3	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-051

Sample Location: 1st Draw 3215 6th St. SE

Customer Sample Number:

Date / Time Collected: 1/28/2023 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-051

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 3215 6th St. SE

Customer Sample Number:

Date / Time Collected: 1/28/2023 7:03 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-052

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-019

Sample Location: 1st Draw 3416 Garfield St. NW

Customer Sample Number:

Date / Time Collected: 1/31/2023 9:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-019

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 3416 Garfield St. NW

Customer Sample Number:

Date / Time Collected: 1/31/2023 9:43 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-020

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-031

Sample Location: 1st Draw 3612 20th St. NE

Customer Sample Number:

Date / Time Collected: 1/23/2023 10:04 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-031

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 3612 20th St. NE

Customer Sample Number:

Date / Time Collected: 1/23/2023 10:08 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-032

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-027

Sample Location: 1st Draw 3629 Albemarle St. NW

Customer Sample Number:

Date / Time Collected: 10/9/2022 8:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-027

Date / Time Received: 2/3/2023 11:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/15/2023	Rlamsal

Sample Location: 2nd Draw 3629 Albemarle St. NW

Customer Sample Number:

Date / Time Collected: 10/9/2022 8:12 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-028

Date / Time Received: 2/3/2023 11:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-065

Sample Location: 1st Draw 4406 South Dakota Ave. NE

Customer Sample Number:

Date / Time Collected: 1/31/2023 6:31 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-066

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 4406 South Dakota Ave. NE

Customer Sample Number:

Date / Time Collected: 1/31/2023 6:34 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-066

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 3/9/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2302024-017

Sample Location: 1st Draw 4434 Ellicott St NW

Customer Sample Number:

Date / Time Collected: 1/29/2023 5:10 PM

Customer Program Code: DS

Laboratory Sample Number: 2302024-017

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 4434 Ellicott St NW

Customer Sample Number:

Date / Time Collected: 1/29/2023 5:14 PM

Customer Program Code: DS

Laboratory Sample Number: 2302024-018

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-021

Sample Location: 1st Draw 49 Crittenden St. NE

Customer Sample Number:

Date / Time Collected: 1/31/2023 1:05 PM

Customer Program Code: DS

Laboratory Sample Number: 2302024-021

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 49 Crittenden St. NE

Customer Sample Number:

Date / Time Collected: 1/31/2023 1:06 PM

Customer Program Code: DS

Laboratory Sample Number: 2302024-022

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-039

Sample Location: 1st Draw 509 Independence Ave. SE

Customer Sample Number:

Date / Time Collected: 1/26/2023 6:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-039

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 509 Independence Ave. SE

Customer Sample Number:

Date / Time Collected: 1/26/2023 6:57 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-040

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 3/9/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2302024-037

Sample Location: 1st Draw 512 15th St. NE

Customer Sample Number:

Date / Time Collected: 1/26/2023 6:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-037

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 512 15th St. NE

Customer Sample Number:

Date / Time Collected: 1/26/2023 6:56 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-038

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-007

Sample Location: 1st Draw 514 E. Capitol St. NE

Customer Sample Number:

Date / Time Collected: 1/27/2023 7:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-007

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 514 E. Capitol St. NE

Customer Sample Number:

Date / Time Collected: 1/27/2023 7:38 AM

Customer Program Code: DS

Laboratory Sample Number: 2302024-008

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-045

Sample Location: 1st Draw 819 N. Carolina Ave SE

Customer Sample Number:

Date / Time Collected: 1/26/2023 10:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2302024-045

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 819 N. Carolina Ave SE

Customer Sample Number:

Date / Time Collected: 1/26/2023 10:16 PM

Customer Program Code: DS

Laboratory Sample Number: 2302024-046

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-047

Sample Location: 1st Draw 864 Burns St. SE

Customer Sample Number:

Date / Time Collected: 1/27/2023 5:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2302024-047

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 864 Burns St. SE

Customer Sample Number:

Date / Time Collected: 1/27/2023 5:03 PM

Customer Program Code: DS

Laboratory Sample Number: 2302024-048

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-003

Sample Location: 1st Draw 902 Rittenhouse St. NW
Customer Sample Number:
Date / Time Collected: 1/25/2023 6:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2302024-003
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 902 Rittenhouse St. NW
Customer Sample Number:
Date / Time Collected: 1/25/2023 6:35 AM

Customer Program Code: DS
Laboratory Sample Number: 2302024-004
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS-2302024-005

Sample Location: 1st Draw 907 K St. NE
Customer Sample Number:
Date / Time Collected: 1/26/2023 6:45 AM

Customer Program Code: DS
Laboratory Sample Number: 2302024-005
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.2	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 907 K St. NE
Customer Sample Number:
Date / Time Collected: 1/26/2023 6:50 AM

Customer Program Code: DS
Laboratory Sample Number: 2302024-006
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS250- 2302037-003

Sample Location: 1st Draw 2000 F St. NW

Customer Sample Number:

Date / Time Collected: 1/25/2023 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2302037-003

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 2000 F St. NW

Customer Sample Number:

Date / Time Collected: 1/25/2023 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2302037-004

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS250- 2302037-007

Sample Location: 1st Draw 2700 Q St. NW #236

Customer Sample Number:

Date / Time Collected: 1/27/2023 9:45 AM

Customer Program Code: DS250

Laboratory Sample Number: 2302037-007

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 2700 Q St. NW #236

Customer Sample Number:

Date / Time Collected: 1/27/2023 9:45 AM

Customer Program Code: DS250

Laboratory Sample Number: 2302037-008

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS250- 2302037-001

Sample Location: 1st Draw 2716 Wisconsin Ave. NW #16

Customer Sample Number:

Date / Time Collected: 1/24/2023 7:30 AM

Customer Program Code: DS250

Laboratory Sample Number: 2302037-001

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 2716 Wisconsin Ave. NW #16

Customer Sample Number:

Date / Time Collected: 1/24/2023 7:30 AM

Customer Program Code: DS250

Laboratory Sample Number: 2302037-002

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-DS250- 2302037-005

Sample Location: 1st Draw 2950 Van Ness St. NW, 226

Customer Sample Number:

Date / Time Collected: 1/26/2023 7:05 AM

Customer Program Code: DS250

Laboratory Sample Number: 2302037-005

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 2950 Van Ness St. NW, 226

Customer Sample Number:

Date / Time Collected: 1/26/2023 7:05 AM

Customer Program Code: DS250

Laboratory Sample Number: 2302037-006

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303019-087

Sample Location: 1st Draw 1014 Bryant St. NE

Customer Sample Number:

Date / Time Collected: 2/22/2023 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-087

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 1014 Bryant St. NE

Customer Sample Number:

Date / Time Collected: 2/22/2023 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-088

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.2	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302070-033

Sample Location: 1st Draw 1018 5TH STREET NE

Customer Sample Number:

Date / Time Collected: 2/7/2023 7:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-033

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1018 5TH STREET NE

Customer Sample Number:

Date / Time Collected: 2/7/2023 7:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-034

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303019-065

Sample Location: 1st Draw 1021 E St. NE
Customer Sample Number:
Date / Time Collected: 2/17/2023 5:45 AM

Customer Program Code: DS
Laboratory Sample Number: 2303019-065
Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 1021 E St. NE
Customer Sample Number:
Date / Time Collected: 2/17/2023 5:45 AM

Customer Program Code: DS
Laboratory Sample Number: 2303019-066
Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303145-019

Sample Location: 1st Draw 1031 Girard St. NE

Customer Sample Number:

Date / Time Collected: 3/6/2023 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-019

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 1031 Girard St. NE

Customer Sample Number:

Date / Time Collected: 3/6/2023 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-020

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-009

Sample Location: 1st Draw 1036 5th St NE
Customer Sample Number:
Date / Time Collected: 1/30/2023 5:17 PM

Customer Program Code: DS
Laboratory Sample Number: 2302098-009
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1036 5th St NE
Customer Sample Number:
Date / Time Collected: 1/30/2023 5:24 PM

Customer Program Code: DS
Laboratory Sample Number: 2302098-010
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302070-017

Sample Location: 1st Draw 1118 Girard St. NW

Customer Sample Number:

Date / Time Collected: 2/6/2023 6:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-017

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1118 Girard St. NW

Customer Sample Number:

Date / Time Collected: 2/6/2023 6:08 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-018

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302070-035

Sample Location: 1st Draw 120 Darrington St. SW

Customer Sample Number:

Date / Time Collected: 2/7/2023 7:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-035

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 120 Darrington St. SW

Customer Sample Number:

Date / Time Collected: 2/7/2023 7:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-036

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-029

Sample Location: 1st Draw 120 Quincy Place NE

Customer Sample Number:

Date / Time Collected: 2/8/2023 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-029

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 120 Quincy Place NE

Customer Sample Number:

Date / Time Collected: 2/8/2023 7:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-030

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	44.9	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-043

Sample Location: 1st Draw 1217 Pleasant St. SE

Customer Sample Number:

Date / Time Collected: 2/9/2023 2:56 PM

Customer Program Code: DS

Laboratory Sample Number: 2302129-043

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1217 Pleasant St. SE

Customer Sample Number:

Date / Time Collected: 2/9/2023 3:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2302129-044

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-081

Sample Location: 1st Draw 124 Quackendos St. NW

Customer Sample Number:

Date / Time Collected: 2/13/2023 7:53 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-081

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 124 Quackendos St. NW

Customer Sample Number:

Date / Time Collected: 2/13/2023 7:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-082

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-093

Sample Location: 1st Draw 129 E Street SE

Customer Sample Number:

Date / Time Collected: 2/14/2023 7:43 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-093

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.7	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 129 E Street SE

Customer Sample Number:

Date / Time Collected: 2/14/2023 7:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-094

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	8.5	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302070-019

Sample Location: 1st Draw 1313 N Carolina Ave NE

Customer Sample Number:

Date / Time Collected: 2/6/2023 6:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-019

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1313 N Carolina Ave NE

Customer Sample Number:

Date / Time Collected: 2/6/2023 6:44 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-020

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-069

Sample Location: 1st Draw 1323 Otis PL NW

Customer Sample Number:

Date / Time Collected: 2/13/2023 6:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-069

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1323 Otis PL NW

Customer Sample Number:

Date / Time Collected: 2/13/2023 6:06 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-070

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302070-031

Sample Location: 1st Draw 1333 Varnum St. NE

Customer Sample Number:

Date / Time Collected: 2/7/2023 7:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-031

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1333 Varnum St. NE

Customer Sample Number:

Date / Time Collected: 2/7/2023 7:27 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-032

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-045

Sample Location: 1st Draw 1347 Massachusetts Ave. SE

Customer Sample Number:

Date / Time Collected: 2/9/2023 5:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2302129-046

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1347 Massachusetts Ave. SE

Customer Sample Number:

Date / Time Collected: 2/9/2023 5:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2302129-046

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303145-047

Sample Location: 1st Draw 1369 Newton St. NW

Customer Sample Number:

Date / Time Collected: 3/6/2023 7:53 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-047

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 1369 Newton St. NW

Customer Sample Number:

Date / Time Collected: 3/6/2023 7:53 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-048

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-049

Sample Location: 1st Draw 1378 Taylor St
Customer Sample Number:
Date / Time Collected: 2/10/2023 5:15 AM

Customer Program Code: DS
Laboratory Sample Number: 2302129-049
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1378 Taylor St
Customer Sample Number:
Date / Time Collected: 2/10/2023 5:20 AM

Customer Program Code: DS
Laboratory Sample Number: 2302129-050
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-051

Sample Location: 1st Draw 1416 Q St. NW
Customer Sample Number:
Date / Time Collected: 2/10/2023 8:12 AM

Customer Program Code: DS
Laboratory Sample Number: 2302129-051
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1416 Q St. NW
Customer Sample Number:
Date / Time Collected: 2/10/2023 8:15 AM

Customer Program Code: DS
Laboratory Sample Number: 2302129-052
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-007

Sample Location: 1st Draw 1420 Ames PL NE

Customer Sample Number:

Date / Time Collected: 1/30/2023 3:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2302098-007

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1420 Ames PL NE

Customer Sample Number:

Date / Time Collected: 1/30/2023 3:31 PM

Customer Program Code: DS

Laboratory Sample Number: 2302098-008

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302176-009

Sample Location: 1st Draw 1508 8th St. NW

Customer Sample Number:

Date / Time Collected: 2/15/2023 7:06 AM

Customer Program Code: DS

Laboratory Sample Number: 2302176-009

Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1508 8th St. NW

Customer Sample Number:

Date / Time Collected: 2/15/2023 7:08 AM

Customer Program Code: DS

Laboratory Sample Number: 2302176-010

Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302070-037

Sample Location: 1st Draw 151 Darrington St. SW

Customer Sample Number:

Date / Time Collected: 2/7/2023 9:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-037

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 151 Darrington St. SW

Customer Sample Number:

Date / Time Collected: 2/7/2023 9:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-038

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303019-067

Sample Location: 1st Draw 1516 Montana Ave. NE

Customer Sample Number:

Date / Time Collected: 2/17/2023 6:16 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-067

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 1516 Montana Ave. NE

Customer Sample Number:

Date / Time Collected: 2/17/2023 6:18 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-068

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-087

Sample Location: 1st Draw 1624 Crittenden St. NE

Customer Sample Number:

Date / Time Collected: 2/13/2023 5:35 PM

Customer Program Code: DS

Laboratory Sample Number: 2302129-087

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1624 Crittenden St. NE

Customer Sample Number:

Date / Time Collected: 2/13/2023 5:38 PM

Customer Program Code: DS

Laboratory Sample Number: 2302129-088

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-024

Sample Location: 1st Draw 1632 33rd St. NW

Customer Sample Number:

Date / Time Collected: 2/2/2023 4:38 PM

Customer Program Code: DS

Laboratory Sample Number: 2302098-024

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1632 33rd St. NW

Customer Sample Number:

Date / Time Collected: 2/2/2023 4:42 PM

Customer Program Code: DS

Laboratory Sample Number: 2302098-025

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-038

Sample Location: 1st Draw 1632 Webster St NW

Customer Sample Number:

Date / Time Collected: 2/5/2023 9:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-038

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1632 Webster St NW

Customer Sample Number:

Date / Time Collected: 2/5/2023 9:26 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-039

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-044

Sample Location: 1st Draw 1637 35th St. NW

Customer Sample Number:

Date / Time Collected: 2/6/2023 6:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-044

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1637 35th St. NW

Customer Sample Number:

Date / Time Collected: 2/6/2023 6:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-045

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-033

Sample Location: 1st Draw 1664 Avon Place NW

Customer Sample Number:

Date / Time Collected: 2/8/2023 8:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-033

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1664 Avon Place NW

Customer Sample Number:

Date / Time Collected: 2/8/2023 8:13 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-034

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-013

Sample Location: 1st Draw 1701 Lyman PL NE

Customer Sample Number:

Date / Time Collected: 1/31/2023 7:42 PM

Customer Program Code: DS

Laboratory Sample Number: 2302098-013

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303145-011

Sample Location: 1st Draw 1719 Lanier PL NW

Customer Sample Number:

Date / Time Collected: 3/1/2023 7:02 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-011

Date / Time Received: 3/17/2023 9:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	3/23/2023	SBrooks

Sample Location: 2nd Draw 1719 Lanier PL NW

Customer Sample Number:

Date / Time Collected: 3/1/2023 7:06 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-012

Date / Time Received: 3/17/2023 9:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L	H	3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303061-053

Sample Location: 1st Draw 1722 Girard St. NE

Customer Sample Number:

Date / Time Collected: 2/24/2023 7:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2303061-053

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 1722 Girard St. NE

Customer Sample Number:

Date / Time Collected: 2/24/2023 7:28 AM

Customer Program Code: DS

Laboratory Sample Number: 2303061-054

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302070-013

Sample Location: 1st Draw 1727 Kenyon St. NW

Customer Sample Number:

Date / Time Collected: 2/5/2023 6:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-013

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1727 Kenyon St. NW

Customer Sample Number:

Date / Time Collected: 2/5/2023 6:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-014

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303145-017

Sample Location: 1st Draw 1731 Harvard St. NW

Customer Sample Number:

Date / Time Collected: 3/5/2023 5:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-017

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 1731 Harvard St. NW

Customer Sample Number:

Date / Time Collected: 3/5/2023 5:21 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-018

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-046

Sample Location: 1st Draw 1804 8th St NW
Customer Sample Number:
Date / Time Collected: 2/6/2023 7:43 AM

Customer Program Code: DS
Laboratory Sample Number: 2302098-046
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1804 8th St NW
Customer Sample Number:
Date / Time Collected: 2/6/2023 7:46 AM

Customer Program Code: DS
Laboratory Sample Number: 2302098-047
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303061-067

Sample Location: 1st Draw 1812 Kilbourne PI NW

Customer Sample Number:

Date / Time Collected: 2/28/2023 9:26 AM

Customer Program Code: DS

Laboratory Sample Number: 2303061-067

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 1812 Kilbourne PI NW

Customer Sample Number:

Date / Time Collected: 2/28/2023 9:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2303061-068

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302176-005

Sample Location: 1st Draw 1815 Kalorama Rd. NW

Customer Sample Number:

Date / Time Collected: 2/13/2023 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2302176-005

Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1815 Kalorama Rd. NW

Customer Sample Number:

Date / Time Collected: 2/13/2023 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2302176-006

Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302176-003

Sample Location: 1st Draw 1842 41st PL SE

Customer Sample Number:

Date / Time Collected: 2/12/2023 7:05 PM

Customer Program Code: DS

Laboratory Sample Number: 2302176-003

Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1842 41st PL SE

Customer Sample Number:

Date / Time Collected: 2/12/2023 7:07 PM

Customer Program Code: DS

Laboratory Sample Number: 2302176-004

Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-039

Sample Location: 1st Draw 1901 New Hampshire Ave. NW Apt 2

Customer Sample Number:

Date / Time Collected: 2/9/2023 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-039

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1901 New Hampshire Ave. NW Apt 2

Customer Sample Number:

Date / Time Collected: 2/9/2023 6:31 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-040

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-042

Sample Location: 1st Draw 1909 Minnesota Ave. SE

Customer Sample Number:

Date / Time Collected: 2/6/2023 6:23 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-042

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1909 Minnesota Ave. SE

Customer Sample Number:

Date / Time Collected: 2/6/2023 6:23 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-043

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302070-029

Sample Location: 1st Draw 1912 D St. NE
Customer Sample Number:
Date / Time Collected: 2/7/2023 6:55 AM

Customer Program Code: DS
Laboratory Sample Number: 2302070-029
Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1912 D St. NE
Customer Sample Number:
Date / Time Collected: 2/7/2023 6:57 AM

Customer Program Code: DS
Laboratory Sample Number: 2302070-030
Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-022

Sample Location: 1st Draw 1924 37th St. NW

Customer Sample Number:

Date / Time Collected: 2/2/2023 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-022

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1924 37th St. NW

Customer Sample Number:

Date / Time Collected: 2/2/2023 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-023

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303019-071

Sample Location: 1st Draw 1925 6th St. NW

Customer Sample Number:

Date / Time Collected: 2/18/2023 5:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-071

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 1925 6th St. NW

Customer Sample Number:

Date / Time Collected: 2/18/2023 5:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-072

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302070-021

Sample Location: 1st Draw 1950 U Place SE

Customer Sample Number:

Date / Time Collected: 2/6/2023 6:56 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-021

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1950 U Place SE

Customer Sample Number:

Date / Time Collected: 2/6/2023 6:58 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-022

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303019-063

Sample Location: 1st Draw 20 Gallatin St. NW

Customer Sample Number:

Date / Time Collected: 2/16/2023 7:05 PM

Customer Program Code: DS

Laboratory Sample Number: 2303019-063

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 20 Gallatin St. NW

Customer Sample Number:

Date / Time Collected: 2/16/2023 7:06 PM

Customer Program Code: DS

Laboratory Sample Number: 2303019-064

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 3/31/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2302129-063

Sample Location: 1st Draw 2030 E St. NE
Customer Sample Number:
Date / Time Collected: 2/12/2023 10:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2302129-063
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 2030 E St. NE
Customer Sample Number:
Date / Time Collected: 2/12/2023 10:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2302129-064
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-050

Sample Location: 1st Draw 2114 Huidekoper PL NW

Customer Sample Number:

Date / Time Collected: 2/7/2023 8:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-050

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 2114 Huidekoper PL NW

Customer Sample Number:

Date / Time Collected: 2/7/2023 8:29 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-051

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-003

Sample Location: 1st Draw 213 Farragut St. NW

Customer Sample Number:

Date / Time Collected: 1/28/2023 8:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-003

Date / Time Received: 2/13/2023 10:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/8/2023	Rlamsal

Sample Location: 2nd Draw 213 Farragut St. NW

Customer Sample Number:

Date / Time Collected: 1/28/2023 8:14 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-004

Date / Time Received: 2/13/2023 10:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 3/31/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2302129-067

Sample Location: 1st Draw 2305 39th St. NW

Customer Sample Number:

Date / Time Collected: 2/13/2023 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-067

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 2305 39th St. NW

Customer Sample Number:

Date / Time Collected: 2/13/2023 6:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-068

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303145-055

Sample Location: 1st Draw 2326 19th St. NW

Customer Sample Number:

Date / Time Collected: 3/2/2023 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-055

Date / Time Received: 3/17/2023 9:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/23/2023	SBrooks

Sample Location: 2nd Draw 2326 19th St. NW

Customer Sample Number:

Date / Time Collected: 3/2/2023 7:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-056

Date / Time Received: 3/17/2023 9:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 3/31/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2303019-059

Sample Location: 1st Draw 2331 47th St. NW

Customer Sample Number:

Date / Time Collected: 2/16/2023 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-059

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 2331 47th St. NW

Customer Sample Number:

Date / Time Collected: 2/16/2023 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-060

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303019-073

Sample Location: 1st Draw 2402 3rd St. NE
Customer Sample Number:
Date / Time Collected: 2/18/2023 8:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2303019-073
Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 2402 3rd St. NE
Customer Sample Number:
Date / Time Collected: 2/18/2023 8:35 AM

Customer Program Code: DS
Laboratory Sample Number: 2303019-074
Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302070-011

Sample Location: 1st Draw 2410 21st PL NE

Customer Sample Number:

Date / Time Collected: 2/1/2023 5:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2302070-011

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 2410 21st PL NE

Customer Sample Number:

Date / Time Collected: 2/1/2023 5:18 PM

Customer Program Code: DS

Laboratory Sample Number: 2302070-012

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-020

Sample Location: 1st Draw 2434 Monroe St. NE

Customer Sample Number:

Date / Time Collected: 2/2/2023 7:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-020

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 2434 Monroe St. NE

Customer Sample Number:

Date / Time Collected: 2/2/2023 7:11 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-021

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302070-005

Sample Location: 1st Draw 249 Longfellow St. NW

Customer Sample Number:

Date / Time Collected: 1/30/2023 7:52 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-005

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 249 Longfellow St. NW

Customer Sample Number:

Date / Time Collected: 1/30/2023 7:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-006

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-079

Sample Location: 1st Draw 2619 University PL NW #5

Customer Sample Number:

Date / Time Collected: 2/13/2023 7:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-079

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 2619 University PL NW #5

Customer Sample Number:

Date / Time Collected: 2/13/2023 7:22 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-080

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-065

Sample Location: 1st Draw 2631 Otis St. NE

Customer Sample Number:

Date / Time Collected: 2/12/2023 12:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2302129-066

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 2631 Otis St. NE

Customer Sample Number:

Date / Time Collected: 2/12/2023 12:34 PM

Customer Program Code: DS

Laboratory Sample Number: 2302129-066

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303061-055

Sample Location: 1st Draw 2820 18th St. NE

Customer Sample Number:

Date / Time Collected: 2/24/2023 3:27 PM

Customer Program Code: DS

Laboratory Sample Number: 2303061-055

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 2820 18th St. NE

Customer Sample Number:

Date / Time Collected: 2/24/2023 3:29 PM

Customer Program Code: DS

Laboratory Sample Number: 2303061-056

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-030

Sample Location: 1st Draw 2850 Vista St. NE

Customer Sample Number:

Date / Time Collected: 2/3/2023 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-030

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 2850 Vista St. NE

Customer Sample Number:

Date / Time Collected: 2/3/2023 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-031

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303145-015

Sample Location: 1st Draw 2933 28th St. NW

Customer Sample Number:

Date / Time Collected: 3/5/2023 7:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-015

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 2933 28th St. NW

Customer Sample Number:

Date / Time Collected: 3/5/2023 7:38 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-016

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303019-085

Sample Location: 1st Draw 3063 Clinton St. NE

Customer Sample Number:

Date / Time Collected: 2/21/2023 5:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-085

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 3063 Clinton St. NE

Customer Sample Number:

Date / Time Collected: 2/21/2023 5:31 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-086

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303061-063

Sample Location: 1st Draw 312 Oneida St. NE

Customer Sample Number:

Date / Time Collected: 2/27/2023 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2303061-063

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 312 Oneida St. NE

Customer Sample Number:

Date / Time Collected: 2/27/2023 7:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2303061-064

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302070-023

Sample Location: 1st Draw 3158 18th St NW Apt 2

Customer Sample Number:

Date / Time Collected: 2/6/2023 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-023

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 3158 18th St NW Apt 2

Customer Sample Number:

Date / Time Collected: 2/6/2023 7:01 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-024

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302176-001

Sample Location: 1st Draw 3201 Beech St. NW

Customer Sample Number:

Date / Time Collected: 2/8/2023 7:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2302176-001

Date / Time Received: 2/24/2023 10:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/8/2023	Rlamsal

Sample Location: 2nd Draw 3201 Beech St. NW

Customer Sample Number:

Date / Time Collected: 2/8/2023 7:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2302176-002

Date / Time Received: 2/24/2023 10:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-047

Sample Location: 1st Draw 3218 8th St. NE

Customer Sample Number:

Date / Time Collected: 2/9/2023 9:47 PM

Customer Program Code: DS

Laboratory Sample Number: 2302129-047

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 3218 8th St. NE

Customer Sample Number:

Date / Time Collected: 2/9/2023 9:52 PM

Customer Program Code: DS

Laboratory Sample Number: 2302129-048

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-085

Sample Location: 1st Draw 3335 Legation St. NW

Customer Sample Number:

Date / Time Collected: 2/13/2023 1:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2302129-085

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 3335 Legation St. NW

Customer Sample Number:

Date / Time Collected: 2/13/2023 1:17 PM

Customer Program Code: DS

Laboratory Sample Number: 2302129-086

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-035

Sample Location: 1st Draw 3356 18th St. NW

Customer Sample Number:

Date / Time Collected: 2/9/2023 5:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-035

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 3356 18th St. NW

Customer Sample Number:

Date / Time Collected: 2/9/2023 5:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-036

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-073

Sample Location: 1st Draw 3407 Sherman Ave. NW (B)
Customer Sample Number:
Date / Time Collected: 2/13/2023 6:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2302129-073
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 3407 Sherman Ave. NW (B)
Customer Sample Number:
Date / Time Collected: 2/13/2023 6:33 AM

Customer Program Code: DS
Laboratory Sample Number: 2302129-074
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-032

Sample Location: 1st Draw 3408 Rittenhouse St. NW

Customer Sample Number:

Date / Time Collected: 2/3/2023 6:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-032

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 3408 Rittenhouse St. NW

Customer Sample Number:

Date / Time Collected: 2/3/2023 6:06 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-033

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302070-007

Sample Location: 1st Draw 3423 Porter St, NW

Customer Sample Number:

Date / Time Collected: 1/31/2023 6:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-007

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 3423 Porter St, NW

Customer Sample Number:

Date / Time Collected: 1/31/2023 6:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-008

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-011

Sample Location: 1st Draw 3464 Dix St NE
Customer Sample Number:
Date / Time Collected: 1/31/2023 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2302098-011
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.4	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 3464 Dix St NE
Customer Sample Number:
Date / Time Collected: 1/31/2023 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2302098-012
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-027

Sample Location: 1st Draw 3518 35th St. NW

Customer Sample Number:

Date / Time Collected: 2/7/2023 6:27 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-027

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 3518 35th St. NW

Customer Sample Number:

Date / Time Collected: 2/7/2023 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-028

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-036

Sample Location: 1st Draw 3525 30th St. NW

Customer Sample Number:

Date / Time Collected: 2/5/2023 8:21 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-036

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 3525 30th St. NW

Customer Sample Number:

Date / Time Collected: 2/5/2023 8:24 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-037

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303145-041

Sample Location: 1st Draw 3536 Brandywine St. NW

Customer Sample Number:

Date / Time Collected: 3/2/2023 5:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-041

Date / Time Received: 3/17/2023 9:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/23/2023	SBrooks

Sample Location: 2nd Draw 3536 Brandywine St. NW

Customer Sample Number:

Date / Time Collected: 3/2/2023 5:48 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-042

Date / Time Received: 3/17/2023 9:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-075

Sample Location: 1st Draw 3541 11th St. NW #102

Customer Sample Number:

Date / Time Collected: 2/13/2023 6:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-075

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 3541 11th St. NW #102

Customer Sample Number:

Date / Time Collected: 2/13/2023 6:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-076

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-071

Sample Location: 1st Draw 36 Quincy PL NE

Customer Sample Number:

Date / Time Collected: 2/13/2023 6:26 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-071

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 36 Quincy PL NE

Customer Sample Number:

Date / Time Collected: 2/13/2023 6:27 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-072

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-059

Sample Location: 1st Draw 3622 Norton PL NW

Customer Sample Number:

Date / Time Collected: 2/12/2023 6:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-059

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 3622 Norton PL NW

Customer Sample Number:

Date / Time Collected: 2/12/2023 6:52 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-060

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-041

Sample Location: 1st Draw 3715 49th St. NW

Customer Sample Number:

Date / Time Collected: 2/9/2023 9:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-041

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 3715 49th St. NW

Customer Sample Number:

Date / Time Collected: 2/9/2023 9:03 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-042

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302176-007

Sample Location: 1st Draw 3719 Van Ness St NW

Customer Sample Number:

Date / Time Collected: 2/13/2023 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2302176-007

Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 3719 Van Ness St NW

Customer Sample Number:

Date / Time Collected: 2/13/2023 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2302176-008

Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303145-051

Sample Location: 1st Draw 3729 New Hampshire Ave. NW

Customer Sample Number:

Date / Time Collected: 3/8/2023 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-051

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 3729 New Hampshire Ave. NW

Customer Sample Number:

Date / Time Collected: 3/8/2023 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-052

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303145-007

Sample Location: 1st Draw 3808 Albemarle St

Customer Sample Number:

Date / Time Collected: 3/7/2023 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-007

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 3808 Albemarle St

Customer Sample Number:

Date / Time Collected: 3/7/2023 6:02 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-008

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302070-015

Sample Location: 1st Draw 3809 7th St NW
Customer Sample Number:
Date / Time Collected: 2/5/2023 12:30 PM

Customer Program Code: DS
Laboratory Sample Number: 2302070-015
Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 3809 7th St NW
Customer Sample Number:
Date / Time Collected: 2/5/2023 12:30 PM

Customer Program Code: DS
Laboratory Sample Number: 2302070-016
Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303145-005

Sample Location: 1st Draw 3822 W St. NW
Customer Sample Number:
Date / Time Collected: 3/6/2023 6:09 AM

Customer Program Code: DS
Laboratory Sample Number: 2303145-005
Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 3822 W St. NW
Customer Sample Number:
Date / Time Collected: 3/6/2023 6:10 AM

Customer Program Code: DS
Laboratory Sample Number: 2303145-006
Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-005

Sample Location: 1st Draw 3823 25th PL NE

Customer Sample Number:

Date / Time Collected: 1/28/2023 10:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-005

Date / Time Received: 2/13/2023 10:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/8/2023	Rlamsal

Sample Location: 2nd Draw 3823 25th PL NE

Customer Sample Number:

Date / Time Collected: 1/28/2023 10:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-006

Date / Time Received: 2/13/2023 10:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-048

Sample Location: 1st Draw 3906 Ingomar St NW

Customer Sample Number:

Date / Time Collected: 2/7/2023 6:52 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-048

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 3906 Ingomar St NW

Customer Sample Number:

Date / Time Collected: 2/7/2023 6:54 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-049

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303061-049

Sample Location: 1st Draw 40 Longfellow St. NE

Customer Sample Number:

Date / Time Collected: 2/23/2023 4:36 PM

Customer Program Code: DS

Laboratory Sample Number: 2303061-049

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 40 Longfellow St. NE

Customer Sample Number:

Date / Time Collected: 2/23/2023 4:38 PM

Customer Program Code: DS

Laboratory Sample Number: 2303061-050

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-018

Sample Location: 1st Draw 411 4th St. SE
Customer Sample Number:
Date / Time Collected: 2/1/2023 4:56 PM

Customer Program Code: DS
Laboratory Sample Number: 2302098-018
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 411 4th St. SE
Customer Sample Number:
Date / Time Collected: 2/1/2023 5:02 PM

Customer Program Code: DS
Laboratory Sample Number: 2302098-019
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303061-069

Sample Location: 1st Draw 4216 Van Ness St. NW

Customer Sample Number:

Date / Time Collected: 3/1/2023 6:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2303061-069

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 4216 Van Ness St. NW

Customer Sample Number:

Date / Time Collected: 3/1/2023 6:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2303061-070

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303145-033

Sample Location: 1st Draw 43 Allison St. NE

Customer Sample Number:

Date / Time Collected: 3/5/2023 7:08 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-033

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 43 Allison St. NE

Customer Sample Number:

Date / Time Collected: 3/5/2023 7:11 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-034

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-034

Sample Location: 1st Draw 4307 Albemarle St. NW

Customer Sample Number:

Date / Time Collected: 2/5/2023 8:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-034

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 4307 Albemarle St. NW

Customer Sample Number:

Date / Time Collected: 2/5/2023 8:17 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-035

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303019-051

Sample Location: 1st Draw 4414 Eastern Ave NE

Customer Sample Number:

Date / Time Collected: 2/12/2023 5:32 PM

Customer Program Code: DS

Laboratory Sample Number: 2303019-051

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Sample Location: 2nd Draw 4414 Eastern Ave NE

Customer Sample Number:

Date / Time Collected: 2/12/2023 5:34 PM

Customer Program Code: DS

Laboratory Sample Number: 2303019-052

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303019-055

Sample Location: 1st Draw 4426 Lingan Rd. NW

Customer Sample Number:

Date / Time Collected: 2/14/2023 6:39 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-055

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Sample Location: 2nd Draw 4426 Lingan Rd. NW

Customer Sample Number:

Date / Time Collected: 2/14/2023 6:41 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-056

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303145-023

Sample Location: 1st Draw 4428 Brandywine St. NW

Customer Sample Number:

Date / Time Collected: 3/5/2023 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-023

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 4428 Brandywine St. NW

Customer Sample Number:

Date / Time Collected: 3/5/2023 7:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-024

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-061

Sample Location: 1st Draw 4530 29th St. NW

Customer Sample Number:

Date / Time Collected: 2/12/2023 7:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-061

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 4530 29th St. NW

Customer Sample Number:

Date / Time Collected: 2/12/2023 7:09 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-062

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303019-083

Sample Location: 1st Draw 46 Quincy PL NE

Customer Sample Number:

Date / Time Collected: 2/20/2023 8:08 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-083

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 46 Quincy PL NE

Customer Sample Number:

Date / Time Collected: 2/20/2023 8:11 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-084

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303061-071

Sample Location: 1st Draw 4613 15th St. NW

Customer Sample Number:

Date / Time Collected: 3/2/2023 2:49 PM

Customer Program Code: DS

Laboratory Sample Number: 2303061-071

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 4613 15th St. NW

Customer Sample Number:

Date / Time Collected: 3/2/2023 2:49 PM

Customer Program Code: DS

Laboratory Sample Number: 2303061-072

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.6	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303019-069

Sample Location: 1st Draw 4631 Verplanck PL NW

Customer Sample Number:

Date / Time Collected: 2/17/2023 6:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-069

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 4631 Verplanck PL NW

Customer Sample Number:

Date / Time Collected: 2/17/2023 6:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-070

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302070-025

Sample Location: 1st Draw 4702 8th St. NW

Customer Sample Number:

Date / Time Collected: 2/6/2023 8:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-025

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 4702 8th St. NW

Customer Sample Number:

Date / Time Collected: 2/6/2023 8:52 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-026

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303145-049

Sample Location: 1st Draw 4703 Brandywine St. NW

Customer Sample Number:

Date / Time Collected: 3/8/2023 6:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-049

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 4703 Brandywine St. NW

Customer Sample Number:

Date / Time Collected: 3/8/2023 6:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-050

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-055

Sample Location: 1st Draw 4741 Queens Chapel Terr NE

Customer Sample Number:

Date / Time Collected: 2/11/2023 4:34 PM

Customer Program Code: DS

Laboratory Sample Number: 2302129-055

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 4741 Queens Chapel Terr NE

Customer Sample Number:

Date / Time Collected: 2/11/2023 4:36 PM

Customer Program Code: DS

Laboratory Sample Number: 2302129-056

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303145-013

Sample Location: 1st Draw 4804 47th St. NW

Customer Sample Number:

Date / Time Collected: 3/6/2023 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-013

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 4804 47th St. NW

Customer Sample Number:

Date / Time Collected: 3/6/2023 8:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-014

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-053

Sample Location: 1st Draw 4825 Reservoir Rd. NW

Customer Sample Number:

Date / Time Collected: 2/11/2023 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-053

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 4825 Reservoir Rd. NW

Customer Sample Number:

Date / Time Collected: 2/11/2023 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-054

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-091

Sample Location: 1st Draw 4939 11th St. NE

Customer Sample Number:

Date / Time Collected: 2/14/2023 5:49 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-091

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 4939 11th St. NE

Customer Sample Number:

Date / Time Collected: 2/14/2023 5:52 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-092

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302070-001

Sample Location: 1st Draw 5003 13th St. NE

Customer Sample Number:

Date / Time Collected: 1/29/2023 9:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-001

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 5003 13th St. NE

Customer Sample Number:

Date / Time Collected: 1/29/2023 9:47 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-002

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303061-047

Sample Location: 1st Draw 5024 14th St. NE

Customer Sample Number:

Date / Time Collected: 2/22/2023 10:26 PM

Customer Program Code: DS

Laboratory Sample Number: 2303061-047

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 5024 14th St. NE

Customer Sample Number:

Date / Time Collected: 2/22/2023 10:28 PM

Customer Program Code: DS

Laboratory Sample Number: 2303061-048

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303061-045

Sample Location: 1st Draw 5107 12th St. NE

Customer Sample Number:

Date / Time Collected: 2/17/2023 7:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2303061-045

Date / Time Received: 3/8/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Sample Location: 2nd Draw 5107 12th St. NE

Customer Sample Number:

Date / Time Collected: 2/17/2023 7:05 PM

Customer Program Code: DS

Laboratory Sample Number: 2303061-046

Date / Time Received: 3/8/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-037

Sample Location: 1st Draw 511 Independence Ave. SE

Customer Sample Number:

Date / Time Collected: 2/9/2023 6:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-037

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 511 Independence Ave. SE

Customer Sample Number:

Date / Time Collected: 2/9/2023 6:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-038

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 3/31/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2302129-077

Sample Location: 1st Draw 512 M St. NW
Customer Sample Number:
Date / Time Collected: 2/13/2023 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2302129-077
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 512 M St. NW
Customer Sample Number:
Date / Time Collected: 2/13/2023 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2302129-078
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303061-065

Sample Location: 1st Draw 521 Madison St. NE

Customer Sample Number:

Date / Time Collected: 2/28/2023 6:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2303061-065

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 521 Madison St. NE

Customer Sample Number:

Date / Time Collected: 2/28/2023 6:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2303061-066

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303019-081

Sample Location: 1st Draw 5249 42nd St. NW

Customer Sample Number:

Date / Time Collected: 2/20/2023 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-081

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 5249 42nd St. NW

Customer Sample Number:

Date / Time Collected: 2/20/2023 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-082

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-057

Sample Location: 1st Draw 5359 Nevada Ave NW

Customer Sample Number:

Date / Time Collected: 2/12/2023 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-057

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 5359 Nevada Ave NW

Customer Sample Number:

Date / Time Collected: 2/12/2023 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-058

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-016

Sample Location: 1st Draw 5371 Nevada Ave. NW

Customer Sample Number:

Date / Time Collected: 2/1/2023 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-016

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 5371 Nevada Ave. NW

Customer Sample Number:

Date / Time Collected: 2/1/2023 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-017

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303061-059

Sample Location: 1st Draw 5460 31st St. NW

Customer Sample Number:

Date / Time Collected: 2/26/2023 6:39 AM

Customer Program Code: DS

Laboratory Sample Number: 2303061-059

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 5460 31st St. NW

Customer Sample Number:

Date / Time Collected: 2/26/2023 6:41 AM

Customer Program Code: DS

Laboratory Sample Number: 2303061-060

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302070-027

Sample Location: 1st Draw 547 24th St. NE

Customer Sample Number:

Date / Time Collected: 2/7/2023 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-027

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 547 24th St. NE

Customer Sample Number:

Date / Time Collected: 2/7/2023 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-028

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-031

Sample Location: 1st Draw 556 24th St. NE
Customer Sample Number:
Date / Time Collected: 2/8/2023 7:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2302129-031
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 556 24th St. NE
Customer Sample Number:
Date / Time Collected: 2/8/2023 7:32 AM

Customer Program Code: DS
Laboratory Sample Number: 2302129-032
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-028

Sample Location: 1st Draw 5853 Nebraska Ave. NW

Customer Sample Number:

Date / Time Collected: 2/2/2023 6:11 PM

Customer Program Code: DS

Laboratory Sample Number: 2302098-028

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 5853 Nebraska Ave. NW

Customer Sample Number:

Date / Time Collected: 2/2/2023 6:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2302098-029

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-089

Sample Location: 1st Draw 5918 Broad Branch Rd. NW
Customer Sample Number:
Date / Time Collected: 2/14/2023 5:45 AM

Customer Program Code: DS
Laboratory Sample Number: 2302129-089
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 5918 Broad Branch Rd. NW
Customer Sample Number:
Date / Time Collected: 2/14/2023 5:45 AM

Customer Program Code: DS
Laboratory Sample Number: 2302129-090
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-001

Sample Location: 1st Draw 613 Gallatin St. NE

Customer Sample Number:

Date / Time Collected: 1/27/2023 8:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-001

Date / Time Received: 2/13/2023 10:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/8/2023	Rlamsal

Sample Location: 2nd Draw 613 Gallatin St. NE

Customer Sample Number:

Date / Time Collected: 1/27/2023 8:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2302098-002

Date / Time Received: 2/13/2023 10:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303061-061

Sample Location: 1st Draw 614 Lexington PL NE

Customer Sample Number:

Date / Time Collected: 2/27/2023 5:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2303061-061

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 614 Lexington PL NE

Customer Sample Number:

Date / Time Collected: 2/27/2023 5:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2303061-062

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303019-061

Sample Location: 1st Draw 6213 31st St. NW

Customer Sample Number:

Date / Time Collected: 2/16/2023 2:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2303019-061

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 6213 31st St. NW

Customer Sample Number:

Date / Time Collected: 2/16/2023 2:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2303019-062

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303061-051

Sample Location: 1st Draw 632 I St. NE
Customer Sample Number:
Date / Time Collected: 2/24/2023 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2303061-051
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 632 I St. NE
Customer Sample Number:
Date / Time Collected: 2/24/2023 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2303061-052
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-025

Sample Location: 1st Draw 647 Morton PL NE

Customer Sample Number:

Date / Time Collected: 2/2/2023 5:37 PM

Customer Program Code: DS

Laboratory Sample Number: 2302129-025

Date / Time Received: 2/17/2023 10:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/8/2023	Rlamsal

Sample Location: 2nd Draw 647 Morton PL NE

Customer Sample Number:

Date / Time Collected: 2/2/2023 5:39 PM

Customer Program Code: DS

Laboratory Sample Number: 2302129-026

Date / Time Received: 2/17/2023 10:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-026

Sample Location: 1st Draw 657 Emerson St. NE

Customer Sample Number:

Date / Time Collected: 2/2/2023 4:40 PM

Customer Program Code: DS

Laboratory Sample Number: 2302098-026

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 657 Emerson St. NE

Customer Sample Number:

Date / Time Collected: 2/2/2023 4:41 PM

Customer Program Code: DS

Laboratory Sample Number: 2302098-027

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-014

Sample Location: 1st Draw 6608 32nd PI NW
Customer Sample Number:
Date / Time Collected: 2/1/2023 5:21 AM

Customer Program Code: DS
Laboratory Sample Number: 2302098-014
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 6608 32nd PI NW
Customer Sample Number:
Date / Time Collected: 2/1/2023 5:23 AM

Customer Program Code: DS
Laboratory Sample Number: 2302098-015
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-083

Sample Location: 1st Draw 6728 2nd St. NW

Customer Sample Number:

Date / Time Collected: 2/13/2023 9:19 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-083

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.2	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 6728 2nd St. NW

Customer Sample Number:

Date / Time Collected: 2/13/2023 9:23 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-084

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303145-027

Sample Location: 1st Draw 711 Emerson St. NE

Customer Sample Number:

Date / Time Collected: 3/8/2023 7:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-027

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 711 Emerson St. NE

Customer Sample Number:

Date / Time Collected: 3/8/2023 7:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2303145-028

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303019-053

Sample Location: 1st Draw 718 Hamilton St. NW

Customer Sample Number:

Date / Time Collected: 2/13/2023 7:22 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-053

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Sample Location: 2nd Draw 718 Hamilton St. NW

Customer Sample Number:

Date / Time Collected: 2/13/2023 7:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-054

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303019-075

Sample Location: 1st Draw 722 4th St. SE

Customer Sample Number:

Date / Time Collected: 2/18/2023 9:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2303019-075

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 722 4th St. SE

Customer Sample Number:

Date / Time Collected: 2/18/2023 9:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2303019-076

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302070-009

Sample Location: 1st Draw 730 Buchanan St. NE

Customer Sample Number:

Date / Time Collected: 2/1/2023 6:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-009

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 730 Buchanan St. NE

Customer Sample Number:

Date / Time Collected: 2/1/2023 6:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-010

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302070-003

Sample Location: 1st Draw 753 Faraday PL NE

Customer Sample Number:

Date / Time Collected: 1/29/2023 10:02 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-003

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 753 Faraday PL NE

Customer Sample Number:

Date / Time Collected: 1/29/2023 10:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2302070-004

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302098-040

Sample Location: 1st Draw 801 20th St. NE

Customer Sample Number:

Date / Time Collected: 2/5/2023 12:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2302098-040

Date / Time Received: 2/13/2023 10:15:00 AM

Sample was digested due to turbidity reading >1.0 NTU.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		3/16/2023	SBrooks

Sample Location: 2nd Draw 801 20th St. NE

Customer Sample Number:

Date / Time Collected: 2/5/2023 12:01 PM

Customer Program Code: DS

Laboratory Sample Number: 2302098-041

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303019-057

Sample Location: 1st Draw 818 Emerson St. NW

Customer Sample Number:

Date / Time Collected: 2/15/2023 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-057

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Sample Location: 2nd Draw 818 Emerson St. NW

Customer Sample Number:

Date / Time Collected: 2/15/2023 6:03 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-058

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303019-079

Sample Location: 1st Draw 89 58th St. SE
Customer Sample Number:
Date / Time Collected: 2/19/2023 9:19 AM

Customer Program Code: DS
Laboratory Sample Number: 2303019-079
Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 89 58th St. SE
Customer Sample Number:
Date / Time Collected: 2/19/2023 9:22 AM

Customer Program Code: DS
Laboratory Sample Number: 2303019-080
Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303145-043

Sample Location: 1st Draw 902 S St. NW
Customer Sample Number:
Date / Time Collected: 3/5/2023 9:40 AM

Customer Program Code: DS
Laboratory Sample Number: 2303145-043
Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 902 S St. NW
Customer Sample Number:
Date / Time Collected: 3/5/2023 9:42 AM

Customer Program Code: DS
Laboratory Sample Number: 2303145-044
Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303019-077

Sample Location: 1st Draw 904 Crittenden St. NW

Customer Sample Number:

Date / Time Collected: 2/19/2023 5:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-077

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 904 Crittenden St. NW

Customer Sample Number:

Date / Time Collected: 2/19/2023 5:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2303019-078

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303019-049

Sample Location: 1st Draw 908 E. Capitol St. NE

Customer Sample Number:

Date / Time Collected: 2/8/2023 2:41 PM

Customer Program Code: DS

Laboratory Sample Number: 2303019-049

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	3/16/2023	Lgallimore

Sample Location: 2nd Draw 908 E. Capitol St. NE

Customer Sample Number:

Date / Time Collected: 2/8/2023 2:42 PM

Customer Program Code: DS

Laboratory Sample Number: 2303019-050

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2302129-095

Sample Location: 1st Draw 913 Jackson St. NE

Customer Sample Number:

Date / Time Collected: 2/15/2023 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-095

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 913 Jackson St. NE

Customer Sample Number:

Date / Time Collected: 2/15/2023 7:32 AM

Customer Program Code: DS

Laboratory Sample Number: 2302129-096

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS-2303061-057

Sample Location: 1st Draw 918 Buchanan St. NW

Customer Sample Number:

Date / Time Collected: 2/25/2023 4:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2303061-057

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 918 Buchanan St. NW

Customer Sample Number:

Date / Time Collected: 2/25/2023 4:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2303061-058

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS250- 2303144-003

Sample Location: 1st Draw 1100 G St. NW Suite 750

Customer Sample Number:

Date / Time Collected: 2/27/2023 10:06 AM

Customer Program Code: DS250

Laboratory Sample Number: 2303144-003

Date / Time Received: 3/17/2023 9:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L	H	3/23/2023	SBrooks

Sample Location: 2nd Draw 1100 G St. NW Suite 750

Customer Sample Number:

Date / Time Collected: 2/27/2023 10:06 AM

Customer Program Code: DS250

Laboratory Sample Number: 2303144-004

Date / Time Received: 3/17/2023 9:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L	H	3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS250- 2303018-003

Sample Location: 1st Draw 1450 Irving St. NW, #21

Customer Sample Number:

Date / Time Collected: 2/23/2023 7:15 AM

Customer Program Code: DS250

Laboratory Sample Number: 2303018-003

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 1450 Irving St. NW, #21

Customer Sample Number:

Date / Time Collected: 2/23/2023 7:15 AM

Customer Program Code: DS250

Laboratory Sample Number: 2303018-004

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS250- 2302142-001

Sample Location: 1st Draw 1817 Kalorama Rd NW #D

Customer Sample Number:

Date / Time Collected: 2/7/2023 6:30 PM

Customer Program Code: DS250

Laboratory Sample Number: 2302142-001

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1817 Kalorama Rd NW #D

Customer Sample Number:

Date / Time Collected: 2/7/2023 6:30 PM

Customer Program Code: DS250

Laboratory Sample Number: 2302142-002

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS250- 2302142-003

Sample Location: 1st Draw 2129 Florida Ave. NW #105

Customer Sample Number:

Date / Time Collected: 2/12/2023 7:15 AM

Customer Program Code: DS250

Laboratory Sample Number: 2302142-003

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 2129 Florida Ave. NW #105

Customer Sample Number:

Date / Time Collected: 2/12/2023 7:15 AM

Customer Program Code: DS250

Laboratory Sample Number: 2302142-004

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS250- 2302068-001

Sample Location: 1st Draw 225 I St. NE, Apt 1004

Customer Sample Number:

Date / Time Collected: 2/1/2023 5:12 AM

Customer Program Code: DS250

Laboratory Sample Number: 2302068-001

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 225 I St. NE, Apt 1004

Customer Sample Number:

Date / Time Collected: 2/1/2023 5:12 AM

Customer Program Code: DS250

Laboratory Sample Number: 2302068-002

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS250- 2303144-005

Sample Location: 1st Draw 3001 Veazey Terrace NW # 917

Customer Sample Number:

Date / Time Collected: 3/6/2023 6:30 AM

Customer Program Code: DS250

Laboratory Sample Number: 2303144-005

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 3001 Veazey Terrace NW # 917

Customer Sample Number:

Date / Time Collected: 3/6/2023 6:30 AM

Customer Program Code: DS250

Laboratory Sample Number: 2303144-006

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS250- 2302142-005

Sample Location: 1st Draw 304, 510 21st St. NW

Customer Sample Number:

Date / Time Collected: 2/12/2023 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2302142-005

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 304, 510 21st St. NW

Customer Sample Number:

Date / Time Collected: 2/12/2023 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2302142-006

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS250- 2303018-001

Sample Location: 1st Draw 3541 11th St. NW # 301

Customer Sample Number:

Date / Time Collected: 2/14/2023 9:45 PM

Customer Program Code: DS250

Laboratory Sample Number: 2303018-001

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Sample Location: 2nd Draw 3541 11th St. NW # 301

Customer Sample Number:

Date / Time Collected: 2/14/2023 9:45 PM

Customer Program Code: DS250

Laboratory Sample Number: 2303018-002

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS250- 2303144-007

Sample Location: 1st Draw 3807 Rodman St. NW Unit A7

Customer Sample Number:

Date / Time Collected: 3/7/2023 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2303144-007

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 3807 Rodman St. NW Unit A7

Customer Sample Number:

Date / Time Collected: 3/7/2023 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2303144-008

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS250- 2303055-001

Sample Location: 1st Draw 5429 Connecticut Ave. NW Apt. 202

Customer Sample Number:

Date / Time Collected: 2/27/2023 9:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2303055-001

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 5429 Connecticut Ave. NW Apt. 202

Customer Sample Number:

Date / Time Collected: 2/27/2023 9:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2303055-002

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-DS250- 2302068-003

Sample Location: 1st Draw 738 Longfellow St. NW #213

Customer Sample Number:

Date / Time Collected: 2/3/2023 5:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2302068-003

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 738 Longfellow St. NW #213

Customer Sample Number:

Date / Time Collected: 2/3/2023 5:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2302068-004

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-063

Sample Location: 1st Draw 1066 Thomas Jefferson St. NW

Customer Sample Number:

Date / Time Collected: 3/10/2023 8:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-063

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/31/2023	Bprakash

Sample Location: 2nd Draw 1066 Thomas Jefferson St. NW

Customer Sample Number:

Date / Time Collected: 3/10/2023 8:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-064

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-099

Sample Location: 1st Draw 1108 Constitution Ave. NE

Customer Sample Number:

Date / Time Collected: 3/14/2023 9:21 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-099

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.4	111	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 1108 Constitution Ave. NE

Customer Sample Number:

Date / Time Collected: 3/14/2023 9:24 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-100

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	1.0	38.8	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-025

Sample Location: 1st Draw 1123 5th St. NE

Customer Sample Number:

Date / Time Collected: 3/23/2023 10:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-025

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 1123 5th St. NE

Customer Sample Number:

Date / Time Collected: 3/23/2023 10:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-026

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-095

Sample Location: 1st Draw 1224 C St. SE
Customer Sample Number:
Date / Time Collected: 3/14/2023 6:37 PM

Customer Program Code: DS
Laboratory Sample Number: 2303190-095
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 1224 C St. SE
Customer Sample Number:
Date / Time Collected: 3/14/2023 6:41 PM

Customer Program Code: DS
Laboratory Sample Number: 2303190-096
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-027

Sample Location: 1st Draw 1236 Rhode Island Ave. NE

Customer Sample Number:

Date / Time Collected: 3/23/2023 10:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-027

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 1236 Rhode Island Ave. NE

Customer Sample Number:

Date / Time Collected: 3/23/2023 10:51 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-028

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-073

Sample Location: 1st Draw 1331 Randolph St. NW

Customer Sample Number:

Date / Time Collected: 3/19/2023 2:10 PM

Customer Program Code: DS

Laboratory Sample Number: 2303190-073

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.2	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 1331 Randolph St. NW

Customer Sample Number:

Date / Time Collected: 3/19/2023 2:14 PM

Customer Program Code: DS

Laboratory Sample Number: 2303190-074

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-083

Sample Location: 1st Draw 1391 D St. NE
Customer Sample Number:
Date / Time Collected: 3/18/2023 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2303190-083
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 1391 D St. NE
Customer Sample Number:
Date / Time Collected: 3/18/2023 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2303190-084
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-069

Sample Location: 1st Draw 1411 Newton St. NE

Customer Sample Number:

Date / Time Collected: 3/13/2023 9:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-069

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 1411 Newton St. NE

Customer Sample Number:

Date / Time Collected: 3/13/2023 9:11 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-070

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-011

Sample Location: 1st Draw 1553 41st St. SE

Customer Sample Number:

Date / Time Collected: 3/12/2023 10:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-011

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/31/2023	Bprakash

Sample Location: 2nd Draw 1553 41st St. SE

Customer Sample Number:

Date / Time Collected: 3/12/2023 10:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-012

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-035

Sample Location: 1st Draw 1600 H St. SE
Customer Sample Number:
Date / Time Collected: 3/22/2023 7:24 AM

Customer Program Code: DS
Laboratory Sample Number: 2303190-035
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 1600 H St. SE
Customer Sample Number:
Date / Time Collected: 3/22/2023 7:26 AM

Customer Program Code: DS
Laboratory Sample Number: 2303190-036
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-057

Sample Location: 1st Draw 1626 Hobart St. NW

Customer Sample Number:

Date / Time Collected: 3/13/2023 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-057

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 1626 Hobart St. NW

Customer Sample Number:

Date / Time Collected: 3/13/2023 7:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-058

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-005

Sample Location: 1st Draw 1711 Allison St. NE

Customer Sample Number:

Date / Time Collected: 3/20/2023 6:47 PM

Customer Program Code: DS

Laboratory Sample Number: 2303190-005

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 1711 Allison St. NE

Customer Sample Number:

Date / Time Collected: 3/20/2023 6:49 PM

Customer Program Code: DS

Laboratory Sample Number: 2303190-006

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-101

Sample Location: 1st Draw 1833 Burke St. SE

Customer Sample Number:

Date / Time Collected: 3/13/2023 1:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2303190-101

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 1833 Burke St. SE

Customer Sample Number:

Date / Time Collected: 3/13/2023 1:03 PM

Customer Program Code: DS

Laboratory Sample Number: 2303190-102

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-031

Sample Location: 1st Draw 1844 T St. SE
Customer Sample Number:
Date / Time Collected: 3/22/2023 7:35 AM

Customer Program Code: DS
Laboratory Sample Number: 2303190-031
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 1844 T St. SE
Customer Sample Number:
Date / Time Collected: 3/22/2023 7:38 AM

Customer Program Code: DS
Laboratory Sample Number: 2303190-032
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-049

Sample Location: 1st Draw 2711 18th St. NE

Customer Sample Number:

Date / Time Collected: 3/16/2023 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-049

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 2711 18th St. NE

Customer Sample Number:

Date / Time Collected: 3/16/2023 7:32 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-050

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-009

Sample Location: 1st Draw 3212 Chestnut St. NW

Customer Sample Number:

Date / Time Collected: 3/22/2023 5:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-009

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 3212 Chestnut St. NW

Customer Sample Number:

Date / Time Collected: 3/22/2023 5:34 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-010

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-085

Sample Location: 1st Draw 3313 17th St. NW

Customer Sample Number:

Date / Time Collected: 3/18/2023 7:28 PM

Customer Program Code: DS

Laboratory Sample Number: 2303190-085

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 3313 17th St. NW

Customer Sample Number:

Date / Time Collected: 3/18/2023 7:31 PM

Customer Program Code: DS

Laboratory Sample Number: 2303190-086

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-015

Sample Location: 1st Draw 3971 Blaine St. NE

Customer Sample Number:

Date / Time Collected: 3/17/2023 9:32 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-015

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 3971 Blaine St. NE

Customer Sample Number:

Date / Time Collected: 3/17/2023 9:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-016

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303145-045

Sample Location: 1st Draw 403 2nd St SE
Customer Sample Number:
Date / Time Collected: 3/5/2023 5:39 PM

Customer Program Code: DS
Laboratory Sample Number: 2303145-045
Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		3/31/2023	BPrakash

Sample Location: 2nd Draw 403 2nd St SE
Customer Sample Number:
Date / Time Collected: 3/5/2023 5:42 PM

Customer Program Code: DS
Laboratory Sample Number: 2303145-046
Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/31/2023	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-045

Sample Location: 1st Draw 4208 10th St. NE

Customer Sample Number:

Date / Time Collected: 3/15/2023 4:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-045

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 4208 10th St. NE

Customer Sample Number:

Date / Time Collected: 3/15/2023 4:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-046

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-103

Sample Location: 1st Draw 4226 37th St. NW

Customer Sample Number:

Date / Time Collected: 3/17/2023 5:24 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-103

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 4226 37th St. NW

Customer Sample Number:

Date / Time Collected: 3/17/2023 5:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-104

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-059

Sample Location: 1st Draw 429 7th St. SE

Customer Sample Number:

Date / Time Collected: 3/9/2023 9:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-059

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L	H	3/31/2023	Bprakash

Sample Location: 2nd Draw 429 7th St. SE

Customer Sample Number:

Date / Time Collected: 3/9/2023 9:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-060

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-033

Sample Location: 1st Draw 4321 Yuma St. NW

Customer Sample Number:

Date / Time Collected: 3/23/2023 6:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-033

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 4321 Yuma St. NW

Customer Sample Number:

Date / Time Collected: 3/23/2023 6:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-034

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-053

Sample Location: 1st Draw 4341 Ellicott St. NW

Customer Sample Number:

Date / Time Collected: 3/17/2023 5:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-053

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 4341 Ellicott St. NW

Customer Sample Number:

Date / Time Collected: 3/17/2023 5:52 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-054

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-021

Sample Location: 1st Draw 442 Buchanan St. NW

Customer Sample Number:

Date / Time Collected: 3/9/2023 5:27 PM

Customer Program Code: DS

Laboratory Sample Number: 2303190-021

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/31/2023	Bprakash

Sample Location: 2nd Draw 442 Buchanan St. NW

Customer Sample Number:

Date / Time Collected: 3/9/2023 5:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2303190-022

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-093

Sample Location: 1st Draw 459 Delafield PL NW

Customer Sample Number:

Date / Time Collected: 3/20/2023 7:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-093

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 459 Delafield PL NW

Customer Sample Number:

Date / Time Collected: 3/20/2023 7:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-094

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-017

Sample Location: 1st Draw 5031 5th St. NW

Customer Sample Number:

Date / Time Collected: 3/21/2023 4:55 PM

Customer Program Code: DS

Laboratory Sample Number: 2303190-017

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	14.2	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 5031 5th St. NW

Customer Sample Number:

Date / Time Collected: 3/21/2023 5:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2303190-018

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	13.2	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-007

Sample Location: 1st Draw 513 Oglethorpe St. NW

Customer Sample Number:

Date / Time Collected: 3/20/2023 3:05 PM

Customer Program Code: DS

Laboratory Sample Number: 2303190-007

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 513 Oglethorpe St. NW

Customer Sample Number:

Date / Time Collected: 3/20/2023 3:07 PM

Customer Program Code: DS

Laboratory Sample Number: 2303190-008

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-065

Sample Location: 1st Draw 5229 Nebraska Ave. NW

Customer Sample Number:

Date / Time Collected: 3/11/2023 9:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-065

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/31/2023	Bprakash

Sample Location: 2nd Draw 5229 Nebraska Ave. NW

Customer Sample Number:

Date / Time Collected: 3/11/2023 9:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-066

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/31/2023	Bprakash

Sample Location: 1st Draw 5229 Nebraska Ave. NW

Customer Sample Number:

Date / Time Collected: 3/12/2023 9:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-105

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
---------	--------	----	-----	--------	-------	-----------	---------------	---------

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Lead EPA 200.8 15 0.2 ND ug/L H 3/31/2023 Bprakash

Sample Location: 2nd Draw 5229 Nebraska Ave. NW

Customer Program Code: DS

Customer Sample Number:

Laboratory Sample Number: 2303190-106

Date / Time Collected: 3/12/2023 9:32 AM

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-043

Sample Location: 1st Draw 620 Faraday PL NE

Customer Sample Number:

Date / Time Collected: 3/19/2023 9:13 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-043

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 620 Faraday PL NE

Customer Sample Number:

Date / Time Collected: 3/19/2023 9:16 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-044

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-075

Sample Location: 1st Draw 6312 7th St. NW

Customer Sample Number:

Date / Time Collected: 3/12/2023 6:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-075

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/31/2023	Bprakash

Sample Location: 2nd Draw 6312 7th St. NW

Customer Sample Number:

Date / Time Collected: 3/12/2023 6:07 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-076

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-001

Sample Location: 1st Draw 647 F St. NE
Customer Sample Number:
Date / Time Collected: 3/22/2023 4:30 PM

Customer Program Code: DS
Laboratory Sample Number: 2303190-001
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		3/31/2023	BPrakash

Sample Location: 2nd Draw 647 F St. NE
Customer Sample Number:
Date / Time Collected: 3/22/2023 4:31 PM

Customer Program Code: DS
Laboratory Sample Number: 2303190-002
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-097

Sample Location: 1st Draw 649 F St. NE
Customer Sample Number:
Date / Time Collected: 3/13/2023 9:24 AM

Customer Program Code: DS
Laboratory Sample Number: 2303190-097
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 649 F St. NE
Customer Sample Number:
Date / Time Collected: 3/13/2023 9:26 AM

Customer Program Code: DS
Laboratory Sample Number: 2303190-098
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-039

Sample Location: 1st Draw 820 Aspen St. NW

Customer Sample Number:

Date / Time Collected: 3/10/2023 9:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-039

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	3/31/2023	Bprakash

Sample Location: 2nd Draw 820 Aspen St. NW

Customer Sample Number:

Date / Time Collected: 3/10/2023 9:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-040

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-013

Sample Location: 1st Draw 859 Oglethorpe St.

Customer Sample Number:

Date / Time Collected: 3/22/2023 7:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-013

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 859 Oglethorpe St.

Customer Sample Number:

Date / Time Collected: 3/22/2023 7:51 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-014

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-067

Sample Location: 1st Draw 914 Sheridan St. NW

Customer Sample Number:

Date / Time Collected: 3/14/2023 6:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-067

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 914 Sheridan St. NW

Customer Sample Number:

Date / Time Collected: 3/14/2023 6:17 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-068

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS-2303190-003

Sample Location: 1st Draw 919 E St. SE

Customer Sample Number:

Date / Time Collected: 3/10/2023 8:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-003

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	3/31/2023	Bprakash

Sample Location: 2nd Draw 919 E St. SE

Customer Sample Number:

Date / Time Collected: 3/10/2023 8:18 AM

Customer Program Code: DS

Laboratory Sample Number: 2303190-004

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS250- 2303191-003

Sample Location: 1st Draw 2300 19th St NW, Apt 206

Customer Sample Number:

Date / Time Collected: 3/20/2023 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2303191-003

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 2300 19th St NW, Apt 206

Customer Sample Number:

Date / Time Collected: 3/20/2023 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2303191-004

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS250- 2303191-001

Sample Location: 1st Draw 2461 P St. NW Apt C

Customer Sample Number:

Date / Time Collected: 3/14/2023 6:45 PM

Customer Program Code: DS250

Laboratory Sample Number: 2303191-001

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 2461 P St. NW Apt C

Customer Sample Number:

Date / Time Collected: 3/14/2023 6:45 PM

Customer Program Code: DS250

Laboratory Sample Number: 2303191-002

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS250- 2303191-007

Sample Location: 1st Draw 250 K St. NE Apt .713

Customer Sample Number:

Date / Time Collected: 3/12/2023 7:00 PM

Customer Program Code: DS250

Laboratory Sample Number: 2303191-007

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/31/2023	Bprakash

Sample Location: 2nd Draw 250 K St. NE Apt .713

Customer Sample Number:

Date / Time Collected: 3/12/2023 7:00 PM

Customer Program Code: DS250

Laboratory Sample Number: 2303191-008

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS250- 2303191-005

Sample Location: 1st Draw 2727 29th St., NW Apt 429

Customer Sample Number:

Date / Time Collected: 3/10/2023 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2303191-005

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/31/2023	Bprakash

Sample Location: 2nd Draw 2727 29th St., NW Apt 429

Customer Sample Number:

Date / Time Collected: 3/10/2023 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2303191-006

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-DS250- 2303144-001

Sample Location: 1st Draw 350 Galloway St NE # 301

Customer Sample Number:

Date / Time Collected: 3/5/2023 11:09 AM

Customer Program Code: DS250

Laboratory Sample Number: 2303144-001

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	BPrakash

Sample Location: 2nd Draw 350 Galloway St NE # 301

Customer Sample Number:

Date / Time Collected: 3/5/2023 11:09 AM

Customer Program Code: DS250

Laboratory Sample Number: 2303144-002

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/24/2023

Report Number: L-DC-DS-2303216-031

Sample Location: 1st Draw 1500 Varnum St. NW

Customer Sample Number:

Date / Time Collected: 3/27/2023 10:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2303216-031

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		4/6/2023	Bprakash

Sample Location: 2nd Draw 1500 Varnum St. NW

Customer Sample Number:

Date / Time Collected: 3/27/2023 10:02 AM

Customer Program Code: DS

Laboratory Sample Number: 2303216-032

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		4/6/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/24/2023

Report Number: L-DC-DS-2303216-019

Sample Location: 1st Draw 1905 Upshur St. NE

Customer Sample Number:

Date / Time Collected: 3/23/2023 4:50 PM

Customer Program Code: DS

Laboratory Sample Number: 2303216-019

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/6/2023	Bprakash

Sample Location: 2nd Draw 1905 Upshur St. NE

Customer Sample Number:

Date / Time Collected: 3/23/2023 4:52 PM

Customer Program Code: DS

Laboratory Sample Number: 2303216-020

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/6/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/24/2023

Report Number: L-DC-DS-2303216-033

Sample Location: 1st Draw 2720 Dumbarton St. NW

Customer Sample Number:

Date / Time Collected: 3/28/2023 6:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2303216-033

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.5	ug/L		4/6/2023	Bprakash

Sample Location: 2nd Draw 2720 Dumbarton St. NW

Customer Sample Number:

Date / Time Collected: 3/28/2023 6:59 AM

Customer Program Code: DS

Laboratory Sample Number: 2303216-034

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/6/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/24/2023

Report Number: L-DC-DS-2303216-029

Sample Location: 1st Draw 2721 N St. SE
Customer Sample Number:
Date / Time Collected: 3/27/2023 6:20 AM

Customer Program Code: DS
Laboratory Sample Number: 2303216-029
Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		4/6/2023	Bprakash

Sample Location: 2nd Draw 2721 N St. SE
Customer Sample Number:
Date / Time Collected: 3/27/2023 6:22 AM

Customer Program Code: DS
Laboratory Sample Number: 2303216-030
Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		4/6/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/24/2023

Report Number: L-DC-DS-2303216-023

Sample Location: 1st Draw 3614 S St. NW
Customer Sample Number:
Date / Time Collected: 3/23/2023 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2303216-023
Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		4/6/2023	Bprakash

Sample Location: 2nd Draw 3614 S St. NW
Customer Sample Number:
Date / Time Collected: 3/23/2023 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2303216-024
Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/6/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/24/2023

Report Number: L-DC-DS-2303216-015

Sample Location: 1st Draw 3621 S St. NW
Customer Sample Number:
Date / Time Collected: 3/21/2023 12:47 PM

Customer Program Code: DS
Laboratory Sample Number: 2303216-015
Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/6/2023	Bprakash

Sample Location: 2nd Draw 3621 S St. NW
Customer Sample Number:
Date / Time Collected: 3/21/2023 12:47 PM

Customer Program Code: DS
Laboratory Sample Number: 2303216-016
Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/6/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/24/2023

Report Number: L-DC-DS-2303216-013

Sample Location: 1st Draw 4524 Burlington PL NW

Customer Sample Number:

Date / Time Collected: 3/21/2023 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2303216-013

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/6/2023	Bprakash

Sample Location: 2nd Draw 4524 Burlington PL NW

Customer Sample Number:

Date / Time Collected: 3/21/2023 6:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2303216-014

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/6/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/24/2023

Report Number: L-DC-DS-2303216-021

Sample Location: 1st Draw 4901 Chesapeake St. NW

Customer Sample Number:

Date / Time Collected: 3/23/2023 9:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2303216-021

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		4/6/2023	Bprakash

Sample Location: 2nd Draw 4901 Chesapeake St. NW

Customer Sample Number:

Date / Time Collected: 3/23/2023 9:17 AM

Customer Program Code: DS

Laboratory Sample Number: 2303216-022

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/6/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/24/2023

Report Number: L-DC-DS-2303216-027

Sample Location: 1st Draw 6303 N. Capitol St. NE

Customer Sample Number:

Date / Time Collected: 3/27/2023 5:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2303216-027

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/6/2023	Bprakash

Sample Location: 2nd Draw 6303 N. Capitol St. NE

Customer Sample Number:

Date / Time Collected: 3/27/2023 5:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2303216-028

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/6/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/24/2023

Report Number: L-DC-DS-2303216-011

Sample Location: 1st Draw 754 Quebec PL NW

Customer Sample Number:

Date / Time Collected: 1/31/2023 9:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2303216-011

Date / Time Received: 3/31/2023 9:53:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	33.7	ug/L	H	4/6/2023	Bprakash

Sample Location: 2nd Draw 754 Quebec PL NW

Customer Sample Number:

Date / Time Collected: 1/31/2023 9:41 AM

Customer Program Code: DS

Laboratory Sample Number: 2303216-012

Date / Time Received: 3/31/2023 9:53:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	23.8	ug/L	H	4/6/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/24/2023

Report Number: L-DC-DS-2303216-017

Sample Location: 1st Draw 801 Gallatin St. NE

Customer Sample Number:

Date / Time Collected: 3/23/2023 3:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2303216-017

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/6/2023	Bprakash

Sample Location: 2nd Draw 801 Gallatin St. NE

Customer Sample Number:

Date / Time Collected: 3/23/2023 7:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2303216-018

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/6/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2304145-045

Sample Location: 1st Draw 1017 E Capitol St SE

Customer Sample Number:

Date / Time Collected: 4/11/2023 8:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2304145-045

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 1017 E Capitol St SE

Customer Sample Number:

Date / Time Collected: 4/11/2023 8:17 PM

Customer Program Code: DS

Laboratory Sample Number: 2304145-046

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2304145-017

Sample Location: 1st Draw 1047 Crittenden St NE

Customer Sample Number:

Date / Time Collected: 4/9/2023 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-017

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 1047 Crittenden St NE

Customer Sample Number:

Date / Time Collected: 4/9/2023 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-018

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2304145-047

Sample Location: 1st Draw 1131 8th St NE

Customer Sample Number:

Date / Time Collected: 10/25/2022 5:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-047

Date / Time Received: 4/21/2023 9:55:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. Results are considered biased low.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	4/27/2023	Rlamsal

Sample Location: 2nd Draw 1131 8th St NE

Customer Sample Number:

Date / Time Collected: 10/25/2022 5:21 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-048

Date / Time Received: 4/21/2023 9:55:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. Results are considered biased low.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L	H	4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2304145-019

Sample Location: 1st Draw 1240 Girard St NW

Customer Sample Number:

Date / Time Collected: 4/11/2023 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-019

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 1240 Girard St NW

Customer Sample Number:

Date / Time Collected: 4/11/2023 7:18 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-020

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2304145-015

Sample Location: 1st Draw 1352 Quincy St #4

Customer Sample Number:

Date / Time Collected: 4/12/2023 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-015

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 1352 Quincy St #4

Customer Sample Number:

Date / Time Collected: 4/12/2023 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-016

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2304145-035

Sample Location: 1st Draw 1419 Alabama Ave SE

Customer Sample Number:

Date / Time Collected: 4/13/2023 5:34 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-035

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 1419 Alabama Ave SE

Customer Sample Number:

Date / Time Collected: 4/13/2023 5:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-036

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2304145-021

Sample Location: 1st Draw 183 Elmira St SW

Customer Sample Number:

Date / Time Collected: 4/11/2023 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-021

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 183 Elmira St SW

Customer Sample Number:

Date / Time Collected: 4/11/2023 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-022

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.5	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2304145-033

Sample Location: 1st Draw 2512 E St NE
Customer Sample Number:
Date / Time Collected: 4/19/2023 6:53 AM

Customer Program Code: DS
Laboratory Sample Number: 2304145-033
Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 2512 E St NE
Customer Sample Number:
Date / Time Collected: 4/19/2023 6:55 AM

Customer Program Code: DS
Laboratory Sample Number: 2304145-034
Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2304145-009

Sample Location: 1st Draw 324 9th St SE
Customer Sample Number:
Date / Time Collected: 4/14/2023 8:10 AM

Customer Program Code: DS
Laboratory Sample Number: 2304145-009
Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 324 9th St SE
Customer Sample Number:
Date / Time Collected: 4/14/2023 8:14 AM

Customer Program Code: DS
Laboratory Sample Number: 2304145-010
Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2304145-031

Sample Location: 1st Draw 3419 Morrison St NW

Customer Sample Number:

Date / Time Collected: 4/13/2023 7:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-031

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 3419 Morrison St NW

Customer Sample Number:

Date / Time Collected: 4/13/2023 7:14 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-032

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2304145-023

Sample Location: 1st Draw 3505 Patterson St NW

Customer Sample Number:

Date / Time Collected: 4/14/2023 7:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-023

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 3505 Patterson St NW

Customer Sample Number:

Date / Time Collected: 4/14/2023 7:41 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-024

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2304145-037

Sample Location: 1st Draw 3616 Fessenden St NW

Customer Sample Number:

Date / Time Collected: 4/17/2023 3:40 PM

Customer Program Code: DS

Laboratory Sample Number: 2304145-037

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 3616 Fessenden St NW

Customer Sample Number:

Date / Time Collected: 4/17/2023 3:41 PM

Customer Program Code: DS

Laboratory Sample Number: 2304145-038

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2303216-025

Sample Location: 1st Draw 3826 26th St. NE

Customer Sample Number:

Date / Time Collected: 3/27/2023 6:38 AM

Customer Program Code: DS

Laboratory Sample Number: 2303216-025

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	SBrooks

Sample Location: 2nd Draw 3826 26th St. NE

Customer Sample Number:

Date / Time Collected: 3/27/2023 6:46 AM

Customer Program Code: DS

Laboratory Sample Number: 2303216-026

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2304145-013

Sample Location: 1st Draw 4000 17th St NW

Customer Sample Number:

Date / Time Collected: 4/16/2023 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-013

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 4000 17th St NW

Customer Sample Number:

Date / Time Collected: 4/16/2023 7:32 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-014

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2304145-039

Sample Location: 1st Draw 4021 Beecher St NW, Apt 2
Customer Sample Number:
Date / Time Collected: 4/11/2023 7:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2304145-039
Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.2	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 4021 Beecher St NW, Apt 2
Customer Sample Number:
Date / Time Collected: 4/11/2023 7:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2304145-040
Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2304145-043

Sample Location: 1st Draw 4513 7th St NW
Customer Sample Number:
Date / Time Collected: 4/13/2023 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2304145-044
Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 4513 7th St NW
Customer Sample Number:
Date / Time Collected: 4/13/2023 7:02 AM

Customer Program Code: DS
Laboratory Sample Number: 2304145-044
Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2304145-025

Sample Location: 1st Draw 4708 B St SE
Customer Sample Number:
Date / Time Collected: 4/11/2023 8:41 PM

Customer Program Code: DS
Laboratory Sample Number: 2304145-025
Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 4708 B St SE
Customer Sample Number:
Date / Time Collected: 4/11/2023 8:48 PM

Customer Program Code: DS
Laboratory Sample Number: 2304145-026
Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2304145-007

Sample Location: 1st Draw 5209 Chevy Chase Pkwy NW

Customer Sample Number:

Date / Time Collected: 4/17/2023 6:20 PM

Customer Program Code: DS

Laboratory Sample Number: 2304145-007

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 5209 Chevy Chase Pkwy NW

Customer Sample Number:

Date / Time Collected: 4/17/2023 6:23 PM

Customer Program Code: DS

Laboratory Sample Number: 2304145-008

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2304145-011

Sample Location: 1st Draw 5393 Chillum PI NE

Customer Sample Number:

Date / Time Collected: 4/8/2023 7:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-011

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 5393 Chillum PI NE

Customer Sample Number:

Date / Time Collected: 4/8/2023 7:13 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-012

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2304145-041

Sample Location: 1st Draw 611 Hamilton St NW

Customer Sample Number:

Date / Time Collected: 4/12/2023 5:23 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-041

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 611 Hamilton St NW

Customer Sample Number:

Date / Time Collected: 4/12/2023 5:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-042

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2304145-005

Sample Location: 1st Draw 743 Irving St NW

Customer Sample Number:

Date / Time Collected: 4/17/2023 9:47 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-005

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 743 Irving St NW

Customer Sample Number:

Date / Time Collected: 4/17/2023 9:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-006

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS-2304145-027

Sample Location: 1st Draw 923 11th St NE
Customer Sample Number:
Date / Time Collected: 4/15/2023 7:04 AM

Customer Program Code: DS
Laboratory Sample Number: 2304145-027
Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 923 11th St NE
Customer Sample Number:
Date / Time Collected: 4/15/2023 7:08 AM

Customer Program Code: DS
Laboratory Sample Number: 2304145-028
Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-DS250- 2304145-049

Sample Location: 1st Draw 2707 Adams Mill Rd NW #110

Customer Sample Number:

Date / Time Collected: 4/10/2023 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2304145-049

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 2707 Adams Mill Rd NW #110

Customer Sample Number:

Date / Time Collected: 4/10/2023 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2304145-050

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-031

Sample Location: 1st Draw 1318 Irving St. NE

Customer Sample Number:

Date / Time Collected: 4/4/2023 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-031

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 1318 Irving St. NE

Customer Sample Number:

Date / Time Collected: 4/4/2023 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-032

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-049

Sample Location: 1st Draw 1333 Talbert Terr. SE

Customer Sample Number:

Date / Time Collected: 4/7/2023 9:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-049

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 1333 Talbert Terr. SE

Customer Sample Number:

Date / Time Collected: 4/7/2023 9:32 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-050

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-041

Sample Location: 1st Draw 1360 Rittenhouse St. NW

Customer Sample Number:

Date / Time Collected: 4/6/2023 6:53 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-041

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 1360 Rittenhouse St. NW

Customer Sample Number:

Date / Time Collected: 4/6/2023 6:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-042

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-045

Sample Location: 1st Draw 1732 Independence Ave. SE

Customer Sample Number:

Date / Time Collected: 4/6/2023 6:44 PM

Customer Program Code: DS

Laboratory Sample Number: 2304087-045

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 1732 Independence Ave. SE

Customer Sample Number:

Date / Time Collected: 4/6/2023 6:46 PM

Customer Program Code: DS

Laboratory Sample Number: 2304087-046

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304039-007

Sample Location: 1st Draw 214 12th St. SE Apt.B

Customer Sample Number:

Date / Time Collected: 3/22/2023 4:29 PM

Customer Program Code: DS

Laboratory Sample Number: 2304039-007

Date / Time Received: 4/7/2023 10:20:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	4/20/2023	Bprakash

Sample Location: 2nd Draw 214 12th St. SE Apt.B

Customer Sample Number:

Date / Time Collected: 3/22/2023 4:31 PM

Customer Program Code: DS

Laboratory Sample Number: 2304039-008

Date / Time Received: 4/7/2023 10:20:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-043

Sample Location: 1st Draw 2228 1st St. NW, B

Customer Sample Number:

Date / Time Collected: 4/6/2023 8:41 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-043

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 2228 1st St. NW, B

Customer Sample Number:

Date / Time Collected: 4/6/2023 8:41 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-044

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-039

Sample Location: 1st Draw 2429 Otis St. NE

Customer Sample Number:

Date / Time Collected: 4/5/2023 9:27 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-039

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 2429 Otis St. NE

Customer Sample Number:

Date / Time Collected: 4/5/2023 9:32 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-040

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-051

Sample Location: 1st Draw 2502 I St. NW
Customer Sample Number:
Date / Time Collected: 4/8/2023 7:31 AM

Customer Program Code: DS
Laboratory Sample Number: 2304087-051
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 2502 I St. NW
Customer Sample Number:
Date / Time Collected: 4/8/2023 7:36 AM

Customer Program Code: DS
Laboratory Sample Number: 2304087-052
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-047

Sample Location: 1st Draw 2730 Sherman Ave. NW, Unit A

Customer Sample Number:

Date / Time Collected: 4/7/2023 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-047

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 2730 Sherman Ave. NW, Unit A

Customer Sample Number:

Date / Time Collected: 4/7/2023 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-048

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-015

Sample Location: 1st Draw 2900 N St. NW

Customer Sample Number:

Date / Time Collected: 3/16/2023 7:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-015

Date / Time Received: 4/13/2023 12:55:00 PM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	4/20/2023	Bprakash

Sample Location: 2nd Draw 2900 N St. NW

Customer Sample Number:

Date / Time Collected: 3/16/2023 7:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-016

Date / Time Received: 4/13/2023 12:55:00 PM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-035

Sample Location: 1st Draw 307 E St. NE
Customer Sample Number:
Date / Time Collected: 4/4/2023 6:07 PM

Customer Program Code: DS
Laboratory Sample Number: 2304087-035
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 307 E St. NE
Customer Sample Number:
Date / Time Collected: 4/4/2023 6:10 PM

Customer Program Code: DS
Laboratory Sample Number: 2304087-036
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304039-013

Sample Location: 1st Draw 3426 13th St. NW

Customer Sample Number:

Date / Time Collected: 3/26/2023 7:28 AM

Customer Program Code: DS

Laboratory Sample Number: 2304039-013

Date / Time Received: 4/7/2023 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 3426 13th St. NW

Customer Sample Number:

Date / Time Collected: 3/26/2023 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2304039-014

Date / Time Received: 4/7/2023 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-021

Sample Location: 1st Draw 3764 W St. NW
Customer Sample Number:
Date / Time Collected: 4/1/2023 9:20 AM

Customer Program Code: DS
Laboratory Sample Number: 2304087-021
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 3764 W St. NW
Customer Sample Number:
Date / Time Collected: 4/1/2023 9:20 AM

Customer Program Code: DS
Laboratory Sample Number: 2304087-022
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-027

Sample Location: 1st Draw 424 4th St. NE
Customer Sample Number:
Date / Time Collected: 4/3/2023 8:39 AM

Customer Program Code: DS
Laboratory Sample Number: 2304087-027
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 424 4th St. NE
Customer Sample Number:
Date / Time Collected: 4/3/2023 8:43 AM

Customer Program Code: DS
Laboratory Sample Number: 2304087-028
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304039-009

Sample Location: 1st Draw 4314 14th St. NW

Customer Sample Number:

Date / Time Collected: 3/25/2023 9:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2304039-009

Date / Time Received: 4/7/2023 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 4314 14th St. NW

Customer Sample Number:

Date / Time Collected: 3/25/2023 9:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2304039-010

Date / Time Received: 4/7/2023 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-019

Sample Location: 1st Draw 4324 43rd St. NW

Customer Sample Number:

Date / Time Collected: 3/31/2023 6:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-019

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 4324 43rd St. NW

Customer Sample Number:

Date / Time Collected: 3/31/2023 6:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-020

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-017

Sample Location: 1st Draw 4401 Albemarle St. NW

Customer Sample Number:

Date / Time Collected: 3/30/2023 7:09 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-017

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 4401 Albemarle St. NW

Customer Sample Number:

Date / Time Collected: 3/30/2023 7:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-018

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-025

Sample Location: 1st Draw 4503 Hawthorne St. NW
Customer Sample Number:
Date / Time Collected: 4/2/2023 5:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2304087-025
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 4503 Hawthorne St. NW
Customer Sample Number:
Date / Time Collected: 4/2/2023 5:03 PM

Customer Program Code: DS
Laboratory Sample Number: 2304087-026
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304039-011

Sample Location: 1st Draw 4512 Edmunas St. NW

Customer Sample Number:

Date / Time Collected: 3/25/2023 8:36 PM

Customer Program Code: DS

Laboratory Sample Number: 2304039-011

Date / Time Received: 4/7/2023 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 4512 Edmunas St. NW

Customer Sample Number:

Date / Time Collected: 3/25/2023 8:39 PM

Customer Program Code: DS

Laboratory Sample Number: 2304039-012

Date / Time Received: 4/7/2023 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-053

Sample Location: 1st Draw 4704 47th St. NW

Customer Sample Number:

Date / Time Collected: 4/8/2023 9:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-053

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 4704 47th St. NW

Customer Sample Number:

Date / Time Collected: 4/8/2023 9:02 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-054

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304039-015

Sample Location: 1st Draw 4907 9th St. NW

Customer Sample Number:

Date / Time Collected: 3/27/2023 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2304039-015

Date / Time Received: 4/7/2023 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 4907 9th St. NW

Customer Sample Number:

Date / Time Collected: 3/27/2023 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2304039-016

Date / Time Received: 4/7/2023 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-037

Sample Location: 1st Draw 5032 1/2 Dana PL NW

Customer Sample Number:

Date / Time Collected: 4/5/2023 6:12 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-037

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 5032 1/2 Dana PL NW

Customer Sample Number:

Date / Time Collected: 4/5/2023 6:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-038

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-057

Sample Location: 1st Draw 5335 42nd St. NW

Customer Sample Number:

Date / Time Collected: 4/9/2023 10:43 PM

Customer Program Code: DS

Laboratory Sample Number: 2304087-057

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 5335 42nd St. NW

Customer Sample Number:

Date / Time Collected: 4/9/2023 10:48 PM

Customer Program Code: DS

Laboratory Sample Number: 2304087-058

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-029

Sample Location: 1st Draw 5413 Mac Arthur Blvd NW

Customer Sample Number:

Date / Time Collected: 4/3/2023 9:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-029

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 5413 Mac Arthur Blvd NW

Customer Sample Number:

Date / Time Collected: 4/3/2023 9:31 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-030

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-033

Sample Location: 1st Draw 5508 8th St. NW
Customer Sample Number:
Date / Time Collected: 4/4/2023 8:20 AM

Customer Program Code: DS
Laboratory Sample Number: 2304087-033
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 5508 8th St. NW
Customer Sample Number:
Date / Time Collected: 4/4/2023 8:21 AM

Customer Program Code: DS
Laboratory Sample Number: 2304087-034
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-059

Sample Location: 1st Draw 59 Crittenden St. NE

Customer Sample Number:

Date / Time Collected: 4/10/2023 7:22 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-059

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 59 Crittenden St. NE

Customer Sample Number:

Date / Time Collected: 4/10/2023 7:24 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-060

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-023

Sample Location: 1st Draw 626 14th PL NE
Customer Sample Number:
Date / Time Collected: 4/2/2023 7:55 AM

Customer Program Code: DS
Laboratory Sample Number: 2304087-023
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 626 14th PL NE
Customer Sample Number:
Date / Time Collected: 4/2/2023 7:58 AM

Customer Program Code: DS
Laboratory Sample Number: 2304087-024
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS-2304087-055

Sample Location: 1st Draw 708 Farragut St. NW

Customer Sample Number:

Date / Time Collected: 4/9/2023 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-055

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 708 Farragut St. NW

Customer Sample Number:

Date / Time Collected: 4/9/2023 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2304087-056

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS250- 2304094-003

Sample Location: 1st Draw 1026 16th St. NW Apt. 604

Customer Sample Number:

Date / Time Collected: 3/31/2023 8:30 PM

Customer Program Code: DS250

Laboratory Sample Number: 2304094-003

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 1026 16th St. NW Apt. 604

Customer Sample Number:

Date / Time Collected: 3/31/2023 8:30 PM

Customer Program Code: DS250

Laboratory Sample Number: 2304094-004

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS250- 2304094-001

Sample Location: 1st Draw 1026 16th St. NW Unit 605

Customer Sample Number:

Date / Time Collected: 3/31/2023 7:46 PM

Customer Program Code: DS250

Laboratory Sample Number: 2304094-001

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 1026 16th St. NW Unit 605

Customer Sample Number:

Date / Time Collected: 3/31/2023 7:46 PM

Customer Program Code: DS250

Laboratory Sample Number: 2304094-002

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS250- 2304049-001

Sample Location: 1st Draw 1368 Euclid St NW #706

Customer Sample Number:

Date / Time Collected: 3/16/2023 10:55 AM

Customer Program Code: DS250

Laboratory Sample Number: 2304049-001

Date / Time Received: 4/7/2023 10:20:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	4/20/2023	Bprakash

Sample Location: 2nd Draw 1368 Euclid St NW #706

Customer Sample Number:

Date / Time Collected: 3/16/2023 10:55 AM

Customer Program Code: DS250

Laboratory Sample Number: 2304049-002

Date / Time Received: 4/7/2023 10:20:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS250- 2304094-005

Sample Location: 1st Draw 1800 R St. NW Apt. 808
Customer Sample Number:
Date / Time Collected: 4/7/2023 7:20 AM

Customer Program Code: DS250
Laboratory Sample Number: 2304094-005
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 1800 R St. NW Apt. 808
Customer Sample Number:
Date / Time Collected: 4/7/2023 7:20 AM

Customer Program Code: DS250
Laboratory Sample Number: 2304094-006
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-DS250- 2304094-007

Sample Location: 1st Draw 529 Lamont St. NW #203

Customer Sample Number:

Date / Time Collected: 4/9/2023 8:50 PM

Customer Program Code: DS250

Laboratory Sample Number: 2304094-007

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 529 Lamont St. NW #203

Customer Sample Number:

Date / Time Collected: 4/9/2023 8:50 PM

Customer Program Code: DS250

Laboratory Sample Number: 2304094-008

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305058-047

Sample Location: 1st Draw 1214 Gallatin St. NW

Customer Sample Number:

Date / Time Collected: 5/2/2023 6:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2305058-047

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 1214 Gallatin St. NW

Customer Sample Number:

Date / Time Collected: 5/2/2023 6:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2305058-048

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305113-015

Sample Location: 1st Draw 1224 Emerson St. NW

Customer Sample Number:

Date / Time Collected: 5/4/2023 6:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2305113-015

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 1224 Emerson St. NW

Customer Sample Number:

Date / Time Collected: 5/4/2023 6:44 AM

Customer Program Code: DS

Laboratory Sample Number: 2305113-016

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305149-050

Sample Location: 1st Draw 1280 Neal St. NE
Customer Sample Number:
Date / Time Collected: 5/11/2023 8:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2305149-050
Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 1280 Neal St. NE
Customer Sample Number:
Date / Time Collected: 5/11/2023 8:32 AM

Customer Program Code: DS
Laboratory Sample Number: 2305149-051
Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305004-005

Sample Location: 1st Draw 1307 Girard St. NE

Customer Sample Number:

Date / Time Collected: 4/11/2023 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2305004-005

Date / Time Received: 4/28/2023 9:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	5/30/2023	Lgallimore

Sample Location: 2nd Draw 1307 Girard St. NE

Customer Sample Number:

Date / Time Collected: 4/11/2023 7:01 AM

Customer Program Code: DS

Laboratory Sample Number: 2305004-006

Date / Time Received: 4/28/2023 9:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305058-005

Sample Location: 1st Draw 1320 Vermont Apt 2 NW

Customer Sample Number:

Date / Time Collected: 4/23/2023 9:17 AM

Customer Program Code: DS

Laboratory Sample Number: 2305058-005

Date / Time Received: 5/8/2023 10:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	5/30/2023	Lgallimore

Sample Location: 2nd Draw 1320 Vermont Apt 2 NW

Customer Sample Number:

Date / Time Collected: 4/23/2023 9:19 AM

Customer Program Code: DS

Laboratory Sample Number: 2305058-006

Date / Time Received: 5/8/2023 10:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305149-003

Sample Location: 1st Draw 1341 Fairmont St. NW

Customer Sample Number:

Date / Time Collected: 5/2/2023 5:26 AM

Customer Program Code: DS

Laboratory Sample Number: 2305149-003

Date / Time Received: 5/19/2023 1:50:00 PM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	6/1/2023	SBrooks

Sample Location: 2nd Draw 1341 Fairmont St. NW

Customer Sample Number:

Date / Time Collected: 5/2/2023 5:28 AM

Customer Program Code: DS

Laboratory Sample Number: 2305149-004

Date / Time Received: 5/19/2023 1:50:00 PM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305149-062

Sample Location: 1st Draw 1349 Childress St. NE

Customer Sample Number:

Date / Time Collected: 5/14/2023 7:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2305149-062

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 1349 Childress St. NE

Customer Sample Number:

Date / Time Collected: 5/14/2023 7:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2305149-063

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305149-042

Sample Location: 1st Draw 1525 Iris St. NW

Customer Sample Number:

Date / Time Collected: 5/10/2023 8:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2305149-042

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 1525 Iris St. NW

Customer Sample Number:

Date / Time Collected: 5/10/2023 8:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2305149-043

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305113-017

Sample Location: 1st Draw 1530 Swann St. NW

Customer Sample Number:

Date / Time Collected: 5/4/2023 6:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2305113-017

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 1530 Swann St. NW

Customer Sample Number:

Date / Time Collected: 5/4/2023 6:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2305113-018

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305149-040

Sample Location: 1st Draw 1719 Shepherd St. NW

Customer Sample Number:

Date / Time Collected: 5/10/2023 7:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2305149-040

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 1719 Shepherd St. NW

Customer Sample Number:

Date / Time Collected: 5/10/2023 7:57 AM

Customer Program Code: DS

Laboratory Sample Number: 2305149-041

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305113-001

Sample Location: 1st Draw 2013 E St. NE Apt #2

Customer Sample Number:

Date / Time Collected: 4/25/2023 8:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2305113-001

Date / Time Received: 5/12/2023 11:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	5/30/2023	Lgallimore

Sample Location: 2nd Draw 2013 E St. NE Apt #2

Customer Sample Number:

Date / Time Collected: 4/25/2023 8:41 AM

Customer Program Code: DS

Laboratory Sample Number: 2305113-002

Date / Time Received: 5/12/2023 11:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305149-048

Sample Location: 1st Draw 2116 - 32nd PL SE

Customer Sample Number:

Date / Time Collected: 5/11/2023 8:26 AM

Customer Program Code: DS

Laboratory Sample Number: 2305149-048

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 2116 - 32nd PL SE

Customer Sample Number:

Date / Time Collected: 5/11/2023 8:27 AM

Customer Program Code: DS

Laboratory Sample Number: 2305149-049

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305058-053

Sample Location: 1st Draw 2509 P St. NW
Customer Sample Number:
Date / Time Collected: 5/2/2023 7:15 AM

Customer Program Code: DS
Laboratory Sample Number: 2305058-053
Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 2509 P St. NW
Customer Sample Number:
Date / Time Collected: 5/2/2023 7:15 AM

Customer Program Code: DS
Laboratory Sample Number: 2305058-054
Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 6/13/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2305058-049

Sample Location: 1st Draw 2812 14th St. NE

Customer Sample Number:

Date / Time Collected: 5/2/2023 6:56 AM

Customer Program Code: DS

Laboratory Sample Number: 2305058-049

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 2812 14th St. NE

Customer Sample Number:

Date / Time Collected: 5/2/2023 6:58 AM

Customer Program Code: DS

Laboratory Sample Number: 2305058-050

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305004-017

Sample Location: 1st Draw 312 N. Carolina Ave. SE
Customer Sample Number:
Date / Time Collected: 4/26/2023 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2305004-017
Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 312 N. Carolina Ave. SE
Customer Sample Number:
Date / Time Collected: 4/26/2023 6:02 AM

Customer Program Code: DS
Laboratory Sample Number: 2305004-018
Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305058-027

Sample Location: 1st Draw 3130 Ordway St. NW

Customer Sample Number:

Date / Time Collected: 4/30/2023 10:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2305058-027

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 3130 Ordway St. NW

Customer Sample Number:

Date / Time Collected: 4/30/2023 10:34 PM

Customer Program Code: DS

Laboratory Sample Number: 2305058-028

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 6/13/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2305149-014

Sample Location: 1st Draw 321 A St. NE
Customer Sample Number:
Date / Time Collected: 5/7/2023 6:32 AM

Customer Program Code: DS
Laboratory Sample Number: 2305149-014
Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 321 A St. NE
Customer Sample Number:
Date / Time Collected: 5/7/2023 6:34 AM

Customer Program Code: DS
Laboratory Sample Number: 2305149-015
Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305058-029

Sample Location: 1st Draw 3210 38th St. NW

Customer Sample Number:

Date / Time Collected: 5/1/2023 5:20 PM

Customer Program Code: DS

Laboratory Sample Number: 2305058-029

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 3210 38th St. NW

Customer Sample Number:

Date / Time Collected: 5/1/2023 5:22 PM

Customer Program Code: DS

Laboratory Sample Number: 2305058-030

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305058-009

Sample Location: 1st Draw 3465 Holmead PL NW

Customer Sample Number:

Date / Time Collected: 4/27/2023 3:45 PM

Customer Program Code: DS

Laboratory Sample Number: 2305058-009

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 3465 Holmead PL NW

Customer Sample Number:

Date / Time Collected: 4/27/2023 3:50 PM

Customer Program Code: DS

Laboratory Sample Number: 2305058-010

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305149-036

Sample Location: 1st Draw 3726 T St. NW
Customer Sample Number:
Date / Time Collected: 5/9/2023 10:45 PM

Customer Program Code: DS
Laboratory Sample Number: 2305149-036
Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 3726 T St. NW
Customer Sample Number:
Date / Time Collected: 5/9/2023 10:46 PM

Customer Program Code: DS
Laboratory Sample Number: 2305149-037
Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305113-039

Sample Location: 1st Draw 3942 Blaine St. NE

Customer Sample Number:

Date / Time Collected: 5/10/2023 2:10 PM

Customer Program Code: DS

Laboratory Sample Number: 2305113-039

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 3942 Blaine St. NE

Customer Sample Number:

Date / Time Collected: 5/10/2023 2:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2305113-040

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 6/13/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2305004-013

Sample Location: 1st Draw 4205 Warren St. NW

Customer Sample Number:

Date / Time Collected: 4/23/2023 6:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2305004-013

Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 4205 Warren St. NW

Customer Sample Number:

Date / Time Collected: 4/23/2023 6:54 AM

Customer Program Code: DS

Laboratory Sample Number: 2305004-014

Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305113-023

Sample Location: 1st Draw 4425 13th PL NE

Customer Sample Number:

Date / Time Collected: 5/6/2023 10:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2305113-023

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 4425 13th PL NE

Customer Sample Number:

Date / Time Collected: 5/6/2023 10:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2305113-024

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305004-015

Sample Location: 1st Draw 45 Tuckerman St. NW

Customer Sample Number:

Date / Time Collected: 4/25/2023 7:14 AM

Customer Program Code: DS

Laboratory Sample Number: 2305004-015

Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 45 Tuckerman St. NW

Customer Sample Number:

Date / Time Collected: 4/25/2023 7:14 AM

Customer Program Code: DS

Laboratory Sample Number: 2305004-016

Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305149-020

Sample Location: 1st Draw 458 Delafield Place NW

Customer Sample Number:

Date / Time Collected: 5/8/2023 6:59 AM

Customer Program Code: DS

Laboratory Sample Number: 2305149-020

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 458 Delafield Place NW

Customer Sample Number:

Date / Time Collected: 5/8/2023 6:59 AM

Customer Program Code: DS

Laboratory Sample Number: 2305149-021

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305058-011

Sample Location: 1st Draw 4726 8th St. NE
Customer Sample Number:
Date / Time Collected: 4/28/2023 11:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2305058-011
Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 4726 8th St. NE
Customer Sample Number:
Date / Time Collected: 4/28/2023 11:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2305058-012
Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305004-009

Sample Location: 1st Draw 4812 5th St. NW

Customer Sample Number:

Date / Time Collected: 4/20/2023 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2305004-009

Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 4812 5th St. NW

Customer Sample Number:

Date / Time Collected: 4/20/2023 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2305004-010

Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305149-001

Sample Location: 1st Draw 4910 Sedgwick St. NW

Customer Sample Number:

Date / Time Collected: 5/12/2023 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2305149-001

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 4910 Sedgwick St. NW

Customer Sample Number:

Date / Time Collected: 5/12/2023 8:04 AM

Customer Program Code: DS

Laboratory Sample Number: 2305149-002

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2304145-029

Sample Location: 1st Draw 50 Forrester St SW, Apt 1

Customer Sample Number:

Date / Time Collected: 4/10/2023 11:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-029

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 50 Forrester St SW, Apt 1

Customer Sample Number:

Date / Time Collected: 4/10/2023 11:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2304145-030

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305058-007

Sample Location: 1st Draw 5232 Sherier PL NW

Customer Sample Number:

Date / Time Collected: 4/27/2023 7:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2305058-007

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 5232 Sherier PL NW

Customer Sample Number:

Date / Time Collected: 4/27/2023 7:23 AM

Customer Program Code: DS

Laboratory Sample Number: 2305058-008

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305149-060

Sample Location: 1st Draw 5717 32nd St. NW

Customer Sample Number:

Date / Time Collected: 5/14/2023 6:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2305149-060

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 5717 32nd St. NW

Customer Sample Number:

Date / Time Collected: 5/14/2023 6:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2305149-061

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305149-076

Sample Location: 1st Draw 6006 34th Place NW

Customer Sample Number:

Date / Time Collected: 5/15/2023 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2305149-076

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 6006 34th Place NW

Customer Sample Number:

Date / Time Collected: 5/15/2023 8:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2305149-077

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305004-011

Sample Location: 1st Draw 6311 7th St. NW

Customer Sample Number:

Date / Time Collected: 4/22/2023 4:14 PM

Customer Program Code: DS

Laboratory Sample Number: 2305004-011

Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 6311 7th St. NW

Customer Sample Number:

Date / Time Collected: 4/22/2023 4:16 PM

Customer Program Code: DS

Laboratory Sample Number: 2305004-012

Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305058-013

Sample Location: 1st Draw 6609 3rd St. NW

Customer Sample Number:

Date / Time Collected: 4/28/2023 3:07 PM

Customer Program Code: DS

Laboratory Sample Number: 2305058-013

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 6609 3rd St. NW

Customer Sample Number:

Date / Time Collected: 4/28/2023 3:10 PM

Customer Program Code: DS

Laboratory Sample Number: 2305058-014

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305004-007

Sample Location: 1st Draw 737 Park Rd. NW

Customer Sample Number:

Date / Time Collected: 4/15/2023 8:54 AM

Customer Program Code: DS

Laboratory Sample Number: 2305004-007

Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 737 Park Rd. NW

Customer Sample Number:

Date / Time Collected: 4/15/2023 8:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2305004-008

Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305058-045

Sample Location: 1st Draw 742 Faraday PL NE

Customer Sample Number:

Date / Time Collected: 5/2/2023 5:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2305058-045

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 742 Faraday PL NE

Customer Sample Number:

Date / Time Collected: 5/2/2023 5:41 AM

Customer Program Code: DS

Laboratory Sample Number: 2305058-046

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305058-057

Sample Location: 1st Draw 82 Allison St. NE

Customer Sample Number:

Date / Time Collected: 5/2/2023 8:04 AM

Customer Program Code: DS

Laboratory Sample Number: 2305058-057

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 82 Allison St. NE

Customer Sample Number:

Date / Time Collected: 5/2/2023 8:09 AM

Customer Program Code: DS

Laboratory Sample Number: 2305058-058

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS-2305058-001

Sample Location: 1st Draw 915 E. Capitol St. SE

Customer Sample Number:

Date / Time Collected: 2/25/2023 8:03 AM

Customer Program Code: DS

Laboratory Sample Number: 2305058-001

Date / Time Received: 5/8/2023 10:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. Results are considered biased low.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	5/30/2023	Lgallimore

Sample Location: 2nd Draw 915 E. Capitol St. SE

Customer Sample Number:

Date / Time Collected: 2/25/2023 8:08 AM

Customer Program Code: DS

Laboratory Sample Number: 2305058-002

Date / Time Received: 5/8/2023 10:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. Results are considered biased low.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS250-2305150-001

Sample Location: 1st Draw 3020 Dent Place NW # 46W

Customer Sample Number:

Date / Time Collected: 5/16/2023 9:37 AM

Customer Program Code: DS250

Laboratory Sample Number: 2305150-001

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.4	16.4	ug/L		6/1/2023	Sbrooks

Sample Location: 2nd Draw 3020 Dent Place NW # 46W

Customer Sample Number:

Date / Time Collected: 5/16/2023 9:37 AM

Customer Program Code: DS250

Laboratory Sample Number: 2305150-002

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	33.2	ug/L		6/1/2023	Sbrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS250- 2305059-001

Sample Location: 1st Draw 3025 Ontario Rd NW Apt. 404

Customer Sample Number:

Date / Time Collected: 4/27/2023 5:01 AM

Customer Program Code: DS250

Laboratory Sample Number: 2305059-001

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 3025 Ontario Rd NW Apt. 404

Customer Sample Number:

Date / Time Collected: 4/27/2023 5:01 AM

Customer Program Code: DS250

Laboratory Sample Number: 2305059-002

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS250- 2305150-003

Sample Location: 1st Draw 4620 Iowa Ave. NW, #4

Customer Sample Number:

Date / Time Collected: 5/16/2023 6:43 AM

Customer Program Code: DS250

Laboratory Sample Number: 2305150-003

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		6/1/2023	Sbrooks

Sample Location: 2nd Draw 4620 Iowa Ave. NW, #4

Customer Sample Number:

Date / Time Collected: 5/16/2023 6:43 AM

Customer Program Code: DS250

Laboratory Sample Number: 2305150-004

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	Sbrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS250- 2305014-001

Sample Location: 1st Draw 604 Longfellow St NW Unit 401

Customer Sample Number:

Date / Time Collected: 4/22/2023 10:45 PM

Customer Program Code: DS250

Laboratory Sample Number: 2305014-001

Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 604 Longfellow St NW Unit 401

Customer Sample Number:

Date / Time Collected: 4/22/2023 10:45 PM

Customer Program Code: DS250

Laboratory Sample Number: 2305014-002

Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-DS250- 2305014-003

Sample Location: 1st Draw 644 Massachusetts NE #306

Customer Sample Number:

Date / Time Collected: 4/22/2023 6:00 PM

Customer Program Code: DS250

Laboratory Sample Number: 2305014-003

Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 644 Massachusetts NE #306

Customer Sample Number:

Date / Time Collected: 4/22/2023 6:00 PM

Customer Program Code: DS250

Laboratory Sample Number: 2305014-004

Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Post Lead Service Line Replacement Samples

DC Water operates a program where lead sampling kits are dropped off to customers that have had a partial or full lead service line replacement. Samples are typically dropped off approximately 4 months after the replacement to determine if it is necessary for customers to continue filtering their water. The kit comes with bottles and instructions on how to take first and second draw samples. Customers collect their own samples and contact DC Water to deliver the bottles to the Washington Aqueduct. Results are then reported back to the customer through DC Water's Customer Service Program.



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2212057-137

Sample Location: 1st Draw 108 Varnum St NW

Customer Sample Number:

Date / Time Collected: 12/3/2022 6:55 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212057-137

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 108 Varnum St NW

Customer Sample Number:

Date / Time Collected: 12/3/2022 6:56 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212057-138

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2212057-035

Sample Location: 1st Draw 1232 Perry St NE
Customer Sample Number:
Date / Time Collected: 11/27/2022 2:07 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2212057-035
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1232 Perry St NE
Customer Sample Number:
Date / Time Collected: 11/27/2022 2:08 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2212057-036
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/10/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-Post-LSR- 2211180-014

Sample Location: 1st Draw 1305 S St. SE
Customer Sample Number:
Date / Time Collected: 11/16/2022 6:30 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2211180-014
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	7.5	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 1305 S St. SE
Customer Sample Number:
Date / Time Collected: 11/16/2022 6:32 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2211180-015
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.4	4.3	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2212013-041

Sample Location: 1st Draw 1340 Taylor St NW

Customer Sample Number:

Date / Time Collected: 11/22/2022 4:43 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212013-041

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	11.1	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1340 Taylor St NW

Customer Sample Number:

Date / Time Collected: 11/22/2022 4:46 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212013-042

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2212013-039

Sample Location: 1st Draw 1353 Emerald St NE

Customer Sample Number:

Date / Time Collected: 11/26/2022 6:40 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212013-039

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1353 Emerald St NE

Customer Sample Number:

Date / Time Collected: 11/26/2022 6:41 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212013-040

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2211145-067

Sample Location: 1st Draw 1381 Rittenhouse St NW

Customer Sample Number:

Date / Time Collected: 11/14/2022 8:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211145-067

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 1381 Rittenhouse St NW

Customer Sample Number:

Date / Time Collected: 11/14/2022 8:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211145-068

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211145-049 &
2211145-050, the Customer Program Code was
changed from Post-LSR to DS as requested by
DC Water on 1/11/23.

Report Number: L-DC-Post-LSR- 2211145-049

Sample Location: 1st Draw 1512 Portal Dr NW

Customer Sample Number:

Date / Time Collected: 11/13/2022 5:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-049

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 1512 Portal Dr NW

Customer Sample Number:

Date / Time Collected: 11/13/2022 5:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-050

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2212057-135

Sample Location: 1st Draw 1609 35TH ST NW

Customer Sample Number:

Date / Time Collected: 12/2/2022 8:20 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212057-135

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1609 35TH ST NW

Customer Sample Number:

Date / Time Collected: 12/2/2022 8:22 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212057-136

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2211180-042

Sample Location: 1st Draw 1628 22nd St. SE
Customer Sample Number:
Date / Time Collected: 11/21/2022 8:34 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2211180-042
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 1628 22nd St. SE
Customer Sample Number:
Date / Time Collected: 11/21/2022 8:35 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2211180-043
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2212057-082

Sample Location: 1st Draw 1819 Newton St NW

Customer Sample Number:

Date / Time Collected: 11/29/2022 5:47 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212057-082

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 1819 Newton St NW

Customer Sample Number:

Date / Time Collected: 11/29/2022 5:50 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212057-083

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2211145-075

Sample Location: 1st Draw 1824 Wyoming Ave NW

Customer Sample Number:

Date / Time Collected: 11/13/2022 8:10 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211145-075

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 1824 Wyoming Ave NW

Customer Sample Number:

Date / Time Collected: 11/13/2022 8:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211145-076

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211145-069 &
2211145-070, the Customer Program Code was
changed from Post-LSR to DS as requested by
DC Water on 1/11/23.

Report Number: L-DC-Post-LSR- 2211145-069

Sample Location: 1st Draw 1940 Upshur St NW

Customer Sample Number:

Date / Time Collected: 11/12/2022 10:14 PM

Customer Program Code: DS

Laboratory Sample Number: 2211145-069

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 1940 Upshur St NW

Customer Sample Number:

Date / Time Collected: 11/12/2022 10:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2211145-070

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2212013-047

Sample Location: 1st Draw 216 17th PI NE
Customer Sample Number:
Date / Time Collected: 11/20/2022 7:01 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2212013-047
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 216 17th PI NE
Customer Sample Number:
Date / Time Collected: 11/20/2022 7:05 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2212013-048
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2211145-081

Sample Location: 1st Draw 2246 49th St NW

Customer Sample Number:

Date / Time Collected: 11/10/2022 5:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211145-081

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2211180-003

Sample Location: 1st Draw 2628 6th St. NE

Customer Sample Number:

Date / Time Collected: 11/5/2022 6:00 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211180-003

Date / Time Received: 11/23/2022 9:20:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	12/9/2022	SBrooks

Sample Location: 2nd Draw 2628 6th St. NE

Customer Sample Number:

Date / Time Collected: 11/5/2022 6:00 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211180-004

Date / Time Received: 11/23/2022 9:20:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2211145-041

Sample Location: 1st Draw 2704 13th St NE

Customer Sample Number:

Date / Time Collected: 11/8/2022 6:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211145-041

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 2704 13th St NE

Customer Sample Number:

Date / Time Collected: 11/8/2022 6:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211145-042

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2212013-043

Sample Location: 1st Draw 2705 6th St NE

Customer Sample Number:

Date / Time Collected: 11/10/2022 8:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212013-043

Date / Time Received: 12/2/2022 7:55:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.8	ug/L	H	12/20/2022	SBrooks

Sample Location: 2nd Draw 2705 6th St NE

Customer Sample Number:

Date / Time Collected: 11/10/2022 8:02 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212013-044

Date / Time Received: 12/2/2022 7:55:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.1	ug/L	H	12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2212013-037 &
2212013-038, the Customer Program Code was
changed from Post-LSR to DS as requested by
DC Water on 1/11/23.

Report Number: L-DC-Post-LSR- 2212013-037

Sample Location: 1st Draw 2912 Cortland PI NW

Customer Sample Number:

Date / Time Collected: 11/22/2022 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-037

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 2912 Cortland PI NW

Customer Sample Number:

Date / Time Collected: 11/22/2022 7:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2212013-038

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Number 2211145-043,
the Customer Program Code was changed from
Post-LSR to DS as requested by DC Water on
1/11/23. Results for Laboratory Sample Number
2211145-044 were added to report.

Report Number: L-DC-DS-2211145-043

Sample Location: 1st Draw 2914 Cortland PI NW

Customer Sample Number:

Date / Time Collected: 11/16/2022 7:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-043

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 2914 Cortland PI NW

Customer Sample Number:

Date / Time Collected: 11/16/2022 7:41 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-044

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2212057-119

Sample Location: 1st Draw 2939 28th St NW

Customer Sample Number:

Date / Time Collected: 12/1/2022 6:48 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212057-119

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 2939 28th St NW

Customer Sample Number:

Date / Time Collected: 12/1/2022 6:50 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212057-120

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2212057-033

Sample Location: 1st Draw 315 18th St NE
Customer Sample Number:
Date / Time Collected: 11/26/2022 10:10 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2212057-033
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 315 18th St NE
Customer Sample Number:
Date / Time Collected: 11/26/2022 10:13 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2212057-034
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211145-063 &
2211145-064, the Customer Program Code was
changed from Post-LSR to DS as requested by
DC Water on 1/11/23.

Report Number: L-DC-Post-LSR- 2211145-063

Sample Location: 1st Draw 3223 Walbridge PI NW

Customer Sample Number:

Date / Time Collected: 11/12/2022 6:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-063

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 3223 Walbridge PI NW

Customer Sample Number:

Date / Time Collected: 11/12/2022 6:56 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-064

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2212057-068 &
2212057-069, the Customer Program Code was
changed from Post-LSR to DS as requested by
DC Water on 1/11/23.

Report Number: L-DC-Post-LSR- 2212057-068

Sample Location: 1st Draw 3255 Van Hazen St NW

Customer Sample Number:

Date / Time Collected: 11/28/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-068

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 3255 Van Hazen St NW

Customer Sample Number:

Date / Time Collected: 11/28/2022 7:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-069

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2211145-065

Sample Location: 1st Draw 3303 Highland PI NW

Customer Sample Number:

Date / Time Collected: 11/6/2022 7:27 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211145-065

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 3303 Highland PI NW

Customer Sample Number:

Date / Time Collected: 11/6/2022 7:28 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211145-066

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211180-044 &
2211180-045, the Customer Program Code was
changed from Post-LSR to DS as requested by
DC Water on 1/11/23.

Report Number: L-DC-Post-LSR- 2211180-044

Sample Location: 1st Draw 3421 Morrison St NW

Customer Sample Number:

Date / Time Collected: 11/21/2022 8:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-044

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 3421 Morrison St NW

Customer Sample Number:

Date / Time Collected: 11/21/2022 8:54 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-045

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.1	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2211145-073

Sample Location: 1st Draw 3609 Warder St NW

Customer Sample Number:

Date / Time Collected: 11/5/2022 10:00 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211145-073

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 3609 Warder St NW

Customer Sample Number:

Date / Time Collected: 11/5/2022 10:04 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211145-074

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211180-028 &
2211180-029, the Customer Program Code was
changed from Post-LSR to DS as requested by
DC Water on 1/11/23.

Report Number: L-DC-Post-LSR- 2211180-028

Sample Location: 1st Draw 3611 11th St. NW

Customer Sample Number:

Date / Time Collected: 11/19/2022 6:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-028

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 3611 11th St. NW

Customer Sample Number:

Date / Time Collected: 11/19/2022 6:47 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-029

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2211145-045

Sample Location: 1st Draw 3615 Warder St NW

Customer Sample Number:

Date / Time Collected: 11/12/2022 6:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211145-045

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 3615 Warder St NW

Customer Sample Number:

Date / Time Collected: 11/12/2022 6:05 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211145-046

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211145-047 &
2211145-048, the Customer Program Code was
changed from Post-LSR to DS as requested by
DC Water on 1/11/23.

Report Number: L-DC-Post-LSR- 2211145-047

Sample Location: 1st Draw 3645 Van Ness St NW

Customer Sample Number:

Date / Time Collected: 11/9/2022 6:18 PM

Customer Program Code: DS

Laboratory Sample Number: 2211145-047

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 3645 Van Ness St NW

Customer Sample Number:

Date / Time Collected: 11/9/2022 6:19 PM

Customer Program Code: DS

Laboratory Sample Number: 2211145-048

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2212057-058 &
2212057-059, the Customer Program Code was
changed from Post-LSR to DS as requested by
DC Water on 1/11/23.

Report Number: L-DC-Post-LSR- 2212057-058

Sample Location: 1st Draw 3673 Upton St NW

Customer Sample Number:

Date / Time Collected: 11/27/2022 6:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2212057-058

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 3673 Upton St NW

Customer Sample Number:

Date / Time Collected: 11/27/2022 6:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2212057-059

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211145-057 &
2211145-058, the Customer Program Code was
changed from Post-LSR to DS as requested by
DC Water on 1/11/23.

Report Number: L-DC-Post-LSR- 2211145-057

Sample Location: 1st Draw 3921 49th St NW

Customer Sample Number:

Date / Time Collected: 11/16/2022 6:52 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-057

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 3921 49th St NW

Customer Sample Number:

Date / Time Collected: 11/16/2022 6:54 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-058

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2212057-003 &
2212057-004, the Customer Program Code was
changed from Post-LSR to DS as requested by
DC Water on 1/11/23.

Report Number: L-DC-Post-LSR- 2212057-003

Sample Location: 1st Draw 4213 3rd St. NW

Customer Sample Number:

Date / Time Collected: 11/5/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-003

Date / Time Received: 12/7/2022 10:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.4	ug/L	H	12/20/2022	SBrooks

Sample Location: 2nd Draw 4213 3rd St. NW

Customer Sample Number:

Date / Time Collected: 11/5/2022 8:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-004

Date / Time Received: 12/7/2022 10:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	18.1	ug/L	H	12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2211180-022

Sample Location: 1st Draw 422 Buckman St. NW

Customer Sample Number:

Date / Time Collected: 11/18/2022 6:35 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211180-022

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 422 Buckman St. NW

Customer Sample Number:

Date / Time Collected: 11/18/2022 6:37 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211180-023

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211145-082 &
2211145-083, the Customer Program Code was
changed from Post-LSR to DS as requested by
DC Water on 1/11/23.

Report Number: L-DC-Post-LSR- 2211145-082

Sample Location: 1st Draw 4224 Reno Rd NW

Customer Sample Number:

Date / Time Collected: 11/13/2022 8:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-082

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 4224 Reno Rd NW

Customer Sample Number:

Date / Time Collected: 11/13/2022 8:38 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-083

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211145-077 &
2211145-078, the Customer Program Code was
changed from Post-LSR to DS as requested by
DC Water on 1/11/23.

Report Number: L-DC-Post-LSR- 2211145-077

Sample Location: 1st Draw 4364 Westover PI NW

Customer Sample Number:

Date / Time Collected: 11/8/2022 5:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-077

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 4364 Westover PI NW

Customer Sample Number:

Date / Time Collected: 11/8/2022 5:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-078

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2211180-005

Sample Location: 1st Draw 4419 A St. SE
Customer Sample Number:
Date / Time Collected: 11/9/2022 5:30 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2211180-005
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 4419 A St. SE
Customer Sample Number:
Date / Time Collected: 11/9/2022 5:31 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2211180-006
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2211180-007

Sample Location: 1st Draw 4455 Q St. NW
Customer Sample Number:
Date / Time Collected: 11/14/2022 6:40 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2211180-007
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 4455 Q St. NW
Customer Sample Number:
Date / Time Collected: 11/14/2022 6:43 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2211180-008
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2211145-059

Sample Location: 1st Draw 450 Newton PI NW

Customer Sample Number:

Date / Time Collected: 11/14/2022 6:43 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211145-059

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 450 Newton PI NW

Customer Sample Number:

Date / Time Collected: 11/14/2022 6:45 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211145-060

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Number 2212057-096,
the Customer Program Code was changed from
Post-LSR to DS as requested by DC Water on
1/11/23.

Report Number: L-DC-Post-LSR- 2212057-096

Sample Location: 1st Draw 4515 Nebraska Ave NW

Customer Sample Number:

Date / Time Collected: 11/29/2022 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-096

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211145-051 &
2211145-052, the Customer Program Code was
changed from Post-LSR to DS as requested by
DC Water on 1/11/23.

Report Number: L-DC-Post-LSR- 2211145-051

Sample Location: 1st Draw 4520 43rd St NW

Customer Sample Number:

Date / Time Collected: 11/9/2022 7:03 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-051

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 4520 43rd St NW

Customer Sample Number:

Date / Time Collected: 11/9/2022 7:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-052

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2212057-066 &
2212057-067, the Customer Program Code was
changed from Post-LSR to DS as requested by
DC Water on 1/11/23.

Report Number: L-DC-Post-LSR- 2212057-066

Sample Location: 1st Draw 4526 Albemarle St NW

Customer Sample Number:

Date / Time Collected: 11/28/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-066

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 4526 Albemarle St NW

Customer Sample Number:

Date / Time Collected: 11/28/2022 7:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2212057-067

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2212057-023

Sample Location: 1st Draw 458 Shepherd St NW

Customer Sample Number:

Date / Time Collected: 11/25/2022 10:05 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212057-023

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 458 Shepherd St NW

Customer Sample Number:

Date / Time Collected: 11/25/2022 10:09 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212057-024

Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2212057-117

Sample Location: 1st Draw 4830 7th St NW
Customer Sample Number:
Date / Time Collected: 12/1/2022 6:30 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2212057-117
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2nd Draw 4830 7th St NW
Customer Sample Number:
Date / Time Collected: 12/1/2022 6:35 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2212057-118
Date / Time Received: 12/7/2022 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2211145-053

Sample Location: 1st Draw 5227 NEBRASKA AVE NW

Customer Sample Number:

Date / Time Collected: 11/14/2022 6:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211145-053

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 5227 NEBRASKA AVE NW

Customer Sample Number:

Date / Time Collected: 11/14/2022 6:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211145-054

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2211180-038

Sample Location: 1st Draw 5318 Illinois Ave NW

Customer Sample Number:

Date / Time Collected: 11/20/2022 12:15 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211180-038

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 5318 Illinois Ave NW

Customer Sample Number:

Date / Time Collected: 11/20/2022 12:15 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211180-039

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211145-071 &
2211145-072, the Customer Program Code was
changed from Post-LSR to DS as requested by
DC Water on 1/11/23.

Report Number: L-DC-Post-LSR- 2211145-071

Sample Location: 1st Draw 5411 42nd St NW

Customer Sample Number:

Date / Time Collected: 11/13/2022 7:09 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-071

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 5411 42nd St NW

Customer Sample Number:

Date / Time Collected: 11/13/2022 7:11 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-072

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211180-001 &
2211180-002, the Customer Program Code was
changed from Post-LSR to DS as requested by
DC Water on 1/11/23.

Report Number: L-DC-Post-LSR- 2211180-001

Sample Location: 1st Draw 5508 8th St. NW

Customer Sample Number:

Date / Time Collected: 10/26/2022 6:08 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-001

Date / Time Received: 11/23/2022 9:20:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	12/9/2022	SBrooks

Sample Location: 2nd Draw 5508 8th St. NW

Customer Sample Number:

Date / Time Collected: 10/26/2022 6:12 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-002

Date / Time Received: 11/23/2022 9:20:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211145-079 &
2211145-080, the Customer Program Code was
changed from Post-LSR to DS as requested by
DC Water on 1/11/23.

Report Number: L-DC-Post-LSR- 2211145-079

Sample Location: 1st Draw 5704 Nevada Ave NW

Customer Sample Number:

Date / Time Collected: 11/13/2022 7:21 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-079

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 5704 Nevada Ave NW

Customer Sample Number:

Date / Time Collected: 11/13/2022 7:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2211145-080

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2212013-045

Sample Location: 1st Draw 5726 8th St NW

Customer Sample Number:

Date / Time Collected: 11/10/2022 7:45 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212013-045

Date / Time Received: 12/2/2022 7:55:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L	H	12/20/2022	SBrooks

Sample Location: 2nd Draw 5726 8th St NW

Customer Sample Number:

Date / Time Collected: 11/10/2022 7:53 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212013-046

Date / Time Received: 12/2/2022 7:55:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	11.7	ug/L	H	12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211180-011 &
2211180-012, the Customer Program Code was
changed from Post-LSR to DS as requested by
DC Water on 1/11/23.

Report Number: L-DC-Post-LSR- 2211180-011

Sample Location: 1st Draw 6408 Utah Ave. NW

Customer Sample Number:

Date / Time Collected: 11/15/2022 7:17 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-011

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 6408 Utah Ave. NW

Customer Sample Number:

Date / Time Collected: 11/15/2022 7:19 AM

Customer Program Code: DS

Laboratory Sample Number: 2211180-012

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2211180-032

Sample Location: 1st Draw 705 Shephero St. NW

Customer Sample Number:

Date / Time Collected: 11/20/2022 5:32 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211180-032

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 705 Shephero St. NW

Customer Sample Number:

Date / Time Collected: 11/20/2022 5:38 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211180-033

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211145-055 &
2211145-056, the Customer Program Code was
changed from Post-LSR to DS as requested by
DC Water on 1/11/23.

Report Number: L-DC-Post-LSR- 2211145-055

Sample Location: 1st Draw 7101 8th St NW
Customer Sample Number:
Date / Time Collected: 11/14/2022 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2211145-055
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 7101 8th St NW
Customer Sample Number:
Date / Time Collected: 11/14/2022 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2211145-056
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-Post-LSR- 2211180-018

Sample Location: 1st Draw 726 Marietta PL NW

Customer Sample Number:

Date / Time Collected: 11/17/2022 3:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211180-018

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 726 Marietta PL NW

Customer Sample Number:

Date / Time Collected: 11/17/2022 3:16 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211180-019

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/12/2023

Report revised by mc on 1/12/23.
For Laboratory Sample Numbers 2211145-061 &
2211145-062, the Customer Program Code was
changed from Post-LSR to DS as requested by
DC Water on 1/11/23.

Report Number: L-DC-Post-LSR- 2211145-061

Sample Location: 1st Draw 7832 16th St NW

Customer Sample Number:

Date / Time Collected: 11/13/2022 12:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2211145-061

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Sample Location: 2nd Draw 7832 16th St NW

Customer Sample Number:

Date / Time Collected: 11/13/2022 12:02 PM

Customer Program Code: DS

Laboratory Sample Number: 2211145-062

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-Post-LSR- 2301019-049

Sample Location: 1st Draw 1329 Valley PL SE

Customer Sample Number:

Date / Time Collected: 12/13/2022 7:07 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301019-049

Date / Time Received: 12/28/2022 8:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L	H	1/18/2023	Bprakash

Sample Location: 2nd Draw 1329 Valley PL SE

Customer Sample Number:

Date / Time Collected: 12/13/2022 7:11 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301019-050

Date / Time Received: 12/28/2022 8:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-Post-LSR- 2212102-065

Sample Location: 1st Draw 1354 Randolph ST NW

Customer Sample Number:

Date / Time Collected: 12/5/2022 6:25 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212102-065

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1354 Randolph ST NW

Customer Sample Number:

Date / Time Collected: 12/5/2022 6:35 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212102-066

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-Post-LSR- 2301019-055

Sample Location: 1st Draw 1688 Kramer St. NE

Customer Sample Number:

Date / Time Collected: 12/15/2022 3:35 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301019-055

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 1688 Kramer St. NE

Customer Sample Number:

Date / Time Collected: 12/15/2022 3:38 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301019-056

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-Post-LSR- 2212102-063

Sample Location: 1st Draw 3918 13th St NW

Customer Sample Number:

Date / Time Collected: 12/6/2022 7:35 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212102-063

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 3918 13th St NW

Customer Sample Number:

Date / Time Collected: 12/6/2022 7:37 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212102-064

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-Post-LSR- 2301019-059

Sample Location: 1st Draw 563 Madison St. NW

Customer Sample Number:

Date / Time Collected: 12/16/2022 2:04 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301019-059

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		1/18/2023	Bprakash

Sample Location: 2nd Draw 563 Madison St. NW

Customer Sample Number:

Date / Time Collected: 12/16/2022 2:07 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301019-060

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.8	ug/L		1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-Post-LSR- 2301019-047

Sample Location: 1st Draw 6335 31 Place NW

Customer Sample Number:

Date / Time Collected: 12/7/2022 12:55 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301019-047

Date / Time Received: 12/28/2022 8:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/18/2023	Bprakash

Sample Location: 2nd Draw 6335 31 Place NW

Customer Sample Number:

Date / Time Collected: 12/7/2022 12:59 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301019-048

Date / Time Received: 12/28/2022 8:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-Post-LSR- 2212144-047

Sample Location: 1st Draw 1304 Randolph St NW

Customer Sample Number:

Date / Time Collected: 12/10/2022 6:45 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212144-047

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1304 Randolph St NW

Customer Sample Number:

Date / Time Collected: 12/10/2022 6:47 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212144-048

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-Post-LSR- 2212144-085

Sample Location: 1st Draw 1327 S St SE
Customer Sample Number:
Date / Time Collected: 12/13/2022 10:42 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2212144-085
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1327 S St SE
Customer Sample Number:
Date / Time Collected: 12/13/2022 10:45 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2212144-086
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	11.2	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/27/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-Post-LSR- 2212144-089

Sample Location: 1st Draw 1333 Taylor St NW

Customer Sample Number:

Date / Time Collected: 12/12/2022 5:45 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212144-089

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1333 Taylor St NW

Customer Sample Number:

Date / Time Collected: 12/12/2022 5:50 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212144-090

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-Post-LSR- 2212144-073

Sample Location: 1st Draw 1346 Taylor St NW

Customer Sample Number:

Date / Time Collected: 12/13/2022 6:05 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212144-073

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1346 Taylor St NW

Customer Sample Number:

Date / Time Collected: 12/13/2022 6:12 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212144-074

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-Post-LSR- 2212144-067

Sample Location: 1st Draw 1431 Morse St NE

Customer Sample Number:

Date / Time Collected: 12/13/2022 7:31 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212144-067

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 1431 Morse St NE

Customer Sample Number:

Date / Time Collected: 12/13/2022 7:33 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212144-068

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/27/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-Post-LSR- 2212144-061

Sample Location: 1st Draw 3918 Illinois Ave NW

Customer Sample Number:

Date / Time Collected: 12/11/2022 9:18 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212144-061

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 3918 Illinois Ave NW

Customer Sample Number:

Date / Time Collected: 12/11/2022 9:20 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212144-062

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 1/27/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-Post-LSR- 2212144-069

Sample Location: 1st Draw 4332 46th St NW

Customer Sample Number:

Date / Time Collected: 12/8/2022 8:32 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212144-069

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 4332 46th St NW

Customer Sample Number:

Date / Time Collected: 12/8/2022 8:32 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212144-070

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-Post-LSR- 2212144-071

Sample Location: 1st Draw 501 45th St NE #one

Customer Sample Number:

Date / Time Collected: 12/12/2022 4:30 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212144-071

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 501 45th St NE #one

Customer Sample Number:

Date / Time Collected: 12/12/2022 4:30 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2212144-072

Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-Post-LSR- 2212144-081

Sample Location: 1st Draw 944 Shepherd St
Customer Sample Number:
Date / Time Collected: 12/13/2022 6:00 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2212144-081
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		1/11/2023	Bprakash

Sample Location: 2nd Draw 944 Shepherd St
Customer Sample Number:
Date / Time Collected: 12/13/2022 6:03 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2212144-082
Date / Time Received: 12/20/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/13/2023

Report Number: L-DC-Post-LSR- 2301020-037

Sample Location: 1st Draw 1214 Tewkesbury Pl. NW

Customer Sample Number:

Date / Time Collected: 12/27/2022 5:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301020-037

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 1214 Tewkesbury Pl. NW

Customer Sample Number:

Date / Time Collected: 12/27/2022 5:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301020-038

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/13/2023

Report Number: L-DC-Post-LSR- 2301020-033

Sample Location: 1st Draw 1308 Delafield PL NW

Customer Sample Number:

Date / Time Collected: 12/19/2022 7:18 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301020-033

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 1308 Delafield PL NW

Customer Sample Number:

Date / Time Collected: 12/19/2022 7:23 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301020-034

Date / Time Received: 12/29/2022 10:24:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-Post-LSR- 2301068-067

Sample Location: 1st Draw 1377 Rittenhouse St. NW

Customer Sample Number:

Date / Time Collected: 1/3/2023 6:23 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301068-067

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 1377 Rittenhouse St. NW

Customer Sample Number:

Date / Time Collected: 1/3/2023 6:26 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301068-068

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-Post-LSR- 2301068-055

Sample Location: 1st Draw 1413 Morse St. NE

Customer Sample Number:

Date / Time Collected: 12/28/2022 8:57 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301068-055

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 1413 Morse St. NE

Customer Sample Number:

Date / Time Collected: 12/28/2022 8:59 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301068-056

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.5	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-Post-LSR- 2301068-019

Sample Location: 1st Draw 3514 Quebec St. NW

Customer Sample Number:

Date / Time Collected: 12/31/2022 4:40 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301068-019

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	23.1	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 3514 Quebec St. NW

Customer Sample Number:

Date / Time Collected: 12/31/2022 4:40 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301068-020

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	13.7	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-Post-LSR- 2301068-053

Sample Location: 1st Draw 3907 13th St. NW

Customer Sample Number:

Date / Time Collected: 12/28/2022 5:30 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301068-053

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 3907 13th St. NW

Customer Sample Number:

Date / Time Collected: 12/28/2022 5:30 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301068-054

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-Post-LSR- 2301068-023

Sample Location: 1st Draw 46 Randolph PI NW

Customer Sample Number:

Date / Time Collected: 12/31/2022 10:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301068-023

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		1/26/2023	Lgallimore

Sample Location: 2nd Draw 46 Randolph PI NW

Customer Sample Number:

Date / Time Collected: 12/31/2022 10:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301068-024

Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-Post-LSR- 2301124-025

Sample Location: 1st Draw 146 N. Carolina Ave. SE
Customer Sample Number:
Date / Time Collected: 1/6/2023 6:50 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2301124-025
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 146 N. Carolina Ave. SE
Customer Sample Number:
Date / Time Collected: 1/6/2023 6:50 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2301124-026
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-Post-LSR- 2301124-089

Sample Location: 1st Draw 3717 9th St. NW #1

Customer Sample Number:

Date / Time Collected: 1/9/2023 6:20 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301124-089

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 3717 9th St. NW #1

Customer Sample Number:

Date / Time Collected: 1/9/2023 6:22 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301124-090

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-Post-LSR- 2301124-091

Sample Location: 1st Draw 424 15th St. NE
Customer Sample Number:
Date / Time Collected: 1/9/2023 7:40 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2301124-091
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 424 15th St. NE
Customer Sample Number:
Date / Time Collected: 1/9/2023 7:43 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2301124-092
Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/15/2023

Report Number: L-DC-Post-LSR- 2301124-095

Sample Location: 1st Draw 931 Shepherd St. NW

Customer Sample Number:

Date / Time Collected: 1/11/2023 4:58 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301124-095

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 931 Shepherd St. NW

Customer Sample Number:

Date / Time Collected: 1/11/2023 5:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301124-096

Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-Post-LSR- 2301164-041

Sample Location: 1st Draw 1229 MASSACHUSETTS AVE

Customer Sample Number:

Date / Time Collected: 1/12/2023 7:10 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301164-041

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1229 MASSACHUSETTS AVE

Customer Sample Number:

Date / Time Collected: 1/12/2023 7:12 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301164-042

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-Post-LSR- 2301164-055

Sample Location: 1st Draw 1300 Delafield PL NW

Customer Sample Number:

Date / Time Collected: 1/13/2023 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301164-055

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 1300 Delafield PL NW

Customer Sample Number:

Date / Time Collected: 1/13/2023 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301164-056

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-Post-LSR- 2301189-025

Sample Location: 1st Draw 1303 Taylor St. NW

Customer Sample Number:

Date / Time Collected: 1/15/2023 8:23 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-025

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1303 Taylor St. NW

Customer Sample Number:

Date / Time Collected: 1/15/2023 8:23 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-026

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-Post-LSR- 2301189-043

Sample Location: 1st Draw 1320 Randolph St. NW

Customer Sample Number:

Date / Time Collected: 1/19/2023 8:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-043

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1320 Randolph St. NW

Customer Sample Number:

Date / Time Collected: 1/19/2023 8:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-044

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	10.4	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-Post-LSR- 2301189-053

Sample Location: 1st Draw 1333 T St. SE
Customer Sample Number:
Date / Time Collected: 1/20/2023 7:00 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2301189-053
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1333 T St. SE
Customer Sample Number:
Date / Time Collected: 1/20/2023 7:00 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2301189-054
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-Post-LSR- 2301189-107

Sample Location: 1st Draw 1412 Florida Ave. NW

Customer Sample Number:

Date / Time Collected: 1/24/2023 7:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-107

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1412 Florida Ave. NW

Customer Sample Number:

Date / Time Collected: 1/24/2023 7:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-108

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-Post-LSR- 2301189-057

Sample Location: 1st Draw 1438 D St. NE
Customer Sample Number:
Date / Time Collected: 1/20/2023 8:38 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2301189-057
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1438 D St. NE
Customer Sample Number:
Date / Time Collected: 1/20/2023 8:40 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2301189-058
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-Post-LSR- 2301189-041

Sample Location: 1st Draw 1512 Lawrence St. NE

Customer Sample Number:

Date / Time Collected: 1/19/2023 7:10 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-041

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1512 Lawrence St. NE

Customer Sample Number:

Date / Time Collected: 1/19/2023 7:13 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-042

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-Post-LSR- 2301189-109

Sample Location: 1st Draw 1532 Varnum St. NW

Customer Sample Number:

Date / Time Collected: 1/24/2023 7:55 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-109

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1532 Varnum St. NW

Customer Sample Number:

Date / Time Collected: 1/24/2023 7:57 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-110

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-Post-LSR- 2301189-099

Sample Location: 1st Draw 1705 Allison St. NW

Customer Sample Number:

Date / Time Collected: 1/24/2023 6:20 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-099

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 1705 Allison St. NW

Customer Sample Number:

Date / Time Collected: 1/24/2023 6:20 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-100

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-Post-LSR- 2301182-003

Sample Location: 1st Draw 1722 Kilbourne PL NW

Customer Sample Number:

Date / Time Collected: 1/8/2023 9:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301182-003

Date / Time Received: 1/26/2023 8:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/10/2023	Rlamsal

Sample Location: 2nd Draw 1722 Kilbourne PL NW

Customer Sample Number:

Date / Time Collected: 1/8/2023 9:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301182-004

Date / Time Received: 1/26/2023 8:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-Post-LSR- 2301189-003

Sample Location: 1st Draw 2713 N. Capitol St. NE

Customer Sample Number:

Date / Time Collected: 1/18/2023 5:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-003

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 2713 N. Capitol St. NE

Customer Sample Number:

Date / Time Collected: 1/18/2023 5:03 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-004

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-Post-LSR- 2301189-039

Sample Location: 1st Draw 2737 6th St. NE

Customer Sample Number:

Date / Time Collected: 1/19/2023 6:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-039

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 2737 6th St. NE

Customer Sample Number:

Date / Time Collected: 1/19/2023 6:34 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-040

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-Post-LSR- 2301189-055

Sample Location: 1st Draw 424 Shepherd St. NW

Customer Sample Number:

Date / Time Collected: 1/20/2023 8:05 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-055

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 424 Shepherd St. NW

Customer Sample Number:

Date / Time Collected: 1/20/2023 8:10 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-056

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-Post-LSR- 2301189-045

Sample Location: 1st Draw 4457 Faraday PL NW

Customer Sample Number:

Date / Time Collected: 1/19/2023 8:02 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-045

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 4457 Faraday PL NW

Customer Sample Number:

Date / Time Collected: 1/19/2023 8:04 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-046

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-Post-LSR- 2301189-065

Sample Location: 1st Draw 4709 Blagden Terr. NW

Customer Sample Number:

Date / Time Collected: 1/22/2023 6:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-066

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 4709 Blagden Terr. NW

Customer Sample Number:

Date / Time Collected: 1/22/2023 6:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-066

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-Post-LSR- 2301164-075

Sample Location: 1st Draw 4720 Quebec St. NW

Customer Sample Number:

Date / Time Collected: 1/17/2023 6:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301164-075

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 4720 Quebec St. NW

Customer Sample Number:

Date / Time Collected: 1/17/2023 6:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301164-076

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-Post-LSR- 2301164-059

Sample Location: 1st Draw 4723 Sheriff Rd NE

Customer Sample Number:

Date / Time Collected: 1/14/2023 1:03 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301164-059

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.3	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 4723 Sheriff Rd NE

Customer Sample Number:

Date / Time Collected: 1/14/2023 1:08 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301164-060

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-Post-LSR- 2301189-101

Sample Location: 1st Draw 4849 Quebec St. NW

Customer Sample Number:

Date / Time Collected: 1/24/2023 6:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-101

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 4849 Quebec St. NW

Customer Sample Number:

Date / Time Collected: 1/24/2023 6:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-102

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 2/16/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-Post-LSR- 2301164-053

Sample Location: 1st Draw 5302 14th St. NW

Customer Sample Number:

Date / Time Collected: 1/13/2023 6:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301164-053

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/6/2023	SBrooks

Sample Location: 2nd Draw 5302 14th St. NW

Customer Sample Number:

Date / Time Collected: 1/13/2023 6:02 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301164-054

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-Post-LSR- 2301189-095

Sample Location: 1st Draw 5417 MacArthur Blvd. NW

Customer Sample Number:

Date / Time Collected: 1/24/2023 5:48 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-095

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2nd Draw 5417 MacArthur Blvd. NW

Customer Sample Number:

Date / Time Collected: 1/24/2023 5:54 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-096

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-Post-LSR- 2301189-021

Sample Location: 1st Draw 831 Marietta PL NW

Customer Sample Number:

Date / Time Collected: 1/10/2023 6:09 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-021

Date / Time Received: 1/27/2023 12:20:00 PM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	2/10/2023	Rlamsal

Sample Location: 2nd Draw 831 Marietta PL NW

Customer Sample Number:

Date / Time Collected: 1/10/2023 6:12 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2301189-022

Date / Time Received: 1/27/2023 12:20:00 PM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L	H	2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 3/9/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-Post-LSR- 2302024-033

Sample Location: 1st Draw 120 13th St. SE

Customer Sample Number:

Date / Time Collected: 1/23/2023 6:32 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302024-033

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 120 13th St. SE

Customer Sample Number:

Date / Time Collected: 1/23/2023 6:36 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302024-034

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-Post-LSR- 2302024-057

Sample Location: 1st Draw 1331 Randolph St. NW

Customer Sample Number:

Date / Time Collected: 1/29/2023 3:40 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302024-057

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 1331 Randolph St. NW

Customer Sample Number:

Date / Time Collected: 1/29/2023 3:42 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302024-058

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.6	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-Post-LSR- 2302024-035

Sample Location: 1st Draw 1725 16th St. SE

Customer Sample Number:

Date / Time Collected: 1/24/2023 5:40 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302024-035

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 1725 16th St. SE

Customer Sample Number:

Date / Time Collected: 1/24/2023 5:43 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302024-036

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-Post-LSR- 2302024-043

Sample Location: 1st Draw 2900 Ordway St. NW

Customer Sample Number:

Date / Time Collected: 1/26/2023 6:05 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302024-043

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 2900 Ordway St. NW

Customer Sample Number:

Date / Time Collected: 1/26/2023 6:07 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302024-044

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-Post-LSR- 2302024-063

Sample Location: 1st Draw 2940 Upton St. NW

Customer Sample Number:

Date / Time Collected: 1/30/2023 1:48 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302024-063

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 2940 Upton St. NW

Customer Sample Number:

Date / Time Collected: 1/30/2023 1:51 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302024-064

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-Post-LSR- 2302024-067

Sample Location: 1st Draw 3911 Kansas Ave. NW #2

Customer Sample Number:

Date / Time Collected: 1/31/2023 6:45 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302024-067

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 3911 Kansas Ave. NW #2

Customer Sample Number:

Date / Time Collected: 1/31/2023 6:45 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302024-068

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-Post-LSR- 2302024-023

Sample Location: 1st Draw 52 W St. NW
Customer Sample Number:
Date / Time Collected: 1/26/2023 8:00 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2302024-023
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 52 W St. NW
Customer Sample Number:
Date / Time Collected: 1/26/2023 8:02 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2302024-024
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-Post-LSR- 2302024-025

Sample Location: 1st Draw 909 L St. NE
Customer Sample Number:
Date / Time Collected: 1/30/2023 5:53 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2302024-025
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		2/15/2023	Rlamsal

Sample Location: 2nd Draw 909 L St. NE
Customer Sample Number:
Date / Time Collected: 1/30/2023 5:55 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2302024-026
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-013

Sample Location: 1st Draw 1015 4th St. NE

Customer Sample Number:

Date / Time Collected: 2/23/2023 2:00 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-013

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 1015 4th St. NE

Customer Sample Number:

Date / Time Collected: 2/23/2023 2:01 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-014

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303145-037

Sample Location: 1st Draw 106 Varnum St. NW

Customer Sample Number:

Date / Time Collected: 3/5/2023 6:40 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-037

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 106 Varnum St. NW

Customer Sample Number:

Date / Time Collected: 3/5/2023 6:45 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-038

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303145-031

Sample Location: 1st Draw 1102 E St. NE
Customer Sample Number:
Date / Time Collected: 3/8/2023 7:00 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303145-031
Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 1102 E St. NE
Customer Sample Number:
Date / Time Collected: 3/8/2023 7:02 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303145-032
Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-033

Sample Location: 1st Draw 1129 Buchanan St. NW

Customer Sample Number:

Date / Time Collected: 2/27/2023 4:40 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-033

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 1129 Buchanan St. NW

Customer Sample Number:

Date / Time Collected: 2/27/2023 4:40 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-034

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-021

Sample Location: 1st Draw 114 14th St. SE
Customer Sample Number:
Date / Time Collected: 2/26/2023 7:05 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303061-021
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 114 14th St. SE
Customer Sample Number:
Date / Time Collected: 2/26/2023 7:12 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303061-022
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2302069-011

Sample Location: 1st Draw 1258 Oates St. NE

Customer Sample Number:

Date / Time Collected: 2/7/2023 4:51 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302069-011

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1258 Oates St. NE

Customer Sample Number:

Date / Time Collected: 2/7/2023 4:56 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302069-012

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2302129-017

Sample Location: 1st Draw 1304 Massachusetts Ave. SE

Customer Sample Number:

Date / Time Collected: 2/13/2023 7:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-017

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1304 Massachusetts Ave. SE

Customer Sample Number:

Date / Time Collected: 2/13/2023 7:16 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-018

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-021

Sample Location: 1st Draw 1317 Massachusetts Ave. SE

Customer Sample Number:

Date / Time Collected: 2/17/2023 7:39 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-021

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 1317 Massachusetts Ave. SE

Customer Sample Number:

Date / Time Collected: 2/17/2023 7:41 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-022

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-045

Sample Location: 1st Draw 1323 Taylor St. NW

Customer Sample Number:

Date / Time Collected: 2/23/2023 7:20 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-045

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 1323 Taylor St. NW

Customer Sample Number:

Date / Time Collected: 2/23/2023 7:22 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-046

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303145-039

Sample Location: 1st Draw 1361 Taylor St. NW

Customer Sample Number:

Date / Time Collected: 3/6/2023 6:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-039

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 1361 Taylor St. NW

Customer Sample Number:

Date / Time Collected: 3/6/2023 6:18 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-040

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303145-009

Sample Location: 1st Draw 137 Varnum St. NW

Customer Sample Number:

Date / Time Collected: 3/6/2023 5:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-009

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 137 Varnum St. NW

Customer Sample Number:

Date / Time Collected: 3/6/2023 5:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-010

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-015

Sample Location: 1st Draw 1403 Ridge PL SE

Customer Sample Number:

Date / Time Collected: 2/16/2023 7:21 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-015

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 1403 Ridge PL SE

Customer Sample Number:

Date / Time Collected: 2/16/2023 7:27 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-016

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-017

Sample Location: 1st Draw 1410 C St. NE
Customer Sample Number:
Date / Time Collected: 2/17/2023 5:50 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303019-017
Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 1410 C St. NE
Customer Sample Number:
Date / Time Collected: 2/17/2023 5:55 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303019-018
Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2302069-005

Sample Location: 1st Draw 1412 K St. SE
Customer Sample Number:
Date / Time Collected: 2/3/2023 8:18 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2302069-005
Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1412 K St. SE
Customer Sample Number:
Date / Time Collected: 2/3/2023 8:21 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2302069-006
Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-005

Sample Location: 1st Draw 149 U St. NE

Customer Sample Number:

Date / Time Collected: 2/19/2023 7:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-005

Date / Time Received: 3/8/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Sample Location: 2nd Draw 149 U St. NE

Customer Sample Number:

Date / Time Collected: 2/19/2023 7:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-006

Date / Time Received: 3/8/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-039

Sample Location: 1st Draw 15 14th St. SE
Customer Sample Number:
Date / Time Collected: 3/1/2023 5:01 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303061-039
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 15 14th St. SE
Customer Sample Number:
Date / Time Collected: 3/1/2023 5:02 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303061-040
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-003

Sample Location: 1st Draw 15 Michigan Ave. NE

Customer Sample Number:

Date / Time Collected: 2/17/2023 6:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-003

Date / Time Received: 3/8/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	3/16/2023	Lgallimore

Sample Location: 2nd Draw 15 Michigan Ave. NE

Customer Sample Number:

Date / Time Collected: 2/17/2023 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-004

Date / Time Received: 3/8/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-003

Sample Location: 1st Draw 1510 Allison St. NW

Customer Sample Number:

Date / Time Collected: 2/15/2023 6:26 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-003

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Sample Location: 2nd Draw 1510 Allison St. NW

Customer Sample Number:

Date / Time Collected: 2/15/2023 6:27 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-004

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-025

Sample Location: 1st Draw 1512 Allison St. NW

Customer Sample Number:

Date / Time Collected: 2/18/2023 8:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-025

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 1512 Allison St. NW

Customer Sample Number:

Date / Time Collected: 2/18/2023 8:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-026

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-001

Sample Location: 1st Draw 1519 Downing St. NE

Customer Sample Number:

Date / Time Collected: 2/16/2023 2:55 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-001

Date / Time Received: 3/8/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L	H	3/16/2023	Lgallimore

Sample Location: 2nd Draw 1519 Downing St. NE

Customer Sample Number:

Date / Time Collected: 2/16/2023 3:00 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-002

Date / Time Received: 3/8/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303145-061

Sample Location: 1st Draw 1609 Olive St. NE

Customer Sample Number:

Date / Time Collected: 2/24/2023 5:00 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-061

Date / Time Received: 3/17/2023 9:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/23/2023	SBrooks

Sample Location: 2nd Draw 1609 Olive St. NE

Customer Sample Number:

Date / Time Collected: 2/24/2023 5:05 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-062

Date / Time Received: 3/17/2023 9:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-017

Sample Location: 1st Draw 1650 Irving St. NW

Customer Sample Number:

Date / Time Collected: 2/24/2023 12:35 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-017

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 1650 Irving St. NW

Customer Sample Number:

Date / Time Collected: 2/24/2023 12:35 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-018

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2302129-019

Sample Location: 1st Draw 1809 Potomac Ave. SE

Customer Sample Number:

Date / Time Collected: 2/15/2023 4:29 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-019

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1809 Potomac Ave. SE

Customer Sample Number:

Date / Time Collected: 2/15/2023 4:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-020

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303145-057

Sample Location: 1st Draw 1819 Kalorama Rd. NW

Customer Sample Number:

Date / Time Collected: 2/27/2023 12:30 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-057

Date / Time Received: 3/17/2023 9:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	28.2	ug/L	H	3/23/2023	SBrooks

Sample Location: 2nd Draw 1819 Kalorama Rd. NW

Customer Sample Number:

Date / Time Collected: 2/27/2023 12:30 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-058

Date / Time Received: 3/17/2023 9:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L	H	3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2302069-007

Sample Location: 1st Draw 1826 KILBOURNE PL, NW

Customer Sample Number:

Date / Time Collected: 2/4/2023 8:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302069-007

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1826 KILBOURNE PL, NW

Customer Sample Number:

Date / Time Collected: 2/4/2023 8:05 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302069-008

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-031

Sample Location: 1st Draw 1832 Kalorama Rd. NW

Customer Sample Number:

Date / Time Collected: 2/27/2023 9:13 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-031

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 1832 Kalorama Rd. NW

Customer Sample Number:

Date / Time Collected: 2/27/2023 9:16 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-032

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-047

Sample Location: 1st Draw 1848 Kalarama Rd. NW

Customer Sample Number:

Date / Time Collected: 1/25/2023 4:20 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-047

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	3/16/2023	Lgallimore

Sample Location: 2nd Draw 1848 Kalarama Rd. NW

Customer Sample Number:

Date / Time Collected: 1/25/2023 4:22 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-048

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2302069-009

Sample Location: 1st Draw 1857 Newton St. NW

Customer Sample Number:

Date / Time Collected: 2/6/2023 8:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302069-009

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1857 Newton St. NW

Customer Sample Number:

Date / Time Collected: 2/6/2023 8:18 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302069-010

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303145-003

Sample Location: 1st Draw 1861 Ingleside Terrace NW

Customer Sample Number:

Date / Time Collected: 3/7/2023 8:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-003

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 1861 Ingleside Terrace NW

Customer Sample Number:

Date / Time Collected: 3/7/2023 8:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-004

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2302069-003

Sample Location: 1st Draw 1942 3rd St. NW

Customer Sample Number:

Date / Time Collected: 2/2/2023 8:15 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302069-003

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 1942 3rd St. NW

Customer Sample Number:

Date / Time Collected: 2/2/2023 8:15 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302069-004

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-023

Sample Location: 1st Draw 212 Walnut St. NW

Customer Sample Number:

Date / Time Collected: 2/26/2023 7:22 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-023

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 212 Walnut St. NW

Customer Sample Number:

Date / Time Collected: 2/26/2023 7:24 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-024

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-037

Sample Location: 1st Draw 213 Walnut St. NW

Customer Sample Number:

Date / Time Collected: 2/21/2023 5:21 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-037

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 213 Walnut St. NW

Customer Sample Number:

Date / Time Collected: 2/21/2023 5:24 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-038

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2302129-007

Sample Location: 1st Draw 218 17th PL NE

Customer Sample Number:

Date / Time Collected: 2/9/2023 6:16 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-007

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 218 17th PL NE

Customer Sample Number:

Date / Time Collected: 2/9/2023 6:19 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-008

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303145-029

Sample Location: 1st Draw 2407 North Capitol St. NE

Customer Sample Number:

Date / Time Collected: 3/8/2023 4:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-029

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 2407 North Capitol St. NE

Customer Sample Number:

Date / Time Collected: 3/8/2023 4:16 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-030

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-019

Sample Location: 1st Draw 2437 Tunlaw Rd. NW

Customer Sample Number:

Date / Time Collected: 2/25/2023 9:00 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-019

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 2437 Tunlaw Rd. NW

Customer Sample Number:

Date / Time Collected: 2/25/2023 9:05 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-020

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303145-059

Sample Location: 1st Draw 2718 32nd St. NW

Customer Sample Number:

Date / Time Collected: 3/8/2023 6:40 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-059

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 2718 32nd St. NW

Customer Sample Number:

Date / Time Collected: 3/8/2023 6:43 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-060

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2302129-023

Sample Location: 1st Draw 2820 32nd St. NW

Customer Sample Number:

Date / Time Collected: 2/15/2023 7:11 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-023

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 2820 32nd St. NW

Customer Sample Number:

Date / Time Collected: 2/15/2023 7:13 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-024

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-007

Sample Location: 1st Draw 2936 Upton St. NW

Customer Sample Number:

Date / Time Collected: 2/15/2023 2:45 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-007

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L	H	3/16/2023	Lgallimore

Sample Location: 2nd Draw 2936 Upton St. NW

Customer Sample Number:

Date / Time Collected: 2/15/2023 2:45 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-008

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2302129-011

Sample Location: 1st Draw 3126 Alabama Ave. SE

Customer Sample Number:

Date / Time Collected: 2/12/2023 5:10 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-011

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 3126 Alabama Ave. SE

Customer Sample Number:

Date / Time Collected: 2/12/2023 5:15 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-012

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-007

Sample Location: 1st Draw 3206 Park PL

Customer Sample Number:

Date / Time Collected: 2/21/2023 8:25 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-007

Date / Time Received: 3/8/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Sample Location: 2nd Draw 3206 Park PL

Customer Sample Number:

Date / Time Collected: 2/21/2023 8:25 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-008

Date / Time Received: 3/8/2023 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-041

Sample Location: 1st Draw 322 Varnum St. NW

Customer Sample Number:

Date / Time Collected: 2/22/2023 6:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-041

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 322 Varnum St. NW

Customer Sample Number:

Date / Time Collected: 2/22/2023 6:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-042

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-039

Sample Location: 1st Draw 3220 Park PL NW

Customer Sample Number:

Date / Time Collected: 2/21/2023 5:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-039

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 3220 Park PL NW

Customer Sample Number:

Date / Time Collected: 2/21/2023 5:33 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-040

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-023

Sample Location: 1st Draw 325 Varnum St. NW

Customer Sample Number:

Date / Time Collected: 2/18/2023 6:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-023

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 325 Varnum St. NW

Customer Sample Number:

Date / Time Collected: 2/18/2023 6:32 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-024

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-009

Sample Location: 1st Draw 3312 Alabama Ave. SE

Customer Sample Number:

Date / Time Collected: 2/22/2023 3:55 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-009

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 3312 Alabama Ave. SE

Customer Sample Number:

Date / Time Collected: 2/22/2023 4:00 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-010

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2302129-005

Sample Location: 1st Draw 3350 Tonnyson St. NW

Customer Sample Number:

Date / Time Collected: 2/8/2023 6:50 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-005

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 3350 Tonnyson St. NW

Customer Sample Number:

Date / Time Collected: 2/8/2023 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-006

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-029

Sample Location: 1st Draw 3416 McKinley St. NW

Customer Sample Number:

Date / Time Collected: 2/27/2023 6:05 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-029

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 3416 McKinley St. NW

Customer Sample Number:

Date / Time Collected: 2/27/2023 6:08 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-030

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303145-035

Sample Location: 1st Draw 3731 Jenifer St. NW

Customer Sample Number:

Date / Time Collected: 3/9/2023 7:19 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-035

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 3731 Jenifer St. NW

Customer Sample Number:

Date / Time Collected: 3/9/2023 7:20 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-036

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-009

Sample Location: 1st Draw 3857 Beecher St. NW

Customer Sample Number:

Date / Time Collected: 2/16/2023 7:58 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-009

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 3857 Beecher St. NW

Customer Sample Number:

Date / Time Collected: 2/16/2023 8:05 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-010

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-011

Sample Location: 1st Draw 3906 Jocelyn St. NW

Customer Sample Number:

Date / Time Collected: 2/23/2023 6:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-011

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 3906 Jocelyn St. NW

Customer Sample Number:

Date / Time Collected: 2/23/2023 6:10 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-012

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2302129-003

Sample Location: 1st Draw 3911 Livingston St. NW

Customer Sample Number:

Date / Time Collected: 2/6/2023 6:59 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-003

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 3911 Livingston St. NW

Customer Sample Number:

Date / Time Collected: 2/6/2023 7:01 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-004

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-013

Sample Location: 1st Draw 3914 5th St. NW

Customer Sample Number:

Date / Time Collected: 2/16/2023 10:08 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-013

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 3914 5th St. NW

Customer Sample Number:

Date / Time Collected: 2/16/2023 10:11 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-014

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-033

Sample Location: 1st Draw 3922 13th St. NE

Customer Sample Number:

Date / Time Collected: 2/19/2023 8:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-033

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 3922 13th St. NE

Customer Sample Number:

Date / Time Collected: 2/19/2023 8:32 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-034

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-037

Sample Location: 1st Draw 3931 Morrison St. NW

Customer Sample Number:

Date / Time Collected: 2/28/2023 7:34 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-037

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 3931 Morrison St. NW

Customer Sample Number:

Date / Time Collected: 2/28/2023 7:37 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-038

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-043

Sample Location: 1st Draw 4009 13th St. NE

Customer Sample Number:

Date / Time Collected: 3/2/2023 6:58 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-043

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 4009 13th St. NE

Customer Sample Number:

Date / Time Collected: 3/2/2023 6:59 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-044

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-025

Sample Location: 1st Draw 4109 Legation St. NW

Customer Sample Number:

Date / Time Collected: 2/26/2023 5:21 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-025

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 4109 Legation St. NW

Customer Sample Number:

Date / Time Collected: 2/26/2023 5:22 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-026

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303145-025

Sample Location: 1st Draw 413 Varnum St. NW

Customer Sample Number:

Date / Time Collected: 3/9/2023 6:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-025

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 413 Varnum St. NW

Customer Sample Number:

Date / Time Collected: 3/9/2023 6:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-026

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-035

Sample Location: 1st Draw 417 Columbia Rd. NW

Customer Sample Number:

Date / Time Collected: 2/27/2023 5:30 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-035

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 417 Columbia Rd. NW

Customer Sample Number:

Date / Time Collected: 2/27/2023 5:35 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-036

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303145-053

Sample Location: 1st Draw 4426 Q St. NW

Customer Sample Number:

Date / Time Collected: 3/7/2023 7:45 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-053

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 4426 Q St. NW

Customer Sample Number:

Date / Time Collected: 3/7/2023 7:50 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-054

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2302129-009

Sample Location: 1st Draw 4740 Quebec St. NW

Customer Sample Number:

Date / Time Collected: 2/9/2023 6:35 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-009

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 4740 Quebec St. NW

Customer Sample Number:

Date / Time Collected: 2/9/2023 6:35 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-010

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-001

Sample Location: 1st Draw 4956 Quebec St. NW

Customer Sample Number:

Date / Time Collected: 2/12/2023 8:04 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-001

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Sample Location: 2nd Draw 4956 Quebec St. NW

Customer Sample Number:

Date / Time Collected: 2/12/2023 8:08 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-002

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2302129-013

Sample Location: 1st Draw 4980 Quebec St. NW

Customer Sample Number:

Date / Time Collected: 2/13/2023 5:49 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-013

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 4980 Quebec St. NW

Customer Sample Number:

Date / Time Collected: 2/13/2023 5:50 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-014

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-005

Sample Location: 1st Draw 516 Butternut St. NW

Customer Sample Number:

Date / Time Collected: 2/15/2023 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-005

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L	H	3/16/2023	Lgallimore

Sample Location: 2nd Draw 516 Butternut St. NW

Customer Sample Number:

Date / Time Collected: 2/15/2023 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-006

Date / Time Received: 3/2/2023 7:40:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-029

Sample Location: 1st Draw 518 Varnum St. NW

Customer Sample Number:

Date / Time Collected: 2/19/2023 6:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-029

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 518 Varnum St. NW

Customer Sample Number:

Date / Time Collected: 2/19/2023 6:05 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-030

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-041

Sample Location: 1st Draw 5315 Manning Place NW

Customer Sample Number:

Date / Time Collected: 3/1/2023 6:50 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-041

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 5315 Manning Place NW

Customer Sample Number:

Date / Time Collected: 3/1/2023 6:52 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-042

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2302129-021

Sample Location: 1st Draw 5335 42nd Place NW

Customer Sample Number:

Date / Time Collected: 2/15/2023 6:01 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-021

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 5335 42nd Place NW

Customer Sample Number:

Date / Time Collected: 2/15/2023 6:03 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-022

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-035

Sample Location: 1st Draw 602 Colombia Rd. NW

Customer Sample Number:

Date / Time Collected: 2/19/2023 10:36 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-035

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 602 Colombia Rd. NW

Customer Sample Number:

Date / Time Collected: 2/19/2023 10:40 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-036

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303145-021

Sample Location: 1st Draw 624 A St. SE -Rear

Customer Sample Number:

Date / Time Collected: 2/25/2023 3:00 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-021

Date / Time Received: 3/17/2023 9:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/23/2023	SBrooks

Sample Location: 2nd Draw 624 A St. SE -Rear

Customer Sample Number:

Date / Time Collected: 2/25/2023 3:03 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-022

Date / Time Received: 3/17/2023 9:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-015

Sample Location: 1st Draw 640 Orleans PL NE

Customer Sample Number:

Date / Time Collected: 2/24/2023 5:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-015

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 640 Orleans PL NE

Customer Sample Number:

Date / Time Collected: 2/24/2023 5:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303061-016

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-043

Sample Location: 1st Draw 704 E St. NE
Customer Sample Number:
Date / Time Collected: 2/22/2023 6:05 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303019-043
Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 704 E St. NE
Customer Sample Number:
Date / Time Collected: 2/22/2023 6:07 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303019-044
Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2302129-001

Sample Location: 1st Draw 741 Hamilton St. NW

Customer Sample Number:

Date / Time Collected: 2/5/2023 2:25 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-001

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 741 Hamilton St. NW

Customer Sample Number:

Date / Time Collected: 2/5/2023 2:25 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-002

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-031

Sample Location: 1st Draw 7604 Morningside Dr. NW

Customer Sample Number:

Date / Time Collected: 2/19/2023 6:27 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-031

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	LGallimore

Sample Location: 2nd Draw 7604 Morningside Dr. NW

Customer Sample Number:

Date / Time Collected: 2/19/2023 6:28 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-032

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	LGallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-019

Sample Location: 1st Draw 8 E St. SE
Customer Sample Number:
Date / Time Collected: 2/17/2023 6:48 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303019-019
Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 8 E St. SE
Customer Sample Number:
Date / Time Collected: 2/17/2023 6:49 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303019-020
Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-011

Sample Location: 1st Draw 807 Quintana PL NW

Customer Sample Number:

Date / Time Collected: 2/16/2023 10:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-011

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 807 Quintana PL NW

Customer Sample Number:

Date / Time Collected: 2/16/2023 10:05 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303019-012

Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303145-001

Sample Location: 1st Draw 809 Emerson St. NW

Customer Sample Number:

Date / Time Collected: 3/5/2023 7:17 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-001

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Sample Location: 2nd Draw 809 Emerson St. NW

Customer Sample Number:

Date / Time Collected: 3/5/2023 7:20 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303145-002

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2302129-015

Sample Location: 1st Draw 817 Quackenbos St. NW

Customer Sample Number:

Date / Time Collected: 2/13/2023 6:45 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-015

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 817 Quackenbos St. NW

Customer Sample Number:

Date / Time Collected: 2/13/2023 6:45 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302129-016

Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303019-027

Sample Location: 1st Draw 911 K St. NE
Customer Sample Number:
Date / Time Collected: 2/19/2023 4:55 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303019-027
Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 911 K St. NE
Customer Sample Number:
Date / Time Collected: 2/19/2023 4:59 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303019-028
Date / Time Received: 3/2/2023 7:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2302069-001

Sample Location: 1st Draw 935 Shepherd St. NW

Customer Sample Number:

Date / Time Collected: 2/1/2023 7:24 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302069-001

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/8/2023	Rlamsal

Sample Location: 2nd Draw 935 Shepherd St. NW

Customer Sample Number:

Date / Time Collected: 2/1/2023 7:27 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2302069-002

Date / Time Received: 2/9/2023 10:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.6	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-Post-LSR- 2303061-027

Sample Location: 1st Draw 951 15th St. SE
Customer Sample Number:
Date / Time Collected: 2/26/2023 10:23 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303061-027
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/16/2023	Lgallimore

Sample Location: 2nd Draw 951 15th St. SE
Customer Sample Number:
Date / Time Collected: 2/26/2023 10:25 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303061-028
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-Post-LSR- 2303190-089

Sample Location: 1st Draw 1425 Morse St. NE

Customer Sample Number:

Date / Time Collected: 3/10/2023 7:25 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-089

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/31/2023	Bprakash

Sample Location: 2nd Draw 1425 Morse St. NE

Customer Sample Number:

Date / Time Collected: 3/10/2023 7:27 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-090

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-Post-LSR- 2303190-019

Sample Location: 1st Draw 1437 E St. NE

Customer Sample Number:

Date / Time Collected: 3/10/2023 6:10 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-019

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L	H	3/31/2023	Bprakash

Sample Location: 2nd Draw 1437 E St. NE

Customer Sample Number:

Date / Time Collected: 3/10/2023 6:12 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-020

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L	H	3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-Post-LSR- 2303190-079

Sample Location: 1st Draw 1511 S St. SE
Customer Sample Number:
Date / Time Collected: 3/14/2023 3:40 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303190-079
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 1511 S St. SE
Customer Sample Number:
Date / Time Collected: 3/14/2023 3:46 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303190-080
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-Post-LSR- 2303190-071

Sample Location: 1st Draw 156 T St. NE
Customer Sample Number:
Date / Time Collected: 3/20/2023 7:30 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303190-071
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 156 T St. NE
Customer Sample Number:
Date / Time Collected: 3/20/2023 7:35 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303190-072
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-Post-LSR- 2303190-077

Sample Location: 1st Draw 1807 M St. NE
Customer Sample Number:
Date / Time Collected: 3/16/2023 7:20 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303190-077
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 1807 M St. NE
Customer Sample Number:
Date / Time Collected: 3/16/2023 7:24 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303190-078
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-Post-LSR- 2303190-051

Sample Location: 1st Draw 207 9th St.

Customer Sample Number:

Date / Time Collected: 3/12/2023 10:40 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-051

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/31/2023	Bprakash

Sample Location: 2nd Draw 207 9th St.

Customer Sample Number:

Date / Time Collected: 3/12/2023 10:51 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-052

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-Post-LSR- 2303190-091

Sample Location: 1st Draw 252 Walnut St. NW

Customer Sample Number:

Date / Time Collected: 3/10/2023 9:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-091

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L	H	3/31/2023	Bprakash

Sample Location: 2nd Draw 252 Walnut St. NW

Customer Sample Number:

Date / Time Collected: 3/10/2023 9:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-092

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-Post-LSR- 2303190-037

Sample Location: 1st Draw 3507 24th St. NE

Customer Sample Number:

Date / Time Collected: 3/16/2023 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-037

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	20.0	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 3507 24th St. NE

Customer Sample Number:

Date / Time Collected: 3/16/2023 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-038

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-Post-LSR- 2303190-023

Sample Location: 1st Draw 3645 Kanawha St. NW

Customer Sample Number:

Date / Time Collected: 3/12/2023 11:40 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-023

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.1	ug/L	H	3/31/2023	Bprakash

Sample Location: 2nd Draw 3645 Kanawha St. NW

Customer Sample Number:

Date / Time Collected: 3/12/2023 11:50 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-024

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-Post-LSR- 2303190-081

Sample Location: 1st Draw 3723 Livingston St. NW

Customer Sample Number:

Date / Time Collected: 3/9/2023 6:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-081

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	3/31/2023	Bprakash

Sample Location: 2nd Draw 3723 Livingston St. NW

Customer Sample Number:

Date / Time Collected: 3/9/2023 6:05 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-082

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-Post-LSR- 2303190-047

Sample Location: 1st Draw 4211 16th St. NW

Customer Sample Number:

Date / Time Collected: 3/10/2023 7:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-047

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	3/31/2023	Bprakash

Sample Location: 2nd Draw 4211 16th St. NW

Customer Sample Number:

Date / Time Collected: 3/10/2023 7:32 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-048

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-Post-LSR- 2303190-061

Sample Location: 1st Draw 5436 C St. SE
Customer Sample Number:
Date / Time Collected: 3/20/2023 9:00 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303190-061
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 5436 C St. SE
Customer Sample Number:
Date / Time Collected: 3/20/2023 9:10 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303190-062
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-Post-LSR- 2303190-055

Sample Location: 1st Draw 6608 Piney Branch Rd. NW

Customer Sample Number:

Date / Time Collected: 3/14/2023 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-055

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 6608 Piney Branch Rd. NW

Customer Sample Number:

Date / Time Collected: 3/14/2023 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-056

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-Post-LSR- 2303190-087

Sample Location: 1st Draw 808 Aspen St. NW

Customer Sample Number:

Date / Time Collected: 3/14/2023 7:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-087

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 808 Aspen St. NW

Customer Sample Number:

Date / Time Collected: 3/14/2023 7:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-088

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-Post-LSR- 2303190-041

Sample Location: 1st Draw 814 L St. NE

Customer Sample Number:

Date / Time Collected: 3/12/2023 12:16 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-041

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L	H	3/31/2023	Bprakash

Sample Location: 2nd Draw 814 L St. NE

Customer Sample Number:

Date / Time Collected: 3/12/2023 12:18 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-042

Date / Time Received: 3/27/2023 11:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-Post-LSR- 2303190-029

Sample Location: 1st Draw 819 Farragut St. NW

Customer Sample Number:

Date / Time Collected: 3/22/2023 5:05 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-029

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Sample Location: 2nd Draw 819 Farragut St. NW

Customer Sample Number:

Date / Time Collected: 3/22/2023 5:07 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303190-030

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/31/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/24/2023

Report Number: L-DC-Post-LSR- 2303216-003

Sample Location: 1st Draw 1153 Morse St. NE

Customer Sample Number:

Date / Time Collected: 3/23/2023 7:04 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303216-003

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		4/6/2023	Bprakash

Sample Location: 2nd Draw 1153 Morse St. NE

Customer Sample Number:

Date / Time Collected: 3/23/2023 7:05 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303216-004

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/6/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/24/2023

Report Number: L-DC-Post-LSR- 2303216-009

Sample Location: 1st Draw 1706 3rd St. NE
Customer Sample Number:
Date / Time Collected: 3/28/2023 6:40 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303216-009
Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		4/6/2023	Bprakash

Sample Location: 2nd Draw 1706 3rd St. NE
Customer Sample Number:
Date / Time Collected: 3/28/2023 6:40 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303216-010
Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		4/6/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/24/2023

Report Number: L-DC-Post-LSR- 2303216-005

Sample Location: 1st Draw 323 10th St. SE
Customer Sample Number:
Date / Time Collected: 3/23/2023 3:09 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303216-005
Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		4/6/2023	Bprakash

Sample Location: 2nd Draw 323 10th St. SE
Customer Sample Number:
Date / Time Collected: 3/23/2023 3:12 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303216-006
Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/6/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/24/2023

Report Number: L-DC-Post-LSR- 2303216-001

Sample Location: 1st Draw 3352 Alden PL NE

Customer Sample Number:

Date / Time Collected: 3/14/2023 9:06 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303216-001

Date / Time Received: 3/31/2023 9:53:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L	H	4/6/2023	Bprakash

Sample Location: 2nd Draw 3352 Alden PL NE

Customer Sample Number:

Date / Time Collected: 3/14/2023 9:09 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2303216-002

Date / Time Received: 3/31/2023 9:53:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	4/6/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/24/2023

Report Number: L-DC-Post-LSR- 2303216-007

Sample Location: 1st Draw 943 15th St.
Customer Sample Number:
Date / Time Collected: 3/24/2023 6:12 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303216-007
Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/6/2023	Bprakash

Sample Location: 2nd Draw 943 15th St.
Customer Sample Number:
Date / Time Collected: 3/24/2023 6:14 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2303216-008
Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/6/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-Post-LSR- 2304145-001

Sample Location: 1st Draw 724 Upshur St NW

Customer Sample Number:

Date / Time Collected: 4/12/2023 7:05 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2304145-001

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 724 Upshur St NW

Customer Sample Number:

Date / Time Collected: 4/12/2023 7:06 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2304145-002

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/10/2023

Report Number: L-DC-Post-LSR- 2304145-003

Sample Location: 1st Draw 912 15th SE
Customer Sample Number:
Date / Time Collected: 4/18/2023 8:46 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2304145-003
Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Sample Location: 2nd Draw 912 15th SE
Customer Sample Number:
Date / Time Collected: 4/18/2023 8:47 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2304145-004
Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-Post-LSR- 2304087-009

Sample Location: 1st Draw 115 Varnum St. NW

Customer Sample Number:

Date / Time Collected: 4/5/2023 6:35 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2304087-009

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 115 Varnum St. NW

Customer Sample Number:

Date / Time Collected: 4/5/2023 6:35 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2304087-010

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-Post-LSR- 2304039-001

Sample Location: 1st Draw 137 Randolph PL NW

Customer Sample Number:

Date / Time Collected: 3/19/2023 7:10 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2304039-001

Date / Time Received: 4/7/2023 10:20:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	4/20/2023	Bprakash

Sample Location: 2nd Draw 137 Randolph PL NW

Customer Sample Number:

Date / Time Collected: 3/19/2023 7:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2304039-002

Date / Time Received: 4/7/2023 10:20:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-Post-LSR- 2304087-003

Sample Location: 1st Draw 1436 Ridge PL SE

Customer Sample Number:

Date / Time Collected: 3/30/2023 5:30 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2304087-003

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 1436 Ridge PL SE

Customer Sample Number:

Date / Time Collected: 3/30/2023 5:32 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2304087-004

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-Post-LSR- 2304039-005

Sample Location: 1st Draw 2909 Sherman Ave. NW
Customer Sample Number:
Date / Time Collected: 3/25/2023 11:00 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2304039-005
Date / Time Received: 4/7/2023 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 2909 Sherman Ave. NW
Customer Sample Number:
Date / Time Collected: 3/25/2023 11:05 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2304039-006
Date / Time Received: 4/7/2023 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-Post-LSR- 2304087-011

Sample Location: 1st Draw 3523 Warder St. NW

Customer Sample Number:

Date / Time Collected: 4/7/2023 8:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2304087-011

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 3523 Warder St. NW

Customer Sample Number:

Date / Time Collected: 4/7/2023 8:03 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2304087-012

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-Post-LSR- 2304087-001

Sample Location: 1st Draw 3817 5th St. NW

Customer Sample Number:

Date / Time Collected: 3/28/2023 1:43 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2304087-001

Date / Time Received: 4/13/2023 12:55:00 PM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	4/20/2023	Bprakash

Sample Location: 2nd Draw 3817 5th St. NW

Customer Sample Number:

Date / Time Collected: 3/28/2023 1:45 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2304087-002

Date / Time Received: 4/13/2023 12:55:00 PM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-Post-LSR- 2304087-013

Sample Location: 1st Draw 3908 8th St. NW

Customer Sample Number:

Date / Time Collected: 4/9/2023 4:10 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2304087-013

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 3908 8th St. NW

Customer Sample Number:

Date / Time Collected: 4/9/2023 4:12 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2304087-014

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-Post-LSR- 2304087-007

Sample Location: 1st Draw 4202 37th St. NW

Customer Sample Number:

Date / Time Collected: 4/1/2023 7:40 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2304087-007

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 4202 37th St. NW

Customer Sample Number:

Date / Time Collected: 4/1/2023 7:42 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2304087-008

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-Post-LSR- 2304039-003

Sample Location: 1st Draw 4912 Quebec St. NW

Customer Sample Number:

Date / Time Collected: 3/24/2023 7:10 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2304039-003

Date / Time Received: 4/7/2023 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 4912 Quebec St. NW

Customer Sample Number:

Date / Time Collected: 3/24/2023 7:11 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2304039-004

Date / Time Received: 4/7/2023 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-Post-LSR- 2304087-005

Sample Location: 1st Draw 714 Hamilton St. NW

Customer Sample Number:

Date / Time Collected: 3/31/2023 8:08 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2304087-005

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		4/20/2023	Bprakash

Sample Location: 2nd Draw 714 Hamilton St. NW

Customer Sample Number:

Date / Time Collected: 3/31/2023 8:12 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2304087-006

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305058-063

Sample Location: 1st Draw 1016 Park Rd. NW

Customer Sample Number:

Date / Time Collected: 5/2/2023 10:00 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-063

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.2	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 1016 Park Rd. NW

Customer Sample Number:

Date / Time Collected: 5/2/2023 10:05 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-064

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305058-043

Sample Location: 1st Draw 103 2nd St. NE Apt. B

Customer Sample Number:

Date / Time Collected: 5/1/2023 10:36 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-043

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 103 2nd St. NE Apt. B

Customer Sample Number:

Date / Time Collected: 5/1/2023 10:39 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-044

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-064

Sample Location: 1st Draw 112 4th St. NE
Customer Sample Number:
Date / Time Collected: 5/14/2023 10:30 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305149-064
Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 112 4th St. NE
Customer Sample Number:
Date / Time Collected: 5/14/2023 10:30 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305149-065
Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305058-035

Sample Location: 1st Draw 1123 Michigan Ave. NE

Customer Sample Number:

Date / Time Collected: 5/1/2023 6:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-035

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 1123 Michigan Ave. NE

Customer Sample Number:

Date / Time Collected: 5/1/2023 6:18 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-036

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305113-033

Sample Location: 1st Draw 114 4th St. NE
Customer Sample Number:
Date / Time Collected: 5/7/2023 8:00 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305113-033
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 114 4th St. NE
Customer Sample Number:
Date / Time Collected: 5/7/2023 8:00 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305113-034
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305058-025

Sample Location: 1st Draw 1241 Rock Ck Ford Rd. NW
Customer Sample Number:
Date / Time Collected: 4/30/2023 8:33 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305058-025
Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 1241 Rock Ck Ford Rd. NW
Customer Sample Number:
Date / Time Collected: 4/30/2023 8:40 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305058-026
Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305004-001

Sample Location: 1st Draw 1310 Locust Rd. NW

Customer Sample Number:

Date / Time Collected: 4/14/2023 9:09 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305004-001

Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 1310 Locust Rd. NW

Customer Sample Number:

Date / Time Collected: 4/14/2023 9:10 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305004-002

Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-032

Sample Location: 1st Draw 1347 Monroe St. NW

Customer Sample Number:

Date / Time Collected: 5/9/2023 7:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-032

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 1347 Monroe St. NW

Customer Sample Number:

Date / Time Collected: 5/9/2023 7:16 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-033

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305058-039

Sample Location: 1st Draw 1370 Locust Rd. NW

Customer Sample Number:

Date / Time Collected: 5/1/2023 7:20 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-039

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 1370 Locust Rd. NW

Customer Sample Number:

Date / Time Collected: 5/1/2023 7:23 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-040

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305113-027

Sample Location: 1st Draw 1424 Perry PL NW

Customer Sample Number:

Date / Time Collected: 5/7/2023 9:55 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305113-027

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 1424 Perry PL NW

Customer Sample Number:

Date / Time Collected: 5/7/2023 9:56 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305113-028

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 6/13/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-Post-LSR- 2305058-021

Sample Location: 1st Draw 1426 E St. NE
Customer Sample Number:
Date / Time Collected: 4/30/2023 7:41 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305058-021
Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 1426 E St. NE
Customer Sample Number:
Date / Time Collected: 4/30/2023 7:44 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305058-022
Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-078

Sample Location: 1st Draw 1439 Newton NE

Customer Sample Number:

Date / Time Collected: 5/16/2023 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-078

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 1439 Newton NE

Customer Sample Number:

Date / Time Collected: 5/16/2023 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-079

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.4	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305113-037

Sample Location: 1st Draw 145 Kentucky Ave. SE

Customer Sample Number:

Date / Time Collected: 5/8/2023 7:17 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305113-037

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 145 Kentucky Ave. SE

Customer Sample Number:

Date / Time Collected: 5/8/2023 7:18 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305113-038

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-022

Sample Location: 1st Draw 1706 Surrey Lane NW

Customer Sample Number:

Date / Time Collected: 5/8/2023 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-022

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 1706 Surrey Lane NW

Customer Sample Number:

Date / Time Collected: 5/8/2023 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-023

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305113-021

Sample Location: 1st Draw 1708 A St. SE
Customer Sample Number:
Date / Time Collected: 5/4/2023 6:20 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305113-021
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 1708 A St. SE
Customer Sample Number:
Date / Time Collected: 5/4/2023 6:21 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305113-022
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305058-019

Sample Location: 1st Draw 1840 Ingleside Ter. NW

Customer Sample Number:

Date / Time Collected: 4/30/2023 7:11 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-019

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 1840 Ingleside Ter. NW

Customer Sample Number:

Date / Time Collected: 4/30/2023 7:12 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-020

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-016

Sample Location: 1st Draw 19 Sherman Cir. NW

Customer Sample Number:

Date / Time Collected: 5/8/2023 6:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-016

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 19 Sherman Cir. NW

Customer Sample Number:

Date / Time Collected: 5/8/2023 6:38 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-017

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305113-003

Sample Location: 1st Draw 1929 Park Rd. NW

Customer Sample Number:

Date / Time Collected: 4/29/2023 11:36 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305113-003

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 1929 Park Rd. NW

Customer Sample Number:

Date / Time Collected: 4/29/2023 11:36 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305113-004

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305113-029

Sample Location: 1st Draw 2116 13th St. SE

Customer Sample Number:

Date / Time Collected: 5/7/2023 1:04 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305113-029

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 2116 13th St. SE

Customer Sample Number:

Date / Time Collected: 5/7/2023 1:05 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305113-030

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-034

Sample Location: 1st Draw 22 7th St. SE
Customer Sample Number:
Date / Time Collected: 5/9/2023 8:00 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305149-034
Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 22 7th St. SE
Customer Sample Number:
Date / Time Collected: 5/9/2023 8:04 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305149-035
Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-066

Sample Location: 1st Draw 226 S St. NE
Customer Sample Number:
Date / Time Collected: 5/15/2023 6:30 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305149-066
Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 226 S St. NE
Customer Sample Number:
Date / Time Collected: 5/15/2023 6:30 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305149-067
Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305113-031

Sample Location: 1st Draw 24 7th St. SE
Customer Sample Number:
Date / Time Collected: 5/7/2023 7:30 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305113-031
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 24 7th St. SE
Customer Sample Number:
Date / Time Collected: 5/7/2023 7:30 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305113-032
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 6/13/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-Post-LSR- 2305149-054

Sample Location: 1st Draw 2408 10th St. NE

Customer Sample Number:

Date / Time Collected: 5/13/2023 9:29 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-054

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 2408 10th St. NE

Customer Sample Number:

Date / Time Collected: 5/13/2023 9:33 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-055

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-028

Sample Location: 1st Draw 248 Quackenbos St. NW

Customer Sample Number:

Date / Time Collected: 5/9/2023 6:10 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-028

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 248 Quackenbos St. NW

Customer Sample Number:

Date / Time Collected: 5/9/2023 6:12 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-029

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 6/13/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-Post-LSR- 2305149-030

Sample Location: 1st Draw 26 S St. NW
Customer Sample Number:
Date / Time Collected: 5/9/2023 7:00 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305149-030
Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 26 S St. NW
Customer Sample Number:
Date / Time Collected: 5/9/2023 7:05 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305149-031
Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305113-019

Sample Location: 1st Draw 2611 N. Capitol St. NE

Customer Sample Number:

Date / Time Collected: 5/4/2023 9:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305113-019

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 2611 N. Capitol St. NE

Customer Sample Number:

Date / Time Collected: 5/4/2023 9:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305113-020

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-026

Sample Location: 1st Draw 27 Michigan Ave. NE

Customer Sample Number:

Date / Time Collected: 5/9/2023 5:36 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-026

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 27 Michigan Ave. NE

Customer Sample Number:

Date / Time Collected: 5/9/2023 5:42 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-027

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 6/13/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-Post-LSR- 2305004-003

Sample Location: 1st Draw 2762 Woodley PL NW

Customer Sample Number:

Date / Time Collected: 4/18/2023 5:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305004-003

Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 2762 Woodley PL NW

Customer Sample Number:

Date / Time Collected: 4/18/2023 5:35 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305004-004

Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305058-037

Sample Location: 1st Draw 2945 Upton St. NW

Customer Sample Number:

Date / Time Collected: 5/1/2023 6:49 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-037

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 2945 Upton St. NW

Customer Sample Number:

Date / Time Collected: 5/1/2023 6:51 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-038

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 6/13/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-Post-LSR- 2305113-007

Sample Location: 1st Draw 307 K St. NE
Customer Sample Number:
Date / Time Collected: 5/1/2023 7:00 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305113-007
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 307 K St. NE
Customer Sample Number:
Date / Time Collected: 5/1/2023 7:10 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305113-008
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305058-065

Sample Location: 1st Draw 308 Varnum St. NW

Customer Sample Number:

Date / Time Collected: 5/2/2023 11:00 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-065

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 308 Varnum St. NW

Customer Sample Number:

Date / Time Collected: 5/2/2023 11:02 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-066

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305113-009

Sample Location: 1st Draw 3113 45th St. NW

Customer Sample Number:

Date / Time Collected: 5/2/2023 6:20 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305113-009

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 3113 45th St. NW

Customer Sample Number:

Date / Time Collected: 5/2/2023 6:33 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305113-010

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-058

Sample Location: 1st Draw 3304 Warder St. NW

Customer Sample Number:

Date / Time Collected: 5/13/2023 6:45 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-058

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 3304 Warder St. NW

Customer Sample Number:

Date / Time Collected: 5/13/2023 6:50 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-059

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-018

Sample Location: 1st Draw 3414 Warder St. NW

Customer Sample Number:

Date / Time Collected: 5/8/2023 6:40 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-018

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 3414 Warder St. NW

Customer Sample Number:

Date / Time Collected: 5/8/2023 6:42 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-019

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305058-055

Sample Location: 1st Draw 3628 Van Ness St. NW

Customer Sample Number:

Date / Time Collected: 5/2/2023 7:39 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-055

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 3628 Van Ness St. NW

Customer Sample Number:

Date / Time Collected: 5/2/2023 7:41 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-056

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305058-023

Sample Location: 1st Draw 3815 Warren St. NW

Customer Sample Number:

Date / Time Collected: 4/30/2023 8:25 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-023

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 3815 Warren St. NW

Customer Sample Number:

Date / Time Collected: 4/30/2023 8:25 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-024

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-005

Sample Location: 1st Draw 4040 Ellicott St. NW

Customer Sample Number:

Date / Time Collected: 5/3/2023 6:49 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-005

Date / Time Received: 5/19/2023 1:50:00 PM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	6/1/2023	SBrooks

Sample Location: 2nd Draw 4040 Ellicott St. NW

Customer Sample Number:

Date / Time Collected: 5/3/2023 6:53 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-006

Date / Time Received: 5/19/2023 1:50:00 PM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305058-051

Sample Location: 1st Draw 409 Columbia RD. NW

Customer Sample Number:

Date / Time Collected: 5/2/2023 7:05 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-051

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 409 Columbia RD. NW

Customer Sample Number:

Date / Time Collected: 5/2/2023 7:05 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-052

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305058-041

Sample Location: 1st Draw 4116 12th St. NE

Customer Sample Number:

Date / Time Collected: 5/1/2023 7:31 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-041

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 4116 12th St. NE

Customer Sample Number:

Date / Time Collected: 5/1/2023 7:33 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-042

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305113-013

Sample Location: 1st Draw 426 Newton Place NW

Customer Sample Number:

Date / Time Collected: 5/4/2023 6:41 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305113-013

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 426 Newton Place NW

Customer Sample Number:

Date / Time Collected: 5/4/2023 6:45 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305113-014

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-010

Sample Location: 1st Draw 4712 5th St. NW

Customer Sample Number:

Date / Time Collected: 5/5/2023 8:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-010

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 4712 5th St. NW

Customer Sample Number:

Date / Time Collected: 5/5/2023 8:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-011

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-070

Sample Location: 1st Draw 4803 41st St. NW

Customer Sample Number:

Date / Time Collected: 5/15/2023 7:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-070

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 4803 41st St. NW

Customer Sample Number:

Date / Time Collected: 5/15/2023 7:18 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-071

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305058-069

Sample Location: 1st Draw 4824 41st St. NW

Customer Sample Number:

Date / Time Collected: 5/3/2023 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-069

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.2	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 4824 41st St. NW

Customer Sample Number:

Date / Time Collected: 5/3/2023 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-070

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 6/13/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-Post-LSR- 2305058-033

Sample Location: 1st Draw 4914 41st St. NW

Customer Sample Number:

Date / Time Collected: 5/1/2023 5:50 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-033

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 4914 41st St. NW

Customer Sample Number:

Date / Time Collected: 5/1/2023 5:55 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-034

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 6/13/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-Post-LSR- 2305149-007

Sample Location: 1st Draw 507 Columbia Rd. NW

Customer Sample Number:

Date / Time Collected: 5/5/2023 3:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-007

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-072

Sample Location: 1st Draw 5113 45th St. NW

Customer Sample Number:

Date / Time Collected: 5/15/2023 7:20 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-072

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.2	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 5113 45th St. NW

Customer Sample Number:

Date / Time Collected: 5/15/2023 7:25 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-073

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305058-061

Sample Location: 1st Draw 5126 Cathedral Ave. NW
Customer Sample Number:
Date / Time Collected: 5/2/2023 3:40 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305058-061
Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 5126 Cathedral Ave. NW
Customer Sample Number:
Date / Time Collected: 5/2/2023 3:43 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305058-062
Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-008

Sample Location: 1st Draw 5423 8th St. NW

Customer Sample Number:

Date / Time Collected: 5/5/2023 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-008

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 5423 8th St. NW

Customer Sample Number:

Date / Time Collected: 5/5/2023 7:01 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-009

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-024

Sample Location: 1st Draw 55 S St. NW
Customer Sample Number:
Date / Time Collected: 5/8/2023 7:29 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305149-024
Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 55 S St. NW
Customer Sample Number:
Date / Time Collected: 5/8/2023 7:31 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305149-025
Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305058-067

Sample Location: 1st Draw 5531 7th St. NW

Customer Sample Number:

Date / Time Collected: 5/3/2023 6:45 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-067

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 5531 7th St. NW

Customer Sample Number:

Date / Time Collected: 5/3/2023 6:50 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-068

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305058-059

Sample Location: 1st Draw 60 Rhode Island Ave. NE

Customer Sample Number:

Date / Time Collected: 5/2/2023 12:17 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-059

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.4	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 60 Rhode Island Ave. NE

Customer Sample Number:

Date / Time Collected: 5/2/2023 12:20 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-060

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305058-017

Sample Location: 1st Draw 606 Lamont St. NW

Customer Sample Number:

Date / Time Collected: 4/30/2023 6:56 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-017

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 606 Lamont St. NW

Customer Sample Number:

Date / Time Collected: 4/30/2023 6:58 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-018

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-044

Sample Location: 1st Draw 615 Quackenbos St. NW

Customer Sample Number:

Date / Time Collected: 5/11/2023 4:56 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-044

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 615 Quackenbos St. NW

Customer Sample Number:

Date / Time Collected: 5/11/2023 4:57 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-045

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-074

Sample Location: 1st Draw 619 Quebec PL NW

Customer Sample Number:

Date / Time Collected: 5/15/2023 8:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-074

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 619 Quebec PL NW

Customer Sample Number:

Date / Time Collected: 5/15/2023 8:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-075

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-046

Sample Location: 1st Draw 6207 - 7th St. NW

Customer Sample Number:

Date / Time Collected: 5/11/2023 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-046

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 6207 - 7th St. NW

Customer Sample Number:

Date / Time Collected: 5/11/2023 7:16 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-047

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305058-031

Sample Location: 1st Draw 6209 7th St. NW

Customer Sample Number:

Date / Time Collected: 5/1/2023 5:45 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-031

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 6209 7th St. NW

Customer Sample Number:

Date / Time Collected: 5/1/2023 5:45 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-032

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-012

Sample Location: 1st Draw 633 Quebec PL, NW

Customer Sample Number:

Date / Time Collected: 5/7/2023 6:05 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-012

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 633 Quebec PL, NW

Customer Sample Number:

Date / Time Collected: 5/7/2023 6:10 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-013

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305113-005

Sample Location: 1st Draw 641 Columbia Rd. NW

Customer Sample Number:

Date / Time Collected: 4/30/2023 8:41 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305113-005

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 641 Columbia Rd. NW

Customer Sample Number:

Date / Time Collected: 4/30/2023 8:43 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305113-006

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305113-025

Sample Location: 1st Draw 6604 1st St. NW Apt. 2

Customer Sample Number:

Date / Time Collected: 5/7/2023 6:50 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305113-025

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 6604 1st St. NW Apt. 2

Customer Sample Number:

Date / Time Collected: 5/7/2023 6:51 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305113-026

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-038

Sample Location: 1st Draw 6611 1st St. NW

Customer Sample Number:

Date / Time Collected: 5/10/2023 7:11 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-038

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 6611 1st St. NW

Customer Sample Number:

Date / Time Collected: 5/10/2023 7:13 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-039

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305058-015

Sample Location: 1st Draw 6614 2nd St. NW

Customer Sample Number:

Date / Time Collected: 4/29/2023 7:05 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-015

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 6614 2nd St. NW

Customer Sample Number:

Date / Time Collected: 4/29/2023 7:07 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-016

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-052

Sample Location: 1st Draw 6626 1st NW
Customer Sample Number:
Date / Time Collected: 5/11/2023 8:24 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305149-052
Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 6626 1st NW
Customer Sample Number:
Date / Time Collected: 5/11/2023 8:25 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305149-053
Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305058-003

Sample Location: 1st Draw 6700 4th St. NW

Customer Sample Number:

Date / Time Collected: 4/23/2023 6:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-003

Date / Time Received: 5/8/2023 10:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	5/30/2023	Lgallimore

Sample Location: 2nd Draw 6700 4th St. NW

Customer Sample Number:

Date / Time Collected: 4/23/2023 6:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-004

Date / Time Received: 5/8/2023 10:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L	H	5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305149-056

Sample Location: 1st Draw 736 Marietta PL, NW

Customer Sample Number:

Date / Time Collected: 5/13/2023 9:40 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-056

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Sample Location: 2nd Draw 736 Marietta PL, NW

Customer Sample Number:

Date / Time Collected: 5/13/2023 9:43 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305149-057

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/1/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305113-011

Sample Location: 1st Draw 751 Princeton PL NW

Customer Sample Number:

Date / Time Collected: 5/3/2023 5:15 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305113-011

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 751 Princeton PL NW

Customer Sample Number:

Date / Time Collected: 5/3/2023 5:15 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305113-012

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-Post-LSR- 2305058-071

Sample Location: 1st Draw 822 Emerson St. NW

Customer Sample Number:

Date / Time Collected: 5/3/2023 8:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-071

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 822 Emerson St. NW

Customer Sample Number:

Date / Time Collected: 5/3/2023 8:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2305058-072

Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 6/13/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-Post-LSR- 2305113-035

Sample Location: 1st Draw 909 L St. NE
Customer Sample Number:
Date / Time Collected: 5/8/2023 5:56 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305113-035
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Sample Location: 2nd Draw 909 L St. NE
Customer Sample Number:
Date / Time Collected: 5/8/2023 5:58 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2305113-036
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Customer Collected Profiles

DC Water operates a program when customers request a lead sampling kit without knowledge of their service line material. The profile kit comes with ten bottles and instructions on how to collect samples. Customers collect their own samples and contact DC Water to deliver the bottles to the Washington Aqueduct. Results are then reported back to the customer through DC Water's Customer Service Program.



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: LT-DC-CCPF-2211146

Sample Location: 1 435 11th St. NE
Date Collected: 11/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211146-001
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.7	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 2 435 11th St. NE
Date Collected: 11/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211146-002
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 3 435 11th St. NE
Date Collected: 11/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211146-003
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 435 11th St. NE
Date Collected: 11/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211146-004
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 5 435 11th St. NE
Date Collected: 11/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211146-005
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 6 435 11th St. NE
Date Collected: 11/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211146-006
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	11.0	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.5	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 7 435 11th St. NE
Date Collected: 11/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211146-007
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	49.0	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.9	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.7	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 8 435 11th St. NE
Date Collected: 11/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211146-008
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	2.6	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 435 11th St. NE
Date Collected: 11/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211146-009
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.5	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 10 435 11th St. NE
Date Collected: 11/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211146-010
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: LT-DC-CCPF-2211147

Sample Location: 1 705 18th St. NE

Date Collected: 11/1/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2211147-001

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.6	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Sample Location: 2 705 18th St. NE

Date Collected: 11/1/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2211147-002

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.6	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Sample Location: 3 705 18th St. NE

Date Collected: 11/1/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2211147-003

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 705 18th St. NE **Customer Program Code:** CCPF
Date Collected: 11/1/2022 **Laboratory Sample Number:** 2211147-004
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Sample Location: 5 705 18th St. NE **Customer Program Code:** CCPF
Date Collected: 11/1/2022 **Laboratory Sample Number:** 2211147-005
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Sample Location: 6 705 18th St. NE **Customer Program Code:** CCPF
Date Collected: 11/1/2022 **Laboratory Sample Number:** 2211147-006
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.7	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Sample Location: 7 705 18th St. NE **Customer Program Code:** CCPF
Date Collected: 11/1/2022 **Laboratory Sample Number:** 2211147-007
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	2.1	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Sample Location: 8 705 18th St. NE **Customer Program Code:** CCPF
Date Collected: 11/1/2022 **Laboratory Sample Number:** 2211147-008
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	2.2	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Comments:

ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit

Sample Location: 9 705 18th St. NE

Customer Program Code: CCPF

Date Collected: 11/1/2022

Laboratory Sample Number: 2211147-009

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.8	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.7	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: LT-DC-CCPF-2211148

Sample Location: 1 2204 Tunlaw Rd NW

Date Collected: 11/3/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2211148-001

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	22.4	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.0	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.9	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Sample Location: 2 2204 Tunlaw Rd NW

Date Collected: 11/3/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2211148-002

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.9	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.7	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Sample Location: 3 2204 Tunlaw Rd NW

Date Collected: 11/3/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2211148-003

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.5	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.6	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 2204 Tunlaw Rd NW **Customer Program Code:** CCPF
Date Collected: 11/3/2022 **Laboratory Sample Number:** 2211148-004
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.5	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.7	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Sample Location: 5 2204 Tunlaw Rd NW **Customer Program Code:** CCPF
Date Collected: 11/3/2022 **Laboratory Sample Number:** 2211148-005
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	2.6	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.2	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Sample Location: 6 2204 Tunlaw Rd NW **Customer Program Code:** CCPF
Date Collected: 11/3/2022 **Laboratory Sample Number:** 2211148-006
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	3.2	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.4	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Sample Location: 7 2204 Tunlaw Rd NW **Customer Program Code:** CCPF
Date Collected: 11/3/2022 **Laboratory Sample Number:** 2211148-007
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	3.0	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.5	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Sample Location: 8 2204 Tunlaw Rd NW **Customer Program Code:** CCPF
Date Collected: 11/3/2022 **Laboratory Sample Number:** 2211148-008
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.8	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.4	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Comments:

ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit

Sample Location: 9 2204 Tunlaw Rd NW

Date Collected: 11/3/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2211148-009

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.2	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.4	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Sample Location: 10 2204 Tunlaw Rd NW

Date Collected: 11/3/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2211148-010

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.5	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.5	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: LT-DC-CCPF-2211149

Sample Location: 1 781 19th St NW
Date Collected: 11/9/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211149-001
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	13.3	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.9	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 2 781 19th St NW
Date Collected: 11/9/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211149-002
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	15.4	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.2	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.9	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 3 781 19th St NW
Date Collected: 11/9/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211149-003
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	15.1	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.2	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.7	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 781 19th St NW
Date Collected: 11/9/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211149-004
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	13.3	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.7	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 5 781 19th St NW
Date Collected: 11/9/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211149-005
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	12.7	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	2.1	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 6 781 19th St NW
Date Collected: 11/9/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211149-006
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	14.0	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.8	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.5	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 7 781 19th St NW
Date Collected: 11/9/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211149-007
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	14.4	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 8 781 19th St NW
Date Collected: 11/9/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211149-008
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	14.6	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.6	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 781 19th St NW
Date Collected: 11/9/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211149-009
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	14.9	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.0	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 10 781 19th St NW
Date Collected: 11/9/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211149-010
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	15.7	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.2	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: LT-DC-CCPF-2211150

Sample Location: 1 617 Rhode Island Ave NW
Date Collected: 11/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211150-001
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	27.3	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.4	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	2.5	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 2 617 Rhode Island Ave NW
Date Collected: 11/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211150-002
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	14.4	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.4	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.8	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 3 617 Rhode Island Ave NW
Date Collected: 11/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211150-003
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	16.3	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.9	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.9	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 617 Rhode Island Ave NW
Date Collected: 11/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211150-004
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	11.6	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	4.2	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	2.3	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 5 617 Rhode Island Ave NW
Date Collected: 11/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211150-005
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	15.1	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	5.3	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	2.6	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 6 617 Rhode Island Ave NW
Date Collected: 11/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211150-006
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	14.5	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	5.0	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	2.6	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 7 617 Rhode Island Ave NW
Date Collected: 11/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211150-007
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	15.0	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	4.6	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	2.7	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 8 617 Rhode Island Ave NW
Date Collected: 11/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211150-008
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	14.5	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	4.3	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	2.5	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 617 Rhode Island Ave NW
Date Collected: 11/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211150-009
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	19.2	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.2	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	2.0	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 10 617 Rhode Island Ave NW
Date Collected: 11/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211150-010
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	31.5	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.0	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	2.3	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: LT-DC-CCPF-2211151

Sample Location: 1 1646 Foxhall Rd NW
Date Collected: 11/13/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211151-001
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	129	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	19.6	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	0.3	ug/L		11/30/2022	Lgallimore

Sample Location: 2 1646 Foxhall Rd NW
Date Collected: 11/13/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211151-002
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	139	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	19.3	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 3 1646 Foxhall Rd NW
Date Collected: 11/13/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211151-003
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	128	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.2	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	18.7	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 1646 Foxhall Rd NW
Date Collected: 11/13/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211151-004
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	87.8	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	18.4	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 5 1646 Foxhall Rd NW
Date Collected: 11/13/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211151-005
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	40.0	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	17.5	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 6 1646 Foxhall Rd NW
Date Collected: 11/13/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211151-006
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	16.7	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.2	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	16.7	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 7 1646 Foxhall Rd NW
Date Collected: 11/13/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211151-007
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	41.1	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	17.3	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 8 1646 Foxhall Rd NW
Date Collected: 11/13/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211151-008
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	128	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.9	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	16.8	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 1646 Foxhall Rd NW
Date Collected: 11/13/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211151-009
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	57.0	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	18.0	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 10 1646 Foxhall Rd NW
Date Collected: 11/13/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211151-010
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	43.6	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	17.6	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: LT-DC-CCPF-2211152

Sample Location: 1 1229 Independence Ave SE

Date Collected: 10/31/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2211152-001

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.4	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.7	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Sample Location: 2 1229 Independence Ave SE

Date Collected: 10/31/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2211152-002

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.9	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.1	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Sample Location: 3 1229 Independence Ave SE

Date Collected: 10/31/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2211152-003

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.3	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.1	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 1229 Independence Ave SE **Customer Program Code:** CCPF
Date Collected: 10/31/2022 **Laboratory Sample Number:** 2211152-004
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	3.2	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.1	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Sample Location: 5 1229 Independence Ave SE **Customer Program Code:** CCPF
Date Collected: 10/31/2022 **Laboratory Sample Number:** 2211152-005
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	5.1	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.0	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Sample Location: 6 1229 Independence Ave SE **Customer Program Code:** CCPF
Date Collected: 10/31/2022 **Laboratory Sample Number:** 2211152-006
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.8	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.9	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Sample Location: 7 1229 Independence Ave SE **Customer Program Code:** CCPF
Date Collected: 10/31/2022 **Laboratory Sample Number:** 2211152-007
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.7	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Sample Location: 8 1229 Independence Ave SE **Customer Program Code:** CCPF
Date Collected: 10/31/2022 **Laboratory Sample Number:** 2211152-008
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.5	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Comments:

ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit

Sample Location: 9 1229 Independence Ave SE

Date Collected: 10/31/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2211152-009

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.9	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.8	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Sample Location: 10 1229 Independence Ave SE

Date Collected: 10/31/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2211152-010

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.7	ug/L	H	11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/18/2023

Report Number: LT-DC-CCPF-2211153

Sample Location: 1 3526 Edmunds St NW

Date Collected: 11/3/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2211153-001

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	22.0	ug/L	H	11/30/2022	LGallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	11/30/2022	LGallimore
Manganese	EPA 200.8		0.2	1.0	ug/L	H	11/30/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	LGallimore

Sample Location: 2 3526 Edmunds St NW

Date Collected: 11/3/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2211153-002

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	31.4	ug/L	H	11/30/2022	LGallimore
Lead	EPA 200.8	15	0.2	1.0	ug/L	H	11/30/2022	LGallimore
Manganese	EPA 200.8		0.2	1.0	ug/L	H	11/30/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	LGallimore

Sample Location: 3 3526 Edmunds St NW

Date Collected: 11/3/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2211153-003

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	46.8	ug/L	H	11/30/2022	LGallimore
Lead	EPA 200.8	15	0.2	1.2	ug/L	H	11/30/2022	LGallimore
Manganese	EPA 200.8		0.2	1.4	ug/L	H	11/30/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	LGallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 3526 Edmunds St NW **Customer Program Code:** CCPF
Date Collected: 11/3/2022 **Laboratory Sample Number:** 2211153-004
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	58.6	ug/L	H	11/30/2022	LGallimore
Lead	EPA 200.8	15	0.2	1.1	ug/L	H	11/30/2022	LGallimore
Manganese	EPA 200.8		0.2	1.6	ug/L	H	11/30/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	LGallimore

Sample Location: 5 3526 Edmunds St NW **Customer Program Code:** CCPF
Date Collected: 11/3/2022 **Laboratory Sample Number:** 2211153-005
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	56.0	ug/L	H	11/30/2022	LGallimore
Lead	EPA 200.8	15	0.2	1.0	ug/L	H	11/30/2022	LGallimore
Manganese	EPA 200.8		0.2	1.6	ug/L	H	11/30/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	LGallimore

Sample Location: 6 3526 Edmunds St NW **Customer Program Code:** CCPF
Date Collected: 11/3/2022 **Laboratory Sample Number:** 2211153-006
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	52.8	ug/L	H	11/30/2022	LGallimore
Lead	EPA 200.8	15	0.2	0.9	ug/L	H	11/30/2022	LGallimore
Manganese	EPA 200.8		0.2	1.7	ug/L	H	11/30/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	LGallimore

Sample Location: 7 3526 Edmunds St NW **Customer Program Code:** CCPF
Date Collected: 11/3/2022 **Laboratory Sample Number:** 2211153-007
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	49.8	ug/L	H	11/30/2022	LGallimore
Lead	EPA 200.8	15	0.2	1.1	ug/L	H	11/30/2022	LGallimore
Manganese	EPA 200.8		0.2	1.7	ug/L	H	11/30/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	LGallimore

Sample Location: 8 3526 Edmunds St NW **Customer Program Code:** CCPF
Date Collected: 11/3/2022 **Laboratory Sample Number:** 2211153-008
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	39.9	ug/L	H	11/30/2022	LGallimore
Lead	EPA 200.8	15	0.2	1.3	ug/L	H	11/30/2022	LGallimore
Manganese	EPA 200.8		0.2	1.7	ug/L	H	11/30/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	LGallimore

Comments:

ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit

Sample Location: 9 3526 Edmunds St NW **Customer Program Code:** CCPF
Date Collected: 11/3/2022 **Laboratory Sample Number:** 2211153-009
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	33.5	ug/L	H	11/30/2022	LGallimore
Lead	EPA 200.8	15	0.2	1.5	ug/L	H	11/30/2022	LGallimore
Manganese	EPA 200.8		0.2	1.7	ug/L	H	11/30/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	LGallimore

Sample Location: 10 3526 Edmunds St NW **Customer Program Code:** CCPF
Date Collected: 11/3/2022 **Laboratory Sample Number:** 2211153-010
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	31.9	ug/L	H	11/30/2022	LGallimore
Lead	EPA 200.8	15	0.2	1.9	ug/L	H	11/30/2022	LGallimore
Manganese	EPA 200.8		0.2	1.7	ug/L	H	11/30/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	11/30/2022	LGallimore

Comments:

ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/18/2023

Report Number: LT-DC-CCPF-2211154

Sample Location: 1 3809 Minnesota Ave NE
Date Collected: 11/15/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211154-001
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	36.2	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	3.9	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	15.0	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	0.4	ug/L		11/30/2022	Lgallimore

Sample Location: 2 3809 Minnesota Ave NE
Date Collected: 11/15/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211154-002
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	40.1	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.7	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	15.0	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 3 3809 Minnesota Ave NE
Date Collected: 11/15/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211154-003
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.5	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.7	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 3809 Minnesota Ave NE
Date Collected: 11/15/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211154-004
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.1	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 5 3809 Minnesota Ave NE
Date Collected: 11/15/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211154-005
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.0	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 6 3809 Minnesota Ave NE
Date Collected: 11/15/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211154-006
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.5	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.0	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 7 3809 Minnesota Ave NE
Date Collected: 11/15/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211154-007
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.0	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 8 3809 Minnesota Ave NE
Date Collected: 11/15/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211154-008
Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.0	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 9 3809 Minnesota Ave NE

Date Collected: 11/15/2022

Customer Program Code: CCPF

Laboratory Sample Number: 2211154-009

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.0	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Sample Location: 10 3809 Minnesota Ave NE

Date Collected: 11/15/2022

Customer Program Code: CCPF

Laboratory Sample Number: 2211154-010

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/30/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.7	ug/L		11/30/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.3	ug/L		11/30/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/30/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/25/2023

Report Number: LT-DC-CCPF- 2301117

Sample Location: 1 1247 K St. SE

Date Collected: 9/15/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2301117-001

Date / Time Received: 1/17/2023 12:34:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/18/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	1/18/2023	Bprakash
Manganese	EPA 200.8		0.2	1.6	ug/L	H	1/18/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/18/2023	Bprakash

Sample Location: 2 1247 K St. SE

Date Collected: 9/15/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2301117-002

Date / Time Received: 1/17/2023 12:34:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/18/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/18/2023	Bprakash
Manganese	EPA 200.8		0.2	0.7	ug/L	H	1/18/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/18/2023	Bprakash

Sample Location: 3 1247 K St. SE

Date Collected: 9/15/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2301117-003

Date / Time Received: 1/17/2023 12:34:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/18/2023	Bprakash
Lead	EPA 200.8	15	0.2	1.7	ug/L	H	1/18/2023	Bprakash
Manganese	EPA 200.8		0.2	1.4	ug/L	H	1/18/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 1247 K St. SE **Customer Program Code:** CCPF
Date Collected: 9/15/2022 **Laboratory Sample Number:** 2301117-004
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 1/17/2023 12:34:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/18/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.7	ug/L	H	1/18/2023	Bprakash
Manganese	EPA 200.8		0.2	1.4	ug/L	H	1/18/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/18/2023	Bprakash

Sample Location: 5 1247 K St. SE **Customer Program Code:** CCPF
Date Collected: 9/15/2022 **Laboratory Sample Number:** 2301117-005
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 1/17/2023 12:34:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/18/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/18/2023	Bprakash
Manganese	EPA 200.8		0.2	0.7	ug/L	H	1/18/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/18/2023	Bprakash

Sample Location: 6 1247 K St. SE **Customer Program Code:** CCPF
Date Collected: 9/15/2022 **Laboratory Sample Number:** 2301117-006
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 1/17/2023 12:34:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/18/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/18/2023	Bprakash
Manganese	EPA 200.8		0.2	0.8	ug/L	H	1/18/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/18/2023	Bprakash

Sample Location: 7 1247 K St. SE **Customer Program Code:** CCPF
Date Collected: 9/15/2022 **Laboratory Sample Number:** 2301117-007
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 1/17/2023 12:34:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/18/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/18/2023	Bprakash
Manganese	EPA 200.8		0.2	0.8	ug/L	H	1/18/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/18/2023	Bprakash

Sample Location: 8 1247 K St. SE **Customer Program Code:** CCPF
Date Collected: 9/15/2022 **Laboratory Sample Number:** 2301117-008
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 1/17/2023 12:34:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/18/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/18/2023	Bprakash
Manganese	EPA 200.8		0.2	0.8	ug/L	H	1/18/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/18/2023	Bprakash

Comments:

ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit

Sample Location: 9 1247 K St. SE

Customer Program Code: CCPF

Date Collected: 9/15/2022

Laboratory Sample Number: 2301117-009

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Date / Time Received: 1/17/2023 12:34:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/18/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/18/2023	Bprakash
Manganese	EPA 200.8		0.2	0.9	ug/L	H	1/18/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/18/2023	Bprakash

Sample Location: 10 1247 K St. SE

Customer Program Code: CCPF

Date Collected: 9/15/2022

Laboratory Sample Number: 2301117-010

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Date / Time Received: 1/17/2023 12:34:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/18/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/18/2023	Bprakash
Manganese	EPA 200.8		0.2	0.8	ug/L	H	1/18/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/18/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: LT-DC-CCPF- 2212105

Sample Location: 1 1930 4th St NE
Date Collected: 12/2/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212105-001
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	1.6	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 2 1930 4th St NE
Date Collected: 12/2/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212105-002
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.4	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.9	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	0.2	ug/L		1/13/2023	Bprakash

Sample Location: 3 1930 4th St NE
Date Collected: 12/2/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212105-003
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.8	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 1930 4th St NE
Date Collected: 12/2/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212105-004
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.8	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 5 1930 4th St NE
Date Collected: 12/2/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212105-005
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.8	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 6 1930 4th St NE
Date Collected: 12/2/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212105-006
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.3	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.8	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 7 1930 4th St NE
Date Collected: 12/2/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212105-007
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	10.9	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.2	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.9	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 8 1930 4th St NE
Date Collected: 12/2/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212105-008
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.2	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.8	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 9 1930 4th St NE
Date Collected: 12/2/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212105-009
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.8	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 10 1930 4th St NE
Date Collected: 12/2/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212105-010
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	1.0	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: LT-DC-CCPF- 2212106

Sample Location: 1 2118 37th St NW
Date Collected: 12/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212106-001
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.8	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.5	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 2 2118 37th St NW
Date Collected: 12/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212106-002
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.5	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.5	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 3 2118 37th St NW
Date Collected: 12/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212106-003
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.6	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.6	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 2118 37th St NW
Date Collected: 12/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212106-004
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.6	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.7	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 5 2118 37th St NW
Date Collected: 12/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212106-005
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.7	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.6	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 6 2118 37th St NW
Date Collected: 12/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212106-006
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.8	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.6	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 7 2118 37th St NW
Date Collected: 12/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212106-007
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	1.0	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.6	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 8 2118 37th St NW
Date Collected: 12/6/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212106-008
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	1.2	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.6	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 9 2118 37th St NW

Date Collected: 12/6/2022

Customer Program Code: CCPF

Laboratory Sample Number: 2212106-009

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	1.8	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.7	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 10 2118 37th St NW

Date Collected: 12/6/2022

Customer Program Code: CCPF

Laboratory Sample Number: 2212106-010

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	2.3	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.8	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/30/2023

Report revised on 1/30/23 by mc.
Lab Sample Number 2212107-007, the address was changed
from 2118 37th St NW to 3217 6th St NW as reported on the
chain-of-custody form.

Report Number: LT-DC-CCPF- 2212107

Sample Location: 1 3217 6th St NW

Date Collected: 11/29/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2212107-001

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	2.6	ug/L	H	1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.3	ug/L	H	1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/13/2023	Bprakash

Sample Location: 2 3217 6th St NW

Date Collected: 11/29/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2212107-002

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	19.4	ug/L	H	1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	6.6	ug/L	H	1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.7	ug/L	H	1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/13/2023	Bprakash

Sample Location: 3 3217 6th St NW

Date Collected: 11/29/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2212107-003

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	6.1	ug/L	H	1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.4	ug/L	H	1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/13/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 3217 6th St NW **Customer Program Code:** CCPF
Date Collected: 11/29/2022 **Laboratory Sample Number:** 2212107-004
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	5.1	ug/L	H	1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.4	ug/L	H	1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/13/2023	Bprakash

Sample Location: 5 3217 6th St NW **Customer Program Code:** CCPF
Date Collected: 11/29/2022 **Laboratory Sample Number:** 2212107-005
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	4.1	ug/L	H	1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.5	ug/L	H	1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/13/2023	Bprakash

Sample Location: 6 3217 6th St NW **Customer Program Code:** CCPF
Date Collected: 11/29/2022 **Laboratory Sample Number:** 2212107-006
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	2.6	ug/L	H	1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.4	ug/L	H	1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/13/2023	Bprakash

Sample Location: 7 3217 6th St NW **Customer Program Code:** CCPF
Date Collected: 11/29/2022 **Laboratory Sample Number:** 2212107-007
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	1.8	ug/L	H	1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.6	ug/L	H	1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/13/2023	Bprakash

Sample Location: 8 3217 6th St NW **Customer Program Code:** CCPF
Date Collected: 11/29/2022 **Laboratory Sample Number:** 2212107-008
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.8	ug/L	H	1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.7	ug/L	H	1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/13/2023	Bprakash

Comments:

ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit

Sample Location: 9 3217 6th St NW

Customer Program Code: CCPF

Date Collected: 11/29/2022

Laboratory Sample Number: 2212107-009

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.7	ug/L	H	1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.7	ug/L	H	1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/13/2023	Bprakash

Sample Location: 10 3217 6th St NW

Customer Program Code: CCPF

Date Collected: 11/29/2022

Laboratory Sample Number: 2212107-010

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.7	ug/L	H	1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.6	ug/L	H	1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/13/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: LT-DC-CCPF- 2212108

Sample Location: 1 1239 30th St NW
Date Collected: 12/9/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212108-001
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	12.9	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.6	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	2.3	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 2 1239 30th St NW
Date Collected: 12/9/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212108-002
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	53.0	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.5	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	3.8	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 3 1239 30th St NW
Date Collected: 12/9/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212108-003
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	95.5	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.7	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	5.8	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 1239 30th St NW
Date Collected: 12/9/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212108-004
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	192	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.8	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	5.6	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 5 1239 30th St NW
Date Collected: 12/9/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212108-005
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	191	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	1.5	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	4.3	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 6 1239 30th St NW
Date Collected: 12/9/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212108-006
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	34.6	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	3.8	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	2.4	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 7 1239 30th St NW
Date Collected: 12/9/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212108-007
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	14.4	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	1.7	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	1.8	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 8 1239 30th St NW
Date Collected: 12/9/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212108-008
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	10.5	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.3	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	1.6	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 9 1239 30th St NW
Date Collected: 12/9/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212108-009
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	11.1	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.3	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	1.6	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 10 1239 30th St NW
Date Collected: 12/9/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212108-010
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/13/2023	BPrakash
Lead	EPA 200.8	15	0.2	0.2	ug/L		1/13/2023	BPrakash
Manganese	EPA 200.8		0.2	1.7	ug/L		1/13/2023	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: LT-DC-CCPF- 2301016

Sample Location: 1 150 11th St SE

Date Collected: 12/11/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2301016-001

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	11.9	ug/L	H	1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.8	ug/L	H	1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.9	ug/L	H	1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/13/2023	Bprakash

Sample Location: 2 150 11th St SE

Date Collected: 12/11/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2301016-002

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	12.8	ug/L	H	1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.7	ug/L	H	1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/13/2023	Bprakash

Sample Location: 3 150 11th St SE

Date Collected: 12/11/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2301016-003

Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	14.6	ug/L	H	1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.7	ug/L	H	1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/13/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 150 11th St SE **Customer Program Code:** CCPF
Date Collected: 12/11/2022 **Laboratory Sample Number:** 2301016-004
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	12.3	ug/L	H	1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.8	ug/L	H	1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/13/2023	Bprakash

Sample Location: 5 150 11th St SE **Customer Program Code:** CCPF
Date Collected: 12/11/2022 **Laboratory Sample Number:** 2301016-005
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	11.5	ug/L	H	1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	1.3	ug/L	H	1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/13/2023	Bprakash

Sample Location: 6 150 11th St SE **Customer Program Code:** CCPF
Date Collected: 12/11/2022 **Laboratory Sample Number:** 2301016-006
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	1.1	ug/L	H	1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/13/2023	Bprakash

Sample Location: 7 150 11th St SE **Customer Program Code:** CCPF
Date Collected: 12/11/2022 **Laboratory Sample Number:** 2301016-007
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	10.1	ug/L	H	1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	1.1	ug/L	H	1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/13/2023	Bprakash

Sample Location: 8 150 11th St SE **Customer Program Code:** CCPF
Date Collected: 12/11/2022 **Laboratory Sample Number:** 2301016-008
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	10.7	ug/L	H	1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	1.1	ug/L	H	1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/13/2023	Bprakash

Comments:

ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit

Sample Location: 9 150 11th St SE **Customer Program Code:** CCPF
Date Collected: 12/11/2022 **Laboratory Sample Number:** 2301016-009
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	10.3	ug/L	H	1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	1.1	ug/L	H	1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/13/2023	Bprakash

Sample Location: 10 150 11th St SE **Customer Program Code:** CCPF
Date Collected: 12/11/2022 **Laboratory Sample Number:** 2301016-010
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	10.4	ug/L	H	1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	1.1	ug/L	H	1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	1/13/2023	Bprakash

Comments:

ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: LT-DC-CCPF- 2301017

Sample Location: 1 402 10th St SE
Date Collected: 12/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2301017-001
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	29.3	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	2.5	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.8	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	0.8	ug/L		1/13/2023	Bprakash

Sample Location: 2 402 10th St SE
Date Collected: 12/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2301017-002
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	41.3	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	1.2	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	1.0	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 3 402 10th St SE
Date Collected: 12/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2301017-003
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	22.4	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.5	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.6	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 402 10th St SE
Date Collected: 12/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2301017-004
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	12.3	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.2	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 5 402 10th St SE
Date Collected: 12/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2301017-005
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	15.9	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.2	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.2	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 6 402 10th St SE
Date Collected: 12/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2301017-006
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	15.9	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.3	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 7 402 10th St SE
Date Collected: 12/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2301017-007
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	17.7	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.7	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 8 402 10th St SE
Date Collected: 12/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2301017-008
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	12.1	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	0.2	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	0.8	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 402 10th St SE
Date Collected: 12/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2301017-009
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	20.1	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	1.6	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Sample Location: 10 402 10th St SE
Date Collected: 12/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2301017-010
Date / Time Received: 12/28/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	21.2	ug/L		1/13/2023	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		1/13/2023	Bprakash
Manganese	EPA 200.8		0.2	1.9	ug/L		1/13/2023	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		1/13/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/8/2023

Report Number: LT-DC-CCPF-2301111

Sample Location: 1 2725 N St. NW

Date Collected: 12/20/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2301111-001

Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	20.6	ug/L	H	1/25/2023	LGallimore
Lead	EPA 200.8	15	0.2	1.1	ug/L	H	1/25/2023	LGallimore
Manganese	EPA 200.8		0.2	0.4	ug/L	H	1/25/2023	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	1/25/2023	LGallimore

Sample Location: 2 2725 N St. NW

Date Collected: 12/20/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2301111-002

Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	15.7	ug/L	H	1/25/2023	LGallimore
Lead	EPA 200.8	15	0.2	1.1	ug/L	H	1/25/2023	LGallimore
Manganese	EPA 200.8		0.2	0.2	ug/L	H	1/25/2023	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	1/25/2023	LGallimore

Sample Location: 3 2725 N St. NW

Date Collected: 12/20/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2301111-003

Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	29.9	ug/L	H	1/25/2023	LGallimore
Lead	EPA 200.8	15	0.2	14.9	ug/L	H	1/25/2023	LGallimore
Manganese	EPA 200.8		0.2	1.6	ug/L	H	1/25/2023	LGallimore
Tin	EPA 200.8		0.2	1.5	ug/L	H	1/25/2023	LGallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 2725 N St. NW						Customer Program Code: CCPF			
Date Collected: 12/20/2022						Laboratory Sample Number: 2301111-004			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 1/11/2023 7:50:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	23.8	ug/L	H	1/25/2023	LGallimore	
Lead	EPA 200.8	15	0.2	0.8	ug/L	H	1/25/2023	LGallimore	
Manganese	EPA 200.8		0.2	1.1	ug/L	H	1/25/2023	LGallimore	
Tin	EPA 200.8		0.2	ND	ug/L	H	1/25/2023	LGallimore	

Sample Location: 5 2725 N St. NW						Customer Program Code: CCPF			
Date Collected: 12/20/2022						Laboratory Sample Number: 2301111-005			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 1/11/2023 7:50:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	22.6	ug/L	H	1/25/2023	LGallimore	
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	1/25/2023	LGallimore	
Manganese	EPA 200.8		0.2	1.1	ug/L	H	1/25/2023	LGallimore	
Tin	EPA 200.8		0.2	ND	ug/L	H	1/25/2023	LGallimore	

Sample Location: 6 2725 N St. NW						Customer Program Code: CCPF			
Date Collected: 12/20/2022						Laboratory Sample Number: 2301111-006			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 1/11/2023 7:50:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	17.8	ug/L	H	1/25/2023	LGallimore	
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	1/25/2023	LGallimore	
Manganese	EPA 200.8		0.2	1.2	ug/L	H	1/25/2023	LGallimore	
Tin	EPA 200.8		0.2	ND	ug/L	H	1/25/2023	LGallimore	

Sample Location: 7 2725 N St. NW						Customer Program Code: CCPF			
Date Collected: 12/20/2022						Laboratory Sample Number: 2301111-007			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 1/11/2023 7:50:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	13.7	ug/L	H	1/25/2023	LGallimore	
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	1/25/2023	LGallimore	
Manganese	EPA 200.8		0.2	1.3	ug/L	H	1/25/2023	LGallimore	
Tin	EPA 200.8		0.2	ND	ug/L	H	1/25/2023	LGallimore	

Sample Location: 8 2725 N St. NW						Customer Program Code: CCPF			
Date Collected: 12/20/2022						Laboratory Sample Number: 2301111-008			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 1/11/2023 7:50:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	22.5	ug/L	H	1/25/2023	LGallimore	
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	1/25/2023	LGallimore	
Manganese	EPA 200.8		0.2	1.4	ug/L	H	1/25/2023	LGallimore	
Tin	EPA 200.8		0.2	ND	ug/L	H	1/25/2023	LGallimore	

Comments:
 ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit

Sample Location: 9 2725 N St. NW

Date Collected: 12/20/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2301111-009

Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	13.0	ug/L	H	1/25/2023	LGallimore
Lead	EPA 200.8	15	0.2	0.8	ug/L	H	1/25/2023	LGallimore
Manganese	EPA 200.8		0.2	1.3	ug/L	H	1/25/2023	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	1/25/2023	LGallimore

Sample Location: 10 2725 N St. NW

Date Collected: 12/20/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2301111-010

Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	30.9	ug/L	H	1/25/2023	LGallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	1/25/2023	LGallimore
Manganese	EPA 200.8		0.2	1.5	ug/L	H	1/25/2023	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	1/25/2023	LGallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/8/2023

Report Number: LT-DC-CCPF-2301112

Sample Location: 1 1002 Columbia Rd NW

Date Collected: 12/26/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2301112-001

Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L	H	1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	1/25/2023	Lgallimore

Sample Location: 2 1002 Columbia Rd NW

Date Collected: 12/26/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2301112-002

Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.5	ug/L	H	1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L	H	1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	1/25/2023	Lgallimore

Sample Location: 3 1002 Columbia Rd NW

Date Collected: 12/26/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2301112-003

Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.5	ug/L	H	1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L	H	1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	1/25/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 1002 Columbia Rd NW						Customer Program Code: CCPF			
Date Collected: 12/26/2022						Laboratory Sample Number: 2301112-004			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 1/11/2023 7:50:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	ND	ug/L	H	1/25/2023	Lgallimore	
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	1/25/2023	Lgallimore	
Manganese	EPA 200.8		0.2	0.3	ug/L	H	1/25/2023	Lgallimore	
Tin	EPA 200.8		0.2	ND	ug/L	H	1/25/2023	Lgallimore	

Sample Location: 5 1002 Columbia Rd NW						Customer Program Code: CCPF			
Date Collected: 12/26/2022						Laboratory Sample Number: 2301112-005			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 1/11/2023 7:50:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	ND	ug/L	H	1/25/2023	Lgallimore	
Lead	EPA 200.8	15	0.2	0.8	ug/L	H	1/25/2023	Lgallimore	
Manganese	EPA 200.8		0.2	0.4	ug/L	H	1/25/2023	Lgallimore	
Tin	EPA 200.8		0.2	ND	ug/L	H	1/25/2023	Lgallimore	

Sample Location: 6 1002 Columbia Rd NW						Customer Program Code: CCPF			
Date Collected: 12/26/2022						Laboratory Sample Number: 2301112-006			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 1/11/2023 7:50:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	ND	ug/L	H	1/25/2023	Lgallimore	
Lead	EPA 200.8	15	0.2	0.9	ug/L	H	1/25/2023	Lgallimore	
Manganese	EPA 200.8		0.2	0.3	ug/L	H	1/25/2023	Lgallimore	
Tin	EPA 200.8		0.2	ND	ug/L	H	1/25/2023	Lgallimore	

Sample Location: 7 1002 Columbia Rd NW						Customer Program Code: CCPF			
Date Collected: 12/26/2022						Laboratory Sample Number: 2301112-007			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 1/11/2023 7:50:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	ND	ug/L	H	1/25/2023	Lgallimore	
Lead	EPA 200.8	15	0.2	0.7	ug/L	H	1/25/2023	Lgallimore	
Manganese	EPA 200.8		0.2	0.3	ug/L	H	1/25/2023	Lgallimore	
Tin	EPA 200.8		0.2	ND	ug/L	H	1/25/2023	Lgallimore	

Sample Location: 8 1002 Columbia Rd NW						Customer Program Code: CCPF			
Date Collected: 12/26/2022						Laboratory Sample Number: 2301112-008			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 1/11/2023 7:50:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	ND	ug/L	H	1/25/2023	Lgallimore	
Lead	EPA 200.8	15	0.2	0.7	ug/L	H	1/25/2023	Lgallimore	
Manganese	EPA 200.8		0.2	0.3	ug/L	H	1/25/2023	Lgallimore	
Tin	EPA 200.8		0.2	ND	ug/L	H	1/25/2023	Lgallimore	

Comments:
 ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit

Sample Location: 9 1002 Columbia Rd NW

Date Collected: 12/26/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2301112-009

Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.3	ug/L	H	1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	1/25/2023	Lgallimore

Sample Location: 10 1002 Columbia Rd NW

Date Collected: 12/26/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2301112-010

Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.3	ug/L	H	1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	1/25/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/8/2023

Report Number: LT-DC-CCPF-2301113

Sample Location: 1 221 Hawaii Ave NE
Date Collected: 1/2/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301113-001
Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	33.6	ug/L		1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	2.8	ug/L		1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore

Sample Location: 2 221 Hawaii Ave NE
Date Collected: 1/2/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301113-002
Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	39.9	ug/L		1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	2.0	ug/L		1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore

Sample Location: 3 221 Hawaii Ave NE
Date Collected: 1/2/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301113-003
Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	36.7	ug/L		1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.9	ug/L		1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 221 Hawaii Ave NE
Date Collected: 1/2/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301113-004
Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	40.4	ug/L		1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	2.0	ug/L		1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore

Sample Location: 5 221 Hawaii Ave NE
Date Collected: 1/2/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301113-005
Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	34.4	ug/L		1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.9	ug/L		1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore

Sample Location: 6 221 Hawaii Ave NE
Date Collected: 1/2/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301113-006
Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	36.2	ug/L		1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.9	ug/L		1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore

Sample Location: 7 221 Hawaii Ave NE
Date Collected: 1/2/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301113-007
Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	32.1	ug/L		1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.8	ug/L		1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore

Sample Location: 8 221 Hawaii Ave NE
Date Collected: 1/2/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301113-008
Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	35.5	ug/L		1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.9	ug/L		1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 221 Hawaii Ave NE
Date Collected: 1/2/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301113-009
Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	31.9	ug/L		1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.8	ug/L		1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore

Sample Location: 10 221 Hawaii Ave NE
Date Collected: 1/2/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301113-010
Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	30.3	ug/L		1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.7	ug/L		1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/8/2023

Report Number: LT-DC-CCPF-2301114

Sample Location: 1 216 Rhode Island Ave NW
Date Collected: 1/4/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301114-001
Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.5	ug/L		1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore

Sample Location: 2 216 Rhode Island Ave NW
Date Collected: 1/4/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301114-002
Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.5	ug/L		1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.2	ug/L		1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore

Sample Location: 3 216 Rhode Island Ave NW
Date Collected: 1/4/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301114-003
Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 216 Rhode Island Ave NW
Date Collected: 1/4/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301114-004
Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore

Sample Location: 5 216 Rhode Island Ave NW
Date Collected: 1/4/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301114-005
Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L		1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore

Sample Location: 6 216 Rhode Island Ave NW
Date Collected: 1/4/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301114-006
Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	1.0	ug/L		1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.2	ug/L		1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore

Sample Location: 7 216 Rhode Island Ave NW
Date Collected: 1/4/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301114-007
Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	23.6	ug/L		1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	2.3	ug/L		1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore

Sample Location: 8 216 Rhode Island Ave NW
Date Collected: 1/4/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301114-008
Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	2.3	ug/L		1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 216 Rhode Island Ave NW

Date Collected: 1/4/2023

Customer Program Code: CCPF

Laboratory Sample Number: 2301114-009

Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	4.2	ug/L		1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore

Sample Location: 10 216 Rhode Island Ave NW

Date Collected: 1/4/2023

Customer Program Code: CCPF

Laboratory Sample Number: 2301114-010

Date / Time Received: 1/11/2023 7:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		1/25/2023	Lgallimore
Lead	EPA 200.8	15	0.2	1.1	ug/L		1/25/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		1/25/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/13/2023

Report Number: LT-DC-CCPF-2301192

Sample Location: 1 830 Otis PL NW
Date Collected: 1/22/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301192-001
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/1/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.9	ug/L		2/1/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.0	ug/L		2/1/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		2/1/2023	Lgallimore

Sample Location: 2 830 Otis PL NW
Date Collected: 1/22/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301192-002
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/1/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.9	ug/L		2/1/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.8	ug/L		2/1/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		2/1/2023	Lgallimore

Sample Location: 3 830 Otis PL NW
Date Collected: 1/22/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301192-003
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/1/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.8	ug/L		2/1/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.8	ug/L		2/1/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		2/1/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 830 Otis PL NW
Date Collected: 1/22/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301192-004
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/1/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.7	ug/L		2/1/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.8	ug/L		2/1/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		2/1/2023	Lgallimore

Sample Location: 5 830 Otis PL NW
Date Collected: 1/22/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301192-005
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/1/2023	Lgallimore
Lead	EPA 200.8	15	0.2	2.2	ug/L		2/1/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.8	ug/L		2/1/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		2/1/2023	Lgallimore

Sample Location: 6 830 Otis PL NW
Date Collected: 1/22/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301192-006
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/1/2023	Lgallimore
Lead	EPA 200.8	15	0.2	1.5	ug/L		2/1/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.7	ug/L		2/1/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		2/1/2023	Lgallimore

Sample Location: 7 830 Otis PL NW
Date Collected: 1/22/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301192-007
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/1/2023	Lgallimore
Lead	EPA 200.8	15	0.2	3.2	ug/L		2/1/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.8	ug/L		2/1/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		2/1/2023	Lgallimore

Sample Location: 8 830 Otis PL NW
Date Collected: 1/22/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301192-008
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/1/2023	Lgallimore
Lead	EPA 200.8	15	0.2	2.9	ug/L		2/1/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.8	ug/L		2/1/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		2/1/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 830 Otis PL NW

Date Collected: 1/22/2023

Customer Program Code: CCPF

Laboratory Sample Number: 2301192-009

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/1/2023	Lgallimore
Lead	EPA 200.8	15	0.2	1.0	ug/L		2/1/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.8	ug/L		2/1/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		2/1/2023	Lgallimore

Sample Location: 10 830 Otis PL NW

Date Collected: 1/22/2023

Customer Program Code: CCPF

Laboratory Sample Number: 2301192-010

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/1/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/1/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.8	ug/L		2/1/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		2/1/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/21/2023

Report Number: LT-DC-CCPF-2301179

Sample Location: 1 818 Sheridan St NW

Date Collected: 1/9/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2301179-001

Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.1	ug/L	H	2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	5.9	ug/L	H	2/10/2023	Rlamsal

Sample Location: 2 818 Sheridan St NW

Date Collected: 1/9/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2301179-002

Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.7	ug/L	H	2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	3.4	ug/L	H	2/10/2023	Rlamsal

Sample Location: 3 818 Sheridan St NW

Date Collected: 1/9/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2301179-003

Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.7	ug/L	H	2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	0.4	ug/L	H	2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 818 Sheridan St NW						Customer Program Code: CCPF			
Date Collected: 1/9/2023						Laboratory Sample Number: 2301179-004			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 1/26/2023 8:15:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	ND	ug/L	H	2/10/2023	Rlamsal	
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/10/2023	Rlamsal	
Manganese	EPA 200.8		0.2	0.8	ug/L	H	2/10/2023	Rlamsal	
Tin	EPA 200.8		0.2	1.1	ug/L	H	2/10/2023	Rlamsal	

Sample Location: 5 818 Sheridan St NW						Customer Program Code: CCPF			
Date Collected: 1/9/2023						Laboratory Sample Number: 2301179-005			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 1/26/2023 8:15:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	ND	ug/L	H	2/10/2023	Rlamsal	
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/10/2023	Rlamsal	
Manganese	EPA 200.8		0.2	0.8	ug/L	H	2/10/2023	Rlamsal	
Tin	EPA 200.8		0.2	0.2	ug/L	H	2/10/2023	Rlamsal	

Sample Location: 6 818 Sheridan St NW						Customer Program Code: CCPF			
Date Collected: 1/9/2023						Laboratory Sample Number: 2301179-006			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 1/26/2023 8:15:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	13.7	ug/L	H	2/10/2023	Rlamsal	
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/10/2023	Rlamsal	
Manganese	EPA 200.8		0.2	0.9	ug/L	H	2/10/2023	Rlamsal	
Tin	EPA 200.8		0.2	0.3	ug/L	H	2/10/2023	Rlamsal	

Sample Location: 7 818 Sheridan St NW						Customer Program Code: CCPF			
Date Collected: 1/9/2023						Laboratory Sample Number: 2301179-007			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 1/26/2023 8:15:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	14.2	ug/L	H	2/10/2023	Rlamsal	
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/10/2023	Rlamsal	
Manganese	EPA 200.8		0.2	0.9	ug/L	H	2/10/2023	Rlamsal	
Tin	EPA 200.8		0.2	0.4	ug/L	H	2/10/2023	Rlamsal	

Sample Location: 8 818 Sheridan St NW						Customer Program Code: CCPF			
Date Collected: 1/9/2023						Laboratory Sample Number: 2301179-008			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 1/26/2023 8:15:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	ND	ug/L	H	2/10/2023	Rlamsal	
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/10/2023	Rlamsal	
Manganese	EPA 200.8		0.2	0.8	ug/L	H	2/10/2023	Rlamsal	
Tin	EPA 200.8		0.2	ND	ug/L	H	2/10/2023	Rlamsal	

Comments:
 ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit

Sample Location: 9 818 Sheridan St NW

Date Collected: 1/9/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2301179-009

Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.8	ug/L	H	2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	0.3	ug/L	H	2/10/2023	Rlamsal

Sample Location: 10 818 Sheridan St NW

Date Collected: 1/9/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2301179-010

Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.7	ug/L	H	2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L	H	2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/21/2023

Report Number: LT-DC-CCPF-2301180

Sample Location: 1 3209 Jocelyn St NW
Date Collected: 1/13/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301180-001
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	89.8	ug/L		2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	1.3	ug/L		2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.7	ug/L		2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2 3209 Jocelyn St NW
Date Collected: 1/13/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301180-002
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	28.5	ug/L		2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.5	ug/L		2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.4	ug/L		2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 3 3209 Jocelyn St NW
Date Collected: 1/13/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301180-003
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	40.7	ug/L		2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.5	ug/L		2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.6	ug/L		2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	0.3	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 3209 Jocelyn St NW
Date Collected: 1/13/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301180-004
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	39.4	ug/L		2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.5	ug/L		2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.4	ug/L		2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 5 3209 Jocelyn St NW
Date Collected: 1/13/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301180-005
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	36.1	ug/L		2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	1.7	ug/L		2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.7	ug/L		2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 6 3209 Jocelyn St NW
Date Collected: 1/13/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301180-006
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	28.8	ug/L		2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	2.1	ug/L		2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.1	ug/L		2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 7 3209 Jocelyn St NW
Date Collected: 1/13/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301180-007
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	34.5	ug/L		2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	2.1	ug/L		2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.4	ug/L		2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 8 3209 Jocelyn St NW
Date Collected: 1/13/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301180-008
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	38.9	ug/L		2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	2.2	ug/L		2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.3	ug/L		2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 3209 Jocelyn St NW
Date Collected: 1/13/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301180-009
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	33.3	ug/L		2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.8	ug/L		2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.0	ug/L		2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 10 3209 Jocelyn St NW
Date Collected: 1/13/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301180-010
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	36.1	ug/L		2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.8	ug/L		2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.1	ug/L		2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/21/2023

Report Number: LT-DC-CCPF-2301181

Sample Location: 1 4428 New Hampshire Ave NW
Date Collected: 1/13/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301181-001
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.8	ug/L		2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 2 4428 New Hampshire Ave NW
Date Collected: 1/13/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301181-002
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.8	ug/L		2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 3 4428 New Hampshire Ave NW
Date Collected: 1/13/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301181-003
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	1.1	ug/L		2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.8	ug/L		2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 4428 New Hampshire Ave NW
Date Collected: 1/13/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301181-004
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.4	ug/L		2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.7	ug/L		2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 5 4428 New Hampshire Ave NW
Date Collected: 1/13/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301181-005
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.7	ug/L		2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 6 4428 New Hampshire Ave NW
Date Collected: 1/13/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301181-006
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	2.1	ug/L		2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.8	ug/L		2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 7 4428 New Hampshire Ave NW
Date Collected: 1/13/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301181-007
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	19.0	ug/L		2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.8	ug/L		2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 8 4428 New Hampshire Ave NW
Date Collected: 1/13/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301181-008
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.7	ug/L		2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 4428 New Hampshire Ave NW
Date Collected: 1/13/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301181-009
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.7	ug/L		2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/10/2023	Rlamsal

Sample Location: 10 4428 New Hampshire Ave NW
Date Collected: 1/13/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301181-010
Date / Time Received: 1/26/2023 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/10/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.7	ug/L		2/10/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/21/2023

Report Number: LT-DC-CCPF-2301193

Sample Location: 1 6247 29th St NW
Date Collected: 1/24/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301193-001
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/1/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		2/1/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.6	ug/L		2/1/2023	Lgallimore
Tin	EPA 200.8		0.2	0.4	ug/L		2/1/2023	Lgallimore

Sample Location: 2 6247 29th St NW
Date Collected: 1/24/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301193-002
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/1/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		2/1/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		2/1/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		2/1/2023	Lgallimore

Sample Location: 3 6247 29th St NW
Date Collected: 1/24/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301193-003
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/1/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		2/1/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.5	ug/L		2/1/2023	Lgallimore
Tin	EPA 200.8		0.2	0.3	ug/L		2/1/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 6247 29th St NW
Date Collected: 1/24/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301193-004
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/1/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		2/1/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.6	ug/L		2/1/2023	Lgallimore
Tin	EPA 200.8		0.2	0.2	ug/L		2/1/2023	Lgallimore

Sample Location: 5 6247 29th St NW
Date Collected: 1/24/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301193-005
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	10.5	ug/L		2/1/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		2/1/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.7	ug/L		2/1/2023	Lgallimore
Tin	EPA 200.8		0.2	0.4	ug/L		2/1/2023	Lgallimore

Sample Location: 6 6247 29th St NW
Date Collected: 1/24/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301193-006
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/1/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		2/1/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.8	ug/L		2/1/2023	Lgallimore
Tin	EPA 200.8		0.2	0.4	ug/L		2/1/2023	Lgallimore

Sample Location: 7 6247 29th St NW
Date Collected: 1/24/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301193-007
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/1/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		2/1/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.8	ug/L		2/1/2023	Lgallimore
Tin	EPA 200.8		0.2	0.3	ug/L		2/1/2023	Lgallimore

Sample Location: 8 6247 29th St NW
Date Collected: 1/24/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301193-008
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/1/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		2/1/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.8	ug/L		2/1/2023	Lgallimore
Tin	EPA 200.8		0.2	0.3	ug/L		2/1/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 9 6247 29th St NW
Date Collected: 1/24/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301193-009
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/10/2023	E2WAORD9
Lead	EPA 200.8	15	0.2	ND	ug/L		2/10/2023	E2WAORD9
Manganese	EPA 200.8		0.2	0.6	ug/L		2/10/2023	E2WAORD9
Tin	EPA 200.8		0.2	0.5	ug/L		2/10/2023	E2WAORD9

Sample Location: 10 6247 29th St NW
Date Collected: 1/24/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2301193-010
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		2/1/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		2/1/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.9	ug/L		2/1/2023	Lgallimore
Tin	EPA 200.8		0.2	0.3	ug/L		2/1/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: LT-DC-CCPF-2302026

Sample Location: 1 22 Gallatin St. NE
Date Collected: 1/23/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302026-001
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	18.0	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.9	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 2 22 Gallatin St. NE
Date Collected: 1/23/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302026-002
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	15.2	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.9	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 3 22 Gallatin St. NE
Date Collected: 1/23/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302026-003
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	14.7	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.9	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 22 Gallatin St. NE
Date Collected: 1/23/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302026-004
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	16.2	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.9	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 5 22 Gallatin St. NE
Date Collected: 1/23/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302026-005
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	15.3	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.0	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 6 22 Gallatin St. NE
Date Collected: 1/23/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302026-006
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	13.7	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.9	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 7 22 Gallatin St. NE
Date Collected: 1/23/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302026-007
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	12.9	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.0	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 8 22 Gallatin St. NE
Date Collected: 1/23/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302026-008
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	18.2	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.1	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 22 Gallatin St. NE

Date Collected: 1/23/2023

Customer Program Code: CCPF

Laboratory Sample Number: 2302026-009

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	14.5	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.0	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 10 22 Gallatin St. NE

Date Collected: 1/23/2023

Customer Program Code: CCPF

Laboratory Sample Number: 2302026-010

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	14.9	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.0	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: LT-DC-CCPF-2302027

Sample Location: 1 3109 Military Rd. NW
Date Collected: 1/29/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302027-001
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	157	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	1.7	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	5.6	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 2 3109 Military Rd. NW
Date Collected: 1/29/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302027-002
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	59.5	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	1.3	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	3.0	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 3 3109 Military Rd. NW
Date Collected: 1/29/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302027-003
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	79.8	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	1.0	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	3.7	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 3109 Military Rd. NW
Date Collected: 1/29/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302027-004
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	63.1	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.5	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	2.6	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 5 3109 Military Rd. NW
Date Collected: 1/29/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302027-005
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	52.9	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.4	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	2.0	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 6 3109 Military Rd. NW
Date Collected: 1/29/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302027-006
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	39.9	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.7	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.8	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 7 3109 Military Rd. NW
Date Collected: 1/29/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302027-007
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	39.6	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.8	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.8	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 8 3109 Military Rd. NW
Date Collected: 1/29/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302027-008
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	39.1	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.5	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.7	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 3109 Military Rd. NW
Date Collected: 1/29/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302027-009
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	37.4	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.6	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.7	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 10 3109 Military Rd. NW
Date Collected: 1/29/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302027-010
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	40.7	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.5	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.8	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: LT-DC-CCPF-2302028

Sample Location: 1 4915 42nd St NW
Date Collected: 1/30/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302028-001
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	39.0	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.4	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.8	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 2 4915 42nd St NW
Date Collected: 1/30/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302028-002
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	38.9	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.5	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.4	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 3 4915 42nd St NW
Date Collected: 1/30/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302028-003
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	31.4	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.3	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 4915 42nd St NW
Date Collected: 1/30/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302028-004
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	30.0	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.8	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 5 4915 42nd St NW
Date Collected: 1/30/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302028-005
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	29.5	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.9	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 6 4915 42nd St NW
Date Collected: 1/30/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302028-006
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	28.8	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.9	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 7 4915 42nd St NW
Date Collected: 1/30/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302028-007
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	28.9	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.1	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 8 4915 42nd St NW
Date Collected: 1/30/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302028-008
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	27.3	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.0	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 4915 42nd St NW
Date Collected: 1/30/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302028-009
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	32.2	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.4	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 10 4915 42nd St NW
Date Collected: 1/30/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302028-010
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	35.5	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	2.3	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: LT-DC-CCPF-2302094

Sample Location: 1 5017 Sheriff Rd NW

Date Collected: 1/11/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2302094-001

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	142	ug/L	H	2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	2.7	ug/L	H	2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L	H	2/23/2023	Rlamsal

Sample Location: 2 5017 Sheriff Rd NW

Date Collected: 1/11/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2302094-002

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	138	ug/L	H	2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	2.8	ug/L	H	2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L	H	2/23/2023	Rlamsal

Sample Location: 3 5017 Sheriff Rd NW

Date Collected: 1/11/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2302094-003

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	132	ug/L	H	2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L	H	2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	2.7	ug/L	H	2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L	H	2/23/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 5017 Sheriff Rd NW						Customer Program Code: CCPF			
Date Collected: 1/11/2023						Laboratory Sample Number: 2302094-004			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 2/13/2023 10:15:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	136	ug/L	H	2/23/2023	Rlamsal	
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	2/23/2023	Rlamsal	
Manganese	EPA 200.8		0.2	2.8	ug/L	H	2/23/2023	Rlamsal	
Tin	EPA 200.8		0.2	ND	ug/L	H	2/23/2023	Rlamsal	

Sample Location: 5 5017 Sheriff Rd NW						Customer Program Code: CCPF			
Date Collected: 1/11/2023						Laboratory Sample Number: 2302094-005			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 2/13/2023 10:15:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	123	ug/L	H	2/23/2023	Rlamsal	
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	2/23/2023	Rlamsal	
Manganese	EPA 200.8		0.2	2.6	ug/L	H	2/23/2023	Rlamsal	
Tin	EPA 200.8		0.2	ND	ug/L	H	2/23/2023	Rlamsal	

Sample Location: 6 5017 Sheriff Rd NW						Customer Program Code: CCPF			
Date Collected: 1/11/2023						Laboratory Sample Number: 2302094-006			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 2/13/2023 10:15:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	145	ug/L	H	2/23/2023	Rlamsal	
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	2/23/2023	Rlamsal	
Manganese	EPA 200.8		0.2	2.8	ug/L	H	2/23/2023	Rlamsal	
Tin	EPA 200.8		0.2	ND	ug/L	H	2/23/2023	Rlamsal	

Sample Location: 7 5017 Sheriff Rd NW						Customer Program Code: CCPF			
Date Collected: 1/11/2023						Laboratory Sample Number: 2302094-007			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 2/13/2023 10:15:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	149	ug/L	H	2/23/2023	Rlamsal	
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	2/23/2023	Rlamsal	
Manganese	EPA 200.8		0.2	2.9	ug/L	H	2/23/2023	Rlamsal	
Tin	EPA 200.8		0.2	ND	ug/L	H	2/23/2023	Rlamsal	

Sample Location: 8 5017 Sheriff Rd NW						Customer Program Code: CCPF			
Date Collected: 1/11/2023						Laboratory Sample Number: 2302094-008			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 2/13/2023 10:15:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	97.9	ug/L	H	2/23/2023	Rlamsal	
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	2/23/2023	Rlamsal	
Manganese	EPA 200.8		0.2	2.8	ug/L	H	2/23/2023	Rlamsal	
Tin	EPA 200.8		0.2	ND	ug/L	H	2/23/2023	Rlamsal	

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 9 5017 Sheriff Rd NW

Date Collected: 1/11/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2302094-009

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	159	ug/L	H	2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.8	ug/L	H	2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	4.6	ug/L	H	2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	0.3	ug/L	H	2/23/2023	Rlamsal

Sample Location: 10 5017 Sheriff Rd NW

Date Collected: 1/11/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2302094-010

Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	47.6	ug/L	H	2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	2.9	ug/L	H	2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	0.3	ug/L	H	2/23/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: LT-DC-CCPF-2302095

Sample Location: 1 1860 Ingleside Terrace NW
Date Collected: 2/1/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302095-001
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	151	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	7.3	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 2 1860 Ingleside Terrace NW
Date Collected: 2/1/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302095-002
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	136	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	6.9	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 3 1860 Ingleside Terrace NW
Date Collected: 2/1/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302095-003
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	152	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	7.2	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 1860 Ingleside Terrace NW **Customer Program Code:** CCPF
Date Collected: 2/1/2023 **Laboratory Sample Number:** 2302095-004
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	147	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	7.0	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 5 1860 Ingleside Terrace NW **Customer Program Code:** CCPF
Date Collected: 2/1/2023 **Laboratory Sample Number:** 2302095-005
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	132	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	6.6	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 6 1860 Ingleside Terrace NW **Customer Program Code:** CCPF
Date Collected: 2/1/2023 **Laboratory Sample Number:** 2302095-006
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	137	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.2	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	6.5	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 7 1860 Ingleside Terrace NW **Customer Program Code:** CCPF
Date Collected: 2/1/2023 **Laboratory Sample Number:** 2302095-007
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	142	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	6.4	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 8 1860 Ingleside Terrace NW **Customer Program Code:** CCPF
Date Collected: 2/1/2023 **Laboratory Sample Number:** 2302095-008
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	142	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	6.3	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Comments:

ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit

Sample Location: 9 1860 Ingleside Terrace NW
Date Collected: 2/1/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302095-009
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	136	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	6.3	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 10 1860 Ingleside Terrace NW
Date Collected: 2/1/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302095-010
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	134	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	6.0	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: LT-DC-CCPF-2302097

Sample Location: 1 1226 29th St NW
Date Collected: 2/5/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302097-001
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	38.9	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.5	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.9	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 2 1226 29th St NW
Date Collected: 2/5/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302097-002
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	36.5	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.6	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	10.3	ug/L		2/23/2023	Rlamsal

Sample Location: 3 1226 29th St NW
Date Collected: 2/5/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302097-003
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	31.2	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.7	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 1226 29th St NW
Date Collected: 2/5/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302097-004
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	26.8	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.4	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 5 1226 29th St NW
Date Collected: 2/5/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302097-005
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	24.0	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.4	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 6 1226 29th St NW
Date Collected: 2/5/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302097-006
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	24.4	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.4	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 7 1226 29th St NW
Date Collected: 2/5/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302097-007
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	26.5	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.6	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 8 1226 29th St NW
Date Collected: 2/5/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302097-008
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	25.4	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.5	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 1226 29th St NW
Date Collected: 2/5/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302097-009
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	28.9	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	0.3	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.6	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 10 1226 29th St NW
Date Collected: 2/5/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302097-010
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	27.9	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.4	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/20/2023

Report Number: LT-DC-CCPF- 2302096

Sample Location: 1 1341 Madison St NW
Date Collected: 2/4/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302096-001
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	136	ug/L		3/16/2023	SBrooks
Lead	EPA 200.8	15	0.2	39.5	ug/L		3/16/2023	SBrooks
Manganese	EPA 200.8		0.2	4.9	ug/L		3/16/2023	SBrooks
Tin	EPA 200.8		0.2	2.2	ug/L		3/16/2023	SBrooks

Sample Location: 2 1341 Madison St NW
Date Collected: 2/4/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302096-002
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	151	ug/L		3/16/2023	SBrooks
Lead	EPA 200.8	15	0.2	12.1	ug/L		3/16/2023	SBrooks
Manganese	EPA 200.8		0.2	1.7	ug/L		3/16/2023	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		3/16/2023	SBrooks

Sample Location: 3 1341 Madison St NW
Date Collected: 2/4/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302096-003
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	17.5	ug/L		3/16/2023	SBrooks
Lead	EPA 200.8	15	0.2	3.5	ug/L		3/16/2023	SBrooks
Manganese	EPA 200.8		0.2	1.0	ug/L		3/16/2023	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		3/16/2023	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 1341 Madison St NW
Date Collected: 2/4/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302096-004
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	19.4	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	2.3	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.8	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 5 1341 Madison St NW
Date Collected: 2/4/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302096-005
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	12.1	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	1.9	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.8	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 6 1341 Madison St NW
Date Collected: 2/4/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302096-006
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	39.7	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	8.0	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.5	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 7 1341 Madison St NW
Date Collected: 2/4/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302096-007
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	54.5	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	18.4	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	2.5	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	1.1	ug/L		2/23/2023	Rlamsal

Sample Location: 8 1341 Madison St NW
Date Collected: 2/4/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302096-008
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	36.8	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	3.8	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.5	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 9 1341 Madison St NW
Date Collected: 2/4/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302096-009
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	10.6	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	1.3	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	0.7	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Sample Location: 10 1341 Madison St NW
Date Collected: 2/4/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302096-010
Date / Time Received: 2/13/2023 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	32.1	ug/L		2/23/2023	Rlamsal
Lead	EPA 200.8	15	0.2	2.3	ug/L		2/23/2023	Rlamsal
Manganese	EPA 200.8		0.2	1.2	ug/L		2/23/2023	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		2/23/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/20/2023

Report Number: LT-DC-CCPF- 2302177

Sample Location: 1 110 14th St. SE
Date Collected: 2/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302177-001
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	259	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	19.0	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	11.7	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	0.8	ug/L		3/10/2023	Lgallimore

Sample Location: 2 110 14th St. SE
Date Collected: 2/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302177-002
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	131	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	10.7	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	6.0	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	0.4	ug/L		3/10/2023	Lgallimore

Sample Location: 3 110 14th St. SE
Date Collected: 2/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302177-003
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	52.8	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	5.6	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	2.6	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	0.2	ug/L		3/10/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 110 14th St. SE
Date Collected: 2/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302177-004
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	36.5	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	4.5	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.8	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 5 110 14th St. SE
Date Collected: 2/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302177-005
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	14.1	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	2.7	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.0	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 6 110 14th St. SE
Date Collected: 2/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302177-006
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	1.7	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.8	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 7 110 14th St. SE
Date Collected: 2/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302177-007
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	1.4	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.6	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 8 110 14th St. SE
Date Collected: 2/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302177-008
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	1.2	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.6	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 110 14th St. SE
Date Collected: 2/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302177-009
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	1.1	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.6	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 10 110 14th St. SE
Date Collected: 2/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302177-010
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.7	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.5	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/20/2023

Report Number: LT-DC-CCPF- 2302178

Sample Location: 1 3404 Dent PL NW
Date Collected: 2/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302178-001
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	5.1	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 2 3404 Dent PL NW
Date Collected: 2/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302178-002
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.5	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.1	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 3 3404 Dent PL NW
Date Collected: 2/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302178-003
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.7	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 3404 Dent PL NW **Customer Program Code:** CCPF
Date Collected: 2/16/2023 **Laboratory Sample Number:** 2302178-004
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.5	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	10.5	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 5 3404 Dent PL NW **Customer Program Code:** CCPF
Date Collected: 2/16/2023 **Laboratory Sample Number:** 2302178-005
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	1.1	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	2.5	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 6 3404 Dent PL NW **Customer Program Code:** CCPF
Date Collected: 2/16/2023 **Laboratory Sample Number:** 2302178-006
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.7	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.5	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 7 3404 Dent PL NW **Customer Program Code:** CCPF
Date Collected: 2/16/2023 **Laboratory Sample Number:** 2302178-007
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	4.2	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	0.2	ug/L		3/10/2023	Lgallimore

Sample Location: 8 3404 Dent PL NW **Customer Program Code:** CCPF
Date Collected: 2/16/2023 **Laboratory Sample Number:** 2302178-008
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	37.4	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Comments:
 ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit

Sample Location: 9 3404 Dent PL NW
Date Collected: 2/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302178-009
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.7	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.1	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 10 3404 Dent PL NW
Date Collected: 2/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302178-010
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.9	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/20/2023

Report Number: LT-DC-CCPF- 2302179

Sample Location: 1 4345 Ellicott St NW

Date Collected: 2/1/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2302179-001

Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	33.5	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.3	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 2 4345 Ellicott St NW

Date Collected: 2/1/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2302179-002

Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	58.6	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.6	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 3 4345 Ellicott St NW

Date Collected: 2/1/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2302179-003

Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	34.3	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.5	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 4345 Ellicott St NW **Customer Program Code:** CCPF
Date Collected: 2/1/2023 **Laboratory Sample Number:** 2302179-004
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	41.6	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.9	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 5 4345 Ellicott St NW **Customer Program Code:** CCPF
Date Collected: 2/1/2023 **Laboratory Sample Number:** 2302179-005
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	53.6	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.0	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 6 4345 Ellicott St NW **Customer Program Code:** CCPF
Date Collected: 2/1/2023 **Laboratory Sample Number:** 2302179-006
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	54.0	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.0	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 7 4345 Ellicott St NW **Customer Program Code:** CCPF
Date Collected: 2/1/2023 **Laboratory Sample Number:** 2302179-007
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	43.0	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.1	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 8 4345 Ellicott St NW **Customer Program Code:** CCPF
Date Collected: 2/1/2023 **Laboratory Sample Number:** 2302179-008
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	46.2	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.3	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Comments:

ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit

Sample Location: 9 4345 Ellicott St NW

Customer Program Code: CCPF

Date Collected: 2/1/2023

Laboratory Sample Number: 2302179-009

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	41.2	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.4	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 10 4345 Ellicott St NW

Customer Program Code: CCPF

Date Collected: 2/1/2023

Laboratory Sample Number: 2302179-010

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	49.9	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.6	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/20/2023

Report Number: LT-DC-CCPF- 2302180

Sample Location: 1 1020 5th St. NE
Date Collected: 2/15/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302180-001
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	52.4	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	26.1	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	2.0	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	1.8	ug/L		3/10/2023	Lgallimore

Sample Location: 2 1020 5th St. NE
Date Collected: 2/15/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302180-002
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	30.5	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	29.1	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.1	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	6.4	ug/L		3/10/2023	Lgallimore

Sample Location: 3 1020 5th St. NE
Date Collected: 2/15/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302180-003
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	4.1	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.6	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	0.9	ug/L		3/10/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 1020 5th St. NE
Date Collected: 2/15/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302180-004
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	10.5	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	4.9	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.7	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 5 1020 5th St. NE
Date Collected: 2/15/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302180-005
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	5.7	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.7	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 6 1020 5th St. NE
Date Collected: 2/15/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302180-006
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	5.4	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.7	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 7 1020 5th St. NE
Date Collected: 2/15/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302180-007
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	5.7	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.7	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 8 1020 5th St. NE
Date Collected: 2/15/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302180-008
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	4.8	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.7	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 9 1020 5th St. NE
Date Collected: 2/15/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302180-009
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	4.2	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.7	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 10 1020 5th St. NE
Date Collected: 2/15/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302180-010
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	4.0	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.5	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/20/2023

Report Number: LT-DC-CCPF- 2302181

Sample Location: 1 3421 Morrison St. NW
Date Collected: 2/15/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302181-001
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	335	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	1.7	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	14.5	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 2 3421 Morrison St. NW
Date Collected: 2/15/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302181-002
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	53.4	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	1.3	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	2.9	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 3 3421 Morrison St. NW
Date Collected: 2/15/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302181-003
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	54.3	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	2.0	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	2.8	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 3421 Morrison St. NW
Date Collected: 2/15/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302181-004
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	61.7	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	2.6	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	3.4	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 5 3421 Morrison St. NW
Date Collected: 2/15/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302181-005
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	56.9	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	2.3	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	3.1	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 6 3421 Morrison St. NW
Date Collected: 2/15/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302181-006
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	197	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	2.2	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	3.7	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 7 3421 Morrison St. NW
Date Collected: 2/15/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302181-007
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	29.5	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	2.3	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	2.4	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 8 3421 Morrison St. NW
Date Collected: 2/15/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302181-008
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	32.6	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	2.6	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	2.5	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 3421 Morrison St. NW
Date Collected: 2/15/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302181-009
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	24.5	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	1.6	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	2.3	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 10 3421 Morrison St. NW
Date Collected: 2/15/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302181-010
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	24.3	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.8	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	2.1	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/20/2023

Report Number: LT-DC-CCPF- 2302182

Sample Location: 1 1309 Delafield PL NW
Date Collected: 2/20/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302182-001
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	4.7	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.7	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	2.0	ug/L		3/10/2023	Lgallimore

Sample Location: 2 1309 Delafield PL NW
Date Collected: 2/20/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302182-002
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.6	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.3	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 3 1309 Delafield PL NW
Date Collected: 2/20/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302182-003
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	16.4	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	1.4	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	4.5	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 1309 Delafield PL NW
Date Collected: 2/20/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302182-004
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	17.0	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.8	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	8.2	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 5 1309 Delafield PL NW
Date Collected: 2/20/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302182-005
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	10.9	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.5	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	7.1	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 6 1309 Delafield PL NW
Date Collected: 2/20/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302182-006
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.9	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.6	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 7 1309 Delafield PL NW
Date Collected: 2/20/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302182-007
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.0	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 8 1309 Delafield PL NW
Date Collected: 2/20/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302182-008
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.0	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 1309 Delafield PL NW
Date Collected: 2/20/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302182-009
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.0	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 10 1309 Delafield PL NW
Date Collected: 2/20/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2302182-010
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	1.0	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/20/2023

Report Number: LT-DC-CCPF- 2302183

Sample Location: 1 3410 N St NW

Date Collected: 2/9/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2302183-001

Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.3	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 2 3410 N St NW

Date Collected: 2/9/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2302183-002

Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.3	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 3 3410 N St NW

Date Collected: 2/9/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2302183-003

Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.2	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 3410 N St NW **Customer Program Code:** CCPF
Date Collected: 2/9/2023 **Laboratory Sample Number:** 2302183-004
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 5 3410 N St NW **Customer Program Code:** CCPF
Date Collected: 2/9/2023 **Laboratory Sample Number:** 2302183-005
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 6 3410 N St NW **Customer Program Code:** CCPF
Date Collected: 2/9/2023 **Laboratory Sample Number:** 2302183-006
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.2	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 7 3410 N St NW **Customer Program Code:** CCPF
Date Collected: 2/9/2023 **Laboratory Sample Number:** 2302183-007
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.2	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 8 3410 N St NW **Customer Program Code:** CCPF
Date Collected: 2/9/2023 **Laboratory Sample Number:** 2302183-008
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.2	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Comments:

ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit

Sample Location: 9 3410 N St NW

Customer Program Code: CCPF

Date Collected: 2/9/2023

Laboratory Sample Number: 2302183-009

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.2	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 10 3410 N St NW

Customer Program Code: CCPF

Date Collected: 2/9/2023

Laboratory Sample Number: 2302183-010

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.5	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.2	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/20/2023

Report Number: LT-DC-CCPF- 2303057

Sample Location: 1 1726 18th St. NW

Date Collected: 2/18/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2303057-001

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 2 1726 18th St. NW

Date Collected: 2/18/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2303057-002

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 3 1726 18th St. NW

Date Collected: 2/18/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2303057-003

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 1726 18th St. NW **Customer Program Code:** CCPF
Date Collected: 2/18/2023 **Laboratory Sample Number:** 2303057-004
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 5 1726 18th St. NW **Customer Program Code:** CCPF
Date Collected: 2/18/2023 **Laboratory Sample Number:** 2303057-005
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 6 1726 18th St. NW **Customer Program Code:** CCPF
Date Collected: 2/18/2023 **Laboratory Sample Number:** 2303057-006
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 7 1726 18th St. NW **Customer Program Code:** CCPF
Date Collected: 2/18/2023 **Laboratory Sample Number:** 2303057-007
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 8 1726 18th St. NW **Customer Program Code:** CCPF
Date Collected: 2/18/2023 **Laboratory Sample Number:** 2303057-008
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Comments:

ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit

Sample Location: 9 1726 18th St. NW

Customer Program Code: CCPF

Date Collected: 2/18/2023

Laboratory Sample Number: 2303057-009

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 10 1726 18th St. NW

Customer Program Code: CCPF

Date Collected: 2/18/2023

Laboratory Sample Number: 2303057-010

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/20/2023

Report Number: LT-DC-CCPF- 2303058

Sample Location: 1 2221 10th St. NW

Date Collected: 2/19/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2303058-001

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.7	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 2 2221 10th St. NW

Date Collected: 2/19/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2303058-002

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.5	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 3 2221 10th St. NW

Date Collected: 2/19/2023

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2303058-003

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 2221 10th St. NW **Customer Program Code:** CCPF
Date Collected: 2/19/2023 **Laboratory Sample Number:** 2303058-004
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.2	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 5 2221 10th St. NW **Customer Program Code:** CCPF
Date Collected: 2/19/2023 **Laboratory Sample Number:** 2303058-005
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 6 2221 10th St. NW **Customer Program Code:** CCPF
Date Collected: 2/19/2023 **Laboratory Sample Number:** 2303058-006
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.2	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 7 2221 10th St. NW **Customer Program Code:** CCPF
Date Collected: 2/19/2023 **Laboratory Sample Number:** 2303058-007
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.3	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 8 2221 10th St. NW **Customer Program Code:** CCPF
Date Collected: 2/19/2023 **Laboratory Sample Number:** 2303058-008
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	17.0	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.5	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Comments:

ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit

Sample Location: 9 2221 10th St. NW

Customer Program Code: CCPF

Date Collected: 2/19/2023

Laboratory Sample Number: 2303058-009

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Sample Location: 10 2221 10th St. NW

Customer Program Code: CCPF

Date Collected: 2/19/2023

Laboratory Sample Number: 2303058-010

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.6	ug/L	H	3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L	H	3/10/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/20/2023

Report Number: LT-DC-CCPF- 2303059

Sample Location: 1 3210 Brothers PL SE
Date Collected: 2/22/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303059-001
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.5	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	1.2	ug/L		3/10/2023	Lgallimore

Sample Location: 2 3210 Brothers PL SE
Date Collected: 2/22/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303059-002
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	0.8	ug/L		3/10/2023	Lgallimore

Sample Location: 3 3210 Brothers PL SE
Date Collected: 2/22/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303059-003
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	0.4	ug/L		3/10/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 3210 Brothers PL SE
Date Collected: 2/22/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303059-004
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.3	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	0.2	ug/L		3/10/2023	Lgallimore

Sample Location: 5 3210 Brothers PL SE
Date Collected: 2/22/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303059-005
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.3	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 6 3210 Brothers PL SE
Date Collected: 2/22/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303059-006
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	0.3	ug/L		3/10/2023	Lgallimore

Sample Location: 7 3210 Brothers PL SE
Date Collected: 2/22/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303059-007
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 8 3210 Brothers PL SE
Date Collected: 2/22/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303059-008
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 9 3210 Brothers PL SE
Date Collected: 2/22/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303059-009
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 10 3210 Brothers PL SE
Date Collected: 2/22/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303059-010
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/20/2023

Report Number: LT-DC-CCPF- 2303060

Sample Location: 1 320 11th St. NE
Date Collected: 3/1/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303060-001
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 2 320 11th St. NE
Date Collected: 3/1/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303060-002
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.5	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 3 320 11th St. NE
Date Collected: 3/1/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303060-003
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.5	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 320 11th St. NE
Date Collected: 3/1/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303060-004
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.6	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 5 320 11th St. NE
Date Collected: 3/1/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303060-005
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	1.6	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 6 320 11th St. NE
Date Collected: 3/1/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303060-006
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	1.7	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 7 320 11th St. NE
Date Collected: 3/1/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303060-007
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	1.6	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 8 320 11th St. NE
Date Collected: 3/1/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303060-008
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.6	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 320 11th St. NE
Date Collected: 3/1/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303060-009
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Sample Location: 10 320 11th St. NE
Date Collected: 3/1/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303060-010
Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		3/10/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		3/10/2023	Lgallimore
Manganese	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/9/2023

Report Number: LT-DC-CCPF-2303189

Sample Location: 1 5630 Connecticut Ave. NW
Date Collected: 3/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303189-001
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		20	295	ug/L		4/27/2023	SBrooks
Lead	EPA 200.8	15	0.2	30.7	ug/L		4/27/2023	SBrooks
Manganese	EPA 200.8		0.2	21.4	ug/L		4/27/2023	SBrooks
Tin	EPA 200.8		1.0	364	ug/L		4/27/2023	SBrooks

Sample Location: 2 5630 Connecticut Ave. NW
Date Collected: 3/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303189-002
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	25.2	ug/L		4/6/2023	Rlamsal
Lead	EPA 200.8	15	0.2	3.5	ug/L		4/6/2023	Rlamsal
Manganese	EPA 200.8		0.2	3.0	ug/L		4/6/2023	Rlamsal
Tin	EPA 200.8		0.5	6.5	ug/L		4/6/2023	Rlamsal

Sample Location: 3 5630 Connecticut Ave. NW
Date Collected: 3/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303189-003
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	82.8	ug/L		4/6/2023	Rlamsal
Lead	EPA 200.8	15	0.2	8.6	ug/L		4/6/2023	Rlamsal
Manganese	EPA 200.8		0.2	8.7	ug/L		4/6/2023	Rlamsal
Tin	EPA 200.8		0.5	3.6	ug/L		4/6/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 5630 Connecticut Ave. NW
Date Collected: 3/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303189-004
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	75.9	ug/L		4/6/2023	Rlamsal
Lead	EPA 200.8	15	0.2	7.1	ug/L		4/6/2023	Rlamsal
Manganese	EPA 200.8		0.2	8.1	ug/L		4/6/2023	Rlamsal
Tin	EPA 200.8		0.5	2.2	ug/L		4/6/2023	Rlamsal

Sample Location: 5 5630 Connecticut Ave. NW
Date Collected: 3/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303189-005
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	51.8	ug/L		4/6/2023	Rlamsal
Lead	EPA 200.8	15	0.2	4.6	ug/L		4/6/2023	Rlamsal
Manganese	EPA 200.8		0.2	5.3	ug/L		4/6/2023	Rlamsal
Tin	EPA 200.8		0.5	1.3	ug/L		4/6/2023	Rlamsal

Sample Location: 6 5630 Connecticut Ave. NW
Date Collected: 3/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303189-006
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	50.3	ug/L		4/6/2023	Rlamsal
Lead	EPA 200.8	15	0.2	4.3	ug/L		4/6/2023	Rlamsal
Manganese	EPA 200.8		0.2	5.1	ug/L		4/6/2023	Rlamsal
Tin	EPA 200.8		0.5	1.7	ug/L		4/6/2023	Rlamsal

Sample Location: 7 5630 Connecticut Ave. NW
Date Collected: 3/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303189-007
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	44.2	ug/L		4/6/2023	Rlamsal
Lead	EPA 200.8	15	0.2	3.9	ug/L		4/6/2023	Rlamsal
Manganese	EPA 200.8		0.2	4.7	ug/L		4/6/2023	Rlamsal
Tin	EPA 200.8		0.5	1.2	ug/L		4/6/2023	Rlamsal

Sample Location: 8 5630 Connecticut Ave. NW
Date Collected: 3/16/2023

Customer Program Code: CCPF
Laboratory Sample Number: 2303189-008
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	37.1	ug/L		4/6/2023	Rlamsal
Lead	EPA 200.8	15	0.2	3.1	ug/L		4/6/2023	Rlamsal
Manganese	EPA 200.8		0.2	3.7	ug/L		4/6/2023	Rlamsal
Tin	EPA 200.8		0.5	1.1	ug/L		4/6/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 5630 Connecticut Ave. NW

Date Collected: 3/16/2023

Customer Program Code: CCPF

Laboratory Sample Number: 2303189-009

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	24.6	ug/L		4/6/2023	Rlamsal
Lead	EPA 200.8	15	0.2	2.2	ug/L		4/6/2023	Rlamsal
Manganese	EPA 200.8		0.2	2.6	ug/L		4/6/2023	Rlamsal
Tin	EPA 200.8		0.5	0.6	ug/L		4/6/2023	Rlamsal

Sample Location: 10 5630 Connecticut Ave. NW

Date Collected: 3/16/2023

Customer Program Code: CCPF

Laboratory Sample Number: 2303189-010

Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	25.1	ug/L		4/6/2023	Rlamsal
Lead	EPA 200.8	15	0.2	2.1	ug/L		4/6/2023	Rlamsal
Manganese	EPA 200.8		0.2	2.6	ug/L		4/6/2023	Rlamsal
Tin	EPA 200.8		0.5	0.6	ug/L		4/6/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/9/2023

Report Number: LT-DC-CCPF-2304082

Sample Location: 1 1416 Columbia St. NW

Date Collected: 3/19/2023

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2304082-001

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	4/20/2023	BPrakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	4/20/2023	BPrakash
Manganese	EPA 200.8		0.2	0.6	ug/L	H	4/20/2023	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L	H	4/20/2023	BPrakash

Sample Location: 2 1416 Columbia St. NW

Date Collected: 3/19/2023

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2304082-002

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	4/20/2023	BPrakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	4/20/2023	BPrakash
Manganese	EPA 200.8		0.2	0.5	ug/L	H	4/20/2023	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L	H	4/20/2023	BPrakash

Sample Location: 3 1416 Columbia St. NW

Date Collected: 3/19/2023

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2304082-003

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	4/20/2023	BPrakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	4/20/2023	BPrakash
Manganese	EPA 200.8		0.2	0.4	ug/L	H	4/20/2023	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L	H	4/20/2023	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 1416 Columbia St. NW **Customer Program Code:** CCPF
Date Collected: 3/19/2023 **Laboratory Sample Number:** 2304082-004
H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method. **Date / Time Received:** 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	4/20/2023	BPrakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	4/20/2023	BPrakash
Manganese	EPA 200.8		0.2	0.4	ug/L	H	4/20/2023	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L	H	4/20/2023	BPrakash

Sample Location: 5 1416 Columbia St. NW **Customer Program Code:** CCPF
Date Collected: 3/19/2023 **Laboratory Sample Number:** 2304082-005
H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method. **Date / Time Received:** 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	4/20/2023	BPrakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	4/20/2023	BPrakash
Manganese	EPA 200.8		0.2	0.4	ug/L	H	4/20/2023	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L	H	4/20/2023	BPrakash

Sample Location: 6 1416 Columbia St. NW **Customer Program Code:** CCPF
Date Collected: 3/19/2023 **Laboratory Sample Number:** 2304082-006
H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method. **Date / Time Received:** 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	4/20/2023	BPrakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	4/20/2023	BPrakash
Manganese	EPA 200.8		0.2	0.3	ug/L	H	4/20/2023	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L	H	4/20/2023	BPrakash

Sample Location: 7 1416 Columbia St. NW **Customer Program Code:** CCPF
Date Collected: 3/19/2023 **Laboratory Sample Number:** 2304082-007
H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method. **Date / Time Received:** 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	4/20/2023	BPrakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	4/20/2023	BPrakash
Manganese	EPA 200.8		0.2	0.2	ug/L	H	4/20/2023	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L	H	4/20/2023	BPrakash

Sample Location: 8 1416 Columbia St. NW **Customer Program Code:** CCPF
Date Collected: 3/19/2023 **Laboratory Sample Number:** 2304082-008
H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method. **Date / Time Received:** 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	4/20/2023	BPrakash
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	4/20/2023	BPrakash
Manganese	EPA 200.8		0.2	0.2	ug/L	H	4/20/2023	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L	H	4/20/2023	BPrakash

Comments:

ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit

Sample Location: 9 1416 Columbia St. NW

Date Collected: 3/19/2023

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2304082-009

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	4/20/2023	BPrakash
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	4/20/2023	BPrakash
Manganese	EPA 200.8		0.2	0.2	ug/L	H	4/20/2023	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L	H	4/20/2023	BPrakash

Sample Location: 10 1416 Columbia St. NW

Date Collected: 3/19/2023

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2304082-010

Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	4/20/2023	BPrakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	4/20/2023	BPrakash
Manganese	EPA 200.8		0.2	0.4	ug/L	H	4/20/2023	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L	H	4/20/2023	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Customer Collected Filtered Samples

DC Water operates a program where customers request a lead sampling kit to test their in-line point-of-use filtered water. The test kit comes with a 1-L bottle and instructions on how to take a sample. Customers collect their own sample and contact DC Water to deliver the bottle to the Washington Aqueduct. Results are then reported back to the customer through DC Water's Customer Service Program.



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-CUSTFILT- 2211145-088

Sample Location: 1st Draw 3223 Walbridge PI NW

Customer Sample Number:

Date / Time Collected: 11/12/2022 8:46 AM

Customer Program Code: CUSTFILT

Laboratory Sample Number: 2211145-088

Date / Time Received: 11/18/2022 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 2/14/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-CUSTFILT- 2301122-001

Sample Location: 3511 Idaho Ave NW	Customer Program Code: CUSTFILT
Customer Sample Number:	Laboratory Sample Number: 2301122-001
Date / Time Collected: 1/3/2023 7:35 AM	Date / Time Received: 1/17/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	LGallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 2/16/2023

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-CUSTFILT- 2301162-001

Sample Location: 5603 16th St. NW

Customer Sample Number:

Date / Time Collected: 1/14/2023 2:19 PM

Customer Program Code: CUSTFILT

Laboratory Sample Number: 2301162-001

Date / Time Received: 1/23/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		2/10/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Pipe Loop Research

DC Water collected stagnated samples from lead pipe loops to simulate lead levels released in the distribution system. The Washington Aqueduct laboratory analyzed the samples for lead.



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/10/2023

Report Number: L-DC-LLP- 10012023

Sample Location: 1 Bryant Street - Lead Pipe Section 1
Sample Collected By: HR
Date / Time Collected: 11/9/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211082-001
Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		11/29/2022	LGallimore

Sample Location: 2 Bryant Street - Lead Pipe Section 2
Sample Collected By: HR
Date / Time Collected: 11/9/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211082-002
Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.4	ug/L		11/29/2022	LGallimore

Sample Location: 3 Bryant Street - Lead Pipe Section 3
Sample Collected By: HR
Date / Time Collected: 11/9/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211082-003
Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.4	ug/L		11/29/2022	LGallimore

Sample Location: 4 Bryant Street - Lead Pipe Section 4
Sample Collected By: HR
Date / Time Collected: 11/9/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211082-004
Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	8.8	ug/L		11/29/2022	LGallimore

Sample Location: 5 Bryant Street - Lead Pipe Section 5
Sample Collected By: HR
Date / Time Collected: 11/9/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211082-005
Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.0	ug/L		11/29/2022	LGallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 1/10/2023

Report Number: L-DC-LLP- 10012023

Sample Location: 6 Bryant Street - Lead Pipe Section 6

Sample Collected By: HR

Date / Time Collected: 11/9/2022 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2211082-006

Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.2	ug/L		11/29/2022	LGallimore

Sample Location: 7 Bryant Street - Lead Pipe Section 7

Sample Collected By: HR

Date / Time Collected: 11/9/2022 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2211082-007

Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		11/29/2022	LGallimore

Sample Location: 8 Bryant Street - Lead Pipe Section 8

Sample Collected By: HR

Date / Time Collected: 11/9/2022 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2211082-008

Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	7.1	ug/L		11/29/2022	LGallimore

Sample Location: 9 Bryant Street - Lead Pipe Section 9

Sample Collected By: HR

Date / Time Collected: 11/9/2022 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2211082-009

Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		11/29/2022	LGallimore

Sample Location: 10 Bryant Street - Lead Pipe Section 10

Sample Collected By: HR

Date / Time Collected: 11/9/2022 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2211082-010

Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.7	ug/L		11/29/2022	LGallimore

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)

Sample Collected By: HB

Date / Time Collected: 10/28/2022 10:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2211177-001

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L	H	12/9/2022	SBrooks

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)

Sample Collected By: HB

Date / Time Collected: 10/28/2022 10:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2211177-002

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L	H	12/9/2022	SBrooks

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory5900 MacArthur Blvd, NW
Washington, DC 20016Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 1/10/2023

Report Number: L-DC-LLP- 10012023

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)

Sample Collected By: HB

Date / Time Collected: 10/25/2022 10:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2211177-003

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L	H	12/9/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)

Sample Collected By: HB

Date / Time Collected: 10/25/2022 10:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2211177-004

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L	H	12/9/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)

Sample Collected By: LS

Date / Time Collected: 10/18/2022 9:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2211177-005

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L	H	12/9/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)

Sample Collected By: LS

Date / Time Collected: 10/18/2022 9:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2211177-006

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L	H	12/9/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)

Sample Collected By: HB

Date / Time Collected: 11/4/2022 11:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2211178-001

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L	H	12/9/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)

Sample Collected By: HB

Date / Time Collected: 11/4/2022 11:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2211178-002

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L	H	12/9/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Baseline)

Sample Collected By: HB

Date / Time Collected: 11/4/2022 12:30 PM

Customer Program Code: LLP

Laboratory Sample Number: 2211178-003

Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	12/9/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory5900 MacArthur Blvd, NW
Washington, DC 20016Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 1/10/2023

Report Number: L-DC-LLP- 10012023

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: HB
Date / Time Collected: 11/8/2022 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211178-004
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L	H	12/9/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: HB
Date / Time Collected: 11/8/2022 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211178-005
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.2	ug/L	H	12/9/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: LS
Date / Time Collected: 11/1/2022 2:30 PM

Customer Program Code: LLP
Laboratory Sample Number: 2211178-006
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L	H	12/9/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: LS
Date / Time Collected: 11/1/2022 2:30 PM

Customer Program Code: LLP
Laboratory Sample Number: 2211178-007
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L	H	12/9/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: LS
Date / Time Collected: 10/4/2022 10:05 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211178-008
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L	H	12/9/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: LS
Date / Time Collected: 10/4/2022 10:06 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211178-009
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L	H	12/9/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: DM
Date / Time Collected: 11/17/2022 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211179-001
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.2	ug/L		12/9/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 1/10/2023

Report Number: L-DC-LLP- 10012023

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: DM
Date / Time Collected: 11/17/2022 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211179-002
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.8	ug/L		12/9/2022	SBrooks

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: HB
Date / Time Collected: 10/14/2022 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211179-003
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L	H	12/9/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: HB
Date / Time Collected: 10/14/2022 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211179-004
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L	H	12/9/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Baseline)
Sample Collected By: HB
Date / Time Collected: 10/14/2022 11:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211179-005
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	12/9/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: LS
Date / Time Collected: 10/12/2022 9:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211179-006
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L	H	12/9/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: LS
Date / Time Collected: 10/12/2022 9:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211179-007
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.2	ug/L	H	12/9/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: HB
Date / Time Collected: 10/21/2022 11:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211179-008
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L	H	12/9/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minumum Reporting Limit

Report Date: 1/10/2023

Report Number: L-DC-LLP- 10012023

Sample Location: 3900 Donaldson PI NW (Pipeloop 3)
Sample Collected By: HB
Date / Time Collected: 10/21/2022 11:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211179-009
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L	H	12/9/2022	SBrooks

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW (Baseline)
Sample Collected By: HB
Date / Time Collected: 10/21/2022 12:30 PM

Customer Program Code: LLP
Laboratory Sample Number: 2211179-010
Date / Time Received: 11/23/2022 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	12/9/2022	SBrooks

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: HR
Date / Time Collected: 11/21/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212016-001
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L		12/20/2022	SBrooks

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: HR
Date / Time Collected: 11/21/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212016-002
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.6	ug/L		12/20/2022	SBrooks

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: HR
Date / Time Collected: 11/21/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212016-003
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		12/20/2022	SBrooks

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: HR
Date / Time Collected: 11/21/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212016-004
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	11.8	ug/L		12/20/2022	SBrooks

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: HR
Date / Time Collected: 11/21/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212016-005
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.6	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 1/10/2023

Report Number: L-DC-LLP- 10012023

Sample Location: 7 Byrant Street - Lead Pipe Section 7

Sample Collected By: HR

Date / Time Collected: 11/21/2022 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2212016-007

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		12/20/2022	SBrooks

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Sample Collected By: HR

Date / Time Collected: 11/21/2022 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2212016-008

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L		12/20/2022	SBrooks

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: HR

Date / Time Collected: 11/21/2022 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2212016-009

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.7	ug/L		12/20/2022	SBrooks

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: HR

Date / Time Collected: 11/21/2022 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2212016-010

Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/26/2023

Report Number: L-DC-LLP- 26012023

Sample Location: 1 Bryant Street - Lead Pipe Section 1
Sample Collected By: KLC
Date / Time Collected: 11/30/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212017-001
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		1/11/2023	Bprakash

Sample Location: 2 Bryant Street - Lead Pipe Section 2
Sample Collected By: KLC
Date / Time Collected: 11/30/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212017-002
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L		1/11/2023	Bprakash

Sample Location: 3 Bryant Street - Lead Pipe Section 3
Sample Collected By: KLC
Date / Time Collected: 11/30/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212017-003
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L		1/11/2023	Bprakash

Sample Location: 4 Bryant Street - Lead Pipe Section 4
Sample Collected By: KLC
Date / Time Collected: 11/30/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212017-004
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		1/11/2023	Bprakash

Sample Location: 5 Bryant Street - Lead Pipe Section 5
Sample Collected By: KLC
Date / Time Collected: 11/30/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212017-005
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.7	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 1/26/2023

Report Number: L-DC-LLP- 26012023

Sample Location: 6 Bryant Street - Lead Pipe Section 6
Sample Collected By: KLC
Date / Time Collected: 11/30/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212017-006
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.1	ug/L		1/11/2023	Bprakash

Sample Location: 7 Bryant Street - Lead Pipe Section 7
Sample Collected By: KLC
Date / Time Collected: 11/30/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212017-007
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.8	ug/L		1/11/2023	Bprakash

Sample Location: 8 Bryant Street - Lead Pipe Section 8
Sample Collected By: KLC
Date / Time Collected: 11/30/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212017-008
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.5	ug/L		1/11/2023	Bprakash

Sample Location: 9 Bryant Street - Lead Pipe Section 9
Sample Collected By: KLC
Date / Time Collected: 11/30/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212017-009
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L		1/11/2023	Bprakash

Sample Location: 10 Bryant Street - Lead Pipe Section 10
Sample Collected By: KLC
Date / Time Collected: 11/30/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212017-010
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.3	ug/L		1/11/2023	Bprakash

Sample Location: 1 Bryant Street - Lead Pipe Section 1
Sample Collected By: KLC
Date / Time Collected: 11/23/2022 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212018-001
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L		1/11/2023	Bprakash

Sample Location: 2 Bryant Street - Lead Pipe Section 2
Sample Collected By: KLC
Date / Time Collected: 11/23/2022 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212018-002
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.6	ug/L		1/11/2023	Bprakash

Sample Location: 3 Bryant Street - Lead Pipe Section 3
Sample Collected By: KLC
Date / Time Collected: 11/23/2022 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212018-003
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 1/26/2023

Report Number: L-DC-LLP- 26012023

Sample Location: 4 Bryant Street - Lead Pipe Section 4
Sample Collected By: KLC
Date / Time Collected: 11/23/2022 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212018-004
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	9.1	ug/L		1/11/2023	Bprakash

Sample Location: 5 Bryant Street - Lead Pipe Section 5
Sample Collected By: KLC
Date / Time Collected: 11/23/2022 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212018-005
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.6	ug/L		1/11/2023	Bprakash

Sample Location: 6 Bryant Street - Lead Pipe Section 6
Sample Collected By: KLC
Date / Time Collected: 11/23/2022 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212018-006
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.1	ug/L		1/11/2023	Bprakash

Sample Location: 7 Bryant Street - Lead Pipe Section 7
Sample Collected By: KLC
Date / Time Collected: 11/23/2022 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212018-007
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.3	ug/L		1/11/2023	Bprakash

Sample Location: 8 Bryant Street - Lead Pipe Section 8
Sample Collected By: KLC
Date / Time Collected: 11/23/2022 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212018-008
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.1	ug/L		1/11/2023	Bprakash

Sample Location: 9 Bryant Street - Lead Pipe Section 9
Sample Collected By: KLC
Date / Time Collected: 11/23/2022 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212018-009
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L		1/11/2023	Bprakash

Sample Location: 10 Bryant Street - Lead Pipe Section 10
Sample Collected By: KLC
Date / Time Collected: 11/23/2022 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212018-010
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.6	ug/L		1/11/2023	Bprakash

Sample Location: 1 Bryant Street - Lead Pipe Section 1
Sample Collected By: KLC
Date / Time Collected: 12/8/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212103-001
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Report Date: 1/26/2023

Report Number: L-DC-LLP- 26012023

Sample Location: 2 Bryant Street - Lead Pipe Section 2
Sample Collected By: KLC
Date / Time Collected: 12/8/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212103-002
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.2	ug/L		1/11/2023	Bprakash

Sample Location: 3 Bryant Street - Lead Pipe Section 3
Sample Collected By: KLC
Date / Time Collected: 12/8/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212103-003
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.1	ug/L		1/11/2023	Bprakash

Sample Location: 4 Bryant Street - Lead Pipe Section 4
Sample Collected By: KLC
Date / Time Collected: 12/8/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212103-004
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		1/11/2023	Bprakash

Sample Location: 5 Bryant Street - Lead Pipe Section 5
Sample Collected By: KLC
Date / Time Collected: 12/8/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212103-005
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.1	ug/L		1/11/2023	Bprakash

Sample Location: 6 Bryant Street - Lead Pipe Section 6
Sample Collected By: KLC
Date / Time Collected: 12/8/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212103-006
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.3	ug/L		1/11/2023	Bprakash

Sample Location: 7 Bryant Street - Lead Pipe Section 7
Sample Collected By: KLC
Date / Time Collected: 12/8/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212103-007
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.1	ug/L		1/11/2023	Bprakash

Sample Location: 8 Bryant Street - Lead Pipe Section 8
Sample Collected By: KLC
Date / Time Collected: 12/8/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212103-008
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L		1/11/2023	Bprakash

Sample Location: 9 Bryant Street - Lead Pipe Section 9
Sample Collected By: KLC
Date / Time Collected: 12/8/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212103-009
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 1/26/2023

Report Number: L-DC-LLP- 26012023

Sample Location: 10 Bryant Street - Lead Pipe Section 10
Sample Collected By: KLC
Date / Time Collected: 12/8/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212103-010
Date / Time Received: 12/15/2022 9:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.4	ug/L		1/11/2023	Bprakash

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: HB
Date / Time Collected: 11/18/2022 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212141-001
Date / Time Received: 12/20/2022 11:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L	H	1/11/2023	Bprakash
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: HB
Date / Time Collected: 11/18/2022 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212141-002
Date / Time Received: 12/20/2022 11:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L	H	1/11/2023	Bprakash
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW Baseline
Sample Collected By: HB
Date / Time Collected: 11/18/2022 11:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212141-003
Date / Time Received: 12/20/2022 11:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/11/2023	Bprakash
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: HB
Date / Time Collected: 11/22/2022 10:35 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212141-004
Date / Time Received: 12/20/2022 11:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L	H	1/11/2023	Bprakash
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: HB
Date / Time Collected: 11/22/2022 10:35 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212141-005
Date / Time Received: 12/20/2022 11:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L	H	1/11/2023	Bprakash
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: HB
Date / Time Collected: 12/2/2022 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2212141-006
Date / Time Received: 12/20/2022 11:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L	H	1/11/2023	Bprakash
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 1/26/2023

Report Number: L-DC-LLP- 26012023

Sample Location: 3900 Donaldson PI NW Baseline
 Sample Collected By: HB
 Date / Time Collected: 12/2/2022 11:30 AM
 Customer Program Code: LLP
 Laboratory Sample Number: 2212141-007
 Date / Time Received: 12/20/2022 11:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/11/2023	Bprakash

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
 Sample Collected By: YT
 Date / Time Collected: 12/6/2022 10:30 AM
 Customer Program Code: LLP
 Laboratory Sample Number: 2212141-008
 Date / Time Received: 12/20/2022 11:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		1/11/2023	Bprakash

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
 Sample Collected By: HB
 Date / Time Collected: 12/9/2022 10:00 AM
 Customer Program Code: LLP
 Laboratory Sample Number: 2212142-001
 Date / Time Received: 12/20/2022 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		1/11/2023	Bprakash

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
 Sample Collected By: HB
 Date / Time Collected: 12/9/2022 10:00 AM
 Customer Program Code: LLP
 Laboratory Sample Number: 2212142-002
 Date / Time Received: 12/20/2022 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		1/11/2023	Bprakash

Sample Location: 3900 Donaldson PI NW Baseline
 Sample Collected By: HB
 Date / Time Collected: 12/9/2022 11:00 AM
 Customer Program Code: LLP
 Laboratory Sample Number: 2212142-003
 Date / Time Received: 12/20/2022 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/11/2023	Bprakash

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
 Sample Collected By: HB
 Date / Time Collected: 12/13/2022 12:30 PM
 Customer Program Code: LLP
 Laboratory Sample Number: 2212142-004
 Date / Time Received: 12/20/2022 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		1/11/2023	Bprakash

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
 Sample Collected By: HB
 Date / Time Collected: 12/13/2022 10:30 AM
 Customer Program Code: LLP
 Laboratory Sample Number: 2212142-005
 Date / Time Received: 12/20/2022 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.5	ug/L		1/11/2023	Bprakash

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
 Sample Collected By: DM
 Date / Time Collected: 12/15/2022 10:45 AM
 Customer Program Code: LLP
 Laboratory Sample Number: 2212142-006
 Date / Time Received: 12/20/2022 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit

Report Date: 1/26/2023

Report Number: L-DC-LLP- 26012023

Sample Location: 3900 Donaldson PI NW (Pipeloop 3)

Customer Program Code: LLP

Sample Collected By: DM

Laboratory Sample Number: 2212142-007

Date / Time Collected: 12/15/2022 10:45 AM

Date / Time Received: 12/20/2022 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		1/11/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

*Washington Aqueduct
Laboratory*

*5900 MacArthur Blvd, NW
Washington, DC 20016*

*Phone (202) 345-5928
Fax (202) 587-9446*



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/13/2023

Report Number: L-DC-LLP- 13022023

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: HB
Date / Time Collected: 12/16/2022 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301064-001
Date / Time Received: 1/9/2023 12:10:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L	H	1/26/2023	Lgallimore
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: HB
Date / Time Collected: 12/16/2022 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301064-002
Date / Time Received: 1/9/2023 12:10:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L	H	1/26/2023	Lgallimore
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW Baseline
Sample Collected By: HB
Date / Time Collected: 12/16/2022 11:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301064-003
Date / Time Received: 1/9/2023 12:10:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	1/26/2023	Lgallimore
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: YT
Date / Time Collected: 12/20/2022 9:07 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301064-004
Date / Time Received: 1/9/2023 12:10:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L	H	1/26/2023	Lgallimore
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 2/13/2023

Report Number: L-DC-LLP- 13022023

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: YT
Date / Time Collected: 12/20/2022 9:09 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301064-005
Date / Time Received: 1/9/2023 12:10:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L	H	1/26/2023	Lgallimore
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: HB
Date / Time Collected: 12/22/2022 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301064-006
Date / Time Received: 1/9/2023 12:10:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L	H	1/26/2023	Lgallimore
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: HB
Date / Time Collected: 12/22/2022 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301064-007
Date / Time Received: 1/9/2023 12:10:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L	H	1/26/2023	Lgallimore
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: HB
Date / Time Collected: 12/27/2022 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301064-008
Date / Time Received: 1/9/2023 12:10:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		1/26/2023	Lgallimore

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: HB
Date / Time Collected: 12/28/2022 11:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301064-009
Date / Time Received: 1/9/2023 12:10:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		1/26/2023	Lgallimore

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: HB
Date / Time Collected: 12/28/2022 11:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301065-001
Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L		1/26/2023	Lgallimore

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: HB
Date / Time Collected: 12/29/2022 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301065-002
Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 2/13/2023

Report Number: L-DC-LLP- 13022023

Sample Location: 3900 Donaldson PI NW Baseline
Sample Collected By: HB
Date / Time Collected: 12/29/2022 11:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301065-003
Date / Time Received: 1/9/2023 11:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: HR
Date / Time Collected: 12/30/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301066-001
Date / Time Received: 1/9/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		1/26/2023	Lgallimore

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: HR
Date / Time Collected: 12/30/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301066-002
Date / Time Received: 1/9/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		1/26/2023	Lgallimore

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: HR
Date / Time Collected: 12/30/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301066-003
Date / Time Received: 1/9/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		1/26/2023	Lgallimore

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: HR
Date / Time Collected: 12/30/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301066-004
Date / Time Received: 1/9/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		1/26/2023	Lgallimore

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: HR
Date / Time Collected: 12/30/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301066-005
Date / Time Received: 1/9/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		1/26/2023	Lgallimore

Sample Location: 6 Byrant Street - Lead Pipe Section 6
Sample Collected By: HR
Date / Time Collected: 12/30/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301066-006
Date / Time Received: 1/9/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.2	ug/L		1/26/2023	Lgallimore

Sample Location: 8 Byrant Street - Lead Pipe Section 8
Sample Collected By: HR
Date / Time Collected: 12/30/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301066-008
Date / Time Received: 1/9/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.6	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 2/13/2023

Report Number: L-DC-LLP- 13022023

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: HR

Date / Time Collected: 12/30/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301066-009

Date / Time Received: 1/9/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		1/26/2023	Lgallimore

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: HR

Date / Time Collected: 12/30/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301066-010

Date / Time Received: 1/9/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/14/2023

Report Number: L-DC-LLP- 14022023

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: KLC
Date / Time Collected: 1/12/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301096-001
Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		1/26/2023	LGallimore

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: KLC
Date / Time Collected: 1/12/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301096-002
Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		1/26/2023	LGallimore

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: KLC
Date / Time Collected: 1/12/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301096-003
Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		1/26/2023	LGallimore

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: KLC
Date / Time Collected: 1/12/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301096-004
Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.8	ug/L		1/26/2023	LGallimore

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: KLC
Date / Time Collected: 1/12/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301096-005
Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		1/26/2023	LGallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 2/14/2023

Report Number: L-DC-LLP- 14022023

Sample Location: 6 Byrant Street - Lead Pipe Section 6
Sample Collected By: KLC
Date / Time Collected: 1/12/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301096-006
Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		1/26/2023	LGallimore

Sample Location: 7 Byrant Street - Lead Pipe Section 7
Sample Collected By: KLC
Date / Time Collected: 1/12/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301096-007
Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.5	ug/L		1/26/2023	LGallimore

Sample Location: 8 Byrant Street - Lead Pipe Section 8
Sample Collected By: KLC
Date / Time Collected: 1/12/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301096-008
Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		1/26/2023	LGallimore

Sample Location: 9 Byrant Street - Lead Pipe Section 9
Sample Collected By: KLC
Date / Time Collected: 1/12/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301096-009
Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		1/26/2023	LGallimore

Sample Location: 10 Byrant Street - Lead Pipe Section 10
Sample Collected By: KLC
Date / Time Collected: 1/12/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301096-010
Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		1/26/2023	LGallimore

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: HB
Date / Time Collected: 1/6/2023 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301097-001
Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L		1/26/2023	Lgallimore

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: HB
Date / Time Collected: 1/6/2023 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301097-002
Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.5	ug/L		1/26/2023	Lgallimore

Sample Location: 3900 Donaldson PI NW Baseline
Sample Collected By: HB
Date / Time Collected: 1/6/2023 11:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301097-003
Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minumum Reporting Limit

Report Date: 2/14/2023

Report Number: L-DC-LLP- 14022023

Sample Location: 3900 Donaldson PI NW (Pipeloop 3)
Sample Collected By: HB
Date / Time Collected: 1/10/2023 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301097-004
Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.9	ug/L		1/26/2023	Lgallimore

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: HR
Date / Time Collected: 1/10/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301098-001
Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L		1/26/2023	Lgallimore

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: HR
Date / Time Collected: 1/10/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301098-002
Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		1/26/2023	Lgallimore

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: HR
Date / Time Collected: 1/10/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301098-003
Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		1/26/2023	Lgallimore

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: HR
Date / Time Collected: 1/10/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301098-004
Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.3	ug/L		1/26/2023	Lgallimore

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: HR
Date / Time Collected: 1/10/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301098-005
Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.4	ug/L		1/26/2023	Lgallimore

Sample Location: 6 Byrant Street - Lead Pipe Section 6
Sample Collected By: HR
Date / Time Collected: 1/10/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301098-006
Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.6	ug/L		1/26/2023	Lgallimore

Sample Location: 7 Byrant Street - Lead Pipe Section 7
Sample Collected By: HR
Date / Time Collected: 1/10/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301098-007
Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 2/14/2023

Report Number: L-DC-LLP- 14022023

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Sample Collected By: HR

Date / Time Collected: 1/10/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301098-008

Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.3	ug/L		1/26/2023	Lgallimore

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: HR

Date / Time Collected: 1/10/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301098-009

Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		1/26/2023	Lgallimore

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: HR

Date / Time Collected: 1/10/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301098-010

Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		1/26/2023	Lgallimore

Sample Location: 1 Byrant Street - Lead Pipe Section 1

Sample Collected By: HR

Date / Time Collected: 1/6/2023 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301099-001

Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		1/26/2023	Lgallimore

Sample Location: 2 Byrant Street - Lead Pipe Section 2

Sample Collected By: HR

Date / Time Collected: 1/6/2023 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301099-002

Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		1/26/2023	Lgallimore

Sample Location: 3 Byrant Street - Lead Pipe Section 3

Sample Collected By: HR

Date / Time Collected: 1/6/2023 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301099-003

Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.4	ug/L		1/26/2023	Lgallimore

Sample Location: 4 Byrant Street - Lead Pipe Section 4

Sample Collected By: HR

Date / Time Collected: 1/6/2023 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301099-004

Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		1/26/2023	Lgallimore

Sample Location: 5 Byrant Street - Lead Pipe Section 5

Sample Collected By: HR

Date / Time Collected: 1/6/2023 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301099-005

Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Report Date: 2/14/2023

Report Number: L-DC-LLP- 14022023

Sample Location: 6 Byrant Street - Lead Pipe Section 6

Sample Collected By: HR

Date / Time Collected: 1/6/2023 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301099-006

Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		1/26/2023	Lgallimore

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Sample Collected By: HR

Date / Time Collected: 1/6/2023 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301099-007

Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L		1/26/2023	Lgallimore

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: HR

Date / Time Collected: 1/6/2023 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301099-008

Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		1/26/2023	Lgallimore

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: HR

Date / Time Collected: 1/6/2023 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301099-009

Date / Time Received: 1/13/2023 8:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	8.2	ug/L		1/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 2/16/2023

Report Number: L-DC-LLP- 16022023

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: HR
Date / Time Collected: 1/27/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301190-001
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		2/6/2023	SBrooks

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: HR
Date / Time Collected: 1/27/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301190-002
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.5	ug/L		2/6/2023	SBrooks

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: HR
Date / Time Collected: 1/27/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301190-003
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		2/6/2023	SBrooks

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: HR
Date / Time Collected: 1/27/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301190-004
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		2/6/2023	SBrooks

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: HR
Date / Time Collected: 1/27/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301190-005
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.1	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 2/16/2023

Report Number: L-DC-LLP- 16022023

Sample Location: 6 Byrant Street - Lead Pipe Section 6

Sample Collected By: HR

Date / Time Collected: 1/27/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301190-006

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.3	ug/L		2/6/2023	SBrooks

Sample Location: 7 Byrant Street - Lead Pipe Section 7

Sample Collected By: HR

Date / Time Collected: 1/27/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301190-007

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		2/6/2023	SBrooks

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Sample Collected By: HR

Date / Time Collected: 1/27/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301190-008

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.9	ug/L		2/6/2023	SBrooks

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: HR

Date / Time Collected: 1/27/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301190-009

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.4	ug/L		2/6/2023	SBrooks

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: HR

Date / Time Collected: 1/27/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301190-010

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		2/6/2023	SBrooks

Sample Location: 1 Byrant Street - Lead Pipe Section 1

Sample Collected By: KLC

Date / Time Collected: 1/26/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301191-001

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.4	ug/L		2/6/2023	SBrooks

Sample Location: 2 Byrant Street - Lead Pipe Section 2

Sample Collected By: KLC

Date / Time Collected: 1/26/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301191-002

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		2/6/2023	SBrooks

Sample Location: 3 Byrant Street - Lead Pipe Section 3

Sample Collected By: KLC

Date / Time Collected: 1/26/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2301191-003

Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Report Date: 2/16/2023

Report Number: L-DC-LLP- 16022023

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: KLC
Date / Time Collected: 1/26/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301191-004
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		2/6/2023	SBrooks

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: KLC
Date / Time Collected: 1/26/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301191-005
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L		2/6/2023	SBrooks

Sample Location: 6 Byrant Street - Lead Pipe Section 6
Sample Collected By: KLC
Date / Time Collected: 1/26/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301191-006
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		2/6/2023	SBrooks

Sample Location: 7 Byrant Street - Lead Pipe Section 7
Sample Collected By: KLC
Date / Time Collected: 1/26/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301191-007
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		2/6/2023	SBrooks

Sample Location: 8 Byrant Street - Lead Pipe Section 8
Sample Collected By: KLC
Date / Time Collected: 1/26/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301191-008
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L		2/6/2023	SBrooks

Sample Location: 9 Byrant Street - Lead Pipe Section 9
Sample Collected By: KLC
Date / Time Collected: 1/26/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301191-009
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		2/6/2023	SBrooks

Sample Location: 10 Byrant Street - Lead Pipe Section 10
Sample Collected By: KLC
Date / Time Collected: 1/26/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301191-010
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		2/6/2023	SBrooks

Sample Location: 3900 Donaldson PI NW Baseline
Sample Collected By: HB
Date / Time Collected: 1/13/2023 11:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301194-001
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 2/16/2023

Report Number: L-DC-LLP- 16022023

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: DM
Date / Time Collected: 1/19/2023 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301194-002
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.2	ug/L		2/6/2023	SBrooks

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: HB
Date / Time Collected: 1/20/2023 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301194-003
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L		2/6/2023	SBrooks

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: HB
Date / Time Collected: 1/20/2023 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301194-004
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		2/6/2023	SBrooks

Sample Location: 3900 Donaldson PI NW Baseline
Sample Collected By: HB
Date / Time Collected: 1/20/2023 11:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301194-005
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		2/6/2023	SBrooks

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: LS
Date / Time Collected: 1/24/2023 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2301194-006
Date / Time Received: 1/27/2023 12:20:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		2/6/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minumum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/9/2023

Report Number: L-DC-LLP- 09032023

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By:
Date / Time Collected: 2/1/2023 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302025-001
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		2/15/2023	Rlamsal

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: KLC
Date / Time Collected: 2/1/2023 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302025-002
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		2/15/2023	Rlamsal

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: KLC
Date / Time Collected: 2/1/2023 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302025-003
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		2/15/2023	Rlamsal

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: KLC
Date / Time Collected: 2/1/2023 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302025-004
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.4	ug/L		2/15/2023	Rlamsal

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: KLC
Date / Time Collected: 2/1/2023 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302025-005
Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.5	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 3/9/2023

Report Number: L-DC-LLP- 09032023

Sample Location: 6 Byrant Street - Lead Pipe Section 6

Sample Collected By: KLC

Date / Time Collected: 2/1/2023 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2302025-006

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		2/15/2023	Rlamsal

Sample Location: 7 Byrant Street - Lead Pipe Section 7

Sample Collected By: KLC

Date / Time Collected: 2/1/2023 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2302025-007

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		2/15/2023	Rlamsal

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Sample Collected By: KLC

Date / Time Collected: 2/1/2023 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2302025-008

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.6	ug/L		2/15/2023	Rlamsal

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: KLC

Date / Time Collected: 2/1/2023 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2302025-009

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		2/15/2023	Rlamsal

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: KLC

Date / Time Collected: 2/1/2023 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2302025-010

Date / Time Received: 2/3/2023 11:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		2/15/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/31/2023

Report Number: L-DC-LLP- 31032023

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Sample Location: 3900 Donaldson PI NW (Pipeloop 1)			Customer Program Code: LLP					
Sample Collected By: YT			Laboratory Sample Number: 2302143-001					
Date / Time Collected: 2/7/2023 9:40 AM			Date / Time Received: 2/17/2023 10:00:00 AM					
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		3/8/2023	Rlamsal
Sample Location: 3900 Donaldson PI NW (Pipeloop 3)			Customer Program Code: LLP					
Sample Collected By: YT			Laboratory Sample Number: 2302143-002					
Date / Time Collected: 2/7/2023 9:41 AM			Date / Time Received: 2/17/2023 10:00:00 AM					
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		3/8/2023	Rlamsal
Sample Location: 3900 Donaldson PI NW (Pipeloop 1)			Customer Program Code: LLP					
Sample Collected By: HB			Laboratory Sample Number: 2302143-003					
Date / Time Collected: 2/10/2023 11:00 AM			Date / Time Received: 2/17/2023 10:00:00 AM					
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.5	ug/L		3/8/2023	Rlamsal
Sample Location: 3900 Donaldson PI NW (Pipeloop 3)			Customer Program Code: LLP					
Sample Collected By: HB			Laboratory Sample Number: 2302143-004					
Date / Time Collected: 2/10/2023 11:00 AM			Date / Time Received: 2/17/2023 10:00:00 AM					
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		3/8/2023	Rlamsal
Sample Location: 3900 Donaldson PI NW Baseline			Customer Program Code: LLP					
Sample Collected By: HB			Laboratory Sample Number: 2302143-005					
Date / Time Collected: 2/10/2023 12:00 PM			Date / Time Received: 2/17/2023 10:00:00 AM					
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 3/31/2023

Report Number: L-DC-LLP- 31032023

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: YT
Date / Time Collected: 2/14/2023 8:58 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302143-006
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L		3/8/2023	Rlamsal

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: YT
Date / Time Collected: 2/14/2023 9:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302143-007
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		3/8/2023	Rlamsal

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: KLC
Date / Time Collected: 2/15/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302144-001
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		3/8/2023	Rlamsal

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: KLC
Date / Time Collected: 2/15/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302144-002
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		3/8/2023	Rlamsal

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: KLC
Date / Time Collected: 2/15/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302144-003
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		3/8/2023	Rlamsal

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: KLC
Date / Time Collected: 2/15/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302144-004
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	7.8	ug/L		3/8/2023	Rlamsal

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: KLC
Date / Time Collected: 2/15/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302144-005
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.2	ug/L		3/8/2023	Rlamsal

Sample Location: 6 Byrant Street - Lead Pipe Section 6
Sample Collected By: KLC
Date / Time Collected: 2/15/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302144-006
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	35.6	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minumum Reporting Limit

Report Date: 3/31/2023

Report Number: L-DC-LLP- 31032023

Sample Location: 7 Byrant Street - Lead Pipe Section 7
Sample Collected By: KLC
Date / Time Collected: 2/15/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302144-007
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.5	ug/L		3/8/2023	Rlamsal

Sample Location: 8 Byrant Street - Lead Pipe Section 8
Sample Collected By: KLC
Date / Time Collected: 2/15/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302144-008
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		3/8/2023	Rlamsal

Sample Location: 9 Byrant Street - Lead Pipe Section 9
Sample Collected By: KLC
Date / Time Collected: 2/15/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302144-009
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		3/8/2023	Rlamsal

Sample Location: 10 Byrant Street - Lead Pipe Section 10
Sample Collected By: KLC
Date / Time Collected: 2/15/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302144-010
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		3/8/2023	Rlamsal

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: LS
Date / Time Collected: 1/24/2023 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302145-001
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.3	ug/L	H	3/8/2023	Rlamsal

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: HB
Date / Time Collected: 1/27/2023 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302145-002
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L	H	3/8/2023	Rlamsal

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: HB
Date / Time Collected: 1/27/2023 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302145-003
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L	H	3/8/2023	Rlamsal

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minumum Reporting Limit

Report Date: 3/31/2023

Report Number: L-DC-LLP- 31032023

Sample Location: 3900 Donaldson PI NW Baseline
Sample Collected By: HB
Date / Time Collected: 1/27/2023 11:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302145-004
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/8/2023	Rlamsal

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: DM
Date / Time Collected: 2/2/2023 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302145-005
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.2	ug/L	H	3/8/2023	Rlamsal

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: DM
Date / Time Collected: 2/2/2023 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302145-006
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L	H	3/8/2023	Rlamsal

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: HB
Date / Time Collected: 2/3/2023 11:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302145-007
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		3/8/2023	Rlamsal

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: HB
Date / Time Collected: 2/3/2023 11:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302145-008
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		3/8/2023	Rlamsal

Sample Location: 3900 Donaldson PI NW Baseline
Sample Collected By: HB
Date / Time Collected: 2/3/2023 12:00 PM

Customer Program Code: LLP
Laboratory Sample Number: 2302145-009
Date / Time Received: 2/17/2023 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/8/2023	Rlamsal

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: KLC
Date / Time Collected: 2/23/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302184-001
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 3/31/2023

Report Number: L-DC-LLP- 31032023

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: KLC
Date / Time Collected: 2/23/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302184-002
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.2	ug/L		3/8/2023	Rlamsal

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: KLC
Date / Time Collected: 2/23/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302184-003
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		3/8/2023	Rlamsal

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: KLC
Date / Time Collected: 2/23/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302184-004
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		3/8/2023	Rlamsal

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: KLC
Date / Time Collected: 2/23/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302184-005
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.1	ug/L		3/8/2023	Rlamsal

Sample Location: 6 Byrant Street - Lead Pipe Section 6
Sample Collected By: KLC
Date / Time Collected: 2/23/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302184-006
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		3/8/2023	Rlamsal

Sample Location: 7 Byrant Street - Lead Pipe Section 7
Sample Collected By: KLC
Date / Time Collected: 2/23/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302184-007
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		3/8/2023	Rlamsal

Sample Location: 8 Byrant Street - Lead Pipe Section 8
Sample Collected By: KLC
Date / Time Collected: 2/23/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302184-008
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		3/8/2023	Rlamsal

Sample Location: 9 Byrant Street - Lead Pipe Section 9
Sample Collected By: KLC
Date / Time Collected: 2/23/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2302184-009
Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		3/8/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 3/31/2023

Report Number: L-DC-LLP- 31032023

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: KLC

Date / Time Collected: 2/23/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2302184-010

Date / Time Received: 2/24/2023 10:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.5	ug/L		3/8/2023	Rlamsal

Sample Location: 1 Byrant Street - Lead Pipe Section 1

Sample Collected By: KLC

Date / Time Collected: 3/1/2023 8:15 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303052-001

Date / Time Received: 3/7/2023 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		3/16/2023	Lgallimore

Sample Location: 2 Byrant Street - Lead Pipe Section 2

Sample Collected By: KLC

Date / Time Collected: 3/1/2023 8:15 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303052-002

Date / Time Received: 3/7/2023 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		3/16/2023	Lgallimore

Sample Location: 3 Byrant Street - Lead Pipe Section 3

Sample Collected By: KLC

Date / Time Collected: 3/1/2023 8:15 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303052-003

Date / Time Received: 3/7/2023 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		3/16/2023	Lgallimore

Sample Location: 4 Byrant Street - Lead Pipe Section 4

Sample Collected By: KLC

Date / Time Collected: 3/1/2023 8:15 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303052-004

Date / Time Received: 3/7/2023 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		3/16/2023	Lgallimore

Sample Location: 5 Byrant Street - Lead Pipe Section 5

Sample Collected By: KLC

Date / Time Collected: 3/1/2023 8:15 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303052-005

Date / Time Received: 3/7/2023 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L		3/16/2023	Lgallimore

Sample Location: 6 Byrant Street - Lead Pipe Section 6

Sample Collected By: KLC

Date / Time Collected: 3/1/2023 8:15 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303052-006

Date / Time Received: 3/7/2023 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		3/16/2023	Lgallimore

Sample Location: 7 Byrant Street - Lead Pipe Section 7

Sample Collected By: KLC

Date / Time Collected: 3/1/2023 8:15 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303052-007

Date / Time Received: 3/7/2023 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.5	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 3/31/2023

Report Number: L-DC-LLP- 31032023

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Sample Collected By: KLC

Date / Time Collected: 3/1/2023 8:15 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303052-008

Date / Time Received: 3/7/2023 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		3/16/2023	Lgallimore

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: KLC

Date / Time Collected: 3/1/2023 8:15 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303052-009

Date / Time Received: 3/7/2023 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		3/16/2023	Lgallimore

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: KLC

Date / Time Collected: 3/1/2023 8:15 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303052-010

Date / Time Received: 3/7/2023 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L		3/16/2023	Lgallimore

Sample Location: 1 Bryant Street - Lead Pipe Section 1

Sample Collected By: KLC

Date / Time Collected: 3/13/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303089-001

Date / Time Received: 3/13/2023 2:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		3/16/2023	Lgallimore

Sample Location: 2 Bryant Street - Lead Pipe Section 2

Sample Collected By: KLC

Date / Time Collected: 3/13/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303089-002

Date / Time Received: 3/13/2023 2:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		3/16/2023	Lgallimore

Sample Location: 3 Bryant Street - Lead Pipe Section 3

Sample Collected By: KLC

Date / Time Collected: 3/13/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303089-003

Date / Time Received: 3/13/2023 2:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		3/16/2023	Lgallimore

Sample Location: 4 Bryant Street - Lead Pipe Section 4

Sample Collected By: KLC

Date / Time Collected: 3/13/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303089-004

Date / Time Received: 3/13/2023 2:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/16/2023	Lgallimore

Sample Location: 5 Bryant Street - Lead Pipe Section 5

Sample Collected By: KLC

Date / Time Collected: 3/13/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303089-005

Date / Time Received: 3/13/2023 2:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		3/16/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Report Date: 3/31/2023

Report Number: L-DC-LLP- 31032023

Sample Location: 6 Bryant Street - Lead Pipe Section 6
Sample Collected By: KLC
Date / Time Collected: 3/13/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303089-006
Date / Time Received: 3/13/2023 2:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		3/16/2023	Lgallimore

Sample Location: 7 Bryant Street - Lead Pipe Section 7
Sample Collected By: KLC
Date / Time Collected: 3/13/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303089-007
Date / Time Received: 3/13/2023 2:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.4	ug/L		3/16/2023	Lgallimore

Sample Location: 8 Bryant Street - Lead Pipe Section 8
Sample Collected By: KLC
Date / Time Collected: 3/13/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303089-008
Date / Time Received: 3/13/2023 2:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		3/16/2023	Lgallimore

Sample Location: 9 Bryant Street - Lead Pipe Section 9
Sample Collected By: KLC
Date / Time Collected: 3/13/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303089-009
Date / Time Received: 3/13/2023 2:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		3/16/2023	Lgallimore

Sample Location: 10 Bryant Street - Lead Pipe Section 10
Sample Collected By: KLC
Date / Time Collected: 3/13/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303089-010
Date / Time Received: 3/13/2023 2:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		3/16/2023	Lgallimore

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: IC
Date / Time Collected: 3/20/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303129-001
Date / Time Received: 3/20/2023 10:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: IC
Date / Time Collected: 3/20/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303129-002
Date / Time Received: 3/20/2023 10:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		3/23/2023	SBrooks

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: IC
Date / Time Collected: 3/20/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303129-003
Date / Time Received: 3/20/2023 10:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minumum Reporting Limit

Report Date: 3/31/2023

Report Number: L-DC-LLP- 31032023

Sample Location: 4 Byrant Street - Lead Pipe Section 4

Sample Collected By: IC

Date / Time Collected: 3/20/2023 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303129-004

Date / Time Received: 3/20/2023 10:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/23/2023	SBrooks

Sample Location: 5 Byrant Street - Lead Pipe Section 5

Sample Collected By: IC

Date / Time Collected: 3/20/2023 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303129-005

Date / Time Received: 3/20/2023 10:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		3/23/2023	SBrooks

Sample Location: 6 Byrant Street - Lead Pipe Section 6

Sample Collected By: IC

Date / Time Collected: 3/20/2023 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303129-006

Date / Time Received: 3/20/2023 10:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/23/2023	SBrooks

Sample Location: 7 Byrant Street - Lead Pipe Section 7

Sample Collected By: IC

Date / Time Collected: 3/20/2023 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303129-007

Date / Time Received: 3/20/2023 10:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/23/2023	SBrooks

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Sample Collected By: IC

Date / Time Collected: 3/20/2023 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303129-008

Date / Time Received: 3/20/2023 10:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		3/23/2023	SBrooks

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: IC

Date / Time Collected: 3/20/2023 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303129-009

Date / Time Received: 3/20/2023 10:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		3/23/2023	SBrooks

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: IC

Date / Time Collected: 3/20/2023 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303129-010

Date / Time Received: 3/20/2023 10:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		3/23/2023	SBrooks

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)

Sample Collected By: HB

Date / Time Collected: 2/17/2023 11:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303141-001

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L	H	3/23/2023	SBrooks

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 3/31/2023

Report Number: L-DC-LLP- 31032023

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)

Customer Program Code: LLP

Sample Collected By: HB

Laboratory Sample Number: 2303141-002

Date / Time Collected: 2/17/2023 11:00 AM

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.4	ug/L	H	3/23/2023	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW Baseline

Customer Program Code: LLP

Sample Collected By: HB

Laboratory Sample Number: 2303141-003

Date / Time Collected: 2/17/2023 12:00 PM

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/23/2023	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)

Customer Program Code: LLP

Sample Collected By: HB

Laboratory Sample Number: 2303141-004

Date / Time Collected: 2/24/2023 10:30 AM

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L	H	3/23/2023	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)

Customer Program Code: LLP

Sample Collected By: HB

Laboratory Sample Number: 2303141-005

Date / Time Collected: 2/24/2023 10:30 AM

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L	H	3/23/2023	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW Baseline

Customer Program Code: LLP

Sample Collected By: HB

Laboratory Sample Number: 2303141-006

Date / Time Collected: 2/24/2023 11:45 AM

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	3/23/2023	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)

Customer Program Code: LLP

Sample Collected By: YT

Laboratory Sample Number: 2303141-007

Date / Time Collected: 2/28/2023 9:43 AM

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L	H	3/23/2023	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)

Customer Program Code: LLP

Sample Collected By: YT

Laboratory Sample Number: 2303141-008

Date / Time Collected: 2/28/2023 9:45 AM

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.3	ug/L	H	3/23/2023	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 3/31/2023

Report Number: L-DC-LLP- 31032023

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: HB
Date / Time Collected: 3/3/2023 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303142-001
Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		3/23/2023	SBrooks

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: HB
Date / Time Collected: 3/3/2023 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303142-002
Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		3/23/2023	SBrooks

Sample Location: 3900 Donaldson PI NW Baseline
Sample Collected By: HB
Date / Time Collected: 3/3/2023 11:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303142-003
Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		3/23/2023	SBrooks

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: YT
Date / Time Collected: 3/7/2023 9:50 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303142-004
Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		3/23/2023	SBrooks

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: YT
Date / Time Collected: 3/7/2023 9:51 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303142-005
Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		3/23/2023	SBrooks

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: KLC
Date / Time Collected: 3/8/2023 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303143-001
Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L		3/23/2023	SBrooks

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: KLC
Date / Time Collected: 3/8/2023 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303143-002
Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		3/23/2023	SBrooks

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: KLC
Date / Time Collected: 3/8/2023 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303143-003
Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minumum Reporting Limit

Report Date: 3/31/2023

Report Number: L-DC-LLP- 31032023

Sample Location: 4 Byrant Street - Lead Pipe Section 4

Sample Collected By: KLC

Date / Time Collected: 3/8/2023 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303143-004

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		3/23/2023	SBrooks

Sample Location: 5 Byrant Street - Lead Pipe Section 5

Sample Collected By: KLC

Date / Time Collected: 3/8/2023 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303143-005

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.3	ug/L		3/23/2023	SBrooks

Sample Location: 6 Byrant Street - Lead Pipe Section 6

Sample Collected By: KLC

Date / Time Collected: 3/8/2023 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303143-006

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.2	ug/L		3/23/2023	SBrooks

Sample Location: 7 Byrant Street - Lead Pipe Section 7

Sample Collected By: KLC

Date / Time Collected: 3/8/2023 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303143-007

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.5	ug/L		3/23/2023	SBrooks

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Sample Collected By: KLC

Date / Time Collected: 3/8/2023 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303143-008

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L		3/23/2023	SBrooks

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: KLC

Date / Time Collected: 3/8/2023 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303143-009

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		3/23/2023	SBrooks

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: KLC

Date / Time Collected: 3/8/2023 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303143-010

Date / Time Received: 3/17/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L		3/23/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/14/2023

Report Number: L-DC-LLP- 14042023

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: KLC
Date / Time Collected: 3/23/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303188-001
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		3/31/2023	BPrakash

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: KLC
Date / Time Collected: 3/23/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303188-002
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		3/31/2023	BPrakash

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: KLC
Date / Time Collected: 3/23/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303188-003
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		3/31/2023	BPrakash

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: KLC
Date / Time Collected: 3/23/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303188-004
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		3/31/2023	BPrakash

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: KLC
Date / Time Collected: 3/23/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303188-005
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		3/31/2023	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 4/14/2023

Report Number: L-DC-LLP- 14042023

Sample Location: 6 Byrant Street - Lead Pipe Section 6
Sample Collected By: KLC
Date / Time Collected: 3/23/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303188-006
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.4	ug/L		3/31/2023	BPrakash

Sample Location: 7 Byrant Street - Lead Pipe Section 7
Sample Collected By: KLC
Date / Time Collected: 3/23/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303188-007
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		3/31/2023	BPrakash

Sample Location: 8 Byrant Street - Lead Pipe Section 8
Sample Collected By: KLC
Date / Time Collected: 3/23/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303188-008
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L		3/31/2023	BPrakash

Sample Location: 9 Byrant Street - Lead Pipe Section 9
Sample Collected By: KLC
Date / Time Collected: 3/23/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303188-009
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		3/31/2023	BPrakash

Sample Location: 10 Byrant Street - Lead Pipe Section 10
Sample Collected By: KLC
Date / Time Collected: 3/23/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303188-010
Date / Time Received: 3/27/2023 11:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		3/31/2023	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/24/2023

Report Number: L-DC-LLP- 24042023

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: KLC
Date / Time Collected: 3/29/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303215-001
Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		4/6/2023	Bprakash

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: KLC
Date / Time Collected: 3/29/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303215-002
Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.4	ug/L		4/6/2023	Bprakash

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: KLC
Date / Time Collected: 3/29/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303215-003
Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		4/6/2023	Bprakash

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: KLC
Date / Time Collected: 3/29/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303215-004
Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		4/6/2023	Bprakash

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: KLC
Date / Time Collected: 3/29/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2303215-005
Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		4/6/2023	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 4/24/2023

Report Number: L-DC-LLP- 24042023

Sample Location: 6 Byrant Street - Lead Pipe Section 6

Sample Collected By: KLC

Date / Time Collected: 3/29/2023 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303215-006

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.5	ug/L		4/6/2023	Bprakash

Sample Location: 7 Byrant Street - Lead Pipe Section 7

Sample Collected By: KLC

Date / Time Collected: 3/29/2023 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303215-007

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.2	ug/L		4/6/2023	Bprakash

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Sample Collected By: KLC

Date / Time Collected: 3/29/2023 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303215-008

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.9	ug/L		4/6/2023	Bprakash

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: KLC

Date / Time Collected: 3/29/2023 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303215-009

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L		4/6/2023	Bprakash

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: KLC

Date / Time Collected: 3/29/2023 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303215-010

Date / Time Received: 3/31/2023 9:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		4/6/2023	Bprakash

Sample Location: 1 Byrant Street - Lead Pipe Section 1

Sample Collected By: IC

Date / Time Collected: 3/31/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303217-001

Date / Time Received: 3/31/2023 2:31:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		4/6/2023	Bprakash

Sample Location: 2 Byrant Street - Lead Pipe Section 2

Sample Collected By: IC

Date / Time Collected: 3/31/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303217-002

Date / Time Received: 3/31/2023 2:31:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		4/6/2023	Bprakash

Sample Location: 3 Byrant Street - Lead Pipe Section 3

Sample Collected By: IC

Date / Time Collected: 3/31/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303217-003

Date / Time Received: 3/31/2023 2:31:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		4/6/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Report Date: 4/24/2023

Report Number: L-DC-LLP- 24042023

Sample Location: 4 Byrant Street - Lead Pipe Section 4

Sample Collected By: IC

Date / Time Collected: 3/31/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303217-004

Date / Time Received: 3/31/2023 2:31:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		4/6/2023	Bprakash

Sample Location: 5 Byrant Street - Lead Pipe Section 5

Sample Collected By: IC

Date / Time Collected: 3/31/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303217-005

Date / Time Received: 3/31/2023 2:31:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		4/6/2023	Bprakash

Sample Location: 6 Byrant Street - Lead Pipe Section 6

Sample Collected By: IC

Date / Time Collected: 3/31/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303217-006

Date / Time Received: 3/31/2023 2:31:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		4/6/2023	Bprakash

Sample Location: 7 Byrant Street - Lead Pipe Section 7

Sample Collected By: IC

Date / Time Collected: 3/31/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303217-007

Date / Time Received: 3/31/2023 2:31:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.2	ug/L		4/6/2023	Bprakash

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Sample Collected By: IC

Date / Time Collected: 3/31/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303217-008

Date / Time Received: 3/31/2023 2:31:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		4/6/2023	Bprakash

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: IC

Date / Time Collected: 3/31/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303217-009

Date / Time Received: 3/31/2023 2:31:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		4/6/2023	Bprakash

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: IC

Date / Time Collected: 3/31/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2303217-010

Date / Time Received: 3/31/2023 2:31:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		4/6/2023	Bprakash

Sample Location: 1 Byrant Street - Lead Pipe Section 1

Sample Collected By: IC

Date / Time Collected: 4/3/2023 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2304010-001

Date / Time Received: 4/3/2023 1:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		4/6/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Report Date: 4/24/2023

Report Number: L-DC-LLP- 24042023

Sample Location: 2 Byrant Street - Lead Pipe Section 2

Sample Collected By: IC

Date / Time Collected: 4/3/2023 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2304010-002

Date / Time Received: 4/3/2023 1:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		4/6/2023	Bprakash

Sample Location: 3 Byrant Street - Lead Pipe Section 3

Sample Collected By: IC

Date / Time Collected: 4/3/2023 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2304010-003

Date / Time Received: 4/3/2023 1:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		4/6/2023	Bprakash

Sample Location: 4 Byrant Street - Lead Pipe Section 4

Sample Collected By: IC

Date / Time Collected: 4/3/2023 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2304010-004

Date / Time Received: 4/3/2023 1:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		4/6/2023	Bprakash

Sample Location: 5 Byrant Street - Lead Pipe Section 5

Sample Collected By: IC

Date / Time Collected: 4/3/2023 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2304010-005

Date / Time Received: 4/3/2023 1:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		4/6/2023	Bprakash

Sample Location: 6 Byrant Street - Lead Pipe Section 6

Sample Collected By: IC

Date / Time Collected: 4/3/2023 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2304010-006

Date / Time Received: 4/3/2023 1:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		4/6/2023	Bprakash

Sample Location: 7 Byrant Street - Lead Pipe Section 7

Sample Collected By: IC

Date / Time Collected: 4/3/2023 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2304010-007

Date / Time Received: 4/3/2023 1:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		4/6/2023	Bprakash

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Sample Collected By: IC

Date / Time Collected: 4/3/2023 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2304010-008

Date / Time Received: 4/3/2023 1:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		4/6/2023	Bprakash

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: IC

Date / Time Collected: 4/3/2023 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2304010-009

Date / Time Received: 4/3/2023 1:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		4/6/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Report Date: 4/24/2023

Report Number: L-DC-LLP- 24042023

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Customer Program Code: LLP

Sample Collected By: IC

Laboratory Sample Number: 2304010-010

Date / Time Collected: 4/3/2023 8:40 AM

Date / Time Received: 4/3/2023 1:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.5	ug/L		4/6/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

*Washington Aqueduct
Laboratory*

*5900 MacArthur Blvd, NW
Washington, DC 20016*

*Phone (202) 345-5928
Fax (202) 587-9446*



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
 Bureau of Water Services
 301 Bryant Street, NW
 Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
 5900 MacArthur Blvd, NW
 Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 5/16/2023

Report Number: L-DC-LLP- 16052023

Sample Location: 3900 Donaldson PI NW (Pipeloop 1)						Customer Program Code: LLP			
Sample Collected By: YT						Laboratory Sample Number: 2304083-001			
Date / Time Collected: 4/4/2023 9:28 AM						Date / Time Received: 4/13/2023 12:55:00 PM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Lead	EPA 200.8	15	0.2	2.0	ug/L		4/20/2023	Bprakash	
Sample Location: 3900 Donaldson PI NW (Pipeloop 3)						Customer Program Code: LLP			
Sample Collected By: YT						Laboratory Sample Number: 2304083-002			
Date / Time Collected: 4/4/2023 9:29 AM						Date / Time Received: 4/13/2023 12:55:00 PM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Lead	EPA 200.8	15	0.2	2.1	ug/L		4/20/2023	Bprakash	
Sample Location: 3900 Donaldson PI NW Baseline						Customer Program Code: LLP			
Sample Collected By: HB						Laboratory Sample Number: 2304083-003			
Date / Time Collected: 4/7/2023 11:40 AM						Date / Time Received: 4/13/2023 12:55:00 PM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash	
Sample Location: 3900 Donaldson PI NW (Pipeloop 1)						Customer Program Code: LLP			
Sample Collected By: HB						Laboratory Sample Number: 2304083-004			
Date / Time Collected: 4/7/2023 10:30 AM						Date / Time Received: 4/13/2023 12:55:00 PM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Lead	EPA 200.8	15	0.2	2.0	ug/L		4/20/2023	Bprakash	
Sample Location: 3900 Donaldson PI NW (Pipeloop 3)						Customer Program Code: LLP			
Sample Collected By: HB						Laboratory Sample Number: 2304083-005			
Date / Time Collected: 4/7/2023 10:30 AM						Date / Time Received: 4/13/2023 12:55:00 PM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Lead	EPA 200.8	15	0.2	2.5	ug/L		4/20/2023	Bprakash	

Comments:

ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit

**Washington Aqueduct
 Laboratory**

**5900 MacArthur Blvd, NW
 Washington, DC 20016**

**Phone (202) 345-5928
 Fax (202) 587-9446**

Report Date: 5/16/2023

Report Number: L-DC-LLP- 16052023

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: DM
Date / Time Collected: 4/13/2023 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304083-006
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.2	ug/L		4/20/2023	Bprakash

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: DM
Date / Time Collected: 4/13/2023 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304083-007
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.2	ug/L		4/20/2023	Bprakash

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: HB
Date / Time Collected: 3/24/2023 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304084-001
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L	H	4/20/2023	Bprakash

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: HB
Date / Time Collected: 3/24/2023 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304084-002
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L	H	4/20/2023	Bprakash

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Sample Location: 3900 Donaldson PI NW Baseline
Sample Collected By: HB
Date / Time Collected: 3/24/2023 11:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304084-003
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	4/20/2023	Bprakash

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: HB
Date / Time Collected: 3/28/2023 11:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304084-004
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L	H	4/20/2023	Bprakash

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: HB
Date / Time Collected: 3/28/2023 11:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304084-005
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L	H	4/20/2023	Bprakash

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 5/16/2023

Report Number: L-DC-LLP- 16052023

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: HB
Date / Time Collected: 3/17/2023 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304084-006
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L	H	4/20/2023	Bprakash

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: HB
Date / Time Collected: 3/31/2023 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304084-007
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		4/20/2023	Bprakash

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: HB
Date / Time Collected: 3/31/2023 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304084-008
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		4/20/2023	Bprakash

Sample Location: 3900 Donaldson PI NW Baseline
Sample Collected By: HB
Date / Time Collected: 3/31/2023 11:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304084-009
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		4/20/2023	Bprakash

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: HB
Date / Time Collected: 3/10/2023 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304085-001
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L	H	4/20/2023	Bprakash

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: HB
Date / Time Collected: 3/10/2023 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304085-002
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L	H	4/20/2023	Bprakash

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Sample Location: 3900 Donaldson PI NW Baseline
Sample Collected By: HB
Date / Time Collected: 3/10/2023 11:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304085-003
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	4/20/2023	Bprakash

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 5/16/2023

Report Number: L-DC-LLP- 16052023

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: YT
Date / Time Collected: 3/16/2023 9:56 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304085-004
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L	H	4/20/2023	Bprakash
H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: YT
Date / Time Collected: 3/16/2023 9:58 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304085-005
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L	H	4/20/2023	Bprakash
H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: HB
Date / Time Collected: 3/17/2023 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304085-006
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L	H	4/20/2023	Bprakash
H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.								

Sample Location: 3900 Donaldson PI NW Baseline
Sample Collected By: HB
Date / Time Collected: 3/17/2023 11:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304085-007
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	4/20/2023	Bprakash
H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: YT
Date / Time Collected: 3/21/2023 10:20 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304085-008
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L	H	4/20/2023	Bprakash
H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: YT
Date / Time Collected: 3/21/2023 10:22 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304085-009
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L	H	4/20/2023	Bprakash
H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.								

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: KLC
Date / Time Collected: 4/12/2023 8:50 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304086-001
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 5/16/2023

Report Number: L-DC-LLP- 16052023

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: KLC
Date / Time Collected: 4/12/2023 8:50 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304086-002
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.4	ug/L		4/20/2023	Bprakash

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: KLC
Date / Time Collected: 4/12/2023 8:50 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304086-003
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		4/20/2023	Bprakash

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: KLC
Date / Time Collected: 4/12/2023 8:50 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304086-004
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		4/20/2023	Bprakash

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: KLC
Date / Time Collected: 4/12/2023 8:50 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304086-005
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		4/20/2023	Bprakash

Sample Location: 6 Byrant Street - Lead Pipe Section 6
Sample Collected By: KLC
Date / Time Collected: 4/12/2023 8:50 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304086-006
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		4/20/2023	Bprakash

Sample Location: 7 Byrant Street - Lead Pipe Section 7
Sample Collected By: KLC
Date / Time Collected: 4/12/2023 8:50 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304086-007
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		4/20/2023	Bprakash

Sample Location: 8 Byrant Street - Lead Pipe Section 8
Sample Collected By: KLC
Date / Time Collected: 4/12/2023 8:50 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304086-008
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		4/20/2023	Bprakash

Sample Location: 9 Byrant Street - Lead Pipe Section 9
Sample Collected By: KLC
Date / Time Collected: 4/12/2023 8:50 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304086-009
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Report Date: 5/16/2023

Report Number: L-DC-LLP- 16052023

Sample Location: 10 Byrant Street - Lead Pipe Section 10
Sample Collected By: KLC
Date / Time Collected: 4/12/2023 8:50 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304086-010
Date / Time Received: 4/13/2023 12:55:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		4/20/2023	Bprakash

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: IC
Date / Time Collected: 4/14/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304093-001
Date / Time Received: 4/14/2023 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		4/20/2023	Bprakash

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: IC
Date / Time Collected: 4/14/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304093-002
Date / Time Received: 4/14/2023 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		4/20/2023	Bprakash

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: IC
Date / Time Collected: 4/14/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304093-003
Date / Time Received: 4/14/2023 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		4/20/2023	Bprakash

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: IC
Date / Time Collected: 4/14/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304093-004
Date / Time Received: 4/14/2023 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		4/20/2023	Bprakash

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: IC
Date / Time Collected: 4/14/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304093-005
Date / Time Received: 4/14/2023 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		4/20/2023	Bprakash

Sample Location: 6 Byrant Street - Lead Pipe Section 6
Sample Collected By: IC
Date / Time Collected: 4/14/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304093-006
Date / Time Received: 4/14/2023 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.2	ug/L		4/20/2023	Bprakash

Sample Location: 7 Byrant Street - Lead Pipe Section 7
Sample Collected By: IC
Date / Time Collected: 4/14/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304093-007
Date / Time Received: 4/14/2023 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		4/20/2023	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 5/16/2023

Report Number: L-DC-LLP- 16052023

Sample Location: 8 Byrant Street - Lead Pipe Section 8
Sample Collected By: IC
Date / Time Collected: 4/14/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304093-008
Date / Time Received: 4/14/2023 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		4/20/2023	Bprakash

Sample Location: 9 Byrant Street - Lead Pipe Section 9
Sample Collected By: IC
Date / Time Collected: 4/14/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304093-009
Date / Time Received: 4/14/2023 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		4/20/2023	Bprakash

Sample Location: 10 Byrant Street - Lead Pipe Section 10
Sample Collected By: IC
Date / Time Collected: 4/14/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304093-010
Date / Time Received: 4/14/2023 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L		4/20/2023	Bprakash

Sample Location: Bryant Street - Lead Pipe Section 1
Sample Collected By: KLC
Date / Time Collected: 4/17/2023 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304144-001
Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		4/27/2023	Rlamsal

Sample Location: Bryant Street - Lead Pipe Section 2
Sample Collected By: KLC
Date / Time Collected: 4/17/2023 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304144-002
Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		4/27/2023	Rlamsal

Sample Location: Bryant Street - Lead Pipe Section 3
Sample Collected By: KLC
Date / Time Collected: 4/17/2023 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304144-003
Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		4/27/2023	Rlamsal

Sample Location: Bryant Street - Lead Pipe Section 4
Sample Collected By: KLC
Date / Time Collected: 4/17/2023 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304144-004
Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.6	ug/L		4/27/2023	Rlamsal

Sample Location: Bryant Street - Lead Pipe Section 5
Sample Collected By: KLC
Date / Time Collected: 4/17/2023 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2304144-005
Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.1	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minumum Reporting Limit

Report Date: 5/16/2023

Report Number: L-DC-LLP- 16052023

Sample Location: Bryant Street - Lead Pipe Section 6

Sample Collected By: KLC

Date / Time Collected: 4/17/2023 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2304144-006

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.5	ug/L		4/27/2023	Rlamsal

Sample Location: Bryant Street - Lead Pipe Section 7

Sample Collected By: KLC

Date / Time Collected: 4/17/2023 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2304144-007

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.4	ug/L		4/27/2023	Rlamsal

Sample Location: Bryant Street - Lead Pipe Section 8

Sample Collected By: KLC

Date / Time Collected: 4/17/2023 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2304144-008

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	8.9	ug/L		4/27/2023	Rlamsal

Sample Location: Bryant Street - Lead Pipe Section 9

Sample Collected By: KLC

Date / Time Collected: 4/17/2023 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2304144-009

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L		4/27/2023	Rlamsal

Sample Location: Bryant Street - Lead Pipe Section 10

Sample Collected By: KLC

Date / Time Collected: 4/17/2023 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2304144-010

Date / Time Received: 4/21/2023 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.3	ug/L		4/27/2023	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-LLP- 13062023

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: KLC
Date / Time Collected: 4/26/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305002-001
Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		5/30/2023	Lgallimore

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: KLC
Date / Time Collected: 4/26/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305002-002
Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		5/30/2023	Lgallimore

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: KLC
Date / Time Collected: 4/26/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305002-003
Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		6/1/2023	SBrooks

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: KLC
Date / Time Collected: 4/26/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305002-004
Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		5/30/2023	Lgallimore

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: KLC
Date / Time Collected: 4/26/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305002-005
Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 6/13/2023

Report Number: L-DC-LLP- 13062023

Sample Location: 6 Byrant Street - Lead Pipe Section 6
Sample Collected By: KLC
Date / Time Collected: 4/26/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305002-006
Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.7	ug/L		5/30/2023	Lgallimore

Sample Location: 7 Byrant Street - Lead Pipe Section 7
Sample Collected By: KLC
Date / Time Collected: 4/26/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305002-007
Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		5/30/2023	Lgallimore

Sample Location: 8 Byrant Street - Lead Pipe Section 8
Sample Collected By: KLC
Date / Time Collected: 4/26/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305002-008
Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.4	ug/L		5/30/2023	Lgallimore

Sample Location: 9 Byrant Street - Lead Pipe Section 9
Sample Collected By: KLC
Date / Time Collected: 4/26/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305002-009
Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		5/30/2023	Lgallimore

Sample Location: 10 Byrant Street - Lead Pipe Section 10
Sample Collected By: KLC
Date / Time Collected: 4/26/2023 8:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305002-010
Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L		5/30/2023	Lgallimore

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: IC
Date / Time Collected: 4/28/2023 8:20 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305005-001
Date / Time Received: 4/28/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		5/30/2023	Lgallimore

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: IC
Date / Time Collected: 4/28/2023 8:20 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305005-002
Date / Time Received: 4/28/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		5/30/2023	Lgallimore

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: IC
Date / Time Collected: 4/28/2023 8:20 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305005-003
Date / Time Received: 4/28/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 6/13/2023

Report Number: L-DC-LLP- 13062023

Sample Location: 4 Byrant Street - Lead Pipe Section 4

Sample Collected By: IC

Date / Time Collected: 4/28/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305005-004

Date / Time Received: 4/28/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		5/30/2023	Lgallimore

Sample Location: 5 Byrant Street - Lead Pipe Section 5

Sample Collected By: IC

Date / Time Collected: 4/28/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305005-005

Date / Time Received: 4/28/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		5/30/2023	Lgallimore

Sample Location: 6 Byrant Street - Lead Pipe Section 6

Sample Collected By: IC

Date / Time Collected: 4/28/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305005-006

Date / Time Received: 4/28/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		5/30/2023	Lgallimore

Sample Location: 7 Byrant Street - Lead Pipe Section 7

Sample Collected By: IC

Date / Time Collected: 4/28/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305005-007

Date / Time Received: 4/28/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		5/30/2023	Lgallimore

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Sample Collected By: IC

Date / Time Collected: 4/28/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305005-008

Date / Time Received: 4/28/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L		5/30/2023	Lgallimore

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: IC

Date / Time Collected: 4/28/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305005-009

Date / Time Received: 4/28/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		5/30/2023	Lgallimore

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: IC

Date / Time Collected: 4/28/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305005-010

Date / Time Received: 4/28/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		5/30/2023	Lgallimore

Sample Location: 1 Byrant Street - Lead Pipe Section 1

Sample Collected By: IC

Date / Time Collected: 5/5/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305045-001

Date / Time Received: 5/5/2023 1:36:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Report Date: 6/13/2023

Report Number: L-DC-LLP- 13062023

Sample Location: 2 Byrant Street - Lead Pipe Section 2

Sample Collected By: IC

Date / Time Collected: 5/5/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305045-002

Date / Time Received: 5/5/2023 1:36:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		5/30/2023	Lgallimore

Sample Location: 3 Byrant Street - Lead Pipe Section 3

Sample Collected By: IC

Date / Time Collected: 5/5/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305045-003

Date / Time Received: 5/5/2023 1:36:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		5/30/2023	Lgallimore

Sample Location: 4 Byrant Street - Lead Pipe Section 4

Sample Collected By: IC

Date / Time Collected: 5/5/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305045-004

Date / Time Received: 5/5/2023 1:36:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		5/30/2023	Lgallimore

Sample Location: 5 Byrant Street - Lead Pipe Section 5

Sample Collected By: IC

Date / Time Collected: 5/5/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305045-005

Date / Time Received: 5/5/2023 1:36:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		5/30/2023	Lgallimore

Sample Location: 6 Byrant Street - Lead Pipe Section 6

Sample Collected By: IC

Date / Time Collected: 5/5/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305045-006

Date / Time Received: 5/5/2023 1:36:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		5/30/2023	Lgallimore

Sample Location: 7 Byrant Street - Lead Pipe Section 7

Sample Collected By: IC

Date / Time Collected: 5/5/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305045-007

Date / Time Received: 5/5/2023 1:36:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		5/30/2023	Lgallimore

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Sample Collected By: IC

Date / Time Collected: 5/5/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305045-008

Date / Time Received: 5/5/2023 1:36:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.4	ug/L		5/30/2023	Lgallimore

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: IC

Date / Time Collected: 5/5/2023 8:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305045-009

Date / Time Received: 5/5/2023 1:36:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Report Date: 6/13/2023

Report Number: L-DC-LLP- 13062023

Sample Location: 10 Byrant Street - Lead Pipe Section 10
Sample Collected By: IC
Date / Time Collected: 5/5/2023 8:20 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305045-010
Date / Time Received: 5/5/2023 1:36:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	13.1	ug/L		5/30/2023	Lgallimore

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: IC
Date / Time Collected: 5/12/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305109-001
Date / Time Received: 5/12/2023 1:56:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.2	ug/L		5/30/2023	Lgallimore

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: IC
Date / Time Collected: 5/12/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305109-002
Date / Time Received: 5/12/2023 1:56:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		5/30/2023	Lgallimore

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: IC
Date / Time Collected: 5/12/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305109-003
Date / Time Received: 5/12/2023 1:56:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.2	ug/L		5/30/2023	Lgallimore

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: IC
Date / Time Collected: 5/12/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305109-004
Date / Time Received: 5/12/2023 1:56:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		5/30/2023	Lgallimore

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: IC
Date / Time Collected: 5/12/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305109-005
Date / Time Received: 5/12/2023 1:56:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		5/30/2023	Lgallimore

Sample Location: 6 Byrant Street - Lead Pipe Section 6
Sample Collected By: IC
Date / Time Collected: 5/12/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305109-006
Date / Time Received: 5/12/2023 1:56:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		5/30/2023	Lgallimore

Sample Location: 7 Byrant Street - Lead Pipe Section 7
Sample Collected By: IC
Date / Time Collected: 5/12/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305109-007
Date / Time Received: 5/12/2023 1:56:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 6/13/2023

Report Number: L-DC-LLP- 13062023

Sample Location: 8 Byrant Street - Lead Pipe Section 8
Sample Collected By: IC
Date / Time Collected: 5/12/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305109-008
Date / Time Received: 5/12/2023 1:56:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.4	ug/L		5/30/2023	Lgallimore

Sample Location: 9 Byrant Street - Lead Pipe Section 9
Sample Collected By: IC
Date / Time Collected: 5/12/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305109-009
Date / Time Received: 5/12/2023 1:56:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		5/30/2023	Lgallimore

Sample Location: 10 Byrant Street - Lead Pipe Section 10
Sample Collected By: IC
Date / Time Collected: 5/12/2023 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305109-010
Date / Time Received: 5/12/2023 1:56:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		5/30/2023	Lgallimore

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: FT/
Date / Time Collected: 4/14/2023 12:00 PM

Customer Program Code: LLP
Laboratory Sample Number: 2305110-001
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L	H	5/30/2023	Lgallimore

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: FT/
Date / Time Collected: 4/14/2023 12:05 PM

Customer Program Code: LLP
Laboratory Sample Number: 2305110-002
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L	H	5/30/2023	Lgallimore

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: LS
Date / Time Collected: 4/19/2023 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305110-003
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L	H	5/30/2023	Lgallimore

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: LS
Date / Time Collected: 4/19/2023 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305110-004
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.1	ug/L	H	5/30/2023	Lgallimore

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minumum Reporting Limit

Report Date: 6/13/2023

Report Number: L-DC-LLP- 13062023

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: HB
Date / Time Collected: 4/21/2023 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305110-005
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L	H	5/30/2023	Lgallimore

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: HB
Date / Time Collected: 4/21/2023 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305110-006
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L	H	5/30/2023	Lgallimore

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipeloo 3)
Sample Collected By: YT
Date / Time Collected: 4/25/2023 9:38 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305110-007
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L	H	5/30/2023	Lgallimore

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipeloo 1)
Sample Collected By: YT
Date / Time Collected: 4/25/2023 9:36 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305110-008
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L	H	5/30/2023	Lgallimore

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: KLC
Date / Time Collected: 5/11/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305111-001
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		5/30/2023	Lgallimore

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: KLC
Date / Time Collected: 5/11/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305111-002
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.4	ug/L		5/30/2023	Lgallimore

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: KLC
Date / Time Collected: 5/11/2023 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305111-003
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 6/13/2023

Report Number: L-DC-LLP- 13062023

Sample Location: 4 Byrant Street - Lead Pipe Section 4

Sample Collected By: KLC

Date / Time Collected: 5/11/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305111-004

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		5/30/2023	Lgallimore

Sample Location: 5 Byrant Street - Lead Pipe Section 5

Sample Collected By: KLC

Date / Time Collected: 5/11/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305111-005

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		5/30/2023	Lgallimore

Sample Location: 6 Byrant Street - Lead Pipe Section 6

Sample Collected By: KLC

Date / Time Collected: 5/11/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305111-006

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		5/30/2023	Lgallimore

Sample Location: 7 Byrant Street - Lead Pipe Section 7

Sample Collected By: KLC

Date / Time Collected: 5/11/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305111-007

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.7	ug/L		5/30/2023	Lgallimore

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Sample Collected By: KLC

Date / Time Collected: 5/11/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305111-008

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		5/30/2023	Lgallimore

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: KLC

Date / Time Collected: 5/11/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305111-009

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		5/30/2023	Lgallimore

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: KLC

Date / Time Collected: 5/11/2023 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305111-010

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		5/30/2023	Lgallimore

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)

Sample Collected By: YT

Date / Time Collected: 5/2/2023 9:48 AM

Customer Program Code: LLP

Laboratory Sample Number: 2305112-001

Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		5/30/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minumum Reporting Limit

Report Date: 6/13/2023

Report Number: L-DC-LLP- 13062023

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: YT
Date / Time Collected: 5/2/2023 9:49 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305112-002
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.3	ug/L		5/30/2023	Lgallimore

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: YT
Date / Time Collected: 5/9/2023 9:02 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305112-003
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.2	ug/L		5/30/2023	Lgallimore

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: YT
Date / Time Collected: 5/9/2023 9:03 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305112-004
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		5/30/2023	Lgallimore

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: YT
Date / Time Collected: 5/4/2023 9:06 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305112-005
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.4	ug/L		5/30/2023	Lgallimore

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: YT
Date / Time Collected: 5/4/2023 9:08 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305112-006
Date / Time Received: 5/12/2023 11:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		5/30/2023	Lgallimore

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: IC
Date / Time Collected: 5/19/2023 8:10 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305151-001
Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		6/1/2023	Sbrooks

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: IC
Date / Time Collected: 5/19/2023 8:10 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305151-002
Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		6/1/2023	Sbrooks

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: IC
Date / Time Collected: 5/19/2023 8:10 AM

Customer Program Code: LLP
Laboratory Sample Number: 2305151-003
Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		6/1/2023	Sbrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minumum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 6/13/2023

Report Number: L-DC-LLP- 13062023

Sample Location: 4 Byrant Street - Lead Pipe Section 4

Customer Program Code: LLP

Sample Collected By: IC

Laboratory Sample Number: 2305151-004

Date / Time Collected: 5/19/2023 8:10 AM

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		6/1/2023	Sbrooks

Sample Location: 5 Byrant Street - Lead Pipe Section 5

Customer Program Code: LLP

Sample Collected By: IC

Laboratory Sample Number: 2305151-005

Date / Time Collected: 5/19/2023 8:10 AM

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		6/1/2023	Sbrooks

Sample Location: 6 Byrant Street - Lead Pipe Section 6

Customer Program Code: LLP

Sample Collected By: IC

Laboratory Sample Number: 2305151-006

Date / Time Collected: 5/19/2023 8:10 AM

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		6/1/2023	Sbrooks

Sample Location: 7 Byrant Street - Lead Pipe Section 7

Customer Program Code: LLP

Sample Collected By: IC

Laboratory Sample Number: 2305151-007

Date / Time Collected: 5/19/2023 8:10 AM

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		6/1/2023	Sbrooks

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Customer Program Code: LLP

Sample Collected By: IC

Laboratory Sample Number: 2305151-008

Date / Time Collected: 5/19/2023 8:10 AM

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.3	ug/L		6/1/2023	Sbrooks

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Customer Program Code: LLP

Sample Collected By: IC

Laboratory Sample Number: 2305151-009

Date / Time Collected: 5/19/2023 8:10 AM

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		6/1/2023	Sbrooks

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Customer Program Code: LLP

Sample Collected By: IC

Laboratory Sample Number: 2305151-010

Date / Time Collected: 5/19/2023 8:10 AM

Date / Time Received: 5/19/2023 1:50:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		6/1/2023	Sbrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Customer Special Sampling

DC Water created special sampling profiles to determine the source of lead based on individual needs. DC Water collected samples at the customer's home. Samples were analyzed by the Washington Aqueduct.



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Maureen Schmelling
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/9/2023

Report Number: L-DC-SPEC-09012023

Sample Location: 1619 V St NW

Customer Program Code: SP

Date / Time Collected: 10/17/2022 7:35 AM

Laboratory Sample Number: 2210206-001

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		12/20/2022	SBrooks
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	1.4	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

**Washington Aqueduct
Laboratory**

**5900 MacArthur Blvd, NW
Washington, DC 20016**

**Phone (202) 345-5928
Fax (202) 587-9446**



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/27/2023

Report Number: L-DC-SP- 2301015-001

Sample Location: 13 58th St SE (A)	Customer Program Code: SP
Customer Sample Number:	Laboratory Sample Number: 2301015-001
Date / Time Collected: 12/7/2022	Date / Time Received: 12/28/2022 8:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	1/13/2023	Bprakash

Sample Location: 13 58th St SE (B)	Customer Program Code: SP
Customer Sample Number:	Laboratory Sample Number: 2301015-002
Date / Time Collected: 12/7/2022	Date / Time Received: 12/28/2022 8:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L	H	1/13/2023	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Maureen Schmelling
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 3/20/2023

Report Number: L-DC-SPEC-20032023

Sample Location:	900 Porter Ct NE #1				Customer Program Code:	SP		
Date / Time Collected:	3/1/2023 6:32 AM				Laboratory Sample Number:	2303054-001		
Date / Time Received:					3/8/2023 9:00:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Tin	EPA 200.8		0.2	9.7	ug/L		3/10/2023	LGallimore
Lead	EPA 200.8	15	0.2	7.3	ug/L		3/10/2023	LGallimore
Iron	EPA 200.8		500	8960	ug/L		3/10/2023	LGallimore

Sample Location:	900 Porter Ct NE #2				Customer Program Code:	SP		
Date / Time Collected:	3/1/2023 6:33 AM				Laboratory Sample Number:	2303054-002		
Date / Time Received:					3/8/2023 9:00:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Tin	EPA 200.8		0.2	4.3	ug/L		3/10/2023	LGallimore
Lead	EPA 200.8	15	4.0	16.9	ug/L		3/10/2023	LGallimore
Iron	EPA 200.8		500	10800	ug/L		3/10/2023	LGallimore

Sample Location:	900 Porter Ct NE #3				Customer Program Code:	SP		
Date / Time Collected:	3/1/2023 6:34 AM				Laboratory Sample Number:	2303054-003		
Date / Time Received:					3/8/2023 9:00:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Tin	EPA 200.8		0.2	0.4	ug/L		3/10/2023	LGallimore
Lead	EPA 200.8	15	0.2	5.6	ug/L		3/10/2023	LGallimore
Iron	EPA 200.8		100	3320	ug/L		3/10/2023	LGallimore

Sample Location:	900 Porter Ct NE #4				Customer Program Code:	SP		
Date / Time Collected:	3/1/2023 6:35 AM				Laboratory Sample Number:	2303054-004		
Date / Time Received:					3/8/2023 9:00:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	LGallimore
Lead	EPA 200.8	15	0.2	4.3	ug/L		3/10/2023	LGallimore
Iron	EPA 200.8		100	4110	ug/L		3/10/2023	LGallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 3/20/2023

Report Number: L-DC-SPEC-20032023

Sample Location: 900 Porter Ct NE #5

Customer Program Code: SP

Laboratory Sample Number: 2303054-005

Date / Time Collected: 3/1/2023 6:36 AM

Date / Time Received: 3/8/2023 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Tin	EPA 200.8		0.2	ND	ug/L		3/10/2023	LGallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		3/10/2023	LGallimore
Iron	EPA 200.8		100	865	ug/L		3/10/2023	LGallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

*Washington Aqueduct
Laboratory*

*5900 MacArthur Blvd, NW
Washington, DC 20016*

*Phone (202) 345-5928
Fax (202) 587-9446*



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority

Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/1/2022

Report Number: M-DC-LPR-2203082

Sample Location: 1 1420 Crittenden St. NW

Sample Collected By:

Date / Time Collected: 3/2/2022

Customer Program Code:

Laboratory Sample Number: 2203082-001

Date / Time Received: 3/10/2022 8:30:00 AM

Analyte	Method	MCL / AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	223	ug/L		3/23/2022	Rlamsal
Lead	EPA 200.8	15	0.2	42.1	ug/L		3/23/2022	Rlamsal
Manganese	EPA 200.8		0.2	2.0	ug/L		3/23/2022	Rlamsal
Tin	EPA 200.8		0.2	3.3	ug/L		3/23/2022	Rlamsal

Sample Location: 2 1420 Crittenden St. NW

Sample Collected By:

Date / Time Collected: 3/2/2022

Customer Program Code:

Laboratory Sample Number: 2203082-002

Date / Time Received: 3/10/2022 8:30:00 AM

Analyte	Method	MCL / AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	164	ug/L		3/23/2022	Rlamsal
Lead	EPA 200.8	15	0.2	9.2	ug/L		3/23/2022	Rlamsal
Manganese	EPA 200.8		0.2	0.5	ug/L		3/23/2022	Rlamsal
Tin	EPA 200.8		0.2	0.8	ug/L		3/23/2022	Rlamsal

Sample Location: 3 1420 Crittenden St. NW

Sample Collected By:

Date / Time Collected: 3/2/2022

Customer Program Code:

Laboratory Sample Number: 2203082-003

Date / Time Received: 3/10/2022 8:30:00 AM

Analyte	Method	MCL / AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	238	ug/L		3/23/2022	Rlamsal
Lead	EPA 200.8	15	0.2	47.4	ug/L		3/23/2022	Rlamsal
Manganese	EPA 200.8		0.2	1.1	ug/L		3/23/2022	Rlamsal
Tin	EPA 200.8		0.2	4.9	ug/L		3/23/2022	Rlamsal

Comments:

ND = Non-Detect

MCL / AL = Maximum Contaminant Level or Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 1420 Crittenden St. NW

Sample Collected By:

Date / Time Collected: 3/2/2022

Customer Program Code:

Laboratory Sample Number: 2203082-004

Date / Time Received: 3/10/2022 8:30:00 AM

Analyte	Method	MCL / AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	309	ug/L		3/23/2022	Rlamsal
Lead	EPA 200.8	15	0.2	41.7	ug/L		3/23/2022	Rlamsal
Manganese	EPA 200.8		0.2	1.5	ug/L		3/23/2022	Rlamsal
Tin	EPA 200.8		0.2	4.0	ug/L		3/23/2022	Rlamsal

Comments:

ND = Non-Detect

MCL / AL = Maximum Contaminant Level or Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Maureen Schmelling
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 4/1/2022

Report Number: M-DC-LPR-2203141

Sample Location: 125 O St. SE - Side of Bldg, Hose bib

Sample Collected By: LS

Date / Time Collected: 3/18/2022 8:06 AM

Customer Program Code:

Laboratory Sample Number: 2203141-001

Date / Time Received: 3/18/2022 9:53:00 AM

Analyte	Method	MCL / AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		3/23/2022	Rlamsal

Comments:

ND = Non-Detect

MCL / AL = Maximum Contaminant Level or Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
 Bureau of Water Services
 301 Bryant Street, NW
 Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
 5900 MacArthur Blvd, NW
 Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/20/2023

Report Number: M-DC-SPC-2305055

Sample Location: 1 110 14th St. SE Unit Bathroom
Date / Time Collected: 4/24/2023 6:00 AM

Customer Program Code: Special
Laboratory Sample Number: 2305055-001
Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		5/26/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.9	ug/L		5/26/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		5/26/2023	Lgallimore

Sample Location: 2 110 14th St. SE Unit Bathroom
Date / Time Collected: 4/24/2023 6:00 AM

Customer Program Code: Special
Laboratory Sample Number: 2305055-002
Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	191	ug/L		5/26/2023	Lgallimore
Lead	EPA 200.8	15	0.2	318	ug/L		5/26/2023	Lgallimore
Tin	EPA 200.8		0.2	362	ug/L		5/26/2023	Lgallimore

Sample Location: 1 110 14th St. SE Main Bathroom
Date / Time Collected: 4/25/2023 6:00 AM

Customer Program Code: Special
Laboratory Sample Number: 2305055-003
Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		5/26/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.2	ug/L		5/26/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		5/26/2023	Lgallimore

Sample Location: 2 110 14th St. SE Main Bathroom
Date / Time Collected: 4/25/2023 6:00 AM

Customer Program Code: Special
Laboratory Sample Number: 2305055-004
Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		5/26/2023	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		5/26/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		5/26/2023	Lgallimore

Comments:

ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/20/2023

Report Number: M-DC-SPC-2305056

Sample Location: 1 110 14th St. SE Kitchen
Date / Time Collected: 4/26/2023 6:00 AM

Customer Program Code: Special
Laboratory Sample Number: 2305056-001
Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	11.8	ug/L		5/26/2023	Lgallimore
Lead	EPA 200.8	15	0.2	2.4	ug/L		5/26/2023	Lgallimore
Tin	EPA 200.8		0.2	0.3	ug/L		5/26/2023	Lgallimore

Sample Location: 2 110 14th St. SE Kitchen
Date / Time Collected: 4/26/2023 6:00 AM

Customer Program Code: Special
Laboratory Sample Number: 2305056-002
Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		5/26/2023	Lgallimore
Lead	EPA 200.8	15	0.2	1.0	ug/L		5/26/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		5/26/2023	Lgallimore

Sample Location: 3 110 14th St. SE Kitchen
Date / Time Collected: 4/26/2023 6:00 AM

Customer Program Code: Special
Laboratory Sample Number: 2305056-003
Date / Time Received: 5/8/2023 10:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		5/26/2023	Lgallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		5/26/2023	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		5/26/2023	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Maureen Schmelling
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/24/2021

Report Number: L-DC-SPEC-24062021

Sample Location: 1 Coolidge High School Gym Fountain Pre Chiller 250ml (180 volume total) **Customer Program Code:** SP
Sample Collected By: DM/MS **Laboratory Sample Number:** 2106099-001
Date / Time Collected: 6/9/2021 **Date / Time Received:** 6/10/2021 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Copper	EPA 200.8	1300	0.2	26.4	ug/L		6/22/2021	SBrooks
Iron	EPA 200.8		10	ND	ug/L		6/22/2021	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		6/22/2021	SBrooks
Manganese	EPA 200.8		0.2	9.8	ug/L		6/22/2021	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		6/22/2021	SBrooks

Sample Location: 2 Coolidge High School Gym Fountain Pre Chiller 1 Liter **Customer Program Code:** SP
Sample Collected By: DM/MS **Laboratory Sample Number:** 2106099-002
Date / Time Collected: 6/9/2021 **Date / Time Received:** 6/10/2021 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Copper	EPA 200.8	1300	0.2	2.2	ug/L		6/22/2021	SBrooks
Iron	EPA 200.8		10	ND	ug/L		6/22/2021	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		6/22/2021	SBrooks
Manganese	EPA 200.8		0.2	7.1	ug/L		6/22/2021	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		6/22/2021	SBrooks

Sample Location: 3 Coolidge High School Gym Fountain Pre Chiller 1 Liter **Customer Program Code:** SP
Sample Collected By: DM/MS **Laboratory Sample Number:** 2106099-003
Date / Time Collected: 6/9/2021 **Date / Time Received:** 6/10/2021 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Copper	EPA 200.8	1300	0.2	1.9	ug/L		6/22/2021	SBrooks
Iron	EPA 200.8		10	ND	ug/L		6/22/2021	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		6/22/2021	SBrooks
Manganese	EPA 200.8		0.2	9.1	ug/L		6/22/2021	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		6/22/2021	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 6/24/2021

Report Number: L-DC-SPEC-24062021

Sample Location: 1 Coolidge High School Gym Fountain (Bottle Filler)
 Sample Collected By: DM
 Date / Time Collected: 6/10/2021

Customer Program Code: SP
 Laboratory Sample Number: 2106136-001
 Date / Time Received: 6/14/2021 9:31:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Copper	EPA 200.8	1300	0.2	31.9	ug/L		6/22/2021	SBrooks
Iron	EPA 200.8		10	ND	ug/L		6/22/2021	SBrooks
Lead	EPA 200.8	15	0.2	6.9	ug/L		6/22/2021	SBrooks
Tin	EPA 200.8		0.2	0.4	ug/L		6/22/2021	SBrooks

Sample Location: 1F Coolidge High School Gym Fountain (Bottle Filler) Filtered
 Sample Collected By: DM
 Date / Time Collected: 6/10/2021

Customer Program Code: SP
 Laboratory Sample Number: 2106136-002
 Date / Time Received: 6/14/2021 9:31:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Copper	EPA 200.8	1300	0.2	27.5	ug/L		6/22/2021	SBrooks
Iron	EPA 200.8		10	ND	ug/L		6/22/2021	SBrooks
Lead	EPA 200.8	15	0.2	5.3	ug/L		6/22/2021	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		6/22/2021	SBrooks

Sample Location: 2 Coolidge High School Gym Fountain (Bottle Filler)
 Sample Collected By: DM
 Date / Time Collected: 6/10/2021

Customer Program Code: SP
 Laboratory Sample Number: 2106136-003
 Date / Time Received: 6/14/2021 9:31:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Copper	EPA 200.8	1300	0.2	21.1	ug/L		6/22/2021	SBrooks
Iron	EPA 200.8		10	ND	ug/L		6/22/2021	SBrooks
Lead	EPA 200.8	15	0.2	13.2	ug/L		6/22/2021	SBrooks
Tin	EPA 200.8		0.2	1.6	ug/L		6/22/2021	SBrooks

Sample Location: 2F Coolidge High School Gym Fountain (Bottle Filler) Filtered
 Sample Collected By: DM
 Date / Time Collected: 6/10/2021

Customer Program Code: SP
 Laboratory Sample Number: 2106136-004
 Date / Time Received: 6/14/2021 9:31:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Copper	EPA 200.8	1300	0.2	17.8	ug/L		6/22/2021	SBrooks
Iron	EPA 200.8		10	ND	ug/L		6/22/2021	SBrooks
Lead	EPA 200.8	15	0.2	2.7	ug/L		6/22/2021	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		6/22/2021	SBrooks

Sample Location: 3 Coolidge High School Gym Fountain (Bottle Filler)
 Sample Collected By: DM
 Date / Time Collected: 6/10/2021

Customer Program Code: SP
 Laboratory Sample Number: 2106136-005
 Date / Time Received: 6/14/2021 9:31:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Copper	EPA 200.8	1300	0.2	14.0	ug/L		6/22/2021	SBrooks
Iron	EPA 200.8		10	ND	ug/L		6/22/2021	SBrooks
Lead	EPA 200.8	15	0.2	2.3	ug/L		6/22/2021	SBrooks
Tin	EPA 200.8		0.2	0.5	ug/L		6/22/2021	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
 Laboratory

5900 MacArthur Blvd, NW
 Washington, DC 20016

Phone (202) 345-5928
 Fax (202) 587-9446

Report Date: 6/24/2021

Report Number: L-DC-SPEC-24062021

Sample Location: 3F Coolidge High School Gym Fountain (Bottle Filler) Filtered
Sample Collected By: DM
Date / Time Collected: 6/10/2021

Customer Program Code: SP
Laboratory Sample Number: 2106136-006
Date / Time Received: 6/14/2021 9:31:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Copper	EPA 200.8	1300	0.2	12.0	ug/L		6/22/2021	SBrooks
Iron	EPA 200.8		10	ND	ug/L		6/22/2021	SBrooks
Lead	EPA 200.8	15	0.2	1.4	ug/L		6/22/2021	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		6/22/2021	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

*Washington Aqueduct
Laboratory*

*5900 MacArthur Blvd, NW
Washington, DC 20016*

*Phone (202) 345-5928
Fax (202) 587-9446*



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead & Iron Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 6/13/2023

Report Number: L-DC-SP- 2305003-001

Sample Location: 5031 5th St. NW 1st Draw (first liter)

Customer Sample Number:

Date / Time Collected: 4/25/2023 7:40 AM

Customer Program Code: SP

Laboratory Sample Number: 2305003-001

Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	26.2	ug/L		5/30/2023	SBrooks
Lead	EPA 200.8	15	0.2	0.6	ug/L		5/30/2023	SBrooks

Sample Location: 5031 5th St. NW 2nd Draw (fifth liter)

Customer Sample Number:

Date / Time Collected: 4/25/2023 7:45 AM

Customer Program Code: SP

Laboratory Sample Number: 2305003-002

Date / Time Received: 4/28/2023 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	121	ug/L		5/30/2023	SBrooks
Lead	EPA 200.8	15	0.2	1.3	ug/L		5/30/2023	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit