



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408045-015

**Sample Location:** 1st Draw 10 S St NW  
**Customer Sample Number:** 3017940  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 3:36 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408045-015  
**Date / Time Received:** 8/6/2024 9:10:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0222	mg/L	8/8/2024	Rlamsal
Iron	EPA 200.8		0.01	ND	mg/L	8/8/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0020	mg/L	8/8/2024	Rlamsal

**Sample Location:** 2nd Draw 10 S St NW  
**Customer Sample Number:** 3017940  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 3:40 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408045-016  
**Date / Time Received:** 8/6/2024 9:10:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0110	mg/L	8/8/2024	Rlamsal
Iron	EPA 200.8		0.01	ND	mg/L	8/8/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0031	mg/L	8/8/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408045-007

**Sample Location:** 1st Draw 114 Madison St NW  
**Customer Sample Number:** 3025476  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 6:33 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408045-007  
**Date / Time Received:** 8/6/2024 9:10:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0584	mg/L	8/8/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0352	mg/L	8/8/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0016	mg/L	8/8/2024	Rlamsal

**Sample Location:** 2nd Draw 114 Madison St NW  
**Customer Sample Number:** 3025476  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 6:38 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408045-008  
**Date / Time Received:** 8/6/2024 9:10:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0150	mg/L	8/8/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0630	mg/L	8/8/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0058	mg/L	8/8/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408045-011

**Sample Location:** 1st Draw 1323 V St NW  
**Customer Sample Number:** 3010972  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/1/2024 7:00 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408045-011  
**Date / Time Received:** 8/6/2024 9:10:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0954	mg/L	8/8/2024	Rlamsal
Iron	EPA 200.8		0.01	ND	mg/L	8/8/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0005	mg/L	8/8/2024	Rlamsal

**Sample Location:** 2nd Draw 1323 V St NW  
**Customer Sample Number:** 3010972  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/1/2024 7:00 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408045-012  
**Date / Time Received:** 8/6/2024 9:10:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0394	mg/L	8/8/2024	Rlamsal
Iron	EPA 200.8		0.01	ND	mg/L	8/8/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0029	mg/L	8/8/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408013-021

**Sample Location:** 1st Draw 1408 Decatur St NW  
**Customer Sample Number:** 3027601  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/30/2024 8:00 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-021  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0477	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0340	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0068	mg/L	8/7/2024	Rlamsal

**Sample Location:** 2nd Draw 1408 Decatur St NW  
**Customer Sample Number:** 3027601  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/30/2024 8:15 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-022  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0084	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0112	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0009	mg/L	8/7/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408045-009

**Sample Location:** 1st Draw 1501 Harvard St NW  
**Customer Sample Number:** 3033373  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/5/2024 6:18 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408045-009  
**Date / Time Received:** 8/6/2024 9:10:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0336	mg/L	8/8/2024	Rlamsal
Iron	EPA 200.8		0.01	ND	mg/L	8/8/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0006	mg/L	8/8/2024	Rlamsal

**Sample Location:** 2nd Draw 1501 Harvard St NW  
**Customer Sample Number:** 3033373  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/5/2024 6:21 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408045-010  
**Date / Time Received:** 8/6/2024 9:10:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0150	mg/L	8/8/2024	Rlamsal
Iron	EPA 200.8		0.01	ND	mg/L	8/8/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0010	mg/L	8/8/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408045-013

**Sample Location:** 1st Draw 1522 New Jersey Ave NW  
**Customer Sample Number:** 3006034  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/1/2024 7:00 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408045-013  
**Date / Time Received:** 8/6/2024 9:10:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.102	mg/L	8/8/2024	Rlamsal
Iron	EPA 200.8		0.01	0.279	mg/L	8/8/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	8/8/2024	Rlamsal

**Sample Location:** 2nd Draw 1522 New Jersey Ave NW  
**Customer Sample Number:** 3006034  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/1/2024 7:02 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408045-014  
**Date / Time Received:** 8/6/2024 9:10:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0428	mg/L	8/8/2024	Rlamsal
Iron	EPA 200.8		0.01	0.226	mg/L	8/8/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	8/8/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408013-005

**Sample Location:** 1st Draw 18 Milmarson PI NW  
**Customer Sample Number:** 3026169  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/30/2024 5:30 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-005  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0069	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0818	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0006	mg/L	8/7/2024	Rlamsal

**Sample Location:** 2nd Draw 18 Milmarson PI NW  
**Customer Sample Number:** 3026169  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/30/2024 5:30 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-006  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0140	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0631	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0017	mg/L	8/7/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408045-001

**Sample Location:** 1st Draw 2010 Klinge Rd NW  
**Customer Sample Number:** 3031299  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/1/2024 5:45 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408045-001  
**Date / Time Received:** 8/6/2024 9:10:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0320	mg/L	8/8/2024	Rlamsal
Iron	EPA 200.8		0.01	ND	mg/L	8/8/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0008	mg/L	8/8/2024	Rlamsal

**Sample Location:** 2nd Draw 2010 Klinge Rd NW  
**Customer Sample Number:** 3031299  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/1/2024 5:50 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408045-002  
**Date / Time Received:** 8/6/2024 9:10:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0106	mg/L	8/8/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0133	mg/L	8/8/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0015	mg/L	8/8/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**





# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408013-023

**Sample Location:** 1st Draw 2036 17th St NW  
**Customer Sample Number:** 3001351  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 7:20 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-023  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0313	mg/L	8/7/2024	Blamsal
Iron	EPA 200.8		0.01	0.0309	mg/L	8/7/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	8/7/2024	Blamsal

**Sample Location:** 2nd Draw 2036 17th St NW  
**Customer Sample Number:** 3001351  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 7:22 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-024  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0113	mg/L	8/7/2024	Blamsal
Iron	EPA 200.8		0.01	0.0300	mg/L	8/7/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	8/7/2024	Blamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408013-025

**Sample Location:** 1st Draw 3107 Cathedral Ave NW  
**Customer Sample Number:** 3035504  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 7:35 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-025  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0457	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.129	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0035	mg/L	8/7/2024	Rlamsal

**Sample Location:** 2nd Draw 3107 Cathedral Ave NW  
**Customer Sample Number:** 3035504  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 7:50 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-026  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0132	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.165	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0065	mg/L	8/7/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408045-017

**Sample Location:** 1st Draw 3112 Park PL NW  
**Customer Sample Number:** 3019519  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/1/2024 10:45 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408045-017  
**Date / Time Received:** 8/7/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0527	mg/L	8/8/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0134	mg/L	8/8/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0009	mg/L	8/8/2024	Rlamsal

**Sample Location:** 2nd Draw 3112 Park PL NW  
**Customer Sample Number:** 3019519  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/1/2024 10:47 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408045-018  
**Date / Time Received:** 8/7/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0188	mg/L	8/8/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0216	mg/L	8/8/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0032	mg/L	8/8/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408013-019

**Sample Location:** 1st Draw 3205 38th St NW  
**Customer Sample Number:** 3035200  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 6:50 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-019  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0298	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0533	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0026	mg/L	8/7/2024	Rlamsal

**Sample Location:** 2nd Draw 3205 38th St NW  
**Customer Sample Number:** 3035200  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 6:54 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-020  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0065	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0289	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0037	mg/L	8/7/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408013-003

**Sample Location:** 1st Draw 3206 38th St NW  
**Customer Sample Number:** 3035196  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 7:41 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-003  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0157	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.319	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0006	mg/L	8/7/2024	Rlamsal

**Sample Location:** 2nd Draw 3206 38th St NW  
**Customer Sample Number:** 3035196  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 7:44 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-004  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0193	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0573	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0013	mg/L	8/7/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408013-017

**Sample Location:** 1st Draw 3629 Everett St NW  
**Customer Sample Number:** 3036892  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/30/2024 6:26 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-017  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0606	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0120	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0006	mg/L	8/7/2024	Rlamsal

**Sample Location:** 2nd Draw 3629 Everett St NW  
**Customer Sample Number:** 3036892  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/30/2024 6:27 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-018  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0081	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0153	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0044	mg/L	8/7/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408013-009

**Sample Location:** 1st Draw 3907 McKinley St NW  
**Customer Sample Number:** 3039855  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/30/2024 3:15 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-009  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0079	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0184	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0017	mg/L	8/7/2024	Rlamsal

**Sample Location:** 2nd Draw 3907 McKinley St NW  
**Customer Sample Number:** 3039855  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/30/2024 3:15 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-010  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0057	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	ND	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0003	mg/L	8/7/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408084-001

**Sample Location:** 1st Draw 417 Shepherd St NW  
**Customer Sample Number:** 3020832  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/1/2024 7:30 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408084-001  
**Date / Time Received:** 8/13/2024 9:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0055	mg/L	8/20/2024	Lgallimore
Iron	EPA 200.8		0.01	ND	mg/L	8/20/2024	Lgallimore
Lead	EPA 200.8	0.015	0.0002	0.0012	mg/L	8/20/2024	Lgallimore

**Sample Location:** 2nd Draw 417 Shepherd St NW  
**Customer Sample Number:** 3020832  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/1/2024 7:31 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408084-002  
**Date / Time Received:** 8/13/2024 9:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0059	mg/L	8/20/2024	Lgallimore
Iron	EPA 200.8		0.01	ND	mg/L	8/20/2024	Lgallimore
Lead	EPA 200.8	0.015	0.0002	0.0007	mg/L	8/20/2024	Lgallimore

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**





# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408013-011

**Sample Location:** 1st Draw 424 Warner St NW  
**Customer Sample Number:** 3006126  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 6:20 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-011  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0388	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	ND	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0011	mg/L	8/7/2024	Rlamsal

**Sample Location:** 2nd Draw 424 Warner St NW  
**Customer Sample Number:** 3006126  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 6:22 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-012  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0174	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	ND	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0030	mg/L	8/7/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408013-015

**Sample Location:** 1st Draw 4428 9th St NW  
**Customer Sample Number:** 3021646  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 6:35 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-015  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0049	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0321	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0006	mg/L	8/7/2024	Rlamsal

**Sample Location:** 2nd Draw 4428 9th St NW  
**Customer Sample Number:** 3021646  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 6:37 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-016  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0069	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0461	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0005	mg/L	8/7/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408013-001

**Sample Location:** 1st Draw 4610 Iowa Ave NW  
**Customer Sample Number:** 3027674  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/30/2024 7:30 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-001  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0313	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0181	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0006	mg/L	8/7/2024	Rlamsal

**Sample Location:** 2nd Draw 4610 Iowa Ave NW  
**Customer Sample Number:** 3027674  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/30/2024 7:32 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-002  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0113	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0155	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0007	mg/L	8/7/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408045-005

**Sample Location:** 1st Draw 4710 8th St NW  
**Customer Sample Number:** 3022291  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/30/2024 6:29 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408045-005  
**Date / Time Received:** 8/6/2024 9:10:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0035	mg/L	8/8/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0742	mg/L	8/8/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0005	mg/L	8/8/2024	Rlamsal

**Sample Location:** 2nd Draw 4710 8th St NW  
**Customer Sample Number:** 3022291  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/30/2024 6:31 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408045-006  
**Date / Time Received:** 8/6/2024 9:10:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0043	mg/L	8/8/2024	Rlamsal
Iron	EPA 200.8		0.01	0.244	mg/L	8/8/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0033	mg/L	8/8/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408013-029

**Sample Location:** 1st Draw 5015 9th St NW  
**Customer Sample Number:** 3022762  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 7:15 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-029  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0670	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.214	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0011	mg/L	8/7/2024	Rlamsal

**Sample Location:** 2nd Draw 5015 9th St NW  
**Customer Sample Number:** 3022762  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 7:15 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-030  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0138	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.218	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0151	mg/L	8/7/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408013-027

**Sample Location:** 1st Draw 5127 5th St NW  
**Customer Sample Number:** 3023335  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 8:12 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-027  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0075	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0274	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0006	mg/L	8/7/2024	Rlamsal

**Sample Location:** 2nd Draw 5127 5th St NW  
**Customer Sample Number:** 3023335  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 8:14 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-028  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0070	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0553	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0015	mg/L	8/7/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408013-013

**Sample Location:** 1st Draw 541 Shepherd St NW  
**Customer Sample Number:** 3021001  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/30/2024 7:40 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-013  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0047	mg/L	8/7/2024	Blamsal
Iron	EPA 200.8		0.01	ND	mg/L	8/7/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	0.0007	mg/L	8/7/2024	Blamsal

**Sample Location:** 2nd Draw 541 Shepherd St NW  
**Customer Sample Number:** 3021001  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/30/2024 7:42 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-014  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0044	mg/L	8/7/2024	Blamsal
Iron	EPA 200.8		0.01	ND	mg/L	8/7/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	0.0025	mg/L	8/7/2024	Blamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408105-001

**Sample Location:** 1st Draw 5427 Nevada Ave NW  
**Customer Sample Number:** 3039412  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/9/2024 6:00 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408105-001  
**Date / Time Received:** 8/16/2024 3:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0064	mg/L	8/20/2024	Lgallimore
Iron	EPA 200.8		0.01	0.403	mg/L	8/20/2024	Lgallimore
Lead	EPA 200.8	0.015	0.0002	0.0033	mg/L	8/20/2024	Lgallimore

**Sample Location:** 2nd Draw 5427 Nevada Ave NW  
**Customer Sample Number:** 3039412  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/9/2024 6:02 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408105-002  
**Date / Time Received:** 8/16/2024 3:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0051	mg/L	8/20/2024	Lgallimore
Iron	EPA 200.8		0.01	0.0712	mg/L	8/20/2024	Lgallimore
Lead	EPA 200.8	0.015	0.0002	0.0081	mg/L	8/20/2024	Lgallimore

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**





# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408045-003

**Sample Location:** 1st Draw 615 WEBSTER ST NW  
**Customer Sample Number:** 3021540  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/1/2024 5:01 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408045-003  
**Date / Time Received:** 8/6/2024 9:10:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0067	mg/L	8/8/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0170	mg/L	8/8/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0005	mg/L	8/8/2024	Rlamsal

**Sample Location:** 2nd Draw 615 WEBSTER ST NW  
**Customer Sample Number:** 3021540  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/1/2024 5:05 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408045-004  
**Date / Time Received:** 8/6/2024 9:10:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0039	mg/L	8/8/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0301	mg/L	8/8/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0007	mg/L	8/8/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2407131-001

**Sample Location:** 1st Draw 6306 8th St NW  
**Customer Sample Number:** 3026886  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/8/2024 6:58 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2407131-001  
**Date / Time Received:** 7/17/2024 1:15:00 PM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0219	mg/L	8/6/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0230	mg/L	8/6/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0006	mg/L	8/6/2024	Rlamsal

**Sample Location:** 2nd Draw 6306 8th St NW  
**Customer Sample Number:** 3026886  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/8/2024 7:00 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2407131-002  
**Date / Time Received:** 7/17/2024 1:15:00 PM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0053	mg/L	8/6/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0495	mg/L	8/6/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0027	mg/L	8/6/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 8/26/2024

**Report Number:** LC-DC-LCR-2408013-007

**Sample Location:** 1st Draw 812 Van Buren St NW  
**Customer Sample Number:** 3027231  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 6:20 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-007  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0101	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0380	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0015	mg/L	8/7/2024	Rlamsal

**Sample Location:** 2nd Draw 812 Van Buren St NW  
**Customer Sample Number:** 3027231  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 7/31/2024 6:21 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408013-008  
**Date / Time Received:** 8/2/2024 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0034	mg/L	8/7/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0574	mg/L	8/7/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0013	mg/L	8/7/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/17/2024

**Report Number:** LC-DC-LCR-2408206-003

**Sample Location:** 1st Draw 1020 Independence Ave SE  
**Customer Sample Number:** 3073669  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/28/2024 6:45 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408206-003  
**Date / Time Received:** 8/30/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0203	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0006	mg/L	9/5/2024	SBrooks

**Sample Location:** 2nd Draw 1020 Independence Ave SE  
**Customer Sample Number:** 3073669  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/28/2024 6:47 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408206-004  
**Date / Time Received:** 8/30/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0090	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0005	mg/L	9/5/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/17/2024

**Report Number:** LC-DC-LCR-2408206-023

**Sample Location:** 1st Draw 1420 Ingraham St NW

**Customer Sample Number:** 3049437

**Sample Collected By:** HOME OWNER

**Date / Time Collected:** 8/29/2024 12:00 AM

**Customer Program Code:** LCR

**Laboratory Sample Number:** 2408206-023

**Date / Time Received:** 8/30/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0235	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0008	mg/L	9/5/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/17/2024

**Report Number:** LC-DC-LCR-2408170-005

**Sample Location:** 1st Draw 22 Bates St NW  
**Customer Sample Number:** 3011620  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/19/2024 8:09 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408170-005  
**Date / Time Received:** 8/21/2024 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0166	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	9/5/2024	SBrooks

**Sample Location:** 2nd Draw 22 Bates St NW  
**Customer Sample Number:** 3011620  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/19/2024 8:10 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408170-006  
**Date / Time Received:** 8/21/2024 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0103	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	9/5/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/17/2024

**Report Number:** LC-DC-LCR-2408206-015

**Sample Location:** 1st Draw 229 Rhode Island Ave. NW  
**Customer Sample Number:** 3052227  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/29/2024 7:00 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408206-015  
**Date / Time Received:** 8/30/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0082	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	0.0553	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0004	mg/L	9/5/2024	SBrooks

**Sample Location:** 2nd Draw 229 Rhode Island Ave. NW  
**Customer Sample Number:** 3052227  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/29/2024 7:00 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408206-016  
**Date / Time Received:** 8/30/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0106	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	0.0430	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0009	mg/L	9/5/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/17/2024

**Report Number:** LC-DC-LCR-2408206-005

**Sample Location:** 1st Draw 2734 34th PI NW  
**Customer Sample Number:** 3057989  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/28/2024 7:00 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408206-005  
**Date / Time Received:** 8/30/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0338	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	0.0392	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	9/5/2024	SBrooks

**Sample Location:** 2nd Draw 2734 34th PI NW  
**Customer Sample Number:** 3057989  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/28/2024 7:00 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408206-006  
**Date / Time Received:** 8/30/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0112	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	0.0438	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0002	mg/L	9/5/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**





# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/17/2024

**Report Number:** LC-DC-LCR-2409017-005

**Sample Location:** 1st Draw 3511 Idaho Ave NW  
**Customer Sample Number:** 3041916  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/30/2024 8:42 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2409017-005  
**Date / Time Received:** 9/3/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0895	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0006	mg/L	9/5/2024	SBrooks

**Sample Location:** 2nd Draw 3511 Idaho Ave NW  
**Customer Sample Number:** 3041916  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/30/2024 8:45 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2409017-006  
**Date / Time Received:** 9/3/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0129	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0018	mg/L	9/5/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/17/2024

**Report Number:** LC-DC-LCR-2409017-003

**Sample Location:** 1st Draw 3567 Holmead PI NW  
**Customer Sample Number:** 3053779  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/30/2024 7:15 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2409017-003  
**Date / Time Received:** 9/3/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0182	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	9/5/2024	SBrooks

**Sample Location:** 2nd Draw 3567 Holmead PI NW  
**Customer Sample Number:** 3053779  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/30/2024 7:18 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2409017-004  
**Date / Time Received:** 9/3/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0111	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	9/5/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/17/2024

**Report Number:** LC-DC-LCR-2408206-017

**Sample Location:** 1st Draw 3810 Military Rd NW  
**Customer Sample Number:** 3040477  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/29/2024 7:10 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408206-017  
**Date / Time Received:** 8/30/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0718	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	0.0587	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0017	mg/L	9/5/2024	SBrooks

**Sample Location:** 2nd Draw 3810 Military Rd NW  
**Customer Sample Number:** 3040477  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/29/2024 7:10 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408206-018  
**Date / Time Received:** 8/30/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0166	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	0.0780	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0084	mg/L	9/5/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/17/2024

**Report Number:** LC-DC-LCR-2408206-009

**Sample Location:** 1st Draw 4101 4th St NW  
**Customer Sample Number:** 3057184  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/28/2024 3:45 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408206-009  
**Date / Time Received:** 8/30/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0197	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0003	mg/L	9/5/2024	SBrooks

**Sample Location:** 2nd Draw 4101 4th St NW  
**Customer Sample Number:** 3057184  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/28/2024 3:49 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408206-010  
**Date / Time Received:** 8/30/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0090	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0024	mg/L	9/5/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/17/2024

**Report Number:** LC-DC-LCR-2408206-019

**Sample Location:** 1st Draw 4111 38th St NW  
**Customer Sample Number:** 3041539  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/29/2024 7:35 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408206-019  
**Date / Time Received:** 8/30/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0548	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	0.0616	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0018	mg/L	9/5/2024	SBrooks

**Sample Location:** 2nd Draw 4111 38th St NW  
**Customer Sample Number:** 3041539  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/29/2024 7:37 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408206-020  
**Date / Time Received:** 8/30/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0586	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0015	mg/L	9/5/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/17/2024

**Report Number:** LC-DC-LCR-2408206-011

**Sample Location:** 1st Draw 419 12TH ST SE

**Customer Sample Number:** 3074020

**Sample Collected By:** HOME OWNER

**Date / Time Collected:** 8/29/2024 6:20 AM

**Customer Program Code:** LCR

**Laboratory Sample Number:** 2408206-011

**Date / Time Received:** 8/30/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0401	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	0.0309	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	9/5/2024	SBrooks

**Sample Location:** 2nd Draw 419 12TH ST SE

**Customer Sample Number:** 3074020

**Sample Collected By:** HOME OWNER

**Date / Time Collected:** 8/29/2024 6:21 AM

**Customer Program Code:** LCR

**Laboratory Sample Number:** 2408206-012

**Date / Time Received:** 8/30/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0133	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	0.0288	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	9/5/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/17/2024

**Report Number:** LC-DC-LCR-2408206-013

**Sample Location:** 1st Draw 423 Shepherd St NW  
**Customer Sample Number:** 3051028  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/29/2024 6:40 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408206-013  
**Date / Time Received:** 8/30/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0090	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	9/5/2024	SBrooks

**Sample Location:** 2nd Draw 423 Shepherd St NW  
**Customer Sample Number:** 3051028  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/29/2024 6:42 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408206-014  
**Date / Time Received:** 8/30/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0089	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	9/5/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/17/2024

**Report Number:** LC-DC-LCR-2408170-003

**Sample Location:** 1st Draw 4421 9th St. NW  
**Customer Sample Number:** 3021641  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/15/2024 8:25 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408170-003  
**Date / Time Received:** 8/21/2024 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0384	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	0.0547	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0016	mg/L	9/5/2024	SBrooks

**Sample Location:** 2nd Draw 4421 9th St. NW  
**Customer Sample Number:** 3021641  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/15/2024 8:27 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408170-004  
**Date / Time Received:** 8/21/2024 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0091	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	0.0543	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0069	mg/L	9/5/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**





# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/17/2024

**Report Number:** LC-DC-LCR-2408206-007

**Sample Location:** 1st Draw 5010 Klinge St. NW

**Customer Sample Number:** 3045912

**Sample Collected By:** HOME OWNER

**Date / Time Collected:** 8/28/2024 7:25 AM

**Customer Program Code:** LCR

**Laboratory Sample Number:** 2408206-007

**Date / Time Received:** 8/30/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0232	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0004	mg/L	9/5/2024	SBrooks

**Sample Location:** 2nd Draw 5010 Klinge St. NW

**Customer Sample Number:** 3045912

**Sample Collected By:** HOME OWNER

**Date / Time Collected:** 8/28/2024 7:27 AM

**Customer Program Code:** LCR

**Laboratory Sample Number:** 2408206-008

**Date / Time Received:** 8/30/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0098	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	9/5/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/17/2024

**Report Number:** LC-DC-LCR-2409017-007

**Sample Location:** 1st Draw 5223 Kansas Ave NW  
**Customer Sample Number:** 3051648  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/30/2024 10:49 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2409017-007  
**Date / Time Received:** 9/3/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0741	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	0.284	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0022	mg/L	9/5/2024	SBrooks

**Sample Location:** 2nd Draw 5223 Kansas Ave NW  
**Customer Sample Number:** 3051648  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/30/2024 10:50 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2409017-008  
**Date / Time Received:** 9/3/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0189	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	0.149	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0014	mg/L	9/5/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/17/2024

**Report Number:** LC-DC-LCR-2408206-001

**Sample Location:** 1st Draw 5403 39th St NW  
**Customer Sample Number:** 3039969  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/28/2024 6:06 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408206-001  
**Date / Time Received:** 8/30/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0010	0.951	mg/L	9/11/2024	SBrooks
Iron	EPA 200.8		0.01	0.0227	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	9/5/2024	SBrooks

**Sample Location:** 2nd Draw 5403 39th St NW  
**Customer Sample Number:** 3039969  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/28/2024 6:08 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2408206-002  
**Date / Time Received:** 8/30/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0688	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	0.0423	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	9/5/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/17/2024

**Report Number:** LC-DC-LCR-2408170-001

**Sample Location:** 1st Draw 6125 29th St. NW

**Customer Sample Number:** 3037797

**Sample Collected By:** HOME OWNER

**Date / Time Collected:** 8/15/2024 7:00 AM

**Customer Program Code:** LCR

**Laboratory Sample Number:** 2408170-001

**Date / Time Received:** 8/21/2024 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.102	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	0.0215	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0009	mg/L	9/5/2024	SBrooks

**Sample Location:** 2nd Draw 6125 29th St. NW

**Customer Sample Number:** 3037797

**Sample Collected By:** HOME OWNER

**Date / Time Collected:** 8/15/2024 7:00 AM

**Customer Program Code:** LCR

**Laboratory Sample Number:** 2408170-002

**Date / Time Received:** 8/21/2024 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0433	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	0.0199	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0007	mg/L	9/5/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/17/2024

**Report Number:** LC-DC-LCR-2409036-001

**Sample Location:** 1st Draw 658 E ST SE  
**Customer Sample Number:** 3072390  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/29/2024 7:30 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2409036-001  
**Date / Time Received:** 9/4/2024 9:22:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0663	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	9/5/2024	SBrooks

**Sample Location:** 2nd Draw 658 E ST SE  
**Customer Sample Number:** 3072390  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 8/29/2024 7:35 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2409036-002  
**Date / Time Received:** 9/4/2024 9:22:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0339	mg/L	9/5/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	9/5/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	9/5/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/30/2024

**Report Number:** LC-DC-LCR-2409086-001

**Sample Location:** 1st Draw 307 South Carolina Ave SE  
**Customer Sample Number:** 3086661  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 9/10/2024 5:30 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2409086-001  
**Date / Time Received:** 9/12/2024 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0281	mg/L	9/17/2024	BPrakash
Iron	EPA 200.8		0.01	0.0139	mg/L	9/17/2024	BPrakash
Lead	EPA 200.8	0.015	0.0002	0.0013	mg/L	9/17/2024	BPrakash

**Sample Location:** 2nd Draw 307 South Carolina Ave SE  
**Customer Sample Number:** 3086661  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 9/10/2024 5:30 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2409086-002  
**Date / Time Received:** 9/12/2024 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0046	mg/L	9/17/2024	BPrakash
Iron	EPA 200.8		0.01	0.0128	mg/L	9/17/2024	BPrakash
Lead	EPA 200.8	0.015	0.0002	0.0006	mg/L	9/17/2024	BPrakash

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/30/2024

**Report Number:** LC-DC-LCR-2409084-005

**Sample Location:** 1st Draw 3721 PORTER ST NW  
**Customer Sample Number:** 3041976  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 9/3/2024 5:45 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2409084-005  
**Date / Time Received:** 9/5/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0804	mg/L	9/17/2024	Bprakash
Iron	EPA 200.8		0.01	ND	mg/L	9/17/2024	Bprakash
Lead	EPA 200.8	0.015	0.0002	0.0019	mg/L	9/17/2024	Bprakash

**Sample Location:** 2nd Draw 3721 PORTER ST NW  
**Customer Sample Number:** 3041976  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 9/3/2024 5:48 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2409084-006  
**Date / Time Received:** 9/5/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0267	mg/L	9/17/2024	Bprakash
Iron	EPA 200.8		0.01	ND	mg/L	9/17/2024	Bprakash
Lead	EPA 200.8	0.015	0.0002	0.0034	mg/L	9/17/2024	Bprakash

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/30/2024

**Report Number:** LC-DC-LCR-2409084-003

**Sample Location:** 1st Draw 521 9th St. SE  
**Customer Sample Number:** 3072921  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 9/1/2024 4:50 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2409084-003  
**Date / Time Received:** 9/5/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0156	mg/L	9/17/2024	Bprakash
Iron	EPA 200.8		0.01	0.0355	mg/L	9/17/2024	Bprakash
Lead	EPA 200.8	0.015	0.0002	0.0012	mg/L	9/17/2024	Bprakash

**Sample Location:** 2nd Draw 521 9th St. SE  
**Customer Sample Number:** 3072921  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 9/1/2024 4:52 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2409084-004  
**Date / Time Received:** 9/5/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0170	mg/L	9/17/2024	Bprakash
Iron	EPA 200.8		0.01	0.110	mg/L	9/17/2024	Bprakash
Lead	EPA 200.8	0.015	0.0002	0.0065	mg/L	9/17/2024	Bprakash

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**





# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/30/2024

**Report Number:** LC-DC-LCR-2409084-001

**Sample Location:** 1st Draw 5227 Sherier PL NW  
**Customer Sample Number:** 3044647  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 9/1/2024 8:14 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2409084-001  
**Date / Time Received:** 9/5/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0254	mg/L	9/17/2024	Bprakash
Iron	EPA 200.8		0.01	0.235	mg/L	9/17/2024	Bprakash
Lead	EPA 200.8	0.015	0.0002	0.0359	mg/L	9/17/2024	Bprakash

**Sample Location:** 2nd Draw 5227 Sherier PL NW  
**Customer Sample Number:** 3044647  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 9/1/2024 8:17 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2409084-002  
**Date / Time Received:** 9/5/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.109	mg/L	9/17/2024	Bprakash
Iron	EPA 200.8		0.01	0.237	mg/L	9/17/2024	Bprakash
Lead	EPA 200.8	0.015	0.0002	0.0050	mg/L	9/17/2024	Bprakash

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 9/30/2024

**Report Number:** LC-DC-LCR-2409085-001

**Sample Location:** 1st Draw 5510 9th St. NW

**Customer Sample Number:** 3056796

**Sample Collected By:** HOME OWNER

**Date / Time Collected:** 8/29/2024 9:05 AM

**Customer Program Code:** LCR

**Laboratory Sample Number:** 2409085-001

**Date / Time Received:** 9/10/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0046	mg/L	9/17/2024	BPrakash
Iron	EPA 200.8		0.01	ND	mg/L	9/17/2024	BPrakash
Lead	EPA 200.8	0.015	0.0002	0.0003	mg/L	9/17/2024	BPrakash

**Sample Location:** 2nd Draw 5510 9th St. NW

**Customer Sample Number:** 3056796

**Sample Collected By:** HOME OWNER

**Date / Time Collected:** 8/29/2024 9:07 AM

**Customer Program Code:** LCR

**Laboratory Sample Number:** 2409085-002

**Date / Time Received:** 9/10/2024 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0026	mg/L	9/17/2024	BPrakash
Iron	EPA 200.8		0.01	ND	mg/L	9/17/2024	BPrakash
Lead	EPA 200.8	0.015	0.0002	0.0002	mg/L	9/17/2024	BPrakash

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 10/17/2024 **Report revised on 10/17/24 by mc.**

**Report Number:** LC-DC-LCR-2409185-001

**Sample Location:** 1st Draw 813 E St SE  
**Customer Sample Number:** 3072937  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 9/12/2024 6:30 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2409185-001  
**Date / Time Received:** 9/24/2024 1:00:00 PM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0005	0.0290	mg/L	10/16/2024	Blamsal
Iron	EPA 200.8		0.01	ND	mg/L	10/16/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	10/16/2024	Blamsal

**Sample Location:** 2nd Draw 813 E St SE  
**Customer Sample Number:** 3072937  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 9/12/2024 6:30 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2409185-002  
**Date / Time Received:** 9/24/2024 1:00:00 PM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0005	0.0299	mg/L	10/16/2024	Blamsal
Iron	EPA 200.8		0.01	ND	mg/L	10/16/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	10/16/2024	Blamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 10/22/2024

**Report Number:** LC-DC-LCR-2410050-003

**Sample Location:** 1st Draw 105 14th St. NE  
**Customer Sample Number:** 3100292  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/1/2024 6:39 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-003  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0333	mg/L	10/10/2024	Rlamsal
Iron	EPA 200.8		0.01	ND	mg/L	10/10/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0003	mg/L	10/10/2024	Rlamsal

**Sample Location:** 2nd Draw 105 14th St. NE  
**Customer Sample Number:** 3100292  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/1/2024 6:42 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-004  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0363	mg/L	10/10/2024	Rlamsal
Iron	EPA 200.8		0.01	ND	mg/L	10/10/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0016	mg/L	10/10/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 10/22/2024

**Report Number:** LC-DC-LCR-2410050-013

**Sample Location:** 1st Draw 1115 C St NE  
**Customer Sample Number:** 3099413  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/1/2024 2:27 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-013  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0400	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	0.0591	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	0.0004	mg/L	10/10/2024	Blamsal

**Sample Location:** 2nd Draw 1115 C St NE  
**Customer Sample Number:** 3099413  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/1/2024 2:29 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-014  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0136	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	ND	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	10/10/2024	Blamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 10/22/2024

**Report Number:** LC-DC-LCR-2410050-011

**Sample Location:** 1st Draw 1120 C ST NE  
**Customer Sample Number:** 3099431  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/1/2024 9:33 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-011  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0693	mg/L	10/10/2024	Rlamsal
Iron	EPA 200.8		0.01	ND	mg/L	10/10/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0004	mg/L	10/10/2024	Rlamsal

**Sample Location:** 2nd Draw 1120 C ST NE  
**Customer Sample Number:** 3099431  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/1/2024 9:34 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-012  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0150	mg/L	10/10/2024	Rlamsal
Iron	EPA 200.8		0.01	ND	mg/L	10/10/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0008	mg/L	10/10/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 10/22/2024

**Report Number:** LC-DC-LCR-2410050-007

**Sample Location:** 1st Draw 1148 Abbey PI NE

**Customer Sample Number:** 3098343

**Sample Collected By:** HOME OWNER

**Date / Time Collected:** 10/1/2024 8:30 AM

**Customer Program Code:** LCR

**Laboratory Sample Number:** 2410050-007

**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0087	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	0.0430	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	0.0010	mg/L	10/10/2024	Blamsal

**Sample Location:** 2nd Draw 1148 Abbey PI NE

**Customer Sample Number:** 3098343

**Sample Collected By:** HOME OWNER

**Date / Time Collected:** 10/1/2024 8:35 AM

**Customer Program Code:** LCR

**Laboratory Sample Number:** 2410050-008

**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0088	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	0.102	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	0.0049	mg/L	10/10/2024	Blamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 10/22/2024

**Report Number:** LC-DC-LCR-2410050-001

**Sample Location:** 1st Draw 1247 Girard St NE  
**Customer Sample Number:** 3104199  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/1/2024 6:22 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-001  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.152	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	0.0724	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	0.0008	mg/L	10/10/2024	Blamsal

**Sample Location:** 2nd Draw 1247 Girard St NE  
**Customer Sample Number:** 3104199  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/1/2024 6:25 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-002  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0373	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	0.0308	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	0.0006	mg/L	10/10/2024	Blamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**





# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 10/22/2024

**Report Number:** LC-DC-LCR-2410050-015

**Sample Location:** 1st Draw 1346 F ST NE  
**Customer Sample Number:** 3100684  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/1/2024 7:17 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-015  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0172	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	0.0357	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	0.0019	mg/L	10/10/2024	Blamsal

**Sample Location:** 2nd Draw 1346 F ST NE  
**Customer Sample Number:** 3100684  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/1/2024 7:20 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-016  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0087	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	0.0413	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	0.0046	mg/L	10/10/2024	Blamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 10/22/2024

**Report Number:** LC-DC-LCR-2410050-019

**Sample Location:** 1st Draw 1519 Olive St NE  
**Customer Sample Number:** 3111360  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/2/2024 6:00 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-019  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0093	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	0.0544	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	0.0003	mg/L	10/10/2024	Blamsal

**Sample Location:** 2nd Draw 1519 Olive St NE  
**Customer Sample Number:** 3111360  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/2/2024 6:05 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-020  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0059	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	0.0548	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	10/10/2024	Blamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 10/22/2024

**Report Number:** LC-DC-LCR-2410037-005

**Sample Location:** 1st Draw 1534 East Capital St NE  
**Customer Sample Number:** 3120152  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/2/2024 3:45 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410037-005  
**Date / Time Received:** 10/4/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0081	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	0.0340	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	0.0009	mg/L	10/10/2024	Blamsal

**Sample Location:** 2nd Draw 1534 East Capital St NE  
**Customer Sample Number:** 3120152  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/2/2024 3:47 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410037-006  
**Date / Time Received:** 10/4/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0068	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	0.0370	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	0.0003	mg/L	10/10/2024	Blamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 10/22/2024

**Report Number:** LC-DC-LCR-2410050-023

**Sample Location:** 1st Draw 1620 Gales St. NE  
**Customer Sample Number:** 3112063  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/2/2024 7:12 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-023  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0085	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	ND	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	0.0006	mg/L	10/10/2024	Blamsal

**Sample Location:** 2nd Draw 1620 Gales St. NE  
**Customer Sample Number:** 3112063  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/2/2024 7:14 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-024  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0120	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	ND	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	0.0021	mg/L	10/10/2024	Blamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 10/22/2024

**Report Number:** LC-DC-LCR-2410037-001

**Sample Location:** 1st Draw 228 V ST NE  
**Customer Sample Number:** 3124875  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/1/2024 6:45 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410037-001  
**Date / Time Received:** 10/4/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0224	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	0.0388	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	0.0009	mg/L	10/10/2024	Blamsal

**Sample Location:** 2nd Draw 228 V ST NE  
**Customer Sample Number:** 3124875  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/1/2024 6:52 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410037-002  
**Date / Time Received:** 10/4/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0097	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	0.0552	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	0.0013	mg/L	10/10/2024	Blamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 10/22/2024

**Report Number:** LC-DC-LCR-2410050-021

**Sample Location:** 1st Draw 3074 Clinton St. NE  
**Customer Sample Number:** 3107532  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/2/2024 6:35 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-021  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0204	mg/L	10/10/2024	Rlamsal
Iron	EPA 200.8		0.01	0.115	mg/L	10/10/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0003	mg/L	10/10/2024	Rlamsal

**Sample Location:** 2nd Draw 3074 Clinton St. NE  
**Customer Sample Number:** 3107532  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/2/2024 6:36 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-022  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0155	mg/L	10/10/2024	Rlamsal
Iron	EPA 200.8		0.01	0.198	mg/L	10/10/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	10/10/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 10/22/2024

**Report Number:** LC-DC-LCR-2410050-025

**Sample Location:** 1st Draw 3202 10th St. NE  
**Customer Sample Number:** 3103410  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/2/2024 7:30 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-025  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0238	mg/L	10/10/2024	Rlamsal
Iron	EPA 200.8		0.01	0.110	mg/L	10/10/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0013	mg/L	10/10/2024	Rlamsal

**Sample Location:** 2nd Draw 3202 10th St. NE  
**Customer Sample Number:** 3103410  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/2/2024 7:30 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-026  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0182	mg/L	10/10/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0143	mg/L	10/10/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0012	mg/L	10/10/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 10/22/2024

**Report Number:** LC-DC-LCR-2410050-009

**Sample Location:** 1st Draw 3211 CENTRAL AVE NE  
**Customer Sample Number:** 3107442  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/1/2024 9:02 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-009  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0798	mg/L	10/10/2024	Rlamsal
Iron	EPA 200.8		0.01	0.0676	mg/L	10/10/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0006	mg/L	10/10/2024	Rlamsal

**Sample Location:** 2nd Draw 3211 CENTRAL AVE NE  
**Customer Sample Number:** 3107442  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/1/2024 9:05 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-010  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0170	mg/L	10/10/2024	Rlamsal
Iron	EPA 200.8		0.01	0.172	mg/L	10/10/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0007	mg/L	10/10/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**





# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 10/22/2024

**Report Number:** LC-DC-LCR-2410050-005

**Sample Location:** 1st Draw 3617 17TH ST NE  
**Customer Sample Number:** 3105391  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/1/2024 7:03 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-005  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0097	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	0.0469	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	0.0007	mg/L	10/10/2024	Blamsal

**Sample Location:** 2nd Draw 3617 17TH ST NE  
**Customer Sample Number:** 3105391  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/1/2024 7:04 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-006  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0136	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	0.0423	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	0.0021	mg/L	10/10/2024	Blamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 10/22/2024

**Report Number:** LC-DC-LCR-2410050-017

**Sample Location:** 1st Draw 4418 14th St. NE  
**Customer Sample Number:** 3104746  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/2/2024 5:55 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-017  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0438	mg/L	10/10/2024	Rlamsal
Iron	EPA 200.8		0.01	ND	mg/L	10/10/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0006	mg/L	10/10/2024	Rlamsal

**Sample Location:** 2nd Draw 4418 14th St. NE  
**Customer Sample Number:** 3104746  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/2/2024 6:00 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410050-018  
**Date / Time Received:** 10/3/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0517	mg/L	10/10/2024	Rlamsal
Iron	EPA 200.8		0.01	ND	mg/L	10/10/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0006	mg/L	10/10/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 10/22/2024

**Report Number:** LC-DC-LCR-2410037-009

**Sample Location:** 1st Draw 517 5th St. NE  
**Customer Sample Number:** 3127813  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/2/2024 8:28 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410037-009  
**Date / Time Received:** 10/4/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0950	mg/L	10/10/2024	Rlamsal
Iron	EPA 200.8		0.01	ND	mg/L	10/10/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	10/10/2024	Rlamsal

**Sample Location:** 2nd Draw 517 5th St. NE  
**Customer Sample Number:** 3127813  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/2/2024 8:30 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410037-010  
**Date / Time Received:** 10/4/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0366	mg/L	10/10/2024	Rlamsal
Iron	EPA 200.8		0.01	ND	mg/L	10/10/2024	Rlamsal
Lead	EPA 200.8	0.015	0.0002	0.0002	mg/L	10/10/2024	Rlamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 10/22/2024

**Report Number:** LC-DC-LCR-2410037-003

**Sample Location:** 1st Draw 811 L St NE  
**Customer Sample Number:** 3120596  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/2/2024 8:15 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410037-003  
**Date / Time Received:** 10/4/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0210	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	0.105	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	0.0012	mg/L	10/10/2024	Blamsal

**Sample Location:** 2nd Draw 811 L St NE  
**Customer Sample Number:** 3120596  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/2/2024 8:20 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410037-004  
**Date / Time Received:** 10/4/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0582	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	0.110	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	0.0011	mg/L	10/10/2024	Blamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 10/22/2024

**Report Number:** LC-DC-LCR-2410037-007

**Sample Location:** 1st Draw 827 9th St. NE  
**Customer Sample Number:** 3120726  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/2/2024 5:40 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410037-007  
**Date / Time Received:** 10/4/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0101	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	ND	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	10/10/2024	Blamsal

**Sample Location:** 2nd Draw 827 9th St. NE  
**Customer Sample Number:** 3120726  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/2/2024 5:40 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410037-008  
**Date / Time Received:** 10/4/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0129	mg/L	10/10/2024	Blamsal
Iron	EPA 200.8		0.01	ND	mg/L	10/10/2024	Blamsal
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	10/10/2024	Blamsal

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 11/13/2024

**Report Number:** LC-DC-LCR-2411006-001

**Sample Location:** 1st Draw 1211 Carrollsborg PI SW  
**Customer Sample Number:** 3092716  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/30/2024 6:18 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411006-001  
**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0907	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.0190	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0023	mg/L	11/7/2024	LGallimore

**Sample Location:** 2nd Draw 1211 Carrollsborg PI SW  
**Customer Sample Number:** 3092716  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/30/2024 6:20 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411006-002  
**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0305	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.0324	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0053	mg/L	11/7/2024	LGallimore

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 11/13/2024

**Report Number:** LC-DC-LCR-2410112-001

**Sample Location:** 1st Draw 1334 E St. NE  
**Customer Sample Number:** 3127738  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/3/2024 7:40 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410112-001  
**Date / Time Received:** 10/16/2024 9:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0101	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	ND	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	11/7/2024	LGallimore

**Sample Location:** 2nd Draw 1334 E St. NE  
**Customer Sample Number:** 3127738  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/3/2024 7:45 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410112-002  
**Date / Time Received:** 10/16/2024 9:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0091	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	ND	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	11/7/2024	LGallimore

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 11/13/2024

**Report Number:** LC-DC-LCR-2411006-005

**Sample Location:** 1st Draw 1354 D St SE  
**Customer Sample Number:** 3074483  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/30/2024 7:07 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411006-005  
**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0577	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.0643	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	11/7/2024	LGallimore

**Sample Location:** 2nd Draw 1354 D St SE  
**Customer Sample Number:** 3074483  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/30/2024 7:09 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411006-006  
**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0205	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.0533	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	11/7/2024	LGallimore

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**





# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 11/13/2024

**Report Number:** LC-DC-LCR-2411006-019

**Sample Location:** 1st Draw 1415 F St NE  
**Customer Sample Number:** 3100618  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/29/2024 6:36 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411006-019  
**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0084	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.0143	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0003	mg/L	11/7/2024	LGallimore

**Sample Location:** 2nd Draw 1415 F St NE  
**Customer Sample Number:** 3100618  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/29/2024 6:36 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411006-020  
**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0083	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.0170	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0017	mg/L	11/7/2024	LGallimore

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 11/13/2024

**Report Number:** LC-DC-LCR-2411006-017

**Sample Location:** 1st Draw 15 Milmarson PI NW  
**Customer Sample Number:** 3026174  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/30/2024 6:42 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411006-017  
**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0834	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.109	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0008	mg/L	11/7/2024	LGallimore

**Sample Location:** 2nd Draw 15 Milmarson PI NW  
**Customer Sample Number:** 3026174  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/30/2024 6:46 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411006-018  
**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0216	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.0758	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0013	mg/L	11/7/2024	LGallimore

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 11/13/2024

**Report Number:** LC-DC-LCR-2410104-001

**Sample Location:** 1st Draw 1505 Buchanan St NW  
**Customer Sample Number:** 3027905  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/7/2024 7:02 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410104-001  
**Date / Time Received:** 10/15/2024 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0469	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	ND	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0013	mg/L	11/7/2024	LGallimore

**Sample Location:** 2nd Draw 1505 Buchanan St NW  
**Customer Sample Number:** 3027905  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/7/2024 7:06 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410104-002  
**Date / Time Received:** 10/15/2024 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0134	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	ND	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0020	mg/L	11/7/2024	LGallimore

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 11/13/2024

**Report Number:** LC-DC-LCR-2410126-001

**Sample Location:** 1st Draw 2007 37th St NW  
**Customer Sample Number:** 3009912  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/7/2024 6:30 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410126-001  
**Date / Time Received:** 10/17/2024 1:25:00 PM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0392	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.0937	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	11/7/2024	LGallimore

**Sample Location:** 2nd Draw 2007 37th St NW  
**Customer Sample Number:** 3009912  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/7/2024 6:34 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410126-002  
**Date / Time Received:** 10/17/2024 1:25:00 PM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0064	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	ND	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	11/7/2024	LGallimore

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 11/13/2024

**Report Number:** LC-DC-LCR-2410074-003

**Sample Location:** 1st Draw 2246 S St. SE  
**Customer Sample Number:** 3078162  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/4/2024 10:31 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410074-003  
**Date / Time Received:** 10/9/2024 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.171	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.0152	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0005	mg/L	11/7/2024	LGallimore

**Sample Location:** 2nd Draw 2246 S St. SE  
**Customer Sample Number:** 3078162  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/4/2024 10:35 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410074-004  
**Date / Time Received:** 10/9/2024 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0435	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.0161	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0008	mg/L	11/7/2024	LGallimore

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 11/13/2024

**Report Number:** LC-DC-LCR-2411006-007

**Sample Location:** 1st Draw 231 K St NE  
**Customer Sample Number:** 3097777  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/29/2024 9:00 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411006-007  
**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0876	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	ND	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	11/7/2024	LGallimore

**Sample Location:** 2nd Draw 231 K St NE  
**Customer Sample Number:** 3097777  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/29/2024 9:00 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411006-008  
**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0293	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	ND	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0003	mg/L	11/7/2024	LGallimore

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 11/13/2024

**Report Number:** LC-DC-LCR-2411006-015

**Sample Location:** 1st Draw 2717 11th St NW  
**Customer Sample Number:** 3032419  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/30/2024 7:33 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411006-015  
**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0298	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	ND	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0006	mg/L	11/7/2024	LGallimore

**Sample Location:** 2nd Draw 2717 11th St NW  
**Customer Sample Number:** 3032419  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/30/2024 7:37 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411006-016  
**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0253	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	ND	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0008	mg/L	11/7/2024	LGallimore

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 11/13/2024

**Report Number:** LC-DC-LCR-2411006-011

**Sample Location:** 1st Draw 3030 44th St NW  
**Customer Sample Number:** 3055102  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/30/2024 5:45 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411006-011  
**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0248	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	ND	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0006	mg/L	11/7/2024	LGallimore

**Sample Location:** 2nd Draw 3030 44th St NW  
**Customer Sample Number:** 3055102  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/30/2024 5:48 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411006-012  
**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0234	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	ND	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0011	mg/L	11/7/2024	LGallimore

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**





# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 11/13/2024

**Report Number:** LC-DC-LCR-2410126-003

**Sample Location:** 1st Draw 3741 Mckinley St. NW  
**Customer Sample Number:** 3039298  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/10/2024 2:28 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410126-003  
**Date / Time Received:** 10/17/2024 1:25:00 PM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0400	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.0542	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0003	mg/L	11/7/2024	LGallimore

**Sample Location:** 2nd Draw 3741 Mckinley St. NW  
**Customer Sample Number:** 3039298  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/10/2024 2:30 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410126-004  
**Date / Time Received:** 10/17/2024 1:25:00 PM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0120	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.0659	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0023	mg/L	11/7/2024	LGallimore

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 11/13/2024

**Report Number:** LC-DC-LCR-2411006-003

**Sample Location:** 1st Draw 414 Douglas St NE  
**Customer Sample Number:** 3125726  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/31/2024 5:00 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411006-003  
**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0749	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.0105	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0006	mg/L	11/7/2024	LGallimore

**Sample Location:** 2nd Draw 414 Douglas St NE  
**Customer Sample Number:** 3125726  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/31/2024 5:00 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411006-004  
**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0253	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.0105	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0004	mg/L	11/7/2024	LGallimore

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 11/13/2024

**Report Number:** LC-DC-LCR-2411006-013

**Sample Location:** 1st Draw 4215 39th St NW

**Customer Sample Number:** 3041124

**Sample Collected By:** HOME OWNER

**Date / Time Collected:** 10/29/2024 4:15 PM

**Customer Program Code:** LCR

**Laboratory Sample Number:** 2411006-013

**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0468	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	ND	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0008	mg/L	11/7/2024	LGallimore

**Sample Location:** 2nd Draw 4215 39th St NW

**Customer Sample Number:** 3041124

**Sample Collected By:** HOME OWNER

**Date / Time Collected:** 10/29/2024 4:17 PM

**Customer Program Code:** LCR

**Laboratory Sample Number:** 2411006-014

**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0156	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	ND	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0005	mg/L	11/7/2024	LGallimore

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 11/13/2024

**Report Number:** LC-DC-LCR-2410074-007

**Sample Location:** 1st Draw 423 Gallatin St NW

**Customer Sample Number:** 3023321

**Sample Collected By:** HOME OWNER

**Date / Time Collected:** 10/7/2024 5:00 AM

**Customer Program Code:** LCR

**Laboratory Sample Number:** 2410074-007

**Date / Time Received:** 10/9/2024 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0204	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.0374	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0005	mg/L	11/7/2024	LGallimore

**Sample Location:** 2nd Draw 423 Gallatin St NW

**Customer Sample Number:** 3023321

**Sample Collected By:** HOME OWNER

**Date / Time Collected:** 10/7/2024 5:02 AM

**Customer Program Code:** LCR

**Laboratory Sample Number:** 2410074-008

**Date / Time Received:** 10/9/2024 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0791	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.0401	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0002	mg/L	11/7/2024	LGallimore

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 11/13/2024

**Report Number:** LC-DC-LCR-2410074-005

**Sample Location:** 1st Draw 4310 Chesapeake St. NW  
**Customer Sample Number:** 3042831  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/6/2024 11:15 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410074-005  
**Date / Time Received:** 10/9/2024 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.119	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.173	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0107	mg/L	11/7/2024	LGallimore

**Sample Location:** 2nd Draw 4310 Chesapeake St. NW  
**Customer Sample Number:** 3042831  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/6/2024 11:15 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410074-006  
**Date / Time Received:** 10/9/2024 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0295	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.0877	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0021	mg/L	11/7/2024	LGallimore

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 11/13/2024

**Report Number:** LC-DC-LCR-2410074-001

**Sample Location:** 1st Draw 4618 8th St. NW  
**Customer Sample Number:** 3021978  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/3/2024 7:18 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410074-001  
**Date / Time Received:** 10/9/2024 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0057	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.0344	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0003	mg/L	11/7/2024	LGallimore

**Sample Location:** 2nd Draw 4618 8th St. NW  
**Customer Sample Number:** 3021978  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/3/2024 7:22 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2410074-002  
**Date / Time Received:** 10/9/2024 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0053	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.0278	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0019	mg/L	11/7/2024	LGallimore

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 11/13/2024

**Report Number:** LC-DC-LCR-2411006-009

**Sample Location:** 1st Draw 4926 Glenbrook Rd NW  
**Customer Sample Number:** 3045865  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/30/2024 6:00 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411006-009  
**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0957	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	ND	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0002	mg/L	11/7/2024	LGallimore

**Sample Location:** 2nd Draw 4926 Glenbrook Rd NW  
**Customer Sample Number:** 3045865  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/30/2024 6:05 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411006-010  
**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0361	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	ND	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0009	mg/L	11/7/2024	LGallimore

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 11/13/2024

**Report Number:** LC-DC-LCR-2411006-021

**Sample Location:** 1st Draw 5700 Sherier PI NW  
**Customer Sample Number:** 3045456  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/30/2024 7:25 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411006-021  
**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0215	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.0221	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0025	mg/L	11/7/2024	LGallimore

**Sample Location:** 2nd Draw 5700 Sherier PI NW  
**Customer Sample Number:** 3045456  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/30/2024 7:30 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411006-022  
**Date / Time Received:** 11/1/2024 9:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0142	mg/L	11/7/2024	LGallimore
Iron	EPA 200.8		0.01	0.0226	mg/L	11/7/2024	LGallimore
Lead	EPA 200.8	0.015	0.0002	0.0047	mg/L	11/7/2024	LGallimore

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**





# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 12/17/2024

**Report Number:** LC-DC-LCR-2411108-003

**Sample Location:** 1st Draw 114 3RD ST SE  
**Customer Sample Number:** 3071662  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 11/8/2024 7:53 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411108-003  
**Date / Time Received:** 11/14/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0787	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	12/10/2024	SBrooks

**Sample Location:** 2nd Draw 114 3RD ST SE  
**Customer Sample Number:** 3071662  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 11/8/2024 7:58 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411108-004  
**Date / Time Received:** 11/14/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0313	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0007	mg/L	12/10/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 12/17/2024

**Report Number:** LC-DC-LCR-2412019-007

**Sample Location:** 1st Draw 119 Tennessee Ave NE  
**Customer Sample Number:** 3121906  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 12/1/2024 12:30 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2412019-007  
**Date / Time Received:** 12/3/2024 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.165	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0010	mg/L	12/10/2024	SBrooks

**Sample Location:** 2nd Draw 119 Tennessee Ave NE  
**Customer Sample Number:** 3121906  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 12/1/2024 12:30 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2412019-008  
**Date / Time Received:** 12/3/2024 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0296	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0003	mg/L	12/10/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 12/17/2024

**Report Number:** LC-DC-LCR-2411156-001

**Sample Location:** 1st Draw 1254 Hamlin St NE  
**Customer Sample Number:** 3104009  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 11/13/2024 7:00 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411156-001  
**Date / Time Received:** 11/20/2024 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0475	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	0.0227	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0008	mg/L	12/10/2024	SBrooks

**Sample Location:** 2nd Draw 1254 Hamlin St NE  
**Customer Sample Number:** 3104009  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 11/13/2024 7:01 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411156-002  
**Date / Time Received:** 11/20/2024 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0150	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	0.0391	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0009	mg/L	12/10/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 12/17/2024

**Report Number:** LC-DC-LCR-2412019-001

**Sample Location:** 1st Draw 1318 Belmont St. NW  
**Customer Sample Number:** 3054345  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 11/22/2024 6:41 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2412019-001  
**Date / Time Received:** 12/3/2024 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0482	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	0.0105	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0006	mg/L	12/10/2024	SBrooks

**Sample Location:** 2nd Draw 1318 Belmont St. NW  
**Customer Sample Number:** 3054345  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 11/22/2024 6:41 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2412019-002  
**Date / Time Received:** 12/3/2024 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0120	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0004	mg/L	12/10/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 12/17/2024

**Report Number:** LC-DC-LCR-2412019-005

**Sample Location:** 1st Draw 1426 F St. NE  
**Customer Sample Number:** 3120116  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 12/1/2024 9:15 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2412019-005  
**Date / Time Received:** 12/3/2024 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.167	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	12/10/2024	SBrooks

**Sample Location:** 2nd Draw 1426 F St. NE  
**Customer Sample Number:** 3120116  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 12/1/2024 9:16 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2412019-006  
**Date / Time Received:** 12/3/2024 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0097	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	0.0179	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	12/10/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 12/17/2024

**Report Number:** LC-DC-LCR-2412046-001

**Sample Location:** 1st Draw 1513 35th St NW  
**Customer Sample Number:** 3008594  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 11/26/2024 9:00 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2412046-001  
**Date / Time Received:** 12/5/2024 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0341	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0003	mg/L	12/10/2024	SBrooks

**Sample Location:** 2nd Draw 1513 35th St NW  
**Customer Sample Number:** 3008594  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 11/26/2024 9:00 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2412046-002  
**Date / Time Received:** 12/5/2024 9:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0217	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0003	mg/L	12/10/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 12/17/2024

**Report Number:** LC-DC-LCR-2411108-005

**Sample Location:** 1st Draw 1621 C St SE  
**Customer Sample Number:** 3075706  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 11/11/2024 8:11 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411108-005  
**Date / Time Received:** 11/14/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0316	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0018	mg/L	12/10/2024	SBrooks

**Sample Location:** 2nd Draw 1621 C St SE  
**Customer Sample Number:** 3075706  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 11/11/2024 8:13 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411108-006  
**Date / Time Received:** 11/14/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0087	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0047	mg/L	12/10/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 12/17/2024

**Report Number:** LC-DC-LCR-2411188-001

**Sample Location:** 1st Draw 2705 Hamlin St NE  
**Customer Sample Number:** 3107844  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 11/20/2024 8:15 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411188-001  
**Date / Time Received:** 11/22/2024 1:45:00 PM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0570	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	0.113	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0046	mg/L	12/10/2024	SBrooks

**Sample Location:** 2nd Draw 2705 Hamlin St NE  
**Customer Sample Number:** 3107844  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 11/20/2024 8:20 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411188-002  
**Date / Time Received:** 11/22/2024 1:45:00 PM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0135	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	0.0865	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0004	mg/L	12/10/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**





# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 12/17/2024

**Report Number:** LC-DC-LCR-2411193-003

**Sample Location:** 1st Draw 3420 34th St NW  
**Customer Sample Number:** 3041758  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 11/18/2024 7:00 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411193-003  
**Date / Time Received:** 11/26/2024 9:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0713	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	0.0119	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0006	mg/L	12/10/2024	SBrooks

**Sample Location:** 2nd Draw 3420 34th St NW  
**Customer Sample Number:** 3041758  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 11/18/2024 7:00 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411193-004  
**Date / Time Received:** 11/26/2024 9:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0384	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	0.0111	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0005	mg/L	12/10/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 12/17/2024

**Report Number:** LC-DC-LCR-2411108-007

**Sample Location:** 1st Draw 5309 14th St NW

**Customer Sample Number:** 3049785

**Sample Collected By:** HOME OWNER

**Date / Time Collected:** 11/12/2024 5:08 AM

**Customer Program Code:** LCR

**Laboratory Sample Number:** 2411108-007

**Date / Time Received:** 11/14/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0315	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	12/10/2024	SBrooks

**Sample Location:** 2nd Draw 5309 14th St NW

**Customer Sample Number:** 3049785

**Sample Collected By:** HOME OWNER

**Date / Time Collected:** 11/12/2024 5:10 AM

**Customer Program Code:** LCR

**Laboratory Sample Number:** 2411108-008

**Date / Time Received:** 11/14/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0107	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	12/10/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 12/17/2024

**Report Number:** LC-DC-LCR-2411079-001

**Sample Location:** 1st Draw 5404 39th St NW  
**Customer Sample Number:** 3039963  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/30/2024 10:20 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411079-001  
**Date / Time Received:** 11/12/2024 2:00:00 PM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0456	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	0.0376	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0005	mg/L	12/10/2024	SBrooks

**Sample Location:** 2nd Draw 5404 39th St NW  
**Customer Sample Number:** 3039963  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 10/30/2024 10:24 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411079-002  
**Date / Time Received:** 11/12/2024 2:00:00 PM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0304	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	0.0427	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0013	mg/L	12/10/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 12/17/2024

**Report Number:** LC-DC-LCR-2411193-001

**Sample Location:** 1st Draw 716 Decatur St NW  
**Customer Sample Number:** 3021959  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 11/21/2024 3:40 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411193-001  
**Date / Time Received:** 11/26/2024 9:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0119	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	0.0646	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0024	mg/L	12/10/2024	SBrooks

**Sample Location:** 2nd Draw 716 Decatur St NW  
**Customer Sample Number:** 3021959  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 11/21/2024 3:42 PM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411193-002  
**Date / Time Received:** 11/26/2024 9:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0073	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	0.0225	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0050	mg/L	12/10/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 12/17/2024

**Report Number:** LC-DC-LCR-2411108-001

**Sample Location:** 1st Draw 905 Kent PI NE  
**Customer Sample Number:** 3122831  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 11/11/2024 6:00 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411108-001  
**Date / Time Received:** 11/14/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0252	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	0.0300	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	12/10/2024	SBrooks

**Sample Location:** 2nd Draw 905 Kent PI NE  
**Customer Sample Number:** 3122831  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 11/11/2024 6:01 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2411108-002  
**Date / Time Received:** 11/14/2024 9:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0775	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	0.0259	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	12/10/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 12/17/2024

**Report Number:** LC-DC-LCR-2412019-003

**Sample Location:** 1st Draw 927 E St. NE  
**Customer Sample Number:** 3121408  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 12/1/2024 7:48 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2412019-003  
**Date / Time Received:** 12/3/2024 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0158	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	0.0004	mg/L	12/10/2024	SBrooks

**Sample Location:** 2nd Draw 927 E St. NE  
**Customer Sample Number:** 3121408  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 12/1/2024 7:50 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2412019-004  
**Date / Time Received:** 12/3/2024 10:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0002	0.0060	mg/L	12/10/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	12/10/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	12/10/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 1/2/2025

**Report Number:** LC-DC-LCR-2412077-001

**Sample Location:** 1st Draw 1611 Lawrence St NE  
**Customer Sample Number:** 3120286  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 12/5/2024 7:28 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2412077-001  
**Date / Time Received:** 12/10/2024 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0005	0.124	mg/L	12/18/2024	BPrakash
Iron	EPA 200.8		0.01	0.0272	mg/L	12/18/2024	BPrakash
Lead	EPA 200.8	0.015	0.0002	0.0017	mg/L	12/18/2024	BPrakash

**Sample Location:** 2nd Draw 1611 Lawrence St NE  
**Customer Sample Number:** 3120286  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 12/5/2024 7:32 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2412077-002  
**Date / Time Received:** 12/10/2024 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0005	0.0556	mg/L	12/18/2024	BPrakash
Iron	EPA 200.8		0.01	0.0221	mg/L	12/18/2024	BPrakash
Lead	EPA 200.8	0.015	0.0002	0.0019	mg/L	12/18/2024	BPrakash

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**



# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 1/2/2025

**Report Number:** LC-DC-LCR-2412156-001

**Sample Location:** 1st Draw 3838 Cathedral Ave NW  
**Customer Sample Number:** 3035155  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 12/17/2024 3:25 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2412156-001  
**Date / Time Received:** 12/20/2024 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.005	0.0434	mg/L	12/26/2024	SBrooks
Iron	EPA 200.8		0.01	0.0111	mg/L	12/26/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	12/26/2024	SBrooks

**Sample Location:** 2nd Draw 3838 Cathedral Ave NW  
**Customer Sample Number:** 3035155  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 12/17/2024 3:27 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2412156-002  
**Date / Time Received:** 12/20/2024 10:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.005	0.0371	mg/L	12/26/2024	SBrooks
Iron	EPA 200.8		0.01	ND	mg/L	12/26/2024	SBrooks
Lead	EPA 200.8	0.015	0.0002	ND	mg/L	12/26/2024	SBrooks

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**





# Washington Aqueduct Laboratory

Lab Certification Number: DC00005

## Lead, Copper, and Iron Report

### Customer Information

District of Columbia Water and Sewer Authority  
Bureau of Water Services  
301 Bryant Street, NW  
Washington, DC 20001

### Laboratory Information

Washington Aqueduct Laboratory  
5900 MacArthur Blvd, NW  
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

**Report Date:** 1/2/2025

**Report Number:** LC-DC-LCR-2412077-003

**Sample Location:** 1st Draw 5324 Colorado Ave NW  
**Customer Sample Number:** 3049474  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 12/6/2024 7:02 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2412077-003  
**Date / Time Received:** 12/10/2024 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0005	0.0890	mg/L	12/18/2024	BPrakash
Iron	EPA 200.8		0.01	ND	mg/L	12/18/2024	BPrakash
Lead	EPA 200.8	0.015	0.0002	0.0003	mg/L	12/18/2024	BPrakash

**Sample Location:** 2nd Draw 5324 Colorado Ave NW  
**Customer Sample Number:** 3049474  
**Sample Collected By:** HOME OWNER  
**Date / Time Collected:** 12/6/2024 7:03 AM

**Customer Program Code:** LCR  
**Laboratory Sample Number:** 2412077-004  
**Date / Time Received:** 12/10/2024 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Analysis Date	Analyst
Copper	EPA 200.8	1.3	0.0005	0.0371	mg/L	12/18/2024	BPrakash
Iron	EPA 200.8		0.01	ND	mg/L	12/18/2024	BPrakash
Lead	EPA 200.8	0.015	0.0002	0.0003	mg/L	12/18/2024	BPrakash

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Iron results are for informational purposes only and cannot be used for compliance.

**Washington Aqueduct  
Laboratory**

**5900 MacArthur Blvd, NW  
Washington, DC 20016**

**Phone (202) 345-5928  
Fax (202) 587-9446**