

Attachment 2

Other Samples Analyzed for Lead

Customer Service Samples

DC Water operates a program where customers request a lead sampling kit on an annual basis. The kit comes with bottles and instructions on how to take first and second draw samples. Customers collect their own samples and contact DC Water to deliver the bottles to the Washington Aqueduct. Results are then reported back to the customer through DC Water's Customer Service Program.



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS-2206137-012

Sample Location: 1st Draw 11 Milmarson PI NW

Customer Sample Number:

Date / Time Collected: 6/10/2022 6:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2206137-012

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 11 Milmarson PI NW

Customer Sample Number:

Date / Time Collected: 6/10/2022 6:48 AM

Customer Program Code: DS

Laboratory Sample Number: 2206137-013

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS-2206137-002

Sample Location: 1st Draw 110 10th St SE
Customer Sample Number:
Date / Time Collected: 6/7/2022 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2206137-002
Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 110 10th St SE
Customer Sample Number:
Date / Time Collected: 6/7/2022 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2206137-003
Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS-2206137-038

Sample Location: 1st Draw 1217 Harvard St NW

Customer Sample Number:

Date / Time Collected: 6/14/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2206137-038

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 1217 Harvard St NW

Customer Sample Number:

Date / Time Collected: 6/14/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2206137-039

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.5	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS-2206137-036

Sample Location: 1st Draw 1348 D ST NE
Customer Sample Number:
Date / Time Collected: 6/14/2022 7:40 AM

Customer Program Code: DS
Laboratory Sample Number: 2206137-036
Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 1348 D ST NE
Customer Sample Number:
Date / Time Collected: 6/14/2022 7:43 AM

Customer Program Code: DS
Laboratory Sample Number: 2206137-037
Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS-2206137-042

Sample Location: 1st Draw 1363 Emerald St NE

Customer Sample Number:

Date / Time Collected: 6/15/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2206137-042

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.6	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 1363 Emerald St NE

Customer Sample Number:

Date / Time Collected: 6/15/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2206137-043

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS-2206163-007

Sample Location: 1st Draw 1407 Perry PI NW

Customer Sample Number:

Date / Time Collected: 6/17/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2206163-007

Date / Time Received: 6/22/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 1407 Perry PI NW

Customer Sample Number:

Date / Time Collected: 6/17/2022 8:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2206163-008

Date / Time Received: 6/22/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS-2206163-009

Sample Location: 1st Draw 1408 Orren St NE

Customer Sample Number:

Date / Time Collected: 6/15/2022 8:48 AM

Customer Program Code: DS

Laboratory Sample Number: 2206163-009

Date / Time Received: 6/22/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 1408 Orren St NE

Customer Sample Number:

Date / Time Collected: 6/15/2022 8:49 AM

Customer Program Code: DS

Laboratory Sample Number: 2206163-010

Date / Time Received: 6/22/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS-2206137-010

Sample Location: 1st Draw 1409 Perry PI NW

Customer Sample Number:

Date / Time Collected: 6/9/2022 7:14 AM

Customer Program Code: DS

Laboratory Sample Number: 2206137-010

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 1409 Perry PI NW

Customer Sample Number:

Date / Time Collected: 6/9/2022 7:16 AM

Customer Program Code: DS

Laboratory Sample Number: 2206137-011

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS-2206137-040

Sample Location: 1st Draw 1506 3rd St NW
Customer Sample Number:
Date / Time Collected: 6/14/2022 8:09 AM

Customer Program Code: DS
Laboratory Sample Number: 2206137-040
Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 1506 3rd St NW
Customer Sample Number:
Date / Time Collected: 6/14/2022 8:13 AM

Customer Program Code: DS
Laboratory Sample Number: 2206137-041
Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS-2206137-016

Sample Location: 1st Draw 1627 Hobart St NW

Customer Sample Number:

Date / Time Collected: 6/10/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2206137-016

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 1627 Hobart St NW

Customer Sample Number:

Date / Time Collected: 6/10/2022 8:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2206137-017

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS-2206137-028

Sample Location: 1st Draw 1717 Lanier PI NW

Customer Sample Number:

Date / Time Collected: 6/13/2022 6:52 AM

Customer Program Code: DS

Laboratory Sample Number: 2206137-028

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 1717 Lanier PI NW

Customer Sample Number:

Date / Time Collected: 6/13/2022 6:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2206137-029

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS-2206137-006

Sample Location: 1st Draw 1730 Lang PI NE

Customer Sample Number:

Date / Time Collected: 6/8/2022 9:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2206137-006

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 1730 Lang PI NE

Customer Sample Number:

Date / Time Collected: 6/8/2022 9:23 AM

Customer Program Code: DS

Laboratory Sample Number: 2206137-007

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS-2206137-022

Sample Location: 1st Draw 2032 37th St NW

Customer Sample Number:

Date / Time Collected: 6/12/2022 7:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2206137-022

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 2032 37th St NW

Customer Sample Number:

Date / Time Collected: 6/12/2022 7:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2206137-023

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS-2206137-008

Sample Location: 1st Draw 3122 10th St NE

Customer Sample Number:

Date / Time Collected: 6/9/2022 7:04 AM

Customer Program Code: DS

Laboratory Sample Number: 2206137-008

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 3122 10th St NE

Customer Sample Number:

Date / Time Collected: 6/9/2022 7:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2206137-009

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 7/8/2022

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2206163-005

Sample Location: 1st Draw 445 Quincy St NW

Customer Sample Number:

Date / Time Collected: 6/16/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2206163-005

Date / Time Received: 6/22/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 445 Quincy St NW

Customer Sample Number:

Date / Time Collected: 6/16/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2206163-006

Date / Time Received: 6/22/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS-2206137-034

Sample Location: 1st Draw 4713 Colorado Ave NW

Customer Sample Number:

Date / Time Collected: 6/14/2022 6:33 AM

Customer Program Code: DS

Laboratory Sample Number: 2206137-034

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 4713 Colorado Ave NW

Customer Sample Number:

Date / Time Collected: 6/14/2022 6:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2206137-035

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS-2206137-018

Sample Location: 1st Draw 5045 Cathedral Ave NW
Customer Sample Number:
Date / Time Collected: 6/10/2022 10:53 AM

Customer Program Code: DS
Laboratory Sample Number: 2206137-018
Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 5045 Cathedral Ave NW
Customer Sample Number:
Date / Time Collected: 6/10/2022 10:55 AM

Customer Program Code: DS
Laboratory Sample Number: 2206137-019
Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 7/8/2022

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2206137-020

Sample Location: 1st Draw 5112 3rd St NW
Customer Sample Number:
Date / Time Collected: 6/11/2022 7:13 AM

Customer Program Code: DS
Laboratory Sample Number: 2206137-020
Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 5112 3rd St NW
Customer Sample Number:
Date / Time Collected: 6/11/2022 7:16 AM

Customer Program Code: DS
Laboratory Sample Number: 2206137-021
Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS-2206137-014

Sample Location: 1st Draw 6122 7th St NW
Customer Sample Number:
Date / Time Collected: 6/10/2022 7:25 AM

Customer Program Code: DS
Laboratory Sample Number: 2206137-014
Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 6122 7th St NW
Customer Sample Number:
Date / Time Collected: 6/10/2022 7:27 AM

Customer Program Code: DS
Laboratory Sample Number: 2206137-015
Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS-2206137-004

Sample Location: 1st Draw 832 Delafield St NE

Customer Sample Number:

Date / Time Collected: 6/7/2022 3:53 PM

Customer Program Code: DS

Laboratory Sample Number: 2206137-004

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 832 Delafield St NE

Customer Sample Number:

Date / Time Collected: 6/7/2022 3:54 PM

Customer Program Code: DS

Laboratory Sample Number: 2206137-005

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS250- 2206136-003

Sample Location: 1st Draw 1435 Chapin St NW Apt 108

Customer Sample Number:

Date / Time Collected: 4/26/2022 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2206136-003

Date / Time Received: 6/16/2022 8:20:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	6/27/2022	Lgallimore

Sample Location: 2nd Draw 1435 Chapin St NW Apt 108

Customer Sample Number:

Date / Time Collected: 4/26/2022 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2206136-004

Date / Time Received: 6/16/2022 8:20:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS250- 2206136-007

Sample Location: 1st Draw 1794 Lamer PI NW 310

Customer Sample Number:

Date / Time Collected: 6/11/2022 10:50 PM

Customer Program Code: DS250

Laboratory Sample Number: 2206136-007

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 1794 Lamer PI NW 310

Customer Sample Number:

Date / Time Collected: 6/11/2022 10:50 PM

Customer Program Code: DS250

Laboratory Sample Number: 2206136-008

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS250- 2206136-011

Sample Location: 1st Draw 2000 Connecticut Ave NW #620

Customer Sample Number:

Date / Time Collected: 6/13/2022 6:00 PM

Customer Program Code: DS250

Laboratory Sample Number: 2206136-011

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 2000 Connecticut Ave NW #620

Customer Sample Number:

Date / Time Collected: 6/13/2022 6:00 PM

Customer Program Code: DS250

Laboratory Sample Number: 2206136-012

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS250- 2206136-005

Sample Location: 1st Draw 2472 Alabama Ave A202

Customer Sample Number:

Date / Time Collected: 6/9/2022 7:09 AM

Customer Program Code: DS250

Laboratory Sample Number: 2206136-005

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 2472 Alabama Ave A202

Customer Sample Number:

Date / Time Collected: 6/9/2022 7:09 AM

Customer Program Code: DS250

Laboratory Sample Number: 2206136-006

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-DS250- 2206136-009

Sample Location: 1st Draw 803 Delaware Ave SW

Customer Sample Number:

Date / Time Collected: 6/13/2022 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2206136-009

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		6/27/2022	Lgallimore

Sample Location: 2nd Draw 803 Delaware Ave SW

Customer Sample Number:

Date / Time Collected: 6/13/2022 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2206136-010

Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-059

Sample Location: 1st Draw 1214 G St NE
Customer Sample Number:
Date / Time Collected: 6/27/2022 5:55 AM

Customer Program Code: DS
Laboratory Sample Number: 2206202-059
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 1214 G St NE
Customer Sample Number:
Date / Time Collected: 6/27/2022 5:57 AM

Customer Program Code: DS
Laboratory Sample Number: 2206202-060
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-047

Sample Location: 1st Draw 1361 Emerald St NE

Customer Sample Number:

Date / Time Collected: 6/23/2022 5:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-047

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 1361 Emerald St NE

Customer Sample Number:

Date / Time Collected: 6/23/2022 5:13 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-048

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-023

Sample Location: 1st Draw 1621 H St SE
Customer Sample Number:
Date / Time Collected: 6/21/2022 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2206202-023
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.5	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 1621 H St SE
Customer Sample Number:
Date / Time Collected: 6/21/2022 7:04 AM

Customer Program Code: DS
Laboratory Sample Number: 2206202-024
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.2	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206172-009

Sample Location: 1st Draw 1711 New Jersey Ave NW
Customer Sample Number:
Date / Time Collected: 6/19/2022 4:10 PM

Customer Program Code: DS
Laboratory Sample Number: 2206172-009
Date / Time Received: 6/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 1711 New Jersey Ave NW
Customer Sample Number:
Date / Time Collected: 6/19/2022 4:10 PM

Customer Program Code: DS
Laboratory Sample Number: 2206172-010
Date / Time Received: 6/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-027

Sample Location: 1st Draw 1806 Corcoran St NW

Customer Sample Number:

Date / Time Collected: 6/27/2022 8:12 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-027

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 1806 Corcoran St NW

Customer Sample Number:

Date / Time Collected: 6/27/2022 8:12 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-028

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206172-001

Sample Location: 1st Draw 2013 13th St NW

Customer Sample Number:

Date / Time Collected: 6/16/2022 9:55 PM

Customer Program Code: DS

Laboratory Sample Number: 2206172-001

Date / Time Received: 6/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 2013 13th St NW

Customer Sample Number:

Date / Time Collected: 6/16/2022 9:59 PM

Customer Program Code: DS

Laboratory Sample Number: 2206172-002

Date / Time Received: 6/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-055

Sample Location: 1st Draw 243 17th St SE
Customer Sample Number:
Date / Time Collected: 6/22/2022 6:30 PM

Customer Program Code: DS
Laboratory Sample Number: 2206202-055
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 243 17th St SE
Customer Sample Number:
Date / Time Collected: 6/22/2022 6:30 PM

Customer Program Code: DS
Laboratory Sample Number: 2206202-056
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-031

Sample Location: 1st Draw 268 56th PI NE
Customer Sample Number:
Date / Time Collected: 6/27/2022 8:26 AM

Customer Program Code: DS
Laboratory Sample Number: 2206202-031
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 268 56th PI NE
Customer Sample Number:
Date / Time Collected: 6/27/2022 8:28 AM

Customer Program Code: DS
Laboratory Sample Number: 2206202-032
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-051

Sample Location: 1st Draw 2907 12th St. NE

Customer Sample Number:

Date / Time Collected: 6/26/2022 6:45 PM

Customer Program Code: DS

Laboratory Sample Number: 2206202-051

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 2907 12th St. NE

Customer Sample Number:

Date / Time Collected: 6/26/2022 6:45 PM

Customer Program Code: DS

Laboratory Sample Number: 2206202-052

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-025

Sample Location: 1st Draw 2908 32nd St NW

Customer Sample Number:

Date / Time Collected: 6/22/2022 5:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-025

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 2908 32nd St NW

Customer Sample Number:

Date / Time Collected: 6/22/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-026

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206172-003

Sample Location: 1st Draw 2915 Q St NW
Customer Sample Number:
Date / Time Collected: 6/18/2022 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2206172-003
Date / Time Received: 6/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 2915 Q St NW
Customer Sample Number:
Date / Time Collected: 6/18/2022 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2206172-004
Date / Time Received: 6/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-018

Sample Location: 1st Draw 303 35th St NE

Customer Sample Number:

Date / Time Collected: 6/22/2022 1:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2206202-018

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-049

Sample Location: 1st Draw 3110 38th St NW

Customer Sample Number:

Date / Time Collected: 6/25/2022 7:18 PM

Customer Program Code: DS

Laboratory Sample Number: 2206202-049

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 3110 38th St NW

Customer Sample Number:

Date / Time Collected: 6/25/2022 7:21 PM

Customer Program Code: DS

Laboratory Sample Number: 2206202-050

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 7/12/2022

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2206202-029

Sample Location: 1st Draw 314 T St NW
Customer Sample Number:
Date / Time Collected: 6/23/2022 6:14 AM

Customer Program Code: DS
Laboratory Sample Number: 2206202-029
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 314 T St NW
Customer Sample Number:
Date / Time Collected: 6/23/2022 6:17 AM

Customer Program Code: DS
Laboratory Sample Number: 2206202-030
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.1	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-041

Sample Location: 1st Draw 3704 Brandywine St NW

Customer Sample Number:

Date / Time Collected: 6/24/2022 5:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-041

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 3704 Brandywine St NW

Customer Sample Number:

Date / Time Collected: 6/24/2022 5:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-042

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-061

Sample Location: 1st Draw 3916 13th St NW #2

Customer Sample Number:

Date / Time Collected: 6/27/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-061

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 3916 13th St NW #2

Customer Sample Number:

Date / Time Collected: 6/27/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-062

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-019

Sample Location: 1st Draw 3919 Kansas Ave, 2B

Customer Sample Number:

Date / Time Collected: 6/21/2022 8:18 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-019

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 3919 Kansas Ave, 2B

Customer Sample Number:

Date / Time Collected: 6/21/2022 8:22 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-020

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-035

Sample Location: 1st Draw 4300 3rd St NW
Customer Sample Number:
Date / Time Collected: 6/22/2022 5:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2206202-035
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 4300 3rd St NW
Customer Sample Number:
Date / Time Collected: 6/22/2022 5:32 AM

Customer Program Code: DS
Laboratory Sample Number: 2206202-036
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.6	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-039

Sample Location: 1st Draw 4419 13th St NE

Customer Sample Number:

Date / Time Collected: 6/22/2022 7:44 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-039

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 4419 13th St NE

Customer Sample Number:

Date / Time Collected: 6/22/2022 7:46 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-040

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-033

Sample Location: 1st Draw 4612 Hunt Place NE

Customer Sample Number:

Date / Time Collected: 6/22/2022 4:21 PM

Customer Program Code: DS

Laboratory Sample Number: 2206202-033

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 4612 Hunt Place NE

Customer Sample Number:

Date / Time Collected: 6/22/2022 4:22 PM

Customer Program Code: DS

Laboratory Sample Number: 2206202-034

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-043

Sample Location: 1st Draw 4813 41st St NW

Customer Sample Number:

Date / Time Collected: 6/22/2022 7:14 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-043

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 4813 41st St NW

Customer Sample Number:

Date / Time Collected: 6/22/2022 7:16 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-044

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206172-005

Sample Location: 1st Draw 5406 9th St NW
Customer Sample Number:
Date / Time Collected: 6/18/2022 7:15 AM

Customer Program Code: DS
Laboratory Sample Number: 2206172-005
Date / Time Received: 6/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 5406 9th St NW
Customer Sample Number:
Date / Time Collected: 6/18/2022 7:15 AM

Customer Program Code: DS
Laboratory Sample Number: 2206172-006
Date / Time Received: 6/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-045

Sample Location: 1st Draw 619 Keefer PI NW

Customer Sample Number:

Date / Time Collected: 6/22/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-045

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 619 Keefer PI NW

Customer Sample Number:

Date / Time Collected: 6/22/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-046

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.3	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-021

Sample Location: 1st Draw 637 14th Street NE

Customer Sample Number:

Date / Time Collected: 6/22/2022 8:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-021

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 637 14th Street NE

Customer Sample Number:

Date / Time Collected: 6/22/2022 8:56 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-022

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-037

Sample Location: 1st Draw 811 C Street SE

Customer Sample Number:

Date / Time Collected: 6/22/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-037

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 811 C Street SE

Customer Sample Number:

Date / Time Collected: 6/22/2022 6:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-038

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-053

Sample Location: 1st Draw 817 Quakenbos St NW

Customer Sample Number:

Date / Time Collected: 6/26/2022 10:01 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-053

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 817 Quakenbos St NW

Customer Sample Number:

Date / Time Collected: 6/26/2022 10:04 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-054

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS-2206202-057

Sample Location: 1st Draw 947 25th Street NW

Customer Sample Number:

Date / Time Collected: 6/27/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-057

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 947 25th Street NW

Customer Sample Number:

Date / Time Collected: 6/27/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2206202-058

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS250- 2206171-001

Sample Location: 1st Draw 1806 Kalorama Rd NW #2

Customer Sample Number:

Date / Time Collected: 6/16/2022 8:05 AM

Customer Program Code: DS250

Laboratory Sample Number: 2206171-001

Date / Time Received: 6/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 1806 Kalorama Rd NW #2

Customer Sample Number:

Date / Time Collected: 6/16/2022 8:05 AM

Customer Program Code: DS250

Laboratory Sample Number: 2206171-002

Date / Time Received: 6/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-DS250- 2206207-001

Sample Location: 1st Draw 700 7th St SW Apt 431

Customer Sample Number:

Date / Time Collected: 6/23/2022 7:45 AM

Customer Program Code: DS250

Laboratory Sample Number: 2206207-001

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 700 7th St SW Apt 431

Customer Sample Number:

Date / Time Collected: 6/23/2022 7:45 AM

Customer Program Code: DS250

Laboratory Sample Number: 2206207-002

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207087-031

Sample Location: 1st Draw 1200 34th PI SE
Customer Sample Number:
Date / Time Collected: 7/6/2022 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2207087-031
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 1200 34th PI SE
Customer Sample Number:
Date / Time Collected: 7/6/2022 6:05 AM

Customer Program Code: DS
Laboratory Sample Number: 2207087-032
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207087-037

Sample Location: 1st Draw 1383 Tewkesbury PL NW

Customer Sample Number:

Date / Time Collected: 7/6/2022 6:50 PM

Customer Program Code: DS

Laboratory Sample Number: 2207087-037

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 1383 Tewkesbury PL NW

Customer Sample Number:

Date / Time Collected: 7/6/2022 6:51 PM

Customer Program Code: DS

Laboratory Sample Number: 2207087-038

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207087-047

Sample Location: 1st Draw 1408 5th St. NW

Customer Sample Number:

Date / Time Collected: 7/11/2022 7:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2207087-047

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 1408 5th St. NW

Customer Sample Number:

Date / Time Collected: 7/11/2022 7:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2207087-048

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207087-029

Sample Location: 1st Draw 1420 Webster St NW

Customer Sample Number:

Date / Time Collected: 7/6/2022 5:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2207087-029

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 1420 Webster St NW

Customer Sample Number:

Date / Time Collected: 7/6/2022 5:57 AM

Customer Program Code: DS

Laboratory Sample Number: 2207087-030

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207087-033

Sample Location: 1st Draw 144 W St NW
Customer Sample Number:
Date / Time Collected: 7/6/2022 7:23 AM

Customer Program Code: DS
Laboratory Sample Number: 2207087-033
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 144 W St NW
Customer Sample Number:
Date / Time Collected: 7/6/2022 7:26 AM

Customer Program Code: DS
Laboratory Sample Number: 2207087-034
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207087-011

Sample Location: 1st Draw 150 N Carolina Ave SE

Customer Sample Number:

Date / Time Collected: 7/2/2022 7:08 AM

Customer Program Code: DS

Laboratory Sample Number: 2207087-011

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 150 N Carolina Ave SE

Customer Sample Number:

Date / Time Collected: 7/2/2022 7:11 AM

Customer Program Code: DS

Laboratory Sample Number: 2207087-012

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207087-027

Sample Location: 1st Draw 1506 Missouri Ave NW

Customer Sample Number:

Date / Time Collected: 7/5/2022 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2207087-027

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 1506 Missouri Ave NW

Customer Sample Number:

Date / Time Collected: 7/5/2022 7:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2207087-028

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207005-009

Sample Location: 1st Draw 1610 Ft. Davis PI SE

Customer Sample Number:

Date / Time Collected: 6/29/2022 7:53 AM

Customer Program Code: DS

Laboratory Sample Number: 2207005-009

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/14/2022	RLamsal

Sample Location: 2nd Draw 1610 Ft. Davis PI SE

Customer Sample Number:

Date / Time Collected: 6/29/2022 7:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2207005-010

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/14/2022	RLamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207005-017

Sample Location: 1st Draw 1621 Rosedale St NE

Customer Sample Number:

Date / Time Collected: 6/27/2022 4:55 PM

Customer Program Code: DS

Laboratory Sample Number: 2207005-017

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/14/2022	RLamsal

Sample Location: 2nd Draw 1621 Rosedale St NE

Customer Sample Number:

Date / Time Collected: 6/27/2022 4:57 PM

Customer Program Code: DS

Laboratory Sample Number: 2207005-018

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/14/2022	RLamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207087-035

Sample Location: 1st Draw 1622 U St SE
Customer Sample Number:
Date / Time Collected: 7/6/2022 5:39 PM

Customer Program Code: DS
Laboratory Sample Number: 2207087-036
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 1622 U St SE
Customer Sample Number:
Date / Time Collected: 7/6/2022 5:41 PM

Customer Program Code: DS
Laboratory Sample Number: 2207087-036
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207005-025

Sample Location: 1st Draw 1625 Lyman PI NE

Customer Sample Number:

Date / Time Collected: 6/28/2022 12:06 PM

Customer Program Code: DS

Laboratory Sample Number: 2207005-025

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/14/2022	RLamsal

Sample Location: 2nd Draw 1625 Lyman PI NE

Customer Sample Number:

Date / Time Collected: 6/28/2022 12:09 PM

Customer Program Code: DS

Laboratory Sample Number: 2207005-026

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/14/2022	RLamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207005-021

Sample Location: 1st Draw 1817 Belmont Rd NW

Customer Sample Number:

Date / Time Collected: 6/28/2022 7:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2207005-021

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		7/14/2022	RLamsal

Sample Location: 2nd Draw 1817 Belmont Rd NW

Customer Sample Number:

Date / Time Collected: 6/28/2022 7:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2207005-022

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/14/2022	RLamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207005-019

Sample Location: 1st Draw 1863 Ingleside Ter NW

Customer Sample Number:

Date / Time Collected: 6/28/2022 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2207005-019

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		7/14/2022	RLamsal

Sample Location: 2nd Draw 1863 Ingleside Ter NW

Customer Sample Number:

Date / Time Collected: 6/28/2022 7:31 AM

Customer Program Code: DS

Laboratory Sample Number: 2207005-020

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		7/14/2022	RLamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207005-011

Sample Location: 1st Draw 216 Gallatin Street NW

Customer Sample Number:

Date / Time Collected: 6/27/2022 7:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2207005-011

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/14/2022	RLamsal

Sample Location: 2nd Draw 216 Gallatin Street NW

Customer Sample Number:

Date / Time Collected: 6/27/2022 7:12 AM

Customer Program Code: DS

Laboratory Sample Number: 2207005-012

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/14/2022	RLamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207087-001

Sample Location: 1st Draw 2204 Tunlaw Rd NW

Customer Sample Number:

Date / Time Collected: 6/29/2022 6:09 AM

Customer Program Code: DS

Laboratory Sample Number: 2207087-001

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 2204 Tunlaw Rd NW

Customer Sample Number:

Date / Time Collected: 6/29/2022 6:09 AM

Customer Program Code: DS

Laboratory Sample Number: 2207087-002

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.2	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207005-015

Sample Location: 1st Draw 312 16th St NE
Customer Sample Number:
Date / Time Collected: 6/29/2022 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2207005-015
Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/14/2022	RLamsal

Sample Location: 2nd Draw 312 16th St NE
Customer Sample Number:
Date / Time Collected: 6/29/2022 7:01 AM

Customer Program Code: DS
Laboratory Sample Number: 2207005-016
Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/14/2022	RLamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207087-025

Sample Location: 1st Draw 3284 N St. NW
Customer Sample Number:
Date / Time Collected: 7/4/2022 9:45 AM

Customer Program Code: DS
Laboratory Sample Number: 2207087-025
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 3284 N St. NW
Customer Sample Number:
Date / Time Collected: 7/4/2022 9:50 AM

Customer Program Code: DS
Laboratory Sample Number: 2207087-026
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.3	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207005-023

Sample Location: 1st Draw 3546 Alton PI NW

Customer Sample Number:

Date / Time Collected: 6/23/2022 6:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2207005-023

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		7/14/2022	RLamsal

Sample Location: 2nd Draw 3546 Alton PI NW

Customer Sample Number:

Date / Time Collected: 6/23/2022 6:23 AM

Customer Program Code: DS

Laboratory Sample Number: 2207005-024

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		7/14/2022	RLamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207087-039

Sample Location: 1st Draw 3617 26th St NE

Customer Sample Number:

Date / Time Collected: 7/7/2022 6:41 AM

Customer Program Code: DS

Laboratory Sample Number: 2207087-039

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 3617 26th St NE

Customer Sample Number:

Date / Time Collected: 7/7/2022 6:43 AM

Customer Program Code: DS

Laboratory Sample Number: 2207087-040

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207087-017

Sample Location: 1st Draw 3731 Warren St NW

Customer Sample Number:

Date / Time Collected: 7/2/2022 1:50 PM

Customer Program Code: DS

Laboratory Sample Number: 2207087-017

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 3731 Warren St NW

Customer Sample Number:

Date / Time Collected: 7/2/2022 1:52 PM

Customer Program Code: DS

Laboratory Sample Number: 2207087-018

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	15.3	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/30/2022 *Report revised on 8/30/22 by MC.
For Lab Sample Numbers 2207087-007 & 2207087-008, the
address was changed to 4401 Garrison St NW as recorded on
the chain of custody.*

Report Number: L-DC-DS-2207087-007

Sample Location: 1st Draw 4401 Garrison St NW

Customer Sample Number:

Date / Time Collected: 7/1/2022 9:16 AM

Customer Program Code: DS

Laboratory Sample Number: 2207087-007

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 4401 Garrison St NW

Customer Sample Number:

Date / Time Collected: 7/1/2022 9:18 AM

Customer Program Code: DS

Laboratory Sample Number: 2207087-008

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 8/4/2022

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2207087-005

Sample Location: 1st Draw 4510 Dix St. NE
Customer Sample Number:
Date / Time Collected: 7/1/2022 5:35 AM

Customer Program Code: DS
Laboratory Sample Number: 2207087-005
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 4510 Dix St. NE
Customer Sample Number:
Date / Time Collected: 7/1/2022 5:38 AM

Customer Program Code: DS
Laboratory Sample Number: 2207087-006
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207005-013

Sample Location: 1st Draw 5531 7th Street NW

Customer Sample Number:

Date / Time Collected: 6/29/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2207005-013

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		7/14/2022	RLamsal

Sample Location: 2nd Draw 5531 7th Street NW

Customer Sample Number:

Date / Time Collected: 6/29/2022 6:32 AM

Customer Program Code: DS

Laboratory Sample Number: 2207005-014

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		7/14/2022	RLamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207087-009

Sample Location: 1st Draw 614 Keefer PL NW

Customer Sample Number:

Date / Time Collected: 7/2/2022 6:24 AM

Customer Program Code: DS

Laboratory Sample Number: 2207087-009

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 614 Keefer PL NW

Customer Sample Number:

Date / Time Collected: 7/2/2022 6:26 AM

Customer Program Code: DS

Laboratory Sample Number: 2207087-010

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.3	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207087-041

Sample Location: 1st Draw 6320 8th St NW
Customer Sample Number:
Date / Time Collected: 7/7/2022 7:45 AM

Customer Program Code: DS
Laboratory Sample Number: 2207087-041
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 6320 8th St NW
Customer Sample Number:
Date / Time Collected: 7/7/2022 7:45 AM

Customer Program Code: DS
Laboratory Sample Number: 2207087-042
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207087-019

Sample Location: 1st Draw 7061 Western Ave NW

Customer Sample Number:

Date / Time Collected: 7/2/2022 7:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2207087-019

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 7061 Western Ave NW

Customer Sample Number:

Date / Time Collected: 7/2/2022 7:01 PM

Customer Program Code: DS

Laboratory Sample Number: 2207087-020

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS-2207087-043

Sample Location: 1st Draw 905 E St SE
Customer Sample Number:
Date / Time Collected: 7/10/2022 7:02 PM

Customer Program Code: DS
Laboratory Sample Number: 2207087-043
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 905 E St SE
Customer Sample Number:
Date / Time Collected: 7/10/2022 7:05 PM

Customer Program Code: DS
Laboratory Sample Number: 2207087-044
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-DS250- 2207083-001

Sample Location: 1st Draw 3937 Davis PI NW, Apt 5

Customer Sample Number:

Date / Time Collected: 7/6/2022 12:15 PM

Customer Program Code: DS250

Laboratory Sample Number: 2207083-001

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 3937 Davis PI NW, Apt 5

Customer Sample Number:

Date / Time Collected: 7/6/2022 12:15 PM

Customer Program Code: DS250

Laboratory Sample Number: 2207083-002

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207173-007

Sample Location: 1st Draw 113 Victor St NE #2

Customer Sample Number:

Date / Time Collected: 7/17/2022 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-007

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 2nd Draw 113 Victor St NE #2

Customer Sample Number:

Date / Time Collected: 7/17/2022 7:19 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-008

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207130-023

Sample Location: 1st Draw 1230 Savannah St SE

Customer Sample Number:

Date / Time Collected: 7/12/2022 6:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-023

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.4	9.8	ug/L		7/28/2022	BPrakash

Sample Location: 2nd Draw 1230 Savannah St SE

Customer Sample Number:

Date / Time Collected: 7/12/2022 6:24 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-024

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L		7/28/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207173-013

Sample Location: 1st Draw 1329 Emerald St NE

Customer Sample Number:

Date / Time Collected: 7/19/2022 7:52 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-013

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		8/3/2022	Bprakash

Sample Location: 2nd Draw 1329 Emerald St NE

Customer Sample Number:

Date / Time Collected: 7/19/2022 7:54 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-014

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207130-025

Sample Location: 1st Draw 1626 Nicholson St NW

Customer Sample Number:

Date / Time Collected: 7/18/2022 5:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-025

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		7/28/2022	BPrakash

Sample Location: 2nd Draw 1626 Nicholson St NW

Customer Sample Number:

Date / Time Collected: 7/18/2022 5:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-026

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/28/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207173-035

Sample Location: 1st Draw 1753 Hobart St NW

Customer Sample Number:

Date / Time Collected: 7/22/2022 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-035

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 2nd Draw 1753 Hobart St NW

Customer Sample Number:

Date / Time Collected: 7/22/2022 7:17 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-036

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207173-015

Sample Location: 1st Draw 1860 Ingleside Terrace NW

Customer Sample Number:

Date / Time Collected: 7/22/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-015

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		8/3/2022	Bprakash

Sample Location: 2nd Draw 1860 Ingleside Terrace NW

Customer Sample Number:

Date / Time Collected: 7/22/2022 7:03 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-016

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.3	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207130-013

Sample Location: 1st Draw 1967 Biltmore St NW

Customer Sample Number:

Date / Time Collected: 7/17/2022 5:58 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-013

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		7/28/2022	BPrakash

Sample Location: 2nd Draw 1967 Biltmore St NW

Customer Sample Number:

Date / Time Collected: 7/17/2022 6:01 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-014

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		7/28/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207130-009

Sample Location: 1st Draw 2600 30th St NE

Customer Sample Number:

Date / Time Collected: 7/12/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-009

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		7/28/2022	BPrakash

Sample Location: 2nd Draw 2600 30th St NE

Customer Sample Number:

Date / Time Collected: 7/12/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-010

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/28/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207173-019

Sample Location: 1st Draw 3110 Riittenhouse St NW

Customer Sample Number:

Date / Time Collected: 7/19/2022 5:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-019

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 2nd Draw 3110 Riittenhouse St NW

Customer Sample Number:

Date / Time Collected: 7/19/2022 5:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-020

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207130-021

Sample Location: 1st Draw 3209 Jocelyn St NW

Customer Sample Number:

Date / Time Collected: 7/12/2022 6:03 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-021

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		7/28/2022	BPrakash

Sample Location: 2nd Draw 3209 Jocelyn St NW

Customer Sample Number:

Date / Time Collected: 7/12/2022 6:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-022

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		7/28/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207130-029

Sample Location: 1st Draw 3309 5th St SE
Customer Sample Number:
Date / Time Collected: 7/15/2022 7:39 AM

Customer Program Code: DS
Laboratory Sample Number: 2207130-029
Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/28/2022	BPrakash

Sample Location: 2nd Draw 3309 5th St SE
Customer Sample Number:
Date / Time Collected: 7/15/2022 7:42 AM

Customer Program Code: DS
Laboratory Sample Number: 2207130-030
Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/28/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207130-027

Sample Location: 1st Draw 3330 Tennyson St NW

Customer Sample Number:

Date / Time Collected: 7/17/2022 8:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-027

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		7/28/2022	BPrakash

Sample Location: 2nd Draw 3330 Tennyson St NW

Customer Sample Number:

Date / Time Collected: 7/17/2022 8:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-028

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/28/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207173-029

Sample Location: 1st Draw 3511 Patterson St NW

Customer Sample Number:

Date / Time Collected: 7/19/2022 6:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-029

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 2nd Draw 3511 Patterson St NW

Customer Sample Number:

Date / Time Collected: 7/19/2022 6:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-030

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207173-027

Sample Location: 1st Draw 3607 Winfield Lane NW

Customer Sample Number:

Date / Time Collected: 7/16/2022 10:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-027

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		8/3/2022	Bprakash

Sample Location: 2nd Draw 3607 Winfield Lane NW

Customer Sample Number:

Date / Time Collected: 7/16/2022 10:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-028

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207173-037

Sample Location: 1st Draw 404 Emerson St NW

Customer Sample Number:

Date / Time Collected: 7/19/2022 1:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2207173-037

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 2nd Draw 404 Emerson St NW

Customer Sample Number:

Date / Time Collected: 7/19/2022 1:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2207173-038

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207130-015

Sample Location: 1st Draw 4218 Jenifer St NW

Customer Sample Number:

Date / Time Collected: 7/17/2022 7:26 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-015

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		7/28/2022	BPrakash

Sample Location: 2nd Draw 4218 Jenifer St NW

Customer Sample Number:

Date / Time Collected: 7/17/2022 7:28 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-016

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		7/28/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207173-021

Sample Location: 1st Draw 423 19th St NE
Customer Sample Number:
Date / Time Collected: 7/18/2022 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2207173-021
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 2nd Draw 423 19th St NE
Customer Sample Number:
Date / Time Collected: 7/18/2022 7:01 AM

Customer Program Code: DS
Laboratory Sample Number: 2207173-022
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207130-019

Sample Location: 1st Draw 427 11th St. NE
Customer Sample Number:
Date / Time Collected: 7/12/2022 5:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2207130-019
Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		7/28/2022	BPrakash

Sample Location: 2nd Draw 427 11th St. NE
Customer Sample Number:
Date / Time Collected: 7/12/2022 5:31 AM

Customer Program Code: DS
Laboratory Sample Number: 2207130-020
Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2		ug/L		7/28/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207130-031

Sample Location: 1st Draw 4400 13th PI NE

Customer Sample Number:

Date / Time Collected: 6/26/2022 7:26 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-031

Date / Time Received: 7/21/2022 8:20:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	7/28/2022	BPrakash

Sample Location: 2nd Draw 4400 13th PI NE

Customer Sample Number:

Date / Time Collected: 6/26/2022 7:28 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-032

Date / Time Received: 7/21/2022 8:20:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	7/28/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207130-005

Sample Location: 1st Draw 452 Delafield PI NW

Customer Sample Number:

Date / Time Collected: 7/13/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-005

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/28/2022	BPrakash

Sample Location: 2nd Draw 452 Delafield PI NW

Customer Sample Number:

Date / Time Collected: 7/13/2022 6:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-006

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		7/28/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207130-007

Sample Location: 1st Draw 4613 43rd St NW

Customer Sample Number:

Date / Time Collected: 7/10/2022 4:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-007

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		7/28/2022	BPrakash

Sample Location: 2nd Draw 4613 43rd St NW

Customer Sample Number:

Date / Time Collected: 7/10/2022 4:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-008

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		7/28/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207173-031

Sample Location: 1st Draw 4661 Hawthorne Lane NW

Customer Sample Number:

Date / Time Collected: 7/19/2022 7:01 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-031

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		8/3/2022	Bprakash

Sample Location: 2nd Draw 4661 Hawthorne Lane NW

Customer Sample Number:

Date / Time Collected: 7/19/2022 7:03 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-032

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207173-039

Sample Location: 1st Draw 517 Aspen St NW

Customer Sample Number:

Date / Time Collected: 7/20/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-039

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		8/3/2022	Bprakash

Sample Location: 2nd Draw 517 Aspen St NW

Customer Sample Number:

Date / Time Collected: 7/20/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-040

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207130-017

Sample Location: 1st Draw 5350 Chillum PI NE

Customer Sample Number:

Date / Time Collected: 7/13/2022 7:38 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-017

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		7/28/2022	BPrakash

Sample Location: 2nd Draw 5350 Chillum PI NE

Customer Sample Number:

Date / Time Collected: 7/13/2022 7:41 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-018

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		7/28/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207173-011

Sample Location: 1st Draw 5425 39th St NW

Customer Sample Number:

Date / Time Collected: 7/23/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-011

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		8/3/2022	Bprakash

Sample Location: 2nd Draw 5425 39th St NW

Customer Sample Number:

Date / Time Collected: 7/23/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-012

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207173-023

Sample Location: 1st Draw 5505 Call PI SE
Customer Sample Number:
Date / Time Collected: 7/18/2022 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2207173-023
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 2nd Draw 5505 Call PI SE
Customer Sample Number:
Date / Time Collected: 7/18/2022 6:05 AM

Customer Program Code: DS
Laboratory Sample Number: 2207173-024
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207173-041

Sample Location: 1st Draw 5609 33rd St NW

Customer Sample Number:

Date / Time Collected: 7/15/2022 5:48 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-041

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 2nd Draw 5609 33rd St NW

Customer Sample Number:

Date / Time Collected: 7/15/2022 5:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-042

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207173-005

Sample Location: 1st Draw 5741 5th Street NW

Customer Sample Number:

Date / Time Collected: 7/15/2022 6:33 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-005

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		8/3/2022	Bprakash

Sample Location: 2nd Draw 5741 5th Street NW

Customer Sample Number:

Date / Time Collected: 7/15/2022 6:37 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-006

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207173-025

Sample Location: 1st Draw 5829 Chevy Chase Parkway NW

Customer Sample Number:

Date / Time Collected: 7/19/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-025

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 2nd Draw 5829 Chevy Chase Parkway NW

Customer Sample Number:

Date / Time Collected: 7/19/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2207173-026

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207173-033

Sample Location: 1st Draw 602 Keefer PI NW

Customer Sample Number:

Date / Time Collected: 7/25/2022 6:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2207173-033

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.3	ug/L		8/3/2022	Bprakash

Sample Location: 2nd Draw 602 Keefer PI NW

Customer Sample Number:

Date / Time Collected: 7/25/2022 6:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2207173-034

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207173-017

Sample Location: 1st Draw 621 Longfellow St NW

Customer Sample Number:

Date / Time Collected: 7/19/2022 4:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2207173-017

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		8/3/2022	Bprakash

Sample Location: 2nd Draw 621 Longfellow St NW

Customer Sample Number:

Date / Time Collected: 7/19/2022 4:40 PM

Customer Program Code: DS

Laboratory Sample Number: 2207173-018

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207130-011

Sample Location: 1st Draw 6415 2nd PI NW

Customer Sample Number:

Date / Time Collected: 7/12/2022 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-011

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		7/28/2022	BPrakash

Sample Location: 2nd Draw 6415 2nd PI NW

Customer Sample Number:

Date / Time Collected: 7/12/2022 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2207130-012

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		7/28/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS-2207173-009

Sample Location: 1st Draw 923 12th Street SE

Customer Sample Number:

Date / Time Collected: 7/9/2022 6:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2207173-009

Date / Time Received: 7/28/2022 8:35:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	8/3/2022	Bprakash

Sample Location: 2nd Draw 923 12th Street SE

Customer Sample Number:

Date / Time Collected: 7/9/2022 6:20 PM

Customer Program Code: DS

Laboratory Sample Number: 2207173-010

Date / Time Received: 7/28/2022 8:35:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-DS250- 2207178-001

Sample Location:	910 15th St NW Apt 902	Customer Program Code:	DS250
Customer Sample Number:		Laboratory Sample Number:	2207178-001
Date / Time Collected:	7/18/2022 7:00 AM	Date / Time Received:	7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	BPrakash

Sample Location:	910 15th St NW Apt 902	Customer Program Code:	DS250
Customer Sample Number:		Laboratory Sample Number:	2207178-002
Date / Time Collected:	7/18/2022 7:00 AM	Date / Time Received:	7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208085-013

Sample Location: 1st Draw 1007 Quebec PI NW

Customer Sample Number:

Date / Time Collected: 8/2/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-013

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 1007 Quebec PI NW

Customer Sample Number:

Date / Time Collected: 8/2/2022 7:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-014

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208042-001

Sample Location: 1st Draw 1009 Webster St NW

Customer Sample Number:

Date / Time Collected: 7/23/2022 10:18 PM

Customer Program Code: DS

Laboratory Sample Number: 2208042-001

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 1009 Webster St NW

Customer Sample Number:

Date / Time Collected: 7/23/2022 10:21 PM

Customer Program Code: DS

Laboratory Sample Number: 2208042-002

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.5	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208042-011

Sample Location: 1st Draw 111 11th Street SE

Customer Sample Number:

Date / Time Collected: 7/27/2022 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-011

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 111 11th Street SE

Customer Sample Number:

Date / Time Collected: 7/27/2022 7:33 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-012

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208085-007

Sample Location: 1st Draw 121 19TH ST NE Apt 4

Customer Sample Number:

Date / Time Collected: 7/29/2022 6:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-007

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 121 19TH ST NE Apt 4

Customer Sample Number:

Date / Time Collected: 7/29/2022 6:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-008

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208042-007

Sample Location: 1st Draw 130 Ingraham St. NW

Customer Sample Number:

Date / Time Collected: 7/27/2022 6:04 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-007

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 130 Ingraham St. NW

Customer Sample Number:

Date / Time Collected: 7/27/2022 6:07 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-008

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208097-031

Sample Location: 1st Draw 130 Thomas St NW

Customer Sample Number:

Date / Time Collected: 8/11/2022 6:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2208097-031

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 130 Thomas St NW

Customer Sample Number:

Date / Time Collected: 8/11/2022 6:57 AM

Customer Program Code: DS

Laboratory Sample Number: 2208097-032

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208085-049

Sample Location: 1st Draw 1332 Queen St. NE

Customer Sample Number:

Date / Time Collected: 8/8/2022 10:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-049

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 1332 Queen St. NE

Customer Sample Number:

Date / Time Collected: 8/8/2022 10:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-050

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208085-045

Sample Location: 1st Draw 134 Quincy PI NE

Customer Sample Number:

Date / Time Collected: 8/7/2022 7:55 PM

Customer Program Code: DS

Laboratory Sample Number: 2208085-046

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 134 Quincy PI NE

Customer Sample Number:

Date / Time Collected: 8/7/2022 7:58 PM

Customer Program Code: DS

Laboratory Sample Number: 2208085-046

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208042-015

Sample Location: 1st Draw 1343 Oak St. NW

Customer Sample Number:

Date / Time Collected: 7/27/2022 8:11 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-015

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 1343 Oak St. NW

Customer Sample Number:

Date / Time Collected: 7/27/2022 8:13 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-016

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	12.7	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208097-023

Sample Location: 1st Draw 1345 Perry Place

Customer Sample Number:

Date / Time Collected: 8/11/2022 6:03 AM

Customer Program Code: DS

Laboratory Sample Number: 2208097-023

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 1345 Perry Place

Customer Sample Number:

Date / Time Collected: 8/11/2022 6:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2208097-024

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208042-013

Sample Location: 1st Draw 1348 Shepherd St NE

Customer Sample Number:

Date / Time Collected: 7/27/2022 7:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-013

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 1348 Shepherd St NE

Customer Sample Number:

Date / Time Collected: 7/27/2022 7:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-014

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208042-035

Sample Location: 1st Draw 149 Uhland Ter. NE

Customer Sample Number:

Date / Time Collected: 8/1/2022 7:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-035

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 149 Uhland Ter. NE

Customer Sample Number:

Date / Time Collected: 8/1/2022 7:06 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-036

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.4	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208042-021

Sample Location: 1st Draw 1607 Gales St. NE

Customer Sample Number:

Date / Time Collected: 7/28/2022 5:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-021

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 1607 Gales St. NE

Customer Sample Number:

Date / Time Collected: 7/28/2022 5:33 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-022

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208085-031

Sample Location: 1st Draw 1623 Constitution Ave NE

Customer Sample Number:

Date / Time Collected: 8/6/2022 7:03 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-031

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 1623 Constitution Ave NE

Customer Sample Number:

Date / Time Collected: 8/6/2022 7:06 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-032

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208042-037

Sample Location: 1st Draw 1630 Argonne PI NW

Customer Sample Number:

Date / Time Collected: 8/1/2022 7:08 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-037

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 1630 Argonne PI NW

Customer Sample Number:

Date / Time Collected: 8/1/2022 7:12 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-038

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208042-019

Sample Location: 1st Draw 1630 Missouri Ave NW

Customer Sample Number:

Date / Time Collected: 7/28/2022 4:04 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-019

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 1630 Missouri Ave NW

Customer Sample Number:

Date / Time Collected: 7/28/2022 4:08 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-020

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208097-025

Sample Location: 1st Draw 1636 Florida Ave NW

Customer Sample Number:

Date / Time Collected: 8/10/2022 6:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2208097-025

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	7.2	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 1636 Florida Ave NW

Customer Sample Number:

Date / Time Collected: 8/10/2022 6:48 AM

Customer Program Code: DS

Laboratory Sample Number: 2208097-026

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208085-003

Sample Location: 1st Draw 1726 KILBOURNE PL NW

Customer Sample Number:

Date / Time Collected: 7/27/2022 6:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-003

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 1726 KILBOURNE PL NW

Customer Sample Number:

Date / Time Collected: 7/27/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-004

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208085-029

Sample Location: 1st Draw 1732 L St. NE
Customer Sample Number:
Date / Time Collected: 8/6/2022 6:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2208085-029
Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 1732 L St. NE
Customer Sample Number:
Date / Time Collected: 8/6/2022 9:26 AM

Customer Program Code: DS
Laboratory Sample Number: 2208085-030
Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.3	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208042-045

Sample Location: 1st Draw 1735 T St. NW
Customer Sample Number:
Date / Time Collected: 8/1/2022 6:15 PM

Customer Program Code: DS
Laboratory Sample Number: 2208042-045
Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 1735 T St. NW
Customer Sample Number:
Date / Time Collected: 8/1/2022 6:18 PM

Customer Program Code: DS
Laboratory Sample Number: 2208042-046
Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208042-023

Sample Location: 1st Draw 1820 6th St. NW

Customer Sample Number:

Date / Time Collected: 7/28/2022 8:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-023

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 1820 6th St. NW

Customer Sample Number:

Date / Time Collected: 7/28/2022 8:47 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-024

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208085-005

Sample Location: 1st Draw 2029 Rosemont Ave NW

Customer Sample Number:

Date / Time Collected: 7/28/2022 11:33 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-005

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 2029 Rosemont Ave NW

Customer Sample Number:

Date / Time Collected: 7/28/2022 11:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-006

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208042-005

Sample Location: 1st Draw 209 Oglethorpe St. NE

Customer Sample Number:

Date / Time Collected: 7/26/2022 7:53 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-005

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 209 Oglethorpe St. NE

Customer Sample Number:

Date / Time Collected: 7/26/2022 7:56 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-006

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208085-019

Sample Location: 1st Draw 225 Jefferson St. NW

Customer Sample Number:

Date / Time Collected: 8/3/2022 6:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-019

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 225 Jefferson St. NW

Customer Sample Number:

Date / Time Collected: 8/3/2022 6:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-020

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208097-021

Sample Location: 1st Draw 233 Whittier St NW

Customer Sample Number:

Date / Time Collected: 8/10/2022 1:28 PM

Customer Program Code: DS

Laboratory Sample Number: 2208097-021

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 233 Whittier St NW

Customer Sample Number:

Date / Time Collected: 8/10/2022 1:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2208097-022

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208042-031

Sample Location: 1st Draw 241 Ingraham St. NW

Customer Sample Number:

Date / Time Collected: 7/31/2022 5:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-031

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 241 Ingraham St. NW

Customer Sample Number:

Date / Time Collected: 7/31/2022 5:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-032

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208042-009

Sample Location: 1st Draw 2712 N St. NW
Customer Sample Number:
Date / Time Collected: 7/27/2022 6:47 AM

Customer Program Code: DS
Laboratory Sample Number: 2208042-009
Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 2712 N St. NW
Customer Sample Number:
Date / Time Collected: 7/27/2022 6:49 AM

Customer Program Code: DS
Laboratory Sample Number: 2208042-010
Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208085-037

Sample Location: 1st Draw 2907 7th St. NE

Customer Sample Number:

Date / Time Collected: 8/7/2022 5:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-037

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 2907 7th St. NE

Customer Sample Number:

Date / Time Collected: 8/7/2022 5:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-038

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208085-001

Sample Location: 1st Draw 3014 Vista St NE

Customer Sample Number:

Date / Time Collected: 7/22/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-001

Date / Time Received: 8/10/2022 9:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	8/16/2022	Lgallimore

Sample Location: 2nd Draw 3014 Vista St NE

Customer Sample Number:

Date / Time Collected: 7/22/2022 6:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-002

Date / Time Received: 8/10/2022 9:30:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208042-027

Sample Location: 1st Draw 3117 Tennyson St. NW

Customer Sample Number:

Date / Time Collected: 7/30/2022 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-027

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 3117 Tennyson St. NW

Customer Sample Number:

Date / Time Collected: 7/30/2022 7:34 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-028

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208097-015

Sample Location: 1st Draw 3340 N St NW
Customer Sample Number:
Date / Time Collected: 8/9/2022 5:14 AM

Customer Program Code: DS
Laboratory Sample Number: 2208097-015
Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 3340 N St NW
Customer Sample Number:
Date / Time Collected: 8/9/2022 5:18 AM

Customer Program Code: DS
Laboratory Sample Number: 2208097-016
Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208042-033

Sample Location: 1st Draw 3354 Tennyson St. NW

Customer Sample Number:

Date / Time Collected: 7/31/2022 4:35 PM

Customer Program Code: DS

Laboratory Sample Number: 2208042-033

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 3354 Tennyson St. NW

Customer Sample Number:

Date / Time Collected: 7/31/2022 4:38 PM

Customer Program Code: DS

Laboratory Sample Number: 2208042-034

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208042-043

Sample Location: 1st Draw 3564 11th St. NW

Customer Sample Number:

Date / Time Collected: 8/1/2022 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-043

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 3564 11th St. NW

Customer Sample Number:

Date / Time Collected: 8/1/2022 7:32 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-044

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208085-017

Sample Location: 1st Draw 3722 22nd St. NE

Customer Sample Number:

Date / Time Collected: 8/2/2022 8:41 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-017

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 3722 22nd St. NE

Customer Sample Number:

Date / Time Collected: 8/2/2022 8:43 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-018

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208085-021

Sample Location: 1st Draw 41 Hamilton St. NW

Customer Sample Number:

Date / Time Collected: 8/3/2022 7:43 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-021

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 41 Hamilton St. NW

Customer Sample Number:

Date / Time Collected: 8/3/2022 7:46 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-022

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208085-009

Sample Location: 1st Draw 4321 3rd St. NW

Customer Sample Number:

Date / Time Collected: 8/2/2022 5:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-009

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 4321 3rd St. NW

Customer Sample Number:

Date / Time Collected: 8/2/2022 5:14 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-010

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208097-027

Sample Location: 1st Draw 441 Delafield PI NW

Customer Sample Number:

Date / Time Collected: 8/7/2022 4:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2208097-027

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 441 Delafield PI NW

Customer Sample Number:

Date / Time Collected: 8/7/2022 4:44 AM

Customer Program Code: DS

Laboratory Sample Number: 2208097-028

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208042-017

Sample Location: 1st Draw 4501 Brooks St. NE

Customer Sample Number:

Date / Time Collected: 7/27/2022 8:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-017

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 4501 Brooks St. NE

Customer Sample Number:

Date / Time Collected: 7/27/2022 8:32 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-018

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208085-039

Sample Location: 1st Draw 5214 1st St NW
Customer Sample Number:
Date / Time Collected: 8/7/2022 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2208085-039
Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 5214 1st St NW
Customer Sample Number:
Date / Time Collected: 8/7/2022 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2208085-040
Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208042-039

Sample Location: 1st Draw 5306 New Hampshire Ave NW

Customer Sample Number:

Date / Time Collected: 8/1/2022 7:21 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-039

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 5306 New Hampshire Ave NW

Customer Sample Number:

Date / Time Collected: 8/1/2022 7:23 AM

Customer Program Code: DS

Laboratory Sample Number: 2208042-040

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208097-019

Sample Location: 1st Draw 5314 Kansas Ave NW

Customer Sample Number:

Date / Time Collected: 8/8/2022 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2208097-019

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.7	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 5314 Kansas Ave NW

Customer Sample Number:

Date / Time Collected: 8/8/2022 7:16 AM

Customer Program Code: DS

Laboratory Sample Number: 2208097-020

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	46.1	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208085-015

Sample Location: 1st Draw 6161 - 31 Place NW

Customer Sample Number:

Date / Time Collected: 8/2/2022 7:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-015

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 6161 - 31 Place NW

Customer Sample Number:

Date / Time Collected: 8/2/2022 7:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-016

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208097-017

Sample Location: 1st Draw 621 Allison St NW

Customer Sample Number:

Date / Time Collected: 8/11/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2208097-017

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 621 Allison St NW

Customer Sample Number:

Date / Time Collected: 8/11/2022 7:02 AM

Customer Program Code: DS

Laboratory Sample Number: 2208097-018

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.5	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208097-029

Sample Location: 1st Draw 6500 6th St NW
Customer Sample Number:
Date / Time Collected: 8/9/2022 6:20 AM

Customer Program Code: DS
Laboratory Sample Number: 2208097-029
Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 6500 6th St NW
Customer Sample Number:
Date / Time Collected: 8/9/2022 6:21 AM

Customer Program Code: DS
Laboratory Sample Number: 2208097-030
Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208085-027

Sample Location: 1st Draw 714 North Carolina Ave. SE

Customer Sample Number:

Date / Time Collected: 8/5/2022 6:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-027

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 714 North Carolina Ave. SE

Customer Sample Number:

Date / Time Collected: 8/5/2022 6:56 AM

Customer Program Code: DS

Laboratory Sample Number: 2208085-028

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208042-003

Sample Location: 1st Draw 72 Q St NW

Customer Sample Number:

Date / Time Collected: 7/24/2022 4:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2208042-003

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.2	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 72 Q St NW

Customer Sample Number:

Date / Time Collected: 7/24/2022 4:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2208042-004

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS-2208042-025

Sample Location: 1st Draw 934 O St. NW
Customer Sample Number:
Date / Time Collected: 7/29/2022 8:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2208042-025
Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 934 O St. NW
Customer Sample Number:
Date / Time Collected: 7/29/2022 8:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2208042-026
Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS250- 2208079-005

Sample Location: 1st Draw 1330 New Hampshire Ave NW #610

Customer Sample Number:

Date / Time Collected: 8/2/2022 5:30 PM

Customer Program Code: DS250

Laboratory Sample Number: 2208079-005

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 1330 New Hampshire Ave NW #610

Customer Sample Number:

Date / Time Collected: 8/2/2022 5:30 PM

Customer Program Code: DS250

Laboratory Sample Number: 2208079-006

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS250- 2208079-003

Sample Location: 1st Draw 1669 Columbia Rd NW Apt 101

Customer Sample Number:

Date / Time Collected: 8/1/2022 10:30 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208079-003

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 1669 Columbia Rd NW Apt 101

Customer Sample Number:

Date / Time Collected: 8/1/2022 10:30 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208079-004

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS250- 2208079-001

Sample Location: 1st Draw 1920 Naylor Rd SE

Customer Sample Number:

Date / Time Collected: 7/28/2022 10:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208079-001

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 1920 Naylor Rd SE

Customer Sample Number:

Date / Time Collected: 7/28/2022 10:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208079-002

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS250- 2208040-003

Sample Location: 1st Draw 2221 I St. NW #321

Customer Sample Number:

Date / Time Collected: 7/28/2022 8:46 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208040-003

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 2221 I St. NW #321

Customer Sample Number:

Date / Time Collected: 7/28/2022 8:46 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208040-004

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS250- 2208079-009

Sample Location: 1st Draw 2828 Connecticut Ave NW #701

Customer Sample Number:

Date / Time Collected: 8/3/2022 10:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208079-009

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 2828 Connecticut Ave NW #701

Customer Sample Number:

Date / Time Collected: 8/3/2022 10:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208079-010

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS250- 2208098-001

Sample Location: 1st Draw 429 Kenyon St NW Apt 202

Customer Sample Number:

Date / Time Collected: 8/11/2022 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208098-001

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 429 Kenyon St NW Apt 202

Customer Sample Number:

Date / Time Collected: 8/11/2022 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208098-002

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS250- 2208079-007

Sample Location: 1st Draw 45 Sutton Sq SW

Customer Sample Number:

Date / Time Collected: 8/3/2022 8:44 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208079-007

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 45 Sutton Sq SW

Customer Sample Number:

Date / Time Collected: 8/3/2022 8:44 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208079-008

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS250- 2208098-003

Sample Location: 1st Draw 4550 Connecticut Ave NW #208

Customer Sample Number:

Date / Time Collected: 8/9/2022 7:30 PM

Customer Program Code: DS250

Laboratory Sample Number: 2208098-003

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 4550 Connecticut Ave NW #208

Customer Sample Number:

Date / Time Collected: 8/9/2022 7:30 PM

Customer Program Code: DS250

Laboratory Sample Number: 2208098-004

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-DS250- 2208040-001

Sample Location: 1st Draw 700 7th St SW Apt 117

Customer Sample Number:

Date / Time Collected: 8/2/2022 6:40 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208040-001

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 700 7th St SW Apt 117

Customer Sample Number:

Date / Time Collected: 8/2/2022 6:40 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208040-002

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208193-009

Sample Location: 1st Draw 123 4th St NE
Customer Sample Number:
Date / Time Collected: 8/20/2022 6:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2208193-009
Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 123 4th St NE
Customer Sample Number:
Date / Time Collected: 8/20/2022 6:35 AM

Customer Program Code: DS
Laboratory Sample Number: 2208193-010
Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208222-011

Sample Location: 1st Draw 1342 Tuckerman St. NW

Customer Sample Number:

Date / Time Collected: 8/29/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2208222-011

Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 1342 Tuckerman St. NW

Customer Sample Number:

Date / Time Collected: 8/29/2022 7:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2208222-012

Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208150-019

Sample Location: 1st Draw 1347 Emerald St. NE

Customer Sample Number:

Date / Time Collected: 8/15/2022 5:45 PM

Customer Program Code: DS

Laboratory Sample Number: 2208150-019

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 1347 Emerald St. NE

Customer Sample Number:

Date / Time Collected: 8/15/2022 5:50 PM

Customer Program Code: DS

Laboratory Sample Number: 2208150-020

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.4	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208129-027

Sample Location: 1st Draw 1357 Emerald St NE

Customer Sample Number:

Date / Time Collected: 8/14/2022 6:54 AM

Customer Program Code: DS

Laboratory Sample Number: 2208129-027

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 1357 Emerald St NE

Customer Sample Number:

Date / Time Collected: 8/14/2022 6:58 AM

Customer Program Code: DS

Laboratory Sample Number: 2208129-028

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208129-019

Sample Location: 1st Draw 1533 Sping PI NW

Customer Sample Number:

Date / Time Collected: 8/10/2022 8:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2208129-019

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 1533 Sping PI NW

Customer Sample Number:

Date / Time Collected: 8/10/2022 8:54 AM

Customer Program Code: DS

Laboratory Sample Number: 2208129-020

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208181-033

Sample Location: 1st Draw 1608 V St NW
Customer Sample Number:
Date / Time Collected: 8/22/2022 8:56 AM

Customer Program Code: DS
Laboratory Sample Number: 2208181-033
Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.6	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 1608 V St NW
Customer Sample Number:
Date / Time Collected: 8/22/2022 9:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2208181-034
Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.3	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208181-007

Sample Location: 1st Draw 1646 Foxhall Rd NW

Customer Sample Number:

Date / Time Collected: 8/16/2022 4:50 PM

Customer Program Code: DS

Laboratory Sample Number: 2208181-007

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 1646 Foxhall Rd NW

Customer Sample Number:

Date / Time Collected: 8/16/2022 4:50 PM

Customer Program Code: DS

Laboratory Sample Number: 2208181-008

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	27.3	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208129-015

Sample Location: 1st Draw 1735 Lanier Place NW

Customer Sample Number:

Date / Time Collected: 8/12/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2208129-015

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 1735 Lanier Place NW

Customer Sample Number:

Date / Time Collected: 8/12/2022 8:03 AM

Customer Program Code: DS

Laboratory Sample Number: 2208129-016

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208129-017

Sample Location: 1st Draw 1742 Kenyon St NW

Customer Sample Number:

Date / Time Collected: 8/12/2022 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2208129-017

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 1742 Kenyon St NW

Customer Sample Number:

Date / Time Collected: 8/12/2022 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2208129-018

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208181-005

Sample Location: 1st Draw 1743 Hobart St NW

Customer Sample Number:

Date / Time Collected: 8/14/2022 6:34 PM

Customer Program Code: DS

Laboratory Sample Number: 2208181-005

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 1743 Hobart St NW

Customer Sample Number:

Date / Time Collected: 8/14/2022 6:37 PM

Customer Program Code: DS

Laboratory Sample Number: 2208181-006

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208150-023

Sample Location: 1st Draw 1917 H St. NE
Customer Sample Number:
Date / Time Collected: 8/16/2022 4:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2208150-023
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 1917 H St. NE
Customer Sample Number:
Date / Time Collected: 8/16/2022 4:03 AM

Customer Program Code: DS
Laboratory Sample Number: 2208150-024
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208129-023

Sample Location: 1st Draw 211 8th Street SE

Customer Sample Number:

Date / Time Collected: 8/12/2022 6:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2208129-023

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 211 8th Street SE

Customer Sample Number:

Date / Time Collected: 8/12/2022 6:38 AM

Customer Program Code: DS

Laboratory Sample Number: 2208129-024

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208193-015

Sample Location: 1st Draw 229 Ingraham St NW

Customer Sample Number:

Date / Time Collected: 8/20/2022 6:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2208193-015

Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 229 Ingraham St NW

Customer Sample Number:

Date / Time Collected: 8/20/2022 6:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2208193-016

Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208222-009

Sample Location: 1st Draw 248 Gallatin St. NW

Customer Sample Number:

Date / Time Collected: 8/29/2022 6:47 AM

Customer Program Code: DS

Laboratory Sample Number: 2208222-009

Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 248 Gallatin St. NW

Customer Sample Number:

Date / Time Collected: 8/29/2022 6:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2208222-010

Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208150-005

Sample Location: 1st Draw 25 Rock Creek Church Rd NW

Customer Sample Number:

Date / Time Collected: 8/14/2022 6:39 AM

Customer Program Code: DS

Laboratory Sample Number: 2208150-005

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 25 Rock Creek Church Rd NW

Customer Sample Number:

Date / Time Collected: 8/14/2022 6:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2208150-006

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208222-001

Sample Location: 1st Draw 2526 17th St NW Apt 301

Customer Sample Number:

Date / Time Collected: 8/24/2022 5:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2208222-001

Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 2526 17th St NW Apt 301

Customer Sample Number:

Date / Time Collected: 8/24/2022 5:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2208222-002

Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208193-011

Sample Location: 1st Draw 27 Quincy PL NE #1

Customer Sample Number:

Date / Time Collected: 8/18/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2208193-011

Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 27 Quincy PL NE #1

Customer Sample Number:

Date / Time Collected: 8/18/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2208193-012

Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208193-025

Sample Location: 1st Draw 2800 Bruce PI SE

Customer Sample Number:

Date / Time Collected: 8/20/2022 8:43 PM

Customer Program Code: DS

Laboratory Sample Number: 2208193-025

Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 2800 Bruce PI SE

Customer Sample Number:

Date / Time Collected: 8/20/2022 8:45 PM

Customer Program Code: DS

Laboratory Sample Number: 2208193-026

Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208181-027

Sample Location: 1st Draw 2844 Arizona Ave. NW

Customer Sample Number:

Date / Time Collected: 8/21/2022 9:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2208181-027

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 2844 Arizona Ave. NW

Customer Sample Number:

Date / Time Collected: 8/21/2022 9:31 AM

Customer Program Code: DS

Laboratory Sample Number: 2208181-028

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208181-003

Sample Location: 1st Draw 2900 Ordway St NW

Customer Sample Number:

Date / Time Collected: 8/14/2022 6:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2208181-003

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 2900 Ordway St NW

Customer Sample Number:

Date / Time Collected: 8/14/2022 6:17 PM

Customer Program Code: DS

Laboratory Sample Number: 2208181-004

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/6/2022 *Report revised on 10/6/22 by mc.
Lab Sample Numbers 2208175-005 & 2208175-006, the
address was changed to 3021 N Street NW as record on the
chain of custody.*

Report Number: L-DC-DS-2208175-005

Sample Location: 1st Draw 3021 N Street NW

Customer Sample Number:

Date / Time Collected: 8/16/2022 6:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2208175-005

Date / Time Received: 8/24/2022 8:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 3021 N Street NW

Customer Sample Number:

Date / Time Collected: 8/16/2022 6:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2208175-006

Date / Time Received: 8/24/2022 8:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208129-029

Sample Location: 1st Draw 3129 Adams Mill Rd NW

Customer Sample Number:

Date / Time Collected: 8/12/2022 7:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2208129-029

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 3129 Adams Mill Rd NW

Customer Sample Number:

Date / Time Collected: 8/12/2022 7:08 AM

Customer Program Code: DS

Laboratory Sample Number: 2208129-030

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208193-017

Sample Location: 1st Draw 3135 Tennyson St NW

Customer Sample Number:

Date / Time Collected: 8/19/2022 6:08 AM

Customer Program Code: DS

Laboratory Sample Number: 2208193-017

Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 3135 Tennyson St NW

Customer Sample Number:

Date / Time Collected: 8/19/2022 6:09 AM

Customer Program Code: DS

Laboratory Sample Number: 2208193-018

Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208181-031

Sample Location: 1st Draw 319 Varnum NW #1

Customer Sample Number:

Date / Time Collected: 8/22/2022 4:14 AM

Customer Program Code: DS

Laboratory Sample Number: 2208181-031

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 319 Varnum NW #1

Customer Sample Number:

Date / Time Collected: 8/22/2022 4:17 AM

Customer Program Code: DS

Laboratory Sample Number: 2208181-032

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208181-013

Sample Location: 1st Draw 3200 Garfield St. NW

Customer Sample Number:

Date / Time Collected: 8/17/2022 3:45 PM

Customer Program Code: DS

Laboratory Sample Number: 2208181-013

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 3200 Garfield St. NW

Customer Sample Number:

Date / Time Collected: 8/17/2022 3:45 PM

Customer Program Code: DS

Laboratory Sample Number: 2208181-014

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.4	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208181-019

Sample Location: 1st Draw 3215 Sherman Ave NW

Customer Sample Number:

Date / Time Collected: 8/18/2022 9:47 AM

Customer Program Code: DS

Laboratory Sample Number: 2208181-019

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	7.1	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 3215 Sherman Ave NW

Customer Sample Number:

Date / Time Collected: 8/18/2022 9:47 AM

Customer Program Code: DS

Laboratory Sample Number: 2208181-020

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208193-013

Sample Location: 1st Draw 326 Gallatin St NW

Customer Sample Number:

Date / Time Collected: 8/13/2022 9:33 PM

Customer Program Code: DS

Laboratory Sample Number: 2208193-013

Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 326 Gallatin St NW

Customer Sample Number:

Date / Time Collected: 8/13/2022 9:35 PM

Customer Program Code: DS

Laboratory Sample Number: 2208193-014

Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 9/15/2022

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2208193-023

Sample Location: 1st Draw 335 F St NE
Customer Sample Number:
Date / Time Collected: 8/23/2022 5:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2208193-023
Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 335 F St NE
Customer Sample Number:
Date / Time Collected: 8/23/2022 5:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2208193-024
Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208150-015

Sample Location: 1st Draw 3613 11th St. NW

Customer Sample Number:

Date / Time Collected: 8/15/2022 8:06 AM

Customer Program Code: DS

Laboratory Sample Number: 2208150-015

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 3613 11th St. NW

Customer Sample Number:

Date / Time Collected: 8/15/2022 8:09 AM

Customer Program Code: DS

Laboratory Sample Number: 2208150-016

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208129-031

Sample Location: 1st Draw 37 Q St NW, Basement

Customer Sample Number:

Date / Time Collected: 8/3/2022 7:07 AM

Customer Program Code: DS

Laboratory Sample Number: 2208129-031

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 37 Q St NW, Basement

Customer Sample Number:

Date / Time Collected: 8/3/2022 7:09 AM

Customer Program Code: DS

Laboratory Sample Number: 2208129-032

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208193-021

Sample Location: 1st Draw 3938 East Capitol St NE
Customer Sample Number:
Date / Time Collected: 8/14/2022 4:25 PM

Customer Program Code: DS
Laboratory Sample Number: 2208193-021
Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 3938 East Capitol St NE
Customer Sample Number:
Date / Time Collected: 8/14/2022 4:25 PM

Customer Program Code: DS
Laboratory Sample Number: 2208193-022
Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208150-001

Sample Location: 1st Draw 4043 Mansion Dr. NW

Customer Sample Number:

Date / Time Collected: 8/14/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2208150-001

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 4043 Mansion Dr. NW

Customer Sample Number:

Date / Time Collected: 8/14/2022 6:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2208150-002

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208129-025

Sample Location: 1st Draw 407 Delafield PI NW

Customer Sample Number:

Date / Time Collected: 8/12/2022 7:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2208129-025

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 407 Delafield PI NW

Customer Sample Number:

Date / Time Collected: 8/12/2022 7:24 AM

Customer Program Code: DS

Laboratory Sample Number: 2208129-026

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208150-029

Sample Location: 1st Draw 41 Quincy PI NE

Customer Sample Number:

Date / Time Collected: 8/16/2022 7:38 AM

Customer Program Code: DS

Laboratory Sample Number: 2208150-029

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 41 Quincy PI NE

Customer Sample Number:

Date / Time Collected: 8/16/2022 7:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2208150-030

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208150-009

Sample Location: 1st Draw 4218 37th St. NW

Customer Sample Number:

Date / Time Collected: 8/14/2022 8:56 PM

Customer Program Code: DS

Laboratory Sample Number: 2208150-009

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 4218 37th St. NW

Customer Sample Number:

Date / Time Collected: 8/14/2022 9:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2208150-010

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208129-021

Sample Location: 1st Draw 4321 20th St NE

Customer Sample Number:

Date / Time Collected: 8/14/2022 8:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2208129-021

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 4321 20th St NE

Customer Sample Number:

Date / Time Collected: 8/14/2022 8:41 AM

Customer Program Code: DS

Laboratory Sample Number: 2208129-022

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208175-003

Sample Location: 1st Draw 5102 N. Capital St NW

Customer Sample Number:

Date / Time Collected: 8/11/2022 12:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2208175-003

Date / Time Received: 8/24/2022 8:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 5102 N. Capital St NW

Customer Sample Number:

Date / Time Collected: 8/11/2022 12:31 PM

Customer Program Code: DS

Laboratory Sample Number: 2208175-004

Date / Time Received: 8/24/2022 8:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208222-005

Sample Location: 1st Draw 5115 New Hampshire Ave NW

Customer Sample Number:

Date / Time Collected: 8/28/2022 6:33 AM

Customer Program Code: DS

Laboratory Sample Number: 2208222-005

Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 5115 New Hampshire Ave NW

Customer Sample Number:

Date / Time Collected: 8/28/2022 6:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2208222-006

Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208150-027

Sample Location: 1st Draw 53 Nicholson St NW

Customer Sample Number:

Date / Time Collected: 8/16/2022 7:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2208150-027

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 53 Nicholson St NW

Customer Sample Number:

Date / Time Collected: 8/16/2022 7:16 AM

Customer Program Code: DS

Laboratory Sample Number: 2208150-028

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208181-021

Sample Location: 1st Draw 5303 13th St. NW

Customer Sample Number:

Date / Time Collected: 8/18/2022 4:45 PM

Customer Program Code: DS

Laboratory Sample Number: 2208181-021

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 5303 13th St. NW

Customer Sample Number:

Date / Time Collected: 8/18/2022 4:47 PM

Customer Program Code: DS

Laboratory Sample Number: 2208181-022

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208193-019

Sample Location: 1st Draw 5306 1st St NW
Customer Sample Number:
Date / Time Collected: 8/15/2022 6:57 AM

Customer Program Code: DS
Laboratory Sample Number: 2208193-019
Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 5306 1st St NW
Customer Sample Number:
Date / Time Collected: 8/15/2022 7:01 AM

Customer Program Code: DS
Laboratory Sample Number: 2208193-020
Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208150-021

Sample Location: 1st Draw 5309 First St. NW

Customer Sample Number:

Date / Time Collected: 8/15/2022 9:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2208150-021

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 5309 First St. NW

Customer Sample Number:

Date / Time Collected: 8/15/2022 9:19 PM

Customer Program Code: DS

Laboratory Sample Number: 2208150-022

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208150-017

Sample Location: 1st Draw 5630 Connecticut Ave. NW Suite 2

Customer Sample Number:

Date / Time Collected: 8/15/2022 8:59 AM

Customer Program Code: DS

Laboratory Sample Number: 2208150-017

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.4	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 5630 Connecticut Ave. NW Suite 2

Customer Sample Number:

Date / Time Collected: 8/15/2022 9:01 AM

Customer Program Code: DS

Laboratory Sample Number: 2208150-018

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208181-023

Sample Location: 1st Draw 5701 Chillum PL NE

Customer Sample Number:

Date / Time Collected: 8/21/2022 8:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2208181-023

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 5701 Chillum PL NE

Customer Sample Number:

Date / Time Collected: 8/21/2022 8:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2208181-024

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208181-017

Sample Location: 1st Draw 5719 Kansas Ave. NW

Customer Sample Number:

Date / Time Collected: 8/18/2022 7:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2208181-017

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.1	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 5719 Kansas Ave. NW

Customer Sample Number:

Date / Time Collected: 8/18/2022 7:51 AM

Customer Program Code: DS

Laboratory Sample Number: 2208181-018

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208175-007

Sample Location: 1st Draw 641 L St NE

Customer Sample Number:

Date / Time Collected: 7/29/2022 6:31 AM

Customer Program Code: DS

Laboratory Sample Number: 2208175-007

Date / Time Received: 8/24/2022 8:25:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	9/1/2022	SBrooks

Sample Location: 2nd Draw 641 L St NE

Customer Sample Number:

Date / Time Collected: 7/29/2022 6:33 AM

Customer Program Code: DS

Laboratory Sample Number: 2208175-008

Date / Time Received: 8/24/2022 8:25:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208181-001

Sample Location: 1st Draw 703 Taylor St. NW

Customer Sample Number:

Date / Time Collected: 8/13/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2208181-001

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 703 Taylor St. NW

Customer Sample Number:

Date / Time Collected: 8/13/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2208181-002

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208181-009

Sample Location: 1st Draw 7510 17th St. NW

Customer Sample Number:

Date / Time Collected: 8/17/2022 6:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2208181-009

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 7510 17th St. NW

Customer Sample Number:

Date / Time Collected: 8/17/2022 6:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2208181-010

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208150-011

Sample Location: 1st Draw 764B Princeton PI NW

Customer Sample Number:

Date / Time Collected: 8/15/2022 5:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2208150-011

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 764B Princeton PI NW

Customer Sample Number:

Date / Time Collected: 8/15/2022 5:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2208150-012

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS-2208181-025

Sample Location: 1st Draw 903 Massachusetts Ave NE

Customer Sample Number:

Date / Time Collected: 8/21/2022 8:23 AM

Customer Program Code: DS

Laboratory Sample Number: 2208181-025

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 903 Massachusetts Ave NE

Customer Sample Number:

Date / Time Collected: 8/21/2022 8:26 AM

Customer Program Code: DS

Laboratory Sample Number: 2208181-026

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS250- 2208149-005

Sample Location: 1st Draw 1245 13th St NW #304

Customer Sample Number:

Date / Time Collected: 8/16/2022 7:50 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208149-005

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 1245 13th St NW #304

Customer Sample Number:

Date / Time Collected: 8/16/2022 7:50 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208149-006

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS250- 2208130-001

Sample Location: 1st Draw 1308 Clifton Ave NW Apt 311

Customer Sample Number:

Date / Time Collected: 8/12/2022 10:16 PM

Customer Program Code: DS250

Laboratory Sample Number: 2208130-001

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 1308 Clifton Ave NW Apt 311

Customer Sample Number:

Date / Time Collected: 8/12/2022 10:16 PM

Customer Program Code: DS250

Laboratory Sample Number: 2208130-002

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS250- 2208180-003

Sample Location: 1st Draw 1495 Newton St. NW #205

Customer Sample Number:

Date / Time Collected: 8/15/2022 7:05 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208180-003

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 1495 Newton St. NW #205

Customer Sample Number:

Date / Time Collected: 8/15/2022 7:05 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208180-004

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS250- 2208149-003

Sample Location: 1st Draw 1523 Park Rd NW Apt 101

Customer Sample Number:

Date / Time Collected: 8/15/2022 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208149-003

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 1523 Park Rd NW Apt 101

Customer Sample Number:

Date / Time Collected: 8/15/2022 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208149-004

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS250- 2208149-001

Sample Location: 1st Draw 1701 16th St. NW Apt 711

Customer Sample Number:

Date / Time Collected: 8/11/2022 7:15 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208149-001

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 1701 16th St. NW Apt 711

Customer Sample Number:

Date / Time Collected: 8/11/2022 7:15 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208149-002

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS250- 2208180-005

Sample Location: 1st Draw 1915 16th St. NW #403

Customer Sample Number:

Date / Time Collected: 8/22/2022 11:47 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208180-005

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 1915 16th St. NW #403

Customer Sample Number:

Date / Time Collected: 8/22/2022 11:47 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208180-006

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS250- 2208149-007

Sample Location: 1st Draw 2032 Belmont Rd NW Apt 434

Customer Sample Number:

Date / Time Collected: 8/17/2022 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208149-007

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 2032 Belmont Rd NW Apt 434

Customer Sample Number:

Date / Time Collected: 8/17/2022 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208149-008

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS250- 2208130-003

Sample Location: 1st Draw 2700 Virginia Ave NW Unit 112

Customer Sample Number:

Date / Time Collected: 8/12/2022 8:23 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208130-003

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 2700 Virginia Ave NW Unit 112

Customer Sample Number:

Date / Time Collected: 8/12/2022 8:23 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208130-004

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS250- 2208196-001

Sample Location: 1st Draw 2824 Devonshire PI NW #308

Customer Sample Number:

Date / Time Collected: 8/23/2022 6:42 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208196-001

Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 2824 Devonshire PI NW #308

Customer Sample Number:

Date / Time Collected: 8/23/2022 6:42 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208196-002

Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS250- 2208221-001

Sample Location: 1st Draw 4301 Mass. Ave NW #1012

Customer Sample Number:

Date / Time Collected: 8/25/2022 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208221-001

Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 4301 Mass. Ave NW #1012

Customer Sample Number:

Date / Time Collected: 8/25/2022 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208221-002

Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-DS250- 2208180-001

Sample Location: 1st Draw 6827 4th St. NW #116

Customer Sample Number:

Date / Time Collected: 8/14/2022 7:05 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208180-001

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 6827 4th St. NW #116

Customer Sample Number:

Date / Time Collected: 8/14/2022 7:05 AM

Customer Program Code: DS250

Laboratory Sample Number: 2208180-002

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209055-009

Sample Location: 1st Draw 1217 Taylor St NE

Customer Sample Number:

Date / Time Collected: 9/6/2022 5:13 AM

Customer Program Code: DS

Laboratory Sample Number: 2209055-009

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 1217 Taylor St NE

Customer Sample Number:

Date / Time Collected: 9/6/2022 5:16 AM

Customer Program Code: DS

Laboratory Sample Number: 2209055-010

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209069-015

Sample Location: 1st Draw 1300 Taylor St NE

Customer Sample Number:

Date / Time Collected: 9/5/2022 9:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2209069-015

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 1300 Taylor St NE

Customer Sample Number:

Date / Time Collected: 9/5/2022 9:28 AM

Customer Program Code: DS

Laboratory Sample Number: 2209069-016

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209005-011

Sample Location: 1st Draw 1401 F St NE
Customer Sample Number:
Date / Time Collected: 8/24/2022 7:25 AM

Customer Program Code: DS
Laboratory Sample Number: 2209005-011
Date / Time Received: 9/1/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 1401 F St NE
Customer Sample Number:
Date / Time Collected: 8/24/2022 7:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2209005-012
Date / Time Received: 9/1/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209069-019

Sample Location: 1st Draw 1427 Clifton St NW

Customer Sample Number:

Date / Time Collected: 9/5/2022 4:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2209069-019

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 1427 Clifton St NW

Customer Sample Number:

Date / Time Collected: 9/5/2022 4:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2209069-020

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209069-013

Sample Location: 1st Draw 1523 28th St NW

Customer Sample Number:

Date / Time Collected: 9/7/2022 6:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2209069-013

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 1523 28th St NW

Customer Sample Number:

Date / Time Collected: 9/7/2022 6:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2209069-014

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209005-007

Sample Location: 1st Draw 1541 A Street SE

Customer Sample Number:

Date / Time Collected: 8/23/2022 6:22 PM

Customer Program Code: DS

Laboratory Sample Number: 2209005-007

Date / Time Received: 9/1/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 1541 A Street SE

Customer Sample Number:

Date / Time Collected: 8/23/2022 6:24 AM

Customer Program Code: DS

Laboratory Sample Number: 2209005-008

Date / Time Received: 9/1/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209005-005

Sample Location: 1st Draw 1624 Belmont Street NW Unit B

Customer Sample Number:

Date / Time Collected: 4/1/2022 6:14 AM

Customer Program Code: DS

Laboratory Sample Number: 2209005-005

Date / Time Received: 9/1/2022 8:48:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	9/14/2022	Rlamsal

Sample Location: 2nd Draw 1624 Belmont Street NW Unit B

Customer Sample Number:

Date / Time Collected: 4/1/2022 6:16 AM

Customer Program Code: DS

Laboratory Sample Number: 2209005-006

Date / Time Received: 9/1/2022 8:48:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209055-011

Sample Location: 1st Draw 1710 R Street NW

Customer Sample Number:

Date / Time Collected: 9/2/2022 8:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2209055-011

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 1710 R Street NW

Customer Sample Number:

Date / Time Collected: 9/2/2022 8:17 AM

Customer Program Code: DS

Laboratory Sample Number: 2209055-012

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209017-003

Sample Location: 1st Draw 1723 Harvard St NW

Customer Sample Number:

Date / Time Collected: 8/31/2022 7:46 AM

Customer Program Code: DS

Laboratory Sample Number: 2209017-003

Date / Time Received: 9/2/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 1723 Harvard St NW

Customer Sample Number:

Date / Time Collected: 8/31/2022 7:46 AM

Customer Program Code: DS

Laboratory Sample Number: 2209017-004

Date / Time Received: 9/2/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209005-003

Sample Location: 1st Draw 18 Gallatin St NW

Customer Sample Number:

Date / Time Collected: 8/20/2022 6:34 AM

Customer Program Code: DS

Laboratory Sample Number: 2209005-003

Date / Time Received: 9/1/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 18 Gallatin St NW

Customer Sample Number:

Date / Time Collected: 8/20/2022 6:37 AM

Customer Program Code: DS

Laboratory Sample Number: 2209005-004

Date / Time Received: 9/1/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209055-013

Sample Location: 1st Draw 200 Rittenhouse St NW

Customer Sample Number:

Date / Time Collected: 9/5/2022 5:21 AM

Customer Program Code: DS

Laboratory Sample Number: 2209055-013

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 200 Rittenhouse St NW

Customer Sample Number:

Date / Time Collected: 9/5/2022 5:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2209055-014

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209017-001

Sample Location: 1st Draw 208 N St NW
Customer Sample Number:
Date / Time Collected: 8/30/2022 4:58 PM

Customer Program Code: DS
Laboratory Sample Number: 2209017-001
Date / Time Received: 9/2/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 208 N St NW
Customer Sample Number:
Date / Time Collected: 8/30/2022 5:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2209017-002
Date / Time Received: 9/2/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209055-031

Sample Location: 1st Draw 221 Channing St NE

Customer Sample Number:

Date / Time Collected: 9/5/2022 12:07 PM

Customer Program Code: DS

Laboratory Sample Number: 2209055-031

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 221 Channing St NE

Customer Sample Number:

Date / Time Collected: 9/5/2022 12:10 PM

Customer Program Code: DS

Laboratory Sample Number: 2209055-032

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209055-027

Sample Location: 1st Draw 2712 CATHEDRAL AVE NW

Customer Sample Number:

Date / Time Collected: 9/4/2022 3:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2209055-027

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 2712 CATHEDRAL AVE NW

Customer Sample Number:

Date / Time Collected: 9/4/2022 3:05 PM

Customer Program Code: DS

Laboratory Sample Number: 2209055-028

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209005-009

Sample Location: 1st Draw 2820 Albemarle St NW

Customer Sample Number:

Date / Time Collected: 8/25/2022 5:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2209005-009

Date / Time Received: 9/1/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 2820 Albemarle St NW

Customer Sample Number:

Date / Time Collected: 8/25/2022 5:18 AM

Customer Program Code: DS

Laboratory Sample Number: 2209005-010

Date / Time Received: 9/1/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209069-017

Sample Location: 1st Draw 3051 Legation St NW

Customer Sample Number:

Date / Time Collected: 9/4/2022 9:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2209069-017

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 3051 Legation St NW

Customer Sample Number:

Date / Time Collected: 9/4/2022 9:27 AM

Customer Program Code: DS

Laboratory Sample Number: 2209069-018

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209005-017

Sample Location: 1st Draw 317 Gallatin St NW

Customer Sample Number:

Date / Time Collected: 8/25/2022 9:40 PM

Customer Program Code: DS

Laboratory Sample Number: 2209005-017

Date / Time Received: 9/1/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 317 Gallatin St NW

Customer Sample Number:

Date / Time Collected: 8/25/2022 9:45 PM

Customer Program Code: DS

Laboratory Sample Number: 2209005-018

Date / Time Received: 9/1/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209055-033

Sample Location: 1st Draw 33 Hamilton St NW

Customer Sample Number:

Date / Time Collected: 9/5/2022 7:57 PM

Customer Program Code: DS

Laboratory Sample Number: 2209055-033

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 33 Hamilton St NW

Customer Sample Number:

Date / Time Collected: 9/5/2022 8:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2209055-034

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209069-005

Sample Location: 1st Draw 3317 Cleveland Ave NW

Customer Sample Number:

Date / Time Collected: 9/4/2022 7:03 AM

Customer Program Code: DS

Laboratory Sample Number: 2209069-005

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 3317 Cleveland Ave NW

Customer Sample Number:

Date / Time Collected: 9/4/2022 7:04 AM

Customer Program Code: DS

Laboratory Sample Number: 2209069-006

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209055-017

Sample Location: 1st Draw 3714 Jenifer St NW

Customer Sample Number:

Date / Time Collected: 9/4/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2209055-017

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 3714 Jenifer St NW

Customer Sample Number:

Date / Time Collected: 9/4/2022 8:02 AM

Customer Program Code: DS

Laboratory Sample Number: 2209055-018

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209069-021

Sample Location: 1st Draw 3845 Halley Terrace SE

Customer Sample Number:

Date / Time Collected: 8/30/2022 12:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2209069-021

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 3845 Halley Terrace SE

Customer Sample Number:

Date / Time Collected: 8/30/2022 12:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2209069-022

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209055-005

Sample Location: 1st Draw 4129 New Hampshire Ave NW

Customer Sample Number:

Date / Time Collected: 9/2/2022 5:57 AM

Customer Program Code: DS

Laboratory Sample Number: 2209055-005

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 4129 New Hampshire Ave NW

Customer Sample Number:

Date / Time Collected: 9/2/2022 5:59 AM

Customer Program Code: DS

Laboratory Sample Number: 2209055-006

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209055-029

Sample Location: 1st Draw 4226 37th St NW

Customer Sample Number:

Date / Time Collected: 9/5/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2209055-029

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 4226 37th St NW

Customer Sample Number:

Date / Time Collected: 9/5/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2209055-030

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209069-003

Sample Location: 1st Draw 4654 Upton St NW

Customer Sample Number:

Date / Time Collected: 9/6/2022 6:48 AM

Customer Program Code: DS

Laboratory Sample Number: 2209069-003

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 4654 Upton St NW

Customer Sample Number:

Date / Time Collected: 9/6/2022 6:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2209069-004

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209005-013

Sample Location: 1st Draw 4718 12th St NE

Customer Sample Number:

Date / Time Collected: 8/23/2022 7:39 AM

Customer Program Code: DS

Laboratory Sample Number: 2209005-013

Date / Time Received: 9/1/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 4718 12th St NE

Customer Sample Number:

Date / Time Collected: 8/23/2022 7:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2209005-014

Date / Time Received: 9/1/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209069-011

Sample Location: 1st Draw 5214 Illinois Ave NW

Customer Sample Number:

Date / Time Collected: 9/5/2022 9:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2209069-011

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 5214 Illinois Ave NW

Customer Sample Number:

Date / Time Collected: 9/5/2022 9:03 AM

Customer Program Code: DS

Laboratory Sample Number: 2209069-012

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209055-025

Sample Location: 1st Draw 53 Quincy PI NE

Customer Sample Number:

Date / Time Collected: 9/1/2022 6:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2209055-025

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 53 Quincy PI NE

Customer Sample Number:

Date / Time Collected: 9/1/2022 6:43 AM

Customer Program Code: DS

Laboratory Sample Number: 2209055-026

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209069-009

Sample Location: 1st Draw 5304 Reno Rd NW

Customer Sample Number:

Date / Time Collected: 9/6/2022 6:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2209069-009

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 5304 Reno Rd NW

Customer Sample Number:

Date / Time Collected: 9/6/2022 6:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2209069-010

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209055-019

Sample Location: 1st Draw 531 9th St SE
Customer Sample Number:
Date / Time Collected: 9/2/2022 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2209055-019
Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 531 9th St SE
Customer Sample Number:
Date / Time Collected: 9/2/2022 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2209055-020
Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209005-015

Sample Location: 1st Draw 5522 4th St NW
Customer Sample Number:
Date / Time Collected: 8/28/2022 7:41 AM

Customer Program Code: DS
Laboratory Sample Number: 2209005-015
Date / Time Received: 9/1/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 5522 4th St NW
Customer Sample Number:
Date / Time Collected: 8/28/2022 7:43 AM

Customer Program Code: DS
Laboratory Sample Number: 2209005-016
Date / Time Received: 9/1/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209055-021

Sample Location: 1st Draw 6019 4th St NW
Customer Sample Number:
Date / Time Collected: 9/5/2022 5:30 PM

Customer Program Code: DS
Laboratory Sample Number: 2209055-021
Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 6019 4th St NW
Customer Sample Number:
Date / Time Collected: 9/5/2022 5:33 PM

Customer Program Code: DS
Laboratory Sample Number: 2209055-022
Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209055-015

Sample Location: 1st Draw 612 C St SE
Customer Sample Number:
Date / Time Collected: 9/6/2022 6:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2209055-015
Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 612 C St SE
Customer Sample Number:
Date / Time Collected: 9/6/2022 6:34 AM

Customer Program Code: DS
Laboratory Sample Number: 2209055-016
Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209055-023

Sample Location: 1st Draw 633 Morris PI NE

Customer Sample Number:

Date / Time Collected: 8/30/2022 8:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2209055-023

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 633 Morris PI NE

Customer Sample Number:

Date / Time Collected: 8/30/2022 8:32 AM

Customer Program Code: DS

Laboratory Sample Number: 2209055-024

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209055-007

Sample Location: 1st Draw 641 Q Street NW

Customer Sample Number:

Date / Time Collected: 8/31/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2209055-007

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 641 Q Street NW

Customer Sample Number:

Date / Time Collected: 8/31/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2209055-008

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS-2209069-007

Sample Location: 1st Draw 921 French St NW

Customer Sample Number:

Date / Time Collected: 9/7/2022 6:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2209069-007

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 921 French St NW

Customer Sample Number:

Date / Time Collected: 9/7/2022 6:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2209069-008

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS250- 2209018-001

Sample Location: 1st Draw 1117 NEW HAMPSHIRE AVE NW APT 4

Customer Sample Number:

Date / Time Collected: 8/31/2022 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2209018-001

Date / Time Received: 9/2/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 1117 NEW HAMPSHIRE AVE NW APT 4

Customer Sample Number:

Date / Time Collected: 8/31/2022 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2209018-002

Date / Time Received: 9/2/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS250- 2209056-001

Sample Location: 1st Draw 1363 K Street SE

Customer Sample Number:

Date / Time Collected: 8/31/2022 6:40 PM

Customer Program Code: DS250

Laboratory Sample Number: 2209056-001

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 1363 K Street SE

Customer Sample Number:

Date / Time Collected: 8/31/2022 6:40 PM

Customer Program Code: DS250

Laboratory Sample Number: 2209056-002

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS250- 2209070-001

Sample Location: 1st Draw 1433 T St NW #203

Customer Sample Number:

Date / Time Collected: 9/6/2022 8:20 PM

Customer Program Code: DS250

Laboratory Sample Number: 2209070-001

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 1433 T St NW #203

Customer Sample Number:

Date / Time Collected: 9/6/2022 8:20 PM

Customer Program Code: DS250

Laboratory Sample Number: 2209070-002

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-DS250- 2209056-003

Sample Location: 1st Draw 2009 Wyoming Ave NW #31

Customer Sample Number:

Date / Time Collected: 8/31/2022 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2209056-003

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 2009 Wyoming Ave NW #31

Customer Sample Number:

Date / Time Collected: 8/31/2022 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2209056-004

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209156-015

Sample Location: 1st Draw 1009 V St NW
Customer Sample Number:
Date / Time Collected: 9/16/2022 3:06 PM

Customer Program Code: DS
Laboratory Sample Number: 2209156-015
Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		9/29/2022	BPrakash

Sample Location: 2nd Draw 1009 V St NW
Customer Sample Number:
Date / Time Collected: 9/16/2022 3:08 PM

Customer Program Code: DS
Laboratory Sample Number: 2209156-016
Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209116-011

Sample Location: 1st Draw 1031 Cecil Place NW

Customer Sample Number:

Date / Time Collected: 9/9/2022 10:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2209116-011

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 1031 Cecil Place NW

Customer Sample Number:

Date / Time Collected: 9/9/2022 10:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2209116-012

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209156-025

Sample Location: 1st Draw 1311 Irving St NE

Customer Sample Number:

Date / Time Collected: 9/13/2022 4:50 PM

Customer Program Code: DS

Laboratory Sample Number: 2209156-025

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		9/29/2022	BPrakash

Sample Location: 2nd Draw 1311 Irving St NE

Customer Sample Number:

Date / Time Collected: 9/13/2022 4:54 PM

Customer Program Code: DS

Laboratory Sample Number: 2209156-026

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.0	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209116-015

Sample Location: 1st Draw 1312 Massachusetts Ave SE

Customer Sample Number:

Date / Time Collected: 9/11/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2209116-015

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 1312 Massachusetts Ave SE

Customer Sample Number:

Date / Time Collected: 9/11/2022 7:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2209116-016

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209116-023

Sample Location: 1st Draw 1316 Mass Ave SE #2

Customer Sample Number:

Date / Time Collected: 9/13/2022 6:11 AM

Customer Program Code: DS

Laboratory Sample Number: 2209116-023

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 1316 Mass Ave SE #2

Customer Sample Number:

Date / Time Collected: 9/13/2022 6:14 AM

Customer Program Code: DS

Laboratory Sample Number: 2209116-024

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209116-001

Sample Location: 1st Draw 1322 MASSACHUSETTS AVE SE
Customer Sample Number:
Date / Time Collected: 9/5/2022 8:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2209116-001
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 1322 MASSACHUSETTS AVE SE
Customer Sample Number:
Date / Time Collected: 9/5/2022 8:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2209116-002
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209156-019

Sample Location: 1st Draw 1323 Otis PI NW

Customer Sample Number:

Date / Time Collected: 9/15/2022 6:23 AM

Customer Program Code: DS

Laboratory Sample Number: 2209156-019

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		9/29/2022	BPrakash

Sample Location: 2nd Draw 1323 Otis PI NW

Customer Sample Number:

Date / Time Collected: 9/15/2022 6:26 AM

Customer Program Code: DS

Laboratory Sample Number: 2209156-020

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.1	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209116-005

Sample Location: 1st Draw 1401 21st St NW

Customer Sample Number:

Date / Time Collected: 9/7/2022 6:48 PM

Customer Program Code: DS

Laboratory Sample Number: 2209116-005

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 1401 21st St NW

Customer Sample Number:

Date / Time Collected: 9/7/2022 6:49 PM

Customer Program Code: DS

Laboratory Sample Number: 2209116-006

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209116-009

Sample Location: 1st Draw 1435 Q St. NW
Customer Sample Number:
Date / Time Collected: 9/8/2022 4:20 PM

Customer Program Code: DS
Laboratory Sample Number: 2209116-009
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 1435 Q St. NW
Customer Sample Number:
Date / Time Collected: 9/8/2022 4:22 PM

Customer Program Code: DS
Laboratory Sample Number: 2209116-010
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209156-017

Sample Location: 1st Draw 1505 28th St NW

Customer Sample Number:

Date / Time Collected: 9/19/2022 6:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2209156-017

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/29/2022	BPrakash

Sample Location: 2nd Draw 1505 28th St NW

Customer Sample Number:

Date / Time Collected: 9/19/2022 6:22 AM

Customer Program Code: DS

Laboratory Sample Number: 2209156-018

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209099-009

Sample Location: 1st Draw 1619 V Street NW

Customer Sample Number:

Date / Time Collected: 9/11/2022 7:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2209099-009

Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	133	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 1619 V Street NW

Customer Sample Number:

Date / Time Collected: 9/11/2022 7:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2209099-010

Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.4	523	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209116-003

Sample Location: 1st Draw 1636 Beekman PI NW Apt B

Customer Sample Number:

Date / Time Collected: 9/6/2022 8:11 AM

Customer Program Code: DS

Laboratory Sample Number: 2209116-003

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 1636 Beekman PI NW Apt B

Customer Sample Number:

Date / Time Collected: 9/6/2022 8:12 AM

Customer Program Code: DS

Laboratory Sample Number: 2209116-004

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209116-013

Sample Location: 1st Draw 17 Rock Creek Church Rd NW

Customer Sample Number:

Date / Time Collected: 9/10/2022 5:52 PM

Customer Program Code: DS

Laboratory Sample Number: 2209116-013

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 17 Rock Creek Church Rd NW

Customer Sample Number:

Date / Time Collected: 9/10/2022 5:53 PM

Customer Program Code: DS

Laboratory Sample Number: 2209116-014

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.3	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209116-027

Sample Location: 1st Draw 1811 Independence Ave SE

Customer Sample Number:

Date / Time Collected: 9/14/2022 6:08 AM

Customer Program Code: DS

Laboratory Sample Number: 2209116-027

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 1811 Independence Ave SE

Customer Sample Number:

Date / Time Collected: 9/14/2022 6:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2209116-028

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209099-015

Sample Location: 1st Draw 1851 L St NE
Customer Sample Number:
Date / Time Collected: 9/11/2022 6:50 AM

Customer Program Code: DS
Laboratory Sample Number: 2209099-015
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 1851 L St NE
Customer Sample Number:
Date / Time Collected: 9/11/2022 6:51 AM

Customer Program Code: DS
Laboratory Sample Number: 2209099-016
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209099-005

Sample Location: 1st Draw 1883 Ingleside Ter NW

Customer Sample Number:

Date / Time Collected: 9/12/2022 5:47 AM

Customer Program Code: DS

Laboratory Sample Number: 2209099-005

Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 1883 Ingleside Ter NW

Customer Sample Number:

Date / Time Collected: 9/12/2022 5:51 AM

Customer Program Code: DS

Laboratory Sample Number: 2209099-006

Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209099-011

Sample Location: 1st Draw 2213 38th St NW

Customer Sample Number:

Date / Time Collected: 9/7/2022 6:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2209099-011

Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 2213 38th St NW

Customer Sample Number:

Date / Time Collected: 9/7/2022 6:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2209099-012

Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209116-021

Sample Location: 1st Draw 2410 17th Place SE

Customer Sample Number:

Date / Time Collected: 9/12/2022 11:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2209116-021

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 2410 17th Place SE

Customer Sample Number:

Date / Time Collected: 9/12/2022 11:34 AM

Customer Program Code: DS

Laboratory Sample Number: 2209116-022

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209156-031

Sample Location: 1st Draw 2905 Olive St NW

Customer Sample Number:

Date / Time Collected: 9/17/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2209156-031

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/29/2022	BPrakash

Sample Location: 2nd Draw 2905 Olive St NW

Customer Sample Number:

Date / Time Collected: 9/17/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2209156-032

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209156-029

Sample Location: 1st Draw 3017 Cambridge PI NW

Customer Sample Number:

Date / Time Collected: 9/15/2022 5:10 PM

Customer Program Code: DS

Laboratory Sample Number: 2209156-029

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/29/2022	BPrakash

Sample Location: 2nd Draw 3017 Cambridge PI NW

Customer Sample Number:

Date / Time Collected: 9/15/2022 5:10 PM

Customer Program Code: DS

Laboratory Sample Number: 2209156-030

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209099-007

Sample Location: 1st Draw 3100 Cathedral Ave NW
Customer Sample Number:
Date / Time Collected: 9/8/2022 6:10 AM

Customer Program Code: DS
Laboratory Sample Number: 2209099-007
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 3100 Cathedral Ave NW
Customer Sample Number:
Date / Time Collected: 9/8/2022 6:10 AM

Customer Program Code: DS
Laboratory Sample Number: 2209099-008
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209156-021

Sample Location: 1st Draw 3324 Prospect St NW

Customer Sample Number:

Date / Time Collected: 9/19/2022 8:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2209156-021

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/29/2022	BPrakash

Sample Location: 2nd Draw 3324 Prospect St NW

Customer Sample Number:

Date / Time Collected: 9/19/2022 8:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2209156-022

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209156-011

Sample Location: 1st Draw 3506 O St NW
Customer Sample Number:
Date / Time Collected: 9/21/2022 8:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2209156-011
Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/29/2022	BPrakash

Sample Location: 2nd Draw 3506 O St NW
Customer Sample Number:
Date / Time Collected: 9/21/2022 8:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2209156-012
Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209156-027

Sample Location: 1st Draw 3508 O St NW
Customer Sample Number:
Date / Time Collected: 9/19/2022 4:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2209156-027
Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		9/29/2022	BPrakash

Sample Location: 2nd Draw 3508 O St NW
Customer Sample Number:
Date / Time Collected: 9/19/2022 4:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2209156-028
Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209156-023

Sample Location: 1st Draw 3510 O St NW
Customer Sample Number:
Date / Time Collected: 9/19/2022 4:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2209156-023
Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/29/2022	BPrakash

Sample Location: 2nd Draw 3510 O St NW
Customer Sample Number:
Date / Time Collected: 9/19/2022 4:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2209156-024
Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209116-019

Sample Location: 1st Draw 3650 ALTON PL NW

Customer Sample Number:

Date / Time Collected: 9/12/2022 6:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2209116-019

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 3650 ALTON PL NW

Customer Sample Number:

Date / Time Collected: 9/12/2022 6:37 AM

Customer Program Code: DS

Laboratory Sample Number: 2209116-020

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209156-013

Sample Location: 1st Draw 3809 Minnesota Ave NE
Customer Sample Number:
Date / Time Collected: 9/16/2022 10:28 AM

Customer Program Code: DS
Laboratory Sample Number: 2209156-013
Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		9/29/2022	BPrakash

Sample Location: 2nd Draw 3809 Minnesota Ave NE
Customer Sample Number:
Date / Time Collected: 9/16/2022 10:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2209156-014
Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209156-033

Sample Location: 1st Draw 4028 Meade St NE

Customer Sample Number:

Date / Time Collected: 9/18/2022 6:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2209156-033

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/29/2022	BPrakash

Sample Location: 2nd Draw 4028 Meade St NE

Customer Sample Number:

Date / Time Collected: 9/18/2022 6:49 AM

Customer Program Code: DS

Laboratory Sample Number: 2209156-034

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209116-025

Sample Location: 1st Draw 4316 14th St NW #3

Customer Sample Number:

Date / Time Collected: 9/13/2022 6:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2209116-025

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 4316 14th St NW #3

Customer Sample Number:

Date / Time Collected: 9/13/2022 6:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2209116-026

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209099-013

Sample Location: 1st Draw 448 Newton Place NW

Customer Sample Number:

Date / Time Collected: 6/16/2022 10:48 AM

Customer Program Code: DS

Laboratory Sample Number: 2209099-013

Date / Time Received: 9/15/2022 8:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L	H	9/20/2022	BPrakash

Sample Location: 2nd Draw 448 Newton Place NW

Customer Sample Number:

Date / Time Collected: 6/16/2022 10:51 AM

Customer Program Code: DS

Laboratory Sample Number: 2209099-014

Date / Time Received: 9/15/2022 8:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209156-035

Sample Location: 1st Draw 4633 Garfield St NW

Customer Sample Number:

Date / Time Collected: 9/13/2022 7:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2209156-035

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/29/2022	BPrakash

Sample Location: 2nd Draw 4633 Garfield St NW

Customer Sample Number:

Date / Time Collected: 9/13/2022 7:52 AM

Customer Program Code: DS

Laboratory Sample Number: 2209156-036

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209116-029

Sample Location: 1st Draw 5074 11th St NE

Customer Sample Number:

Date / Time Collected: 9/14/2022 9:58 AM

Customer Program Code: DS

Laboratory Sample Number: 2209116-029

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 5074 11th St NE

Customer Sample Number:

Date / Time Collected: 9/14/2022 10:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2209116-030

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209099-003

Sample Location: 1st Draw 5411 Cathedral Ave NW
Customer Sample Number:
Date / Time Collected: 9/12/2022 7:20 AM

Customer Program Code: DS
Laboratory Sample Number: 2209099-003
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 5411 Cathedral Ave NW
Customer Sample Number:
Date / Time Collected: 9/12/2022 7:20 AM

Customer Program Code: DS
Laboratory Sample Number: 2209099-004
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209156-009

Sample Location: 1st Draw 617 Rhode Island Ave NW

Customer Sample Number:

Date / Time Collected: 9/18/2022 2:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2209156-009

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		9/29/2022	BPrakash

Sample Location: 2nd Draw 617 Rhode Island Ave NW

Customer Sample Number:

Date / Time Collected: 9/18/2022 2:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2209156-010

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.6	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS-2209116-017

Sample Location: 1st Draw 622 3rd St. NE
Customer Sample Number:
Date / Time Collected: 9/11/2022 9:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2209116-017
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 622 3rd St. NE
Customer Sample Number:
Date / Time Collected: 9/11/2022 9:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2209116-018
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS250- 2209158-001

Sample Location: 1st Draw 1312 Clifton St #101S

Customer Sample Number:

Date / Time Collected: 9/19/2022 7:15 PM

Customer Program Code: DS250

Laboratory Sample Number: 2209158-001

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		9/29/2022	BPrakash

Sample Location: 2nd Draw 1312 Clifton St #101S

Customer Sample Number:

Date / Time Collected: 9/19/2022 7:15 PM

Customer Program Code: DS250

Laboratory Sample Number: 2209158-002

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS250- 2209113-001

Sample Location: 1st Draw 1722 19th St NW #803

Customer Sample Number:

Date / Time Collected: 9/12/2022 7:10 PM

Customer Program Code: DS250

Laboratory Sample Number: 2209113-001

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 1722 19th St NW #803

Customer Sample Number:

Date / Time Collected: 9/12/2022 7:10 PM

Customer Program Code: DS250

Laboratory Sample Number: 2209113-002

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS250- 2209104-001

Sample Location: 1st Draw 1778 Lanier PI NW

Customer Sample Number:

Date / Time Collected: 9/7/2022 7:50 AM

Customer Program Code: DS250

Laboratory Sample Number: 2209104-001

Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 1778 Lanier PI NW

Customer Sample Number:

Date / Time Collected: 9/7/2022 7:50 AM

Customer Program Code: DS250

Laboratory Sample Number: 2209104-002

Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-DS250- 2209113-003

Sample Location: 1st Draw 3020 Dent Place NW # 10W

Customer Sample Number:

Date / Time Collected: 9/13/2022 5:49 PM

Customer Program Code: DS250

Laboratory Sample Number: 2209113-003

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 3020 Dent Place NW # 10W

Customer Sample Number:

Date / Time Collected: 9/13/2022 5:50 PM

Customer Program Code: DS250

Laboratory Sample Number: 2209113-004

Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209203-003

Sample Location: 1st Draw 1006 Lamont St NW

Customer Sample Number:

Date / Time Collected: 9/20/2022 8:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2209203-003

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 1006 Lamont St NW

Customer Sample Number:

Date / Time Collected: 9/20/2022 8:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2209203-004

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-063

Sample Location: 1st Draw 1008 Independence Ave SE

Customer Sample Number:

Date / Time Collected: 10/14/2022 8:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-063

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1008 Independence Ave SE

Customer Sample Number:

Date / Time Collected: 10/14/2022 8:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-064

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-041

Sample Location: 1st Draw 1016 Park Rd NW

Customer Sample Number:

Date / Time Collected: 10/10/2022 8:40 PM

Customer Program Code: DS

Laboratory Sample Number: 2210091-041

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1016 Park Rd NW

Customer Sample Number:

Date / Time Collected: 10/10/2022 8:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-042

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	10.3	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209203-013

Sample Location: 1st Draw 1119 Park St NE
Customer Sample Number:
Date / Time Collected: 9/22/2022 11:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2209203-013
Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 1119 Park St NE
Customer Sample Number:
Date / Time Collected: 9/22/2022 11:02 AM

Customer Program Code: DS
Laboratory Sample Number: 2209203-014
Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-007

Sample Location: 1st Draw 119 Longfellow St NW

Customer Sample Number:

Date / Time Collected: 10/10/2022 9:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-007

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 119 Longfellow St NW

Customer Sample Number:

Date / Time Collected: 10/10/2022 9:03 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-008

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209215-003

Sample Location: 1st Draw 1210 Madison St. NW

Customer Sample Number:

Date / Time Collected: 9/21/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2209215-003

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 1210 Madison St. NW

Customer Sample Number:

Date / Time Collected: 9/21/2022 6:02 AM

Customer Program Code: DS

Laboratory Sample Number: 2209215-004

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210052-007

Sample Location: 1st Draw 1218 Kirby St NW

Customer Sample Number:

Date / Time Collected: 10/4/2022 7:43 AM

Customer Program Code: DS

Laboratory Sample Number: 2210052-007

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 1218 Kirby St NW

Customer Sample Number:

Date / Time Collected: 10/4/2022 7:48 AM

Customer Program Code: DS

Laboratory Sample Number: 2210052-008

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209203-015

Sample Location: 1st Draw 1239 30th St NW

Customer Sample Number:

Date / Time Collected: 9/26/2022 9:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2209203-015

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 1239 30th St NW

Customer Sample Number:

Date / Time Collected: 9/26/2022 9:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2209203-016

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-037

Sample Location: 1st Draw 13 Tuckerman St NW

Customer Sample Number:

Date / Time Collected: 10/15/2022 11:52 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-037

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 13 Tuckerman St NW

Customer Sample Number:

Date / Time Collected: 10/15/2022 11:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-038

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-023

Sample Location: 1st Draw 1309 Gallatin St NW

Customer Sample Number:

Date / Time Collected: 10/14/2022 7:29 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-023

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1309 Gallatin St NW

Customer Sample Number:

Date / Time Collected: 10/14/2022 7:31 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-024

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209203-025

Sample Location: 1st Draw 1313 10th St NW

Customer Sample Number:

Date / Time Collected: 9/4/2022 6:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2209203-025

Date / Time Received: 9/29/2022 8:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	10/11/2022	Lgallimore

Sample Location: 2nd Draw 1313 10th St NW

Customer Sample Number:

Date / Time Collected: 9/4/2022 6:38 AM

Customer Program Code: DS

Laboratory Sample Number: 2209203-026

Date / Time Received: 9/29/2022 8:50:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210052-025

Sample Location: 1st Draw 1314 Upshur St NW

Customer Sample Number:

Date / Time Collected: 10/4/2022 7:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2210052-025

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 1314 Upshur St NW

Customer Sample Number:

Date / Time Collected: 10/4/2022 7:11 AM

Customer Program Code: DS

Laboratory Sample Number: 2210052-026

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210052-009

Sample Location: 1st Draw 1330 L St SE
Customer Sample Number:
Date / Time Collected: 10/5/2022 6:52 AM

Customer Program Code: DS
Laboratory Sample Number: 2210052-009
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 1330 L St SE
Customer Sample Number:
Date / Time Collected: 10/5/2022 6:54 AM

Customer Program Code: DS
Laboratory Sample Number: 2210052-010
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209215-001

Sample Location: 1st Draw 1338 Q St. NW
Customer Sample Number:
Date / Time Collected: 9/21/2022 3:20 AM

Customer Program Code: DS
Laboratory Sample Number: 2209215-001
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 1338 Q St. NW
Customer Sample Number:
Date / Time Collected: 9/21/2022 3:22 AM

Customer Program Code: DS
Laboratory Sample Number: 2209215-002
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-053

Sample Location: 1st Draw 1341 Shepard St NE

Customer Sample Number:

Date / Time Collected: 10/13/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-053

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1341 Shepard St NE

Customer Sample Number:

Date / Time Collected: 10/13/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-054

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-017

Sample Location: 1st Draw 1345 Jefferson St NW

Customer Sample Number:

Date / Time Collected: 10/11/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-017

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1345 Jefferson St NW

Customer Sample Number:

Date / Time Collected: 10/11/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-018

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210179-009

Sample Location: 1st Draw 1352 Parkwood PL NW

Customer Sample Number:

Date / Time Collected: 10/18/2022 8:45 PM

Customer Program Code: DS

Laboratory Sample Number: 2210179-009

Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.8	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1352 Parkwood PL NW

Customer Sample Number:

Date / Time Collected: 10/18/2022 8:51 PM

Customer Program Code: DS

Laboratory Sample Number: 2210179-010

Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	11.0	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-017

Sample Location: 1st Draw 1357 Montaque St NW

Customer Sample Number:

Date / Time Collected: 10/15/2022 7:14 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-017

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1357 Montaque St NW

Customer Sample Number:

Date / Time Collected: 10/15/2022 7:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-018

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209203-001

Sample Location: 1st Draw 1365 Parkwood PI NW

Customer Sample Number:

Date / Time Collected: 9/22/2022 6:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2209203-001

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 1365 Parkwood PI NW

Customer Sample Number:

Date / Time Collected: 9/22/2022 6:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2209203-002

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.0	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-011

Sample Location: 1st Draw 1365 Sheridan St NW

Customer Sample Number:

Date / Time Collected: 10/16/2022 9:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-011

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1365 Sheridan St NW

Customer Sample Number:

Date / Time Collected: 10/16/2022 9:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-012

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-055

Sample Location: 1st Draw 1402 LAWRENCE ST NE

Customer Sample Number:

Date / Time Collected: 10/11/2022 3:51 PM

Customer Program Code: DS

Laboratory Sample Number: 2210141-055

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1402 LAWRENCE ST NE

Customer Sample Number:

Date / Time Collected: 10/11/2022 3:53 PM

Customer Program Code: DS

Laboratory Sample Number: 2210141-056

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-019

Sample Location: 1st Draw 1417 10th St NW

Customer Sample Number:

Date / Time Collected: 10/4/2022 7:18 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-019

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1417 10th St NW

Customer Sample Number:

Date / Time Collected: 10/4/2022 7:22 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-020

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	7.4	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-059

Sample Location: 1st Draw 1420 Crittenden St. NW

Customer Sample Number:

Date / Time Collected: 10/12/2022 7:03 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-059

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1420 Crittenden St. NW

Customer Sample Number:

Date / Time Collected: 10/12/2022 7:04 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-060

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209215-015

Sample Location: 1st Draw 1421 3rd St. NW

Customer Sample Number:

Date / Time Collected: 9/25/2022 11:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2209215-015

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 1421 3rd St. NW

Customer Sample Number:

Date / Time Collected: 9/25/2022 11:02 AM

Customer Program Code: DS

Laboratory Sample Number: 2209215-016

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209203-023

Sample Location: 1st Draw 1430 Florida Ave NW

Customer Sample Number:

Date / Time Collected: 9/26/2022 5:10 PM

Customer Program Code: DS

Laboratory Sample Number: 2209203-023

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 1430 Florida Ave NW

Customer Sample Number:

Date / Time Collected: 9/26/2022 5:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2209203-024

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209215-013

Sample Location: 1st Draw 1517 29th St. NW

Customer Sample Number:

Date / Time Collected: 9/25/2022 8:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2209215-013

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 1517 29th St. NW

Customer Sample Number:

Date / Time Collected: 9/25/2022 8:06 AM

Customer Program Code: DS

Laboratory Sample Number: 2209215-014

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-049

Sample Location: 1st Draw 1544 33rd St NW

Customer Sample Number:

Date / Time Collected: 10/11/2022 6:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-049

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1544 33rd St NW

Customer Sample Number:

Date / Time Collected: 10/11/2022 6:23 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-050

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210040-009

Sample Location: 1st Draw 1616 Riggs PI NW

Customer Sample Number:

Date / Time Collected: 10/3/2022 9:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210040-009

Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 1616 Riggs PI NW

Customer Sample Number:

Date / Time Collected: 10/3/2022 9:02 AM

Customer Program Code: DS

Laboratory Sample Number: 2210040-010

Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209203-005

Sample Location: 1st Draw 1618 Corcoran St NW

Customer Sample Number:

Date / Time Collected: 9/26/2022 6:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2209203-005

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 1618 Corcoran St NW

Customer Sample Number:

Date / Time Collected: 9/26/2022 6:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2209203-006

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210040-007

Sample Location: 1st Draw 1631 Jonquil St NW

Customer Sample Number:

Date / Time Collected: 9/30/2022 7:21 AM

Customer Program Code: DS

Laboratory Sample Number: 2210040-007

Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 1631 Jonquil St NW

Customer Sample Number:

Date / Time Collected: 9/30/2022 7:23 AM

Customer Program Code: DS

Laboratory Sample Number: 2210040-008

Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-031

Sample Location: 1st Draw 1664 32nd St NW

Customer Sample Number:

Date / Time Collected: 10/4/2022 4:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2210091-031

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1664 32nd St NW

Customer Sample Number:

Date / Time Collected: 10/4/2022 4:33 PM

Customer Program Code: DS

Laboratory Sample Number: 2210091-032

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210123-013

Sample Location: 1st Draw 1711 Hobart St NW

Customer Sample Number:

Date / Time Collected: 10/5/2022 3:25 PM

Customer Program Code: DS

Laboratory Sample Number: 2210123-013

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1711 Hobart St NW

Customer Sample Number:

Date / Time Collected: 10/5/2022 3:25 PM

Customer Program Code: DS

Laboratory Sample Number: 2210123-014

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-001

Sample Location: 1st Draw 1725 Harvard St NW

Customer Sample Number:

Date / Time Collected: 10/15/2022 7:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2210141-001

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1725 Harvard St NW

Customer Sample Number:

Date / Time Collected: 10/15/2022 7:31 PM

Customer Program Code: DS

Laboratory Sample Number: 2210141-002

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210123-017

Sample Location: 1st Draw 1819 37th St NW

Customer Sample Number:

Date / Time Collected: 10/5/2022 8:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2210123-017

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.4	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1819 37th St NW

Customer Sample Number:

Date / Time Collected: 10/5/2022 8:43 AM

Customer Program Code: DS

Laboratory Sample Number: 2210123-018

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.9	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-061

Sample Location: 1st Draw 1832 Ingleside Ter NW

Customer Sample Number:

Date / Time Collected: 10/13/2022 6:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-061

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1832 Ingleside Ter NW

Customer Sample Number:

Date / Time Collected: 10/13/2022 6:59 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-062

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210040-015

Sample Location: 1st Draw 1937 Vermont Ave NW

Customer Sample Number:

Date / Time Collected: 9/29/2022 6:12 AM

Customer Program Code: DS

Laboratory Sample Number: 2210040-015

Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 1937 Vermont Ave NW

Customer Sample Number:

Date / Time Collected: 9/29/2022 6:17 AM

Customer Program Code: DS

Laboratory Sample Number: 2210040-016

Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209203-009

Sample Location: 1st Draw 201 Jefferson St NW

Customer Sample Number:

Date / Time Collected: 9/22/2022 6:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2209203-009

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 201 Jefferson St NW

Customer Sample Number:

Date / Time Collected: 9/22/2022 6:43 AM

Customer Program Code: DS

Laboratory Sample Number: 2209203-010

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210040-017

Sample Location: 1st Draw 210 Gallatin St NW

Customer Sample Number:

Date / Time Collected: 9/28/2022 7:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2210040-017

Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 210 Gallatin St NW

Customer Sample Number:

Date / Time Collected: 9/28/2022 7:23 AM

Customer Program Code: DS

Laboratory Sample Number: 2210040-018

Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210040-013

Sample Location: 1st Draw 2118 37th NW
Customer Sample Number:
Date / Time Collected: 10/3/2022 7:23 AM

Customer Program Code: DS
Laboratory Sample Number: 2210040-013
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 2118 37th NW
Customer Sample Number:
Date / Time Collected: 10/3/2022 7:26 AM

Customer Program Code: DS
Laboratory Sample Number: 2210040-014
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209203-021

Sample Location: 1st Draw 2119 Observatory PI NW

Customer Sample Number:

Date / Time Collected: 9/25/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2209203-021

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 2119 Observatory PI NW

Customer Sample Number:

Date / Time Collected: 9/25/2022 8:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2209203-022

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209203-017

Sample Location: 1st Draw 2127 Branch Ave SE

Customer Sample Number:

Date / Time Collected: 9/22/2022 6:58 AM

Customer Program Code: DS

Laboratory Sample Number: 2209203-017

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 2127 Branch Ave SE

Customer Sample Number:

Date / Time Collected: 9/22/2022 6:58 AM

Customer Program Code: DS

Laboratory Sample Number: 2209203-018

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-029

Sample Location: 1st Draw 2152 Newport PI NW

Customer Sample Number:

Date / Time Collected: 10/6/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-029

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 2152 Newport PI NW

Customer Sample Number:

Date / Time Collected: 10/6/2022 8:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-030

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-037

Sample Location: 1st Draw 2225 39th PI NW

Customer Sample Number:

Date / Time Collected: 10/7/2022 7:28 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-037

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 2225 39th PI NW

Customer Sample Number:

Date / Time Collected: 10/7/2022 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-038

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209203-007

Sample Location: 1st Draw 2225 Observatory PI NW
Customer Sample Number:
Date / Time Collected: 9/26/2022 5:50 AM

Customer Program Code: DS
Laboratory Sample Number: 2209203-007
Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 2225 Observatory PI NW
Customer Sample Number:
Date / Time Collected: 9/26/2022 5:50 AM

Customer Program Code: DS
Laboratory Sample Number: 2209203-008
Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-025

Sample Location: 1st Draw 2310 39th St NW

Customer Sample Number:

Date / Time Collected: 10/4/2022 6:07 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-025

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 2310 39th St NW

Customer Sample Number:

Date / Time Collected: 10/4/2022 6:09 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-026

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-031

Sample Location: 1st Draw 2315 Huidekoper PI NW
Customer Sample Number:
Date / Time Collected: 10/16/2022 6:45 AM

Customer Program Code: DS
Laboratory Sample Number: 2210141-031
Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 2315 Huidekoper PI NW
Customer Sample Number:
Date / Time Collected: 10/16/2022 6:47 AM

Customer Program Code: DS
Laboratory Sample Number: 2210141-032
Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-027

Sample Location: 1st Draw 2334 Huidekoper PI NW
Customer Sample Number:
Date / Time Collected: 10/9/2022 8:17 AM

Customer Program Code: DS
Laboratory Sample Number: 2210141-027
Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 2334 Huidekoper PI NW
Customer Sample Number:
Date / Time Collected: 10/9/2022 8:19 AM

Customer Program Code: DS
Laboratory Sample Number: 2210141-028
Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-013

Sample Location: 1st Draw 2340 13th PI NE
Customer Sample Number:
Date / Time Collected: 10/13/2022 5:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2210141-013
Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 2340 13th PI NE
Customer Sample Number:
Date / Time Collected: 10/13/2022 5:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2210141-014
Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-045

Sample Location: 1st Draw 2424 2nd St NE

Customer Sample Number:

Date / Time Collected: 9/24/2022 8:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-045

Date / Time Received: 10/19/2022 11:45:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	10/27/2022	SBrooks

Sample Location: 2nd Draw 2424 2nd St NE

Customer Sample Number:

Date / Time Collected: 9/24/2022 8:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-046

Date / Time Received: 10/19/2022 11:45:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-015

Sample Location: 1st Draw 2432 20th St NW

Customer Sample Number:

Date / Time Collected: 10/8/2022 8:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-015

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 2432 20th St NW

Customer Sample Number:

Date / Time Collected: 10/8/2022 8:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-016

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210179-011

Sample Location: 1st Draw 26 Bryant St. NW #2

Customer Sample Number:

Date / Time Collected: 10/19/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210179-011

Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 26 Bryant St. NW #2

Customer Sample Number:

Date / Time Collected: 10/19/2022 6:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2210179-012

Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-021

Sample Location: 1st Draw 2717 38th St NW

Customer Sample Number:

Date / Time Collected: 10/14/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-021

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 2717 38th St NW

Customer Sample Number:

Date / Time Collected: 10/14/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-022

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209215-017

Sample Location: 1st Draw 2803 Olive St NW

Customer Sample Number:

Date / Time Collected: 9/26/2022 7:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2209215-017

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 2803 Olive St NW

Customer Sample Number:

Date / Time Collected: 9/26/2022 7:26 AM

Customer Program Code: DS

Laboratory Sample Number: 2209215-018

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210179-003

Sample Location: 1st Draw 2821 Q Street NW

Customer Sample Number:

Date / Time Collected: 10/18/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210179-003

Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 2821 Q Street NW

Customer Sample Number:

Date / Time Collected: 10/18/2022 6:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2210179-004

Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-009

Sample Location: 1st Draw 2853 29th PL NW
Customer Sample Number:
Date / Time Collected: 10/5/2022 10:15 AM

Customer Program Code: DS
Laboratory Sample Number: 2210091-009
Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 2853 29th PL NW
Customer Sample Number:
Date / Time Collected: 10/5/2022 10:20 AM

Customer Program Code: DS
Laboratory Sample Number: 2210091-010
Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209203-019

Sample Location: 1st Draw 2935 Northhampton St NW

Customer Sample Number:

Date / Time Collected: 9/19/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2209203-019

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 2935 Northhampton St NW

Customer Sample Number:

Date / Time Collected: 9/19/2022 8:01 AM

Customer Program Code: DS

Laboratory Sample Number: 2209203-020

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210052-013

Sample Location: 1st Draw 3002 13th St NW

Customer Sample Number:

Date / Time Collected: 10/4/2022 8:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2210052-013

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 3002 13th St NW

Customer Sample Number:

Date / Time Collected: 10/4/2022 8:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2210052-014

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210052-019

Sample Location: 1st Draw 306 Quackenbos St NW
Customer Sample Number:
Date / Time Collected: 10/4/2022 6:50 AM

Customer Program Code: DS
Laboratory Sample Number: 2210052-019
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 306 Quackenbos St NW
Customer Sample Number:
Date / Time Collected: 10/4/2022 6:50 AM

Customer Program Code: DS
Laboratory Sample Number: 2210052-020
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-019

Sample Location: 1st Draw 3138 Military Rd NW

Customer Sample Number:

Date / Time Collected: 10/17/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-019

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 3138 Military Rd NW

Customer Sample Number:

Date / Time Collected: 10/17/2022 7:02 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-020

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210123-011

Sample Location: 1st Draw 3208 Jocelyn St NW

Customer Sample Number:

Date / Time Collected: 9/29/2022 6:38 AM

Customer Program Code: DS

Laboratory Sample Number: 2210123-011

Date / Time Received: 10/14/2022 9:55:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	10/27/2022	SBrooks

Sample Location: 2nd Draw 3208 Jocelyn St NW

Customer Sample Number:

Date / Time Collected: 9/29/2022 6:41 AM

Customer Program Code: DS

Laboratory Sample Number: 2210123-012

Date / Time Received: 10/14/2022 9:55:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210179-007

Sample Location: 1st Draw 3225 Reservoir Rd NW

Customer Sample Number:

Date / Time Collected: 10/18/2022 12:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2210179-007

Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 3225 Reservoir Rd NW

Customer Sample Number:

Date / Time Collected: 10/18/2022 12:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2210179-008

Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-051

Sample Location: 1st Draw 3230 Walbridge PI NW

Customer Sample Number:

Date / Time Collected: 10/12/2022 4:17 PM

Customer Program Code: DS

Laboratory Sample Number: 2210141-051

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 3230 Walbridge PI NW

Customer Sample Number:

Date / Time Collected: 10/12/2022 4:19 PM

Customer Program Code: DS

Laboratory Sample Number: 2210141-052

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-035

Sample Location: 1st Draw 330 Channing St NE

Customer Sample Number:

Date / Time Collected: 10/8/2022 8:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-035

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 330 Channing St NE

Customer Sample Number:

Date / Time Collected: 10/8/2022 8:27 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-036

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210179-015

Sample Location: 1st Draw 3409 Q Street
Customer Sample Number:
Date / Time Collected: 10/19/2022 4:06 PM

Customer Program Code: DS
Laboratory Sample Number: 2210179-015
Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 3409 Q Street
Customer Sample Number:
Date / Time Collected: 10/19/2022 4:10 PM

Customer Program Code: DS
Laboratory Sample Number: 2210179-016
Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-057

Sample Location: 1st Draw 3410 Pennsylvania Ave SE

Customer Sample Number:

Date / Time Collected: 10/11/2022 2:20 PM

Customer Program Code: DS

Laboratory Sample Number: 2210141-057

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 3410 Pennsylvania Ave SE

Customer Sample Number:

Date / Time Collected: 10/11/2022 2:25 PM

Customer Program Code: DS

Laboratory Sample Number: 2210141-058

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209215-005

Sample Location: 1st Draw 3425 Mount Pleasant St NW

Customer Sample Number:

Date / Time Collected: 9/21/2022 7:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2209215-005

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 3425 Mount Pleasant St NW

Customer Sample Number:

Date / Time Collected: 9/21/2022 7:09 AM

Customer Program Code: DS

Laboratory Sample Number: 2209215-006

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-043

Sample Location: 1st Draw 3647 Van Ness St NW

Customer Sample Number:

Date / Time Collected: 10/6/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-043

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 3647 Van Ness St NW

Customer Sample Number:

Date / Time Collected: 10/6/2022 8:01 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-044

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210123-019

Sample Location: 1st Draw 3722 Jocelyn St NW

Customer Sample Number:

Date / Time Collected: 10/4/2022 4:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2210123-019

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 3722 Jocelyn St NW

Customer Sample Number:

Date / Time Collected: 10/4/2022 4:05 PM

Customer Program Code: DS

Laboratory Sample Number: 2210123-020

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-065

Sample Location: 1st Draw 3749 W St NW
Customer Sample Number:
Date / Time Collected: 10/15/2022 9:05 AM

Customer Program Code: DS
Laboratory Sample Number: 2210141-065
Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 3749 W St NW
Customer Sample Number:
Date / Time Collected: 10/15/2022 9:10 AM

Customer Program Code: DS
Laboratory Sample Number: 2210141-066
Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209215-011

Sample Location: 1st Draw 3770 W St. NW
Customer Sample Number:
Date / Time Collected: 9/25/2022 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2209215-011
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 3770 W St. NW
Customer Sample Number:
Date / Time Collected: 9/25/2022 7:15 AM

Customer Program Code: DS
Laboratory Sample Number: 2209215-012
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-013

Sample Location: 1st Draw 3819 S St NW
Customer Sample Number:
Date / Time Collected: 10/7/2022 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2210091-013
Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 3819 S St NW
Customer Sample Number:
Date / Time Collected: 10/7/2022 7:01 AM

Customer Program Code: DS
Laboratory Sample Number: 2210091-014
Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-005

Sample Location: 1st Draw 3825 Beecher St. NW

Customer Sample Number:

Date / Time Collected: 10/9/2022 7:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-005

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 3825 Beecher St. NW

Customer Sample Number:

Date / Time Collected: 10/9/2022 7:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-006

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210052-023

Sample Location: 1st Draw 3831 Garfield St NW

Customer Sample Number:

Date / Time Collected: 9/29/2022 6:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2210052-023

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 3831 Garfield St NW

Customer Sample Number:

Date / Time Collected: 9/29/2022 6:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2210052-024

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210040-011

Sample Location: 1st Draw 3848 Calvert St NW

Customer Sample Number:

Date / Time Collected: 10/1/2022 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2210040-011

Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		10/13/2022	Lgallimore

Sample Location: 2nd Draw 3848 Calvert St NW

Customer Sample Number:

Date / Time Collected: 10/1/2022 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2210040-012

Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-003

Sample Location: 1st Draw 408 N St NW
Customer Sample Number:
Date / Time Collected: 10/10/2022 6:25 AM

Customer Program Code: DS
Laboratory Sample Number: 2210091-003
Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 408 N St NW
Customer Sample Number:
Date / Time Collected: 10/10/2022 6:28 AM

Customer Program Code: DS
Laboratory Sample Number: 2210091-004
Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210052-015

Sample Location: 1st Draw 4102 38th St NW

Customer Sample Number:

Date / Time Collected: 10/2/2022 7:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2210052-015

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.1	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 4102 38th St NW

Customer Sample Number:

Date / Time Collected: 10/2/2022 7:39 AM

Customer Program Code: DS

Laboratory Sample Number: 2210052-016

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-043

Sample Location: 1st Draw 4109 38th St NW

Customer Sample Number:

Date / Time Collected: 10/17/2022 6:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-043

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 4109 38th St NW

Customer Sample Number:

Date / Time Collected: 10/17/2022 6:46 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-044

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-039

Sample Location: 1st Draw 414 Kentucky Ave SE

Customer Sample Number:

Date / Time Collected: 10/12/2022 7:57 PM

Customer Program Code: DS

Laboratory Sample Number: 2210141-039

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 414 Kentucky Ave SE

Customer Sample Number:

Date / Time Collected: 10/12/2022 8:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2210141-040

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	7.7	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210123-015

Sample Location: 1st Draw 427 20th St NE
Customer Sample Number:
Date / Time Collected: 10/4/2022 7:36 AM

Customer Program Code: DS
Laboratory Sample Number: 2210123-015
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 427 20th St NE
Customer Sample Number:
Date / Time Collected: 10/4/2022 7:38 AM

Customer Program Code: DS
Laboratory Sample Number: 2210123-016
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-039

Sample Location: 1st Draw 427 Madison St NW

Customer Sample Number:

Date / Time Collected: 10/11/2022 7:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-039

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 427 Madison St NW

Customer Sample Number:

Date / Time Collected: 10/11/2022 7:11 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-040

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-045

Sample Location: 1st Draw 4319 18th St NE

Customer Sample Number:

Date / Time Collected: 10/8/2022 8:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-045

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 4319 18th St NE

Customer Sample Number:

Date / Time Collected: 10/8/2022 8:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-046

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209215-007

Sample Location: 1st Draw 4358 Westover PI NW

Customer Sample Number:

Date / Time Collected: 9/22/2022 6:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2209215-007

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 4358 Westover PI NW

Customer Sample Number:

Date / Time Collected: 9/22/2022 6:22 AM

Customer Program Code: DS

Laboratory Sample Number: 2209215-008

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-001

Sample Location: 1st Draw 438 Ridge St NW
Customer Sample Number:
Date / Time Collected: 10/5/2022 9:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2210091-001
Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 438 Ridge St NW
Customer Sample Number:
Date / Time Collected: 10/5/2022 9:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2210091-002
Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210179-013

Sample Location: 1st Draw 4411 Grant NE
Customer Sample Number:
Date / Time Collected: 10/19/2022 6:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2210179-013
Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 4411 Grant NE
Customer Sample Number:
Date / Time Collected: 10/19/2022 6:32 AM

Customer Program Code: DS
Laboratory Sample Number: 2210179-014
Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-027

Sample Location: 1st Draw 443 5th St NE
Customer Sample Number:
Date / Time Collected: 10/5/2022 8:10 AM

Customer Program Code: DS
Laboratory Sample Number: 2210091-027
Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 443 5th St NE
Customer Sample Number:
Date / Time Collected: 10/5/2022 8:15 AM

Customer Program Code: DS
Laboratory Sample Number: 2210091-028
Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209215-019

Sample Location: 1st Draw 4919 7th St. NW

Customer Sample Number:

Date / Time Collected: 9/26/2022 7:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2209215-019

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 4919 7th St. NW

Customer Sample Number:

Date / Time Collected: 9/26/2022 7:51 AM

Customer Program Code: DS

Laboratory Sample Number: 2209215-020

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210123-009

Sample Location: 1st Draw 5006 7th PI NW
Customer Sample Number:
Date / Time Collected: 10/5/2022 8:33 PM

Customer Program Code: DS
Laboratory Sample Number: 2210123-009
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 5006 7th PI NW
Customer Sample Number:
Date / Time Collected: 10/5/2022 8:35 PM

Customer Program Code: DS
Laboratory Sample Number: 2210123-010
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210052-021

Sample Location: 1st Draw 5015 4th St NW
Customer Sample Number:
Date / Time Collected: 10/4/2022 7:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2210052-021
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 5015 4th St NW
Customer Sample Number:
Date / Time Collected: 10/4/2022 7:33 AM

Customer Program Code: DS
Laboratory Sample Number: 2210052-022
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-033

Sample Location: 1st Draw 505 Madison St NW

Customer Sample Number:

Date / Time Collected: 10/5/2022 5:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-033

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 505 Madison St NW

Customer Sample Number:

Date / Time Collected: 10/5/2022 5:03 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-034

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.3	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209215-009

Sample Location: 1st Draw 508 R St. NW

Customer Sample Number:

Date / Time Collected: 9/23/2022 11:44 AM

Customer Program Code: DS

Laboratory Sample Number: 2209215-009

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 508 R St. NW

Customer Sample Number:

Date / Time Collected: 9/23/2022 11:49 AM

Customer Program Code: DS

Laboratory Sample Number: 2209215-010

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210052-017

Sample Location: 1st Draw 510 Underwood St NW

Customer Sample Number:

Date / Time Collected: 10/3/2022 6:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2210052-017

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 510 Underwood St NW

Customer Sample Number:

Date / Time Collected: 10/3/2022 6:46 AM

Customer Program Code: DS

Laboratory Sample Number: 2210052-018

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-009

Sample Location: 1st Draw 5100 Van Ness St NW

Customer Sample Number:

Date / Time Collected: 10/16/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-009

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 5100 Van Ness St NW

Customer Sample Number:

Date / Time Collected: 10/16/2022 8:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-010

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-029

Sample Location: 1st Draw 5115 Chevy Chase Pky NW
Customer Sample Number:
Date / Time Collected: 10/12/2022 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2210141-029
Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 5115 Chevy Chase Pky NW
Customer Sample Number:
Date / Time Collected: 10/12/2022 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2210141-030
Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-023

Sample Location: 1st Draw 512 Somerset PI NW

Customer Sample Number:

Date / Time Collected: 10/6/2022 9:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-023

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 512 Somerset PI NW

Customer Sample Number:

Date / Time Collected: 10/6/2022 9:46 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-024

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-035

Sample Location: 1st Draw 523 Tuckerman St NW

Customer Sample Number:

Date / Time Collected: 10/16/2022 9:51 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-035

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 523 Tuckerman St NW

Customer Sample Number:

Date / Time Collected: 10/16/2022 9:53 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-036

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-011

Sample Location: 1st Draw 5601 Nebraska Ave NW
Customer Sample Number:
Date / Time Collected: 10/7/2022 7:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2210091-011
Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 5601 Nebraska Ave NW
Customer Sample Number:
Date / Time Collected: 10/7/2022 7:05 AM

Customer Program Code: DS
Laboratory Sample Number: 2210091-012
Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-003

Sample Location: 1st Draw 5706 Nevada Ave NW

Customer Sample Number:

Date / Time Collected: 10/16/2022 7:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-003

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 5706 Nevada Ave NW

Customer Sample Number:

Date / Time Collected: 10/16/2022 7:26 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-004

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210179-005

Sample Location: 1st Draw 5726 3rd PL NW

Customer Sample Number:

Date / Time Collected: 10/18/2022 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2210179-005

Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 5726 3rd PL NW

Customer Sample Number:

Date / Time Collected: 10/18/2022 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2210179-006

Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209215-021

Sample Location: 1st Draw 5733 5th St. NW

Customer Sample Number:

Date / Time Collected: 9/27/2022 3:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2209215-021

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 5733 5th St. NW

Customer Sample Number:

Date / Time Collected: 9/27/2022 3:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2209215-022

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.2	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210052-011

Sample Location: 1st Draw 5917 2nd PI NW

Customer Sample Number:

Date / Time Collected: 10/4/2022 6:35 PM

Customer Program Code: DS

Laboratory Sample Number: 2210052-011

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 5917 2nd PI NW

Customer Sample Number:

Date / Time Collected: 10/4/2022 6:38 PM

Customer Program Code: DS

Laboratory Sample Number: 2210052-012

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2209203-011

Sample Location: 1st Draw 623 Varnum St NW

Customer Sample Number:

Date / Time Collected: 9/25/2022 4:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2209203-011

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 623 Varnum St NW

Customer Sample Number:

Date / Time Collected: 9/25/2022 4:20 PM

Customer Program Code: DS

Laboratory Sample Number: 2209203-012

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-047

Sample Location: 1st Draw 627 Harvard St NW

Customer Sample Number:

Date / Time Collected: 10/17/2022 6:04 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-047

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 627 Harvard St NW

Customer Sample Number:

Date / Time Collected: 10/17/2022 6:06 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-048

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.8	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-007

Sample Location: 1st Draw 6307 Utah Ave NW

Customer Sample Number:

Date / Time Collected: 10/15/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-007

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 6307 Utah Ave NW

Customer Sample Number:

Date / Time Collected: 10/15/2022 6:03 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-008

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-015

Sample Location: 1st Draw 680 4th Street NE

Customer Sample Number:

Date / Time Collected: 10/4/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-015

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 680 4th Street NE

Customer Sample Number:

Date / Time Collected: 10/4/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210091-016

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.0	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210040-005

Sample Location: 1st Draw 704 Rhode Island Ave NW

Customer Sample Number:

Date / Time Collected: 10/2/2022 8:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2210040-005

Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 704 Rhode Island Ave NW

Customer Sample Number:

Date / Time Collected: 10/2/2022 8:01 PM

Customer Program Code: DS

Laboratory Sample Number: 2210040-006

Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-025

Sample Location: 1st Draw 728 Roxboro Place NW

Customer Sample Number:

Date / Time Collected: 10/14/2022 8:01 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-025

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 728 Roxboro Place NW

Customer Sample Number:

Date / Time Collected: 10/14/2022 8:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-026

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210052-027

Sample Location: 1st Draw 729 Gallatin St NW

Customer Sample Number:

Date / Time Collected: 10/4/2022 6:59 AM

Customer Program Code: DS

Laboratory Sample Number: 2210052-027

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 729 Gallatin St NW

Customer Sample Number:

Date / Time Collected: 10/4/2022 7:02 AM

Customer Program Code: DS

Laboratory Sample Number: 2210052-028

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210091-021

Sample Location: 1st Draw 749 12th St SE
Customer Sample Number:
Date / Time Collected: 10/7/2022 7:14 AM

Customer Program Code: DS
Laboratory Sample Number: 2210091-021
Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 749 12th St SE
Customer Sample Number:
Date / Time Collected: 10/7/2022 7:16 AM

Customer Program Code: DS
Laboratory Sample Number: 2210091-022
Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-041

Sample Location: 1st Draw 757 Fairmont St. NW

Customer Sample Number:

Date / Time Collected: 10/8/2022 2:25 PM

Customer Program Code: DS

Laboratory Sample Number: 2210141-041

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 757 Fairmont St. NW

Customer Sample Number:

Date / Time Collected: 10/8/2022 2:28 PM

Customer Program Code: DS

Laboratory Sample Number: 2210141-042

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-005

Sample Location: 1st Draw 78 U St NW
Customer Sample Number:
Date / Time Collected: 10/13/2022 6:45 AM

Customer Program Code: DS
Laboratory Sample Number: 2210141-005
Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 78 U St NW
Customer Sample Number:
Date / Time Collected: 10/13/2022 6:45 AM

Customer Program Code: DS
Laboratory Sample Number: 2210141-006
Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210141-033

Sample Location: 1st Draw 818 Sheridan St NW

Customer Sample Number:

Date / Time Collected: 10/12/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-033

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 818 Sheridan St NW

Customer Sample Number:

Date / Time Collected: 10/12/2022 6:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2210141-034

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS-2210123-007

Sample Location: 1st Draw 922 Westminster St NW
Customer Sample Number:
Date / Time Collected: 10/6/2022 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2210123-007
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 922 Westminster St NW
Customer Sample Number:
Date / Time Collected: 10/6/2022 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2210123-008
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS250- 2210148-005

Sample Location: 1st Draw 11 8th Street SE #32

Customer Sample Number:

Date / Time Collected: 10/13/2022 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210148-005

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 11 8th Street SE #32

Customer Sample Number:

Date / Time Collected: 10/13/2022 7:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210148-006

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS250- 2210124-009

Sample Location: 1st Draw 110 D St SE Apt 306

Customer Sample Number:

Date / Time Collected: 10/5/2022 3:00 PM

Customer Program Code: DS250

Laboratory Sample Number: 2210124-009

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 110 D St SE Apt 306

Customer Sample Number:

Date / Time Collected: 10/5/2022 3:00 PM

Customer Program Code: DS250

Laboratory Sample Number: 2210124-010

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS250- 2209204-001

Sample Location: 1st Draw 1400 Irving St. NW, Apt 614

Customer Sample Number:

Date / Time Collected: 9/20/2022 7:45 PM

Customer Program Code: DS250

Laboratory Sample Number: 2209204-001

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 1400 Irving St. NW, Apt 614

Customer Sample Number:

Date / Time Collected: 9/20/2022 7:45 PM

Customer Program Code: DS250

Laboratory Sample Number: 2209204-002

Date / Time Received: 9/29/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS250- 2210124-003

Sample Location: 1st Draw 1755 KILBOURNE PLACE NW APT 1

Customer Sample Number:

Date / Time Collected: 10/4/2022 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210124-003

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1755 KILBOURNE PLACE NW APT 1

Customer Sample Number:

Date / Time Collected: 10/4/2022 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210124-004

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS250- 2210124-001

Sample Location: 1st Draw 1801 Clydesdale PI NW Apt 107

Customer Sample Number:

Date / Time Collected: 10/6/2022 8:08 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210124-001

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1801 Clydesdale PI NW Apt 107

Customer Sample Number:

Date / Time Collected: 10/6/2022 8:08 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210124-002

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS250- 2210124-005

Sample Location: 1st Draw 2101 11th St NW #103

Customer Sample Number:

Date / Time Collected: 10/5/2022 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210124-005

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 2101 11th St NW #103

Customer Sample Number:

Date / Time Collected: 10/5/2022 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210124-006

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS250- 2210178-003

Sample Location: 1st Draw 2737 Devonshire PI NW Apt. 110

Customer Sample Number:

Date / Time Collected: 10/17/2022 9:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210178-003

Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 2737 Devonshire PI NW Apt. 110

Customer Sample Number:

Date / Time Collected: 10/17/2022 9:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210178-004

Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS250- 2210092-001

Sample Location: 1st Draw 2801 QUEBEC ST NW Apt 621

Customer Sample Number:

Date / Time Collected: 10/9/2022 9:30 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210092-001

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 2801 QUEBEC ST NW Apt 621

Customer Sample Number:

Date / Time Collected: 10/9/2022 9:30 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210092-002

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS250- 2210041-001

Sample Location: 1st Draw 3622 Rock Creek Church Road NW unit 1

Customer Sample Number:

Date / Time Collected: 9/29/2022 8:15 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210041-001

Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 3622 Rock Creek Church Road NW unit 1

Customer Sample Number:

Date / Time Collected: 9/29/2022 8:15 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210041-002

Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS250- 2210124-007

Sample Location: 1st Draw 4000 Cathedral Ave NW Apt 136B

Customer Sample Number:

Date / Time Collected: 10/3/2022 7:45 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210124-007

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 4000 Cathedral Ave NW Apt 136B

Customer Sample Number:

Date / Time Collected: 10/3/2022 7:45 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210124-008

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS250- 2210124-011

Sample Location: 1st Draw 4008 47th St NW (unit 3)

Customer Sample Number:

Date / Time Collected: 10/3/2022 8:08 PM

Customer Program Code: DS250

Laboratory Sample Number: 2210124-011

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 4008 47th St NW (unit 3)

Customer Sample Number:

Date / Time Collected: 10/3/2022 8:08 PM

Customer Program Code: DS250

Laboratory Sample Number: 2210124-012

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS250- 2210178-005

Sample Location: 1st Draw 4117 W St NW Apt 301

Customer Sample Number:

Date / Time Collected: 10/21/2022 6:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210178-005

Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 4117 W St NW Apt 301

Customer Sample Number:

Date / Time Collected: 10/21/2022 6:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210178-006

Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS250- 2210148-003

Sample Location: 1st Draw 4525 Georgia Ave NW #2

Customer Sample Number:

Date / Time Collected: 10/12/2022 8:18 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210148-003

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 4525 Georgia Ave NW #2

Customer Sample Number:

Date / Time Collected: 10/12/2022 8:18 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210148-004

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS250- 2209213-003

Sample Location: 1st Draw 5400 7th St. NW #105

Customer Sample Number:

Date / Time Collected: 9/21/2022 9:35 AM

Customer Program Code: DS250

Laboratory Sample Number: 2209213-003

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 5400 7th St. NW #105

Customer Sample Number:

Date / Time Collected: 9/21/2022 9:35 AM

Customer Program Code: DS250

Laboratory Sample Number: 2209213-004

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS250- 2210178-001

Sample Location: 1st Draw 60 L St NE #323

Customer Sample Number:

Date / Time Collected: 10/16/2022 12:45 PM

Customer Program Code: DS250

Laboratory Sample Number: 2210178-001

Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 60 L St NE #323

Customer Sample Number:

Date / Time Collected: 10/16/2022 12:45 PM

Customer Program Code: DS250

Laboratory Sample Number: 2210178-002

Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS250- 2210148-001

Sample Location: 1st Draw 920 T Street NW Apt 2

Customer Sample Number:

Date / Time Collected: 10/12/2022 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210148-001

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 920 T Street NW Apt 2

Customer Sample Number:

Date / Time Collected: 10/12/2022 8:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2210148-002

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-DS250- 2209213-001

Sample Location: 1st Draw 950 25th St. NW Apt. 403-N

Customer Sample Number:

Date / Time Collected: 9/21/2022 7:54 AM

Customer Program Code: DS250

Laboratory Sample Number: 2209213-001

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 950 25th St. NW Apt. 403-N

Customer Sample Number:

Date / Time Collected: 9/21/2022 7:54 AM

Customer Program Code: DS250

Laboratory Sample Number: 2209213-002

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-051

Sample Location: 1st Draw 1124 4th St NE
Customer Sample Number:
Date / Time Collected: 10/21/2022 4:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2210217-051
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 1124 4th St NE
Customer Sample Number:
Date / Time Collected: 10/21/2022 4:00 PM

Customer Program Code: DS
Laboratory Sample Number: 2210217-052
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-005

Sample Location: 1st Draw 1220 Jackson St. NE

Customer Sample Number:

Date / Time Collected: 10/11/2022 6:53 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-005

Date / Time Received: 10/28/2022 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L	H	11/4/2022	BPrakash

Sample Location: 2nd Draw 1220 Jackson St. NE

Customer Sample Number:

Date / Time Collected: 10/11/2022 6:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-006

Date / Time Received: 10/28/2022 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	8.3	ug/L	H	11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2211023-009

Sample Location: 1st Draw 1224 Kirby St. NW

Customer Sample Number:

Date / Time Collected: 10/25/2022 5:39 PM

Customer Program Code: DS

Laboratory Sample Number: 2211023-009

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Sample Location: 2nd Draw 1224 Kirby St. NW

Customer Sample Number:

Date / Time Collected: 10/25/2022 5:42 PM

Customer Program Code: DS

Laboratory Sample Number: 2211023-010

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-009

Sample Location: 1st Draw 1410 C St NE

Customer Sample Number:

Date / Time Collected: 10/12/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-009

Date / Time Received: 10/28/2022 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L	H	11/4/2022	BPrakash

Sample Location: 2nd Draw 1410 C St NE

Customer Sample Number:

Date / Time Collected: 10/12/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-010

Date / Time Received: 10/28/2022 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L	H	11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-059

Sample Location: 1st Draw 150 Adams St NW

Customer Sample Number:

Date / Time Collected: 10/23/2022 7:08 PM

Customer Program Code: DS

Laboratory Sample Number: 2210217-059

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 150 Adams St NW

Customer Sample Number:

Date / Time Collected: 10/23/2022 7:10 PM

Customer Program Code: DS

Laboratory Sample Number: 2210217-060

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2211023-025

Sample Location: 1st Draw 1706 4th St NW
Customer Sample Number:
Date / Time Collected: 10/27/2022 6:03 AM

Customer Program Code: DS
Laboratory Sample Number: 2211023-025
Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Sample Location: 2nd Draw 1706 4th St NW
Customer Sample Number:
Date / Time Collected: 10/27/2022 6:04 AM

Customer Program Code: DS
Laboratory Sample Number: 2211023-026
Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-061

Sample Location: 1st Draw 1719 37th St NW

Customer Sample Number:

Date / Time Collected: 10/24/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-061

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 1719 37th St NW

Customer Sample Number:

Date / Time Collected: 10/24/2022 6:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-062

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-017

Sample Location: 1st Draw 1733 U St. NW
Customer Sample Number:
Date / Time Collected: 10/17/2022 5:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2210217-017
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 1733 U St. NW
Customer Sample Number:
Date / Time Collected: 10/17/2022 5:32 AM

Customer Program Code: DS
Laboratory Sample Number: 2210217-018
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-041

Sample Location: 1st Draw 2028 37th St NW

Customer Sample Number:

Date / Time Collected: 10/19/2022 3:00 PM

Customer Program Code: DS

Laboratory Sample Number: 2210217-041

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 2028 37th St NW

Customer Sample Number:

Date / Time Collected: 10/19/2022 3:03 PM

Customer Program Code: DS

Laboratory Sample Number: 2210217-042

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-029

Sample Location: 1st Draw 2041 Huidekoper PL NW

Customer Sample Number:

Date / Time Collected: 10/18/2022 2:53 PM

Customer Program Code: DS

Laboratory Sample Number: 2210217-029

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 2041 Huidekoper PL NW

Customer Sample Number:

Date / Time Collected: 10/18/2022 2:54 PM

Customer Program Code: DS

Laboratory Sample Number: 2210217-030

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-007

Sample Location: 1st Draw 2449 39th PI NW

Customer Sample Number:

Date / Time Collected: 10/12/2022 6:47 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-007

Date / Time Received: 10/28/2022 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/4/2022	BPrakash

Sample Location: 2nd Draw 2449 39th PI NW

Customer Sample Number:

Date / Time Collected: 10/12/2022 6:49 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-008

Date / Time Received: 10/28/2022 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2211023-001

Sample Location: 1st Draw 2456 Tunlaw Rd. NW

Customer Sample Number:

Date / Time Collected: 10/16/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2211023-001

Date / Time Received: 11/2/2022 10:05:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/4/2022	Bprakash

Sample Location: 2nd Draw 2456 Tunlaw Rd. NW

Customer Sample Number:

Date / Time Collected: 10/16/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2211023-002

Date / Time Received: 11/2/2022 10:05:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/4/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 12/5/2022

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2211023-029

Sample Location: 1st Draw 2725 N St. NW
Customer Sample Number:
Date / Time Collected: 10/27/2022 9:32 AM

Customer Program Code: DS
Laboratory Sample Number: 2211023-029
Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	40.0	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 2725 N St. NW
Customer Sample Number:
Date / Time Collected: 10/27/2022 9:36 AM

Customer Program Code: DS
Laboratory Sample Number: 2211023-030
Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L		11/4/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-023

Sample Location: 1st Draw 2919 Woodland Drive NW

Customer Sample Number:

Date / Time Collected: 10/18/2022 6:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-023

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 2919 Woodland Drive NW

Customer Sample Number:

Date / Time Collected: 10/18/2022 6:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-024

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-015

Sample Location: 1st Draw 2920 Cortland Pl. NW

Customer Sample Number:

Date / Time Collected: 10/16/2022 7:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-015

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 2920 Cortland Pl. NW

Customer Sample Number:

Date / Time Collected: 10/16/2022 7:48 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-016

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-065

Sample Location: 1st Draw 2922 Cortland Place NW

Customer Sample Number:

Date / Time Collected: 10/24/2022 7:53 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-066

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 2922 Cortland Place NW

Customer Sample Number:

Date / Time Collected: 10/24/2022 7:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-066

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 12/5/2022

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2211023-021

Sample Location: 1st Draw 310 11th Street NE

Customer Sample Number:

Date / Time Collected: 10/27/2022 5:29 AM

Customer Program Code: DS

Laboratory Sample Number: 2211023-021

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/4/2022	Bprakash

Sample Location: 2nd Draw 310 11th Street NE

Customer Sample Number:

Date / Time Collected: 10/27/2022 5:34 AM

Customer Program Code: DS

Laboratory Sample Number: 2211023-022

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		11/4/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-063

Sample Location: 1st Draw 3110 Quesada St NW

Customer Sample Number:

Date / Time Collected: 10/24/2022 6:35 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-063

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 3110 Quesada St NW

Customer Sample Number:

Date / Time Collected: 10/24/2022 6:39 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-064

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2211023-005

Sample Location: 1st Draw 3201 33rd PI NW

Customer Sample Number:

Date / Time Collected: 10/24/2022 10:10 PM

Customer Program Code: DS

Laboratory Sample Number: 2211023-005

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Sample Location: 2nd Draw 3201 33rd PI NW

Customer Sample Number:

Date / Time Collected: 10/24/2022 10:10 PM

Customer Program Code: DS

Laboratory Sample Number: 2211023-006

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2211023-015

Sample Location: 1st Draw 3214 Woodley Rd. NW

Customer Sample Number:

Date / Time Collected: 10/26/2022 7:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2211023-015

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Sample Location: 2nd Draw 3214 Woodley Rd. NW

Customer Sample Number:

Date / Time Collected: 10/26/2022 7:43 AM

Customer Program Code: DS

Laboratory Sample Number: 2211023-016

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2211023-017

Sample Location: 1st Draw 3311 Legation St. NW

Customer Sample Number:

Date / Time Collected: 10/26/2022 3:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2211023-017

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Sample Location: 2nd Draw 3311 Legation St. NW

Customer Sample Number:

Date / Time Collected: 10/26/2022 3:18 PM

Customer Program Code: DS

Laboratory Sample Number: 2211023-018

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-083

Sample Location: 1st Draw 335 16TH ST SE

Customer Sample Number:

Date / Time Collected: 10/25/2022 2:19 PM

Customer Program Code: DS

Laboratory Sample Number: 2210217-083

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 335 16TH ST SE

Customer Sample Number:

Date / Time Collected: 10/25/2022 2:20 PM

Customer Program Code: DS

Laboratory Sample Number: 2210217-084

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-055

Sample Location: 1st Draw 3420 13th St NW, Apt #1

Customer Sample Number:

Date / Time Collected: 10/23/2022 4:55 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-055

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 3420 13th St NW, Apt #1

Customer Sample Number:

Date / Time Collected: 10/23/2022 4:57 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-056

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-067

Sample Location: 1st Draw 3517 Springland Ln NW

Customer Sample Number:

Date / Time Collected: 10/25/2022 6:18 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-067

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 3517 Springland Ln NW

Customer Sample Number:

Date / Time Collected: 10/25/2022 6:19 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-068

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-057

Sample Location: 1st Draw 3526 13th St NW

Customer Sample Number:

Date / Time Collected: 10/23/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-057

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 3526 13th St NW

Customer Sample Number:

Date / Time Collected: 10/23/2022 8:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-058

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-027

Sample Location: 1st Draw 3620 Yuma St. NW

Customer Sample Number:

Date / Time Collected: 10/18/2022 11:34 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-027

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 3620 Yuma St. NW

Customer Sample Number:

Date / Time Collected: 10/18/2022 11:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-028

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2211023-019

Sample Location: 1st Draw 3703 33rd PI NW

Customer Sample Number:

Date / Time Collected: 10/26/2022 3:30 PM

Customer Program Code: DS

Laboratory Sample Number: 2211023-019

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Sample Location: 2nd Draw 3703 33rd PI NW

Customer Sample Number:

Date / Time Collected: 10/26/2022 3:32 PM

Customer Program Code: DS

Laboratory Sample Number: 2211023-020

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 12/5/2022

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-DS-2210217-045

Sample Location: 1st Draw 3814 4th St. NW

Customer Sample Number:

Date / Time Collected: 10/20/2022 5:21 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-045

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 3814 4th St. NW

Customer Sample Number:

Date / Time Collected: 10/20/2022 5:23 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-046

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2211023-027

Sample Location: 1st Draw 3923 Benton St. NW

Customer Sample Number:

Date / Time Collected: 10/27/2022 8:06 AM

Customer Program Code: DS

Laboratory Sample Number: 2211023-027

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Sample Location: 2nd Draw 3923 Benton St. NW

Customer Sample Number:

Date / Time Collected: 10/27/2022 8:09 AM

Customer Program Code: DS

Laboratory Sample Number: 2211023-028

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-053

Sample Location: 1st Draw 4213 Illinois Ave NW

Customer Sample Number:

Date / Time Collected: 10/22/2022 8:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-053

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 4213 Illinois Ave NW

Customer Sample Number:

Date / Time Collected: 10/22/2022 8:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-054

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-071

Sample Location: 1st Draw 4232 Alton PL NW

Customer Sample Number:

Date / Time Collected: 10/25/2022 6:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-071

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 4232 Alton PL NW

Customer Sample Number:

Date / Time Collected: 10/25/2022 6:47 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-072

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2211023-007

Sample Location: 1st Draw 4332 Albemarle St. NW

Customer Sample Number:

Date / Time Collected: 10/25/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2211023-007

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Sample Location: 2nd Draw 4332 Albemarle St. NW

Customer Sample Number:

Date / Time Collected: 10/25/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2211023-008

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-081

Sample Location: 1st Draw 4427 Davenport St. NW

Customer Sample Number:

Date / Time Collected: 10/25/2022 7:48 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-081

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 4427 Davenport St. NW

Customer Sample Number:

Date / Time Collected: 10/25/2022 7:52 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-082

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2211023-003

Sample Location: 1st Draw 4436 Windom PL NW

Customer Sample Number:

Date / Time Collected: 10/24/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2211023-003

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Sample Location: 2nd Draw 4436 Windom PL NW

Customer Sample Number:

Date / Time Collected: 10/24/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2211023-004

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-033

Sample Location: 1st Draw 4520 Windom PI NW

Customer Sample Number:

Date / Time Collected: 10/19/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-033

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 4520 Windom PI NW

Customer Sample Number:

Date / Time Collected: 10/19/2022 6:02 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-034

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-011

Sample Location: 1st Draw 4611 16th St NW

Customer Sample Number:

Date / Time Collected: 10/12/2022 8:53 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-011

Date / Time Received: 10/28/2022 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/4/2022	BPrakash

Sample Location: 2nd Draw 4611 16th St NW

Customer Sample Number:

Date / Time Collected: 10/12/2022 8:54 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-012

Date / Time Received: 10/28/2022 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2211023-023

Sample Location: 1st Draw 4620 Brandywine St. NW

Customer Sample Number:

Date / Time Collected: 10/27/2022 5:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2211023-023

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Sample Location: 2nd Draw 4620 Brandywine St. NW

Customer Sample Number:

Date / Time Collected: 10/27/2022 5:48 AM

Customer Program Code: DS

Laboratory Sample Number: 2211023-024

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2211023-013

Sample Location: 1st Draw 4636 Windom PL NW

Customer Sample Number:

Date / Time Collected: 10/26/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2211023-013

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Sample Location: 2nd Draw 4636 Windom PL NW

Customer Sample Number:

Date / Time Collected: 10/26/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2211023-014

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-073

Sample Location: 1st Draw 4824 45th St. NW

Customer Sample Number:

Date / Time Collected: 10/25/2022 6:48 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-073

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 4824 45th St. NW

Customer Sample Number:

Date / Time Collected: 10/25/2022 6:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-074

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-031

Sample Location: 1st Draw 4827 Davenport St

Customer Sample Number:

Date / Time Collected: 10/19/2022 6:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-031

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 4827 Davenport St

Customer Sample Number:

Date / Time Collected: 10/19/2022 6:01 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-032

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2211023-031

Sample Location: 1st Draw 4915 Brandywine St NW
Customer Sample Number:
Date / Time Collected: 10/28/2022 7:16 AM

Customer Program Code: DS
Laboratory Sample Number: 2211023-031
Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/4/2022	Bprakash

Sample Location: 2nd Draw 4915 Brandywine St NW
Customer Sample Number:
Date / Time Collected: 10/28/2022 7:17 AM

Customer Program Code: DS
Laboratory Sample Number: 2211023-032
Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-021

Sample Location: 1st Draw 4916 43rd PI NW

Customer Sample Number:

Date / Time Collected: 10/18/2022 5:38 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-021

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 4916 43rd PI NW

Customer Sample Number:

Date / Time Collected: 10/18/2022 5:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-022

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-077

Sample Location: 1st Draw 5074 Lowell St. NW

Customer Sample Number:

Date / Time Collected: 10/25/2022 7:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-077

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 5074 Lowell St. NW

Customer Sample Number:

Date / Time Collected: 10/25/2022 7:43 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-078

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-043

Sample Location: 1st Draw 5230 Nebraska Ave NW
Customer Sample Number:
Date / Time Collected: 10/20/2022 4:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2210217-043
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 5230 Nebraska Ave NW
Customer Sample Number:
Date / Time Collected: 10/20/2022 4:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2210217-044
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-079

Sample Location: 1st Draw 5332 42nd St. NW

Customer Sample Number:

Date / Time Collected: 10/25/2022 7:41 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-079

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 5332 42nd St. NW

Customer Sample Number:

Date / Time Collected: 10/25/2022 7:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-080

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-003

Sample Location: 1st Draw 5509 Nebraska Ave NW
Customer Sample Number:
Date / Time Collected: 10/24/2022 8:17 AM

Customer Program Code: DS
Laboratory Sample Number: 2210217-003
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 5509 Nebraska Ave NW
Customer Sample Number:
Date / Time Collected: 10/24/2022 8:20 AM

Customer Program Code: DS
Laboratory Sample Number: 2210217-004
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-039

Sample Location: 1st Draw 5509 Nevada Ave NW

Customer Sample Number:

Date / Time Collected: 10/19/2022 2:26 PM

Customer Program Code: DS

Laboratory Sample Number: 2210217-039

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 5509 Nevada Ave NW

Customer Sample Number:

Date / Time Collected: 10/19/2022 2:28 PM

Customer Program Code: DS

Laboratory Sample Number: 2210217-040

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-047

Sample Location: 1st Draw 5604 32nd St. NW

Customer Sample Number:

Date / Time Collected: 10/20/2022 6:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-047

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 5604 32nd St. NW

Customer Sample Number:

Date / Time Collected: 10/20/2022 6:46 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-048

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2211023-011

Sample Location: 1st Draw 612 Q St NW
Customer Sample Number:
Date / Time Collected: 10/26/2022 2:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2211023-011
Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Sample Location: 2nd Draw 612 Q St NW
Customer Sample Number:
Date / Time Collected: 10/26/2022 2:30 AM

Customer Program Code: DS
Laboratory Sample Number: 2211023-012
Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-075

Sample Location: 1st Draw 6143 31st St NW

Customer Sample Number:

Date / Time Collected: 10/25/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-075

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 6143 31st St NW

Customer Sample Number:

Date / Time Collected: 10/25/2022 7:02 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-076

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-025

Sample Location: 1st Draw 628 L St. NE
Customer Sample Number:
Date / Time Collected: 10/18/2022 7:10 AM

Customer Program Code: DS
Laboratory Sample Number: 2210217-025
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 628 L St. NE
Customer Sample Number:
Date / Time Collected: 10/18/2022 7:12 AM

Customer Program Code: DS
Laboratory Sample Number: 2210217-026
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-001

Sample Location: 1st Draw 630 Constitution Ave. NE

Customer Sample Number:

Date / Time Collected: 10/9/2022 7:48 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-001

Date / Time Received: 10/28/2022 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	11/4/2022	BPrakash

Sample Location: 2nd Draw 630 Constitution Ave. NE

Customer Sample Number:

Date / Time Collected: 10/9/2022 10:50 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-002

Date / Time Received: 10/28/2022 9:00:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-019

Sample Location: 1st Draw 6339 31st Place NW

Customer Sample Number:

Date / Time Collected: 10/17/2022 6:56 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-019

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 6339 31st Place NW

Customer Sample Number:

Date / Time Collected: 10/17/2022 6:59 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-020

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-069

Sample Location: 1st Draw 6416 Utah Ave NW

Customer Sample Number:

Date / Time Collected: 10/25/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-069

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 6416 Utah Ave NW

Customer Sample Number:

Date / Time Collected: 10/25/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-070

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS-2210217-049

Sample Location: 1st Draw 823 Sheridan St. NW

Customer Sample Number:

Date / Time Collected: 10/20/2022 7:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-049

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 823 Sheridan St. NW

Customer Sample Number:

Date / Time Collected: 10/20/2022 7:01 AM

Customer Program Code: DS

Laboratory Sample Number: 2210217-050

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-DS250- 2211020-001

Sample Location: 1st Draw 880 New Jersey Ave SE, Unit 1031

Customer Sample Number:

Date / Time Collected: 10/25/2022 10:00 PM

Customer Program Code: DS250

Laboratory Sample Number: 2211020-001

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/8/2022	BPrakash

Sample Location: 2nd Draw 880 New Jersey Ave SE, Unit 1031

Customer Sample Number:

Date / Time Collected: 10/25/2022 10:00 PM

Customer Program Code: DS250

Laboratory Sample Number: 2211020-002

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/8/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211068-013

Sample Location: 1st Draw 1002 Ridge Rd SE

Customer Sample Number:

Date / Time Collected: 11/2/2022 9:08 AM

Customer Program Code: DS

Laboratory Sample Number: 2211068-013

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 1002 Ridge Rd SE

Customer Sample Number:

Date / Time Collected: 11/2/2022 9:38 AM

Customer Program Code: DS

Laboratory Sample Number: 2211068-014

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211068-021

Sample Location: 1st Draw 1241 28th St NW

Customer Sample Number:

Date / Time Collected: 10/31/2022 4:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2211068-021

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 1241 28th St NW

Customer Sample Number:

Date / Time Collected: 10/31/2022 4:15 PM

Customer Program Code: DS

Laboratory Sample Number: 2211068-022

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211068-025

Sample Location: 1st Draw 1438 Iris St NW
Customer Sample Number:
Date / Time Collected: 11/4/2022 6:40 AM

Customer Program Code: DS
Laboratory Sample Number: 2211068-025
Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 1438 Iris St NW
Customer Sample Number:
Date / Time Collected: 11/4/2022 6:40 AM

Customer Program Code: DS
Laboratory Sample Number: 2211068-026
Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211068-073

Sample Location: 1st Draw 1528 Roxanna Rd NW

Customer Sample Number:

Date / Time Collected: 11/3/2022 6:06 AM

Customer Program Code: DS

Laboratory Sample Number: 2211068-073

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 1528 Roxanna Rd NW

Customer Sample Number:

Date / Time Collected: 11/3/2022 6:07 AM

Customer Program Code: DS

Laboratory Sample Number: 2211068-074

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211068-019

Sample Location: 1st Draw 1612 3rd St NW
Customer Sample Number:
Date / Time Collected: 11/4/2022 6:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2211068-019
Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 1612 3rd St NW
Customer Sample Number:
Date / Time Collected: 11/4/2022 6:02 AM

Customer Program Code: DS
Laboratory Sample Number: 2211068-020
Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211081-009

Sample Location: 1st Draw 1648 Argonne PI NW

Customer Sample Number:

Date / Time Collected: 9/1/2022 7:18 AM

Customer Program Code: DS

Laboratory Sample Number: 2211081-009

Date / Time Received: 11/10/2022 8:35:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.4	ug/L	H	11/29/2022	Lgallimore

Sample Location: 2nd Draw 1648 Argonne PI NW

Customer Sample Number:

Date / Time Collected: 9/1/2022 7:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2211081-010

Date / Time Received: 11/10/2022 8:35:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	175	ug/L	H	11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211068-011

Sample Location: 1st Draw 2213 Chester St SE

Customer Sample Number:

Date / Time Collected: 9/21/2022 6:45 PM

Customer Program Code: DS

Laboratory Sample Number: 2211068-011

Date / Time Received: 11/9/2022 9:08:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/29/2022	Lgallimore

Sample Location: 2nd Draw 2213 Chester St SE

Customer Sample Number:

Date / Time Collected: 9/21/2022 6:47 PM

Customer Program Code: DS

Laboratory Sample Number: 2211068-012

Date / Time Received: 11/9/2022 9:08:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211068-023

Sample Location: 1st Draw 2216 Tunlaw Rd NW

Customer Sample Number:

Date / Time Collected: 11/3/2022 6:20 PM

Customer Program Code: DS

Laboratory Sample Number: 2211068-023

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 2216 Tunlaw Rd NW

Customer Sample Number:

Date / Time Collected: 11/3/2022 6:25 PM

Customer Program Code: DS

Laboratory Sample Number: 2211068-024

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211068-037

Sample Location: 1st Draw 2437 39th PL NW
Customer Sample Number:
Date / Time Collected: 11/1/2022 4:30 PM

Customer Program Code: DS
Laboratory Sample Number: 2211068-037
Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 2437 39th PL NW
Customer Sample Number:
Date / Time Collected: 11/1/2022 4:37 PM

Customer Program Code: DS
Laboratory Sample Number: 2211068-038
Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211068-015

Sample Location: 1st Draw 2543 Waterside Dr NW

Customer Sample Number:

Date / Time Collected: 11/2/2022 7:05 AM

Customer Program Code: DS

Laboratory Sample Number: 2211068-015

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 2543 Waterside Dr NW

Customer Sample Number:

Date / Time Collected: 11/2/2022 7:07 AM

Customer Program Code: DS

Laboratory Sample Number: 2211068-016

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211081-001

Sample Location: 1st Draw 2812 Dumbarton St NW

Customer Sample Number:

Date / Time Collected: 10/10/2022 5:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2211081-001

Date / Time Received: 11/10/2022 8:35:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/29/2022	Lgallimore

Sample Location: 2nd Draw 2812 Dumbarton St NW

Customer Sample Number:

Date / Time Collected: 10/10/2022 5:01 AM

Customer Program Code: DS

Laboratory Sample Number: 2211081-002

Date / Time Received: 11/10/2022 8:35:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211076-005

Sample Location: 1st Draw 2815 Dumbarton St NW

Customer Sample Number:

Date / Time Collected: 10/30/2022 6:40 AM

Customer Program Code: DS

Laboratory Sample Number: 2211076-005

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 2815 Dumbarton St NW

Customer Sample Number:

Date / Time Collected: 10/30/2022 6:42 AM

Customer Program Code: DS

Laboratory Sample Number: 2211076-006

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211068-039

Sample Location: 1st Draw 2944 M Street SE

Customer Sample Number:

Date / Time Collected: 10/31/2022 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2211068-039

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 2944 M Street SE

Customer Sample Number:

Date / Time Collected: 10/31/2022 7:32 AM

Customer Program Code: DS

Laboratory Sample Number: 2211068-040

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211068-017

Sample Location: 1st Draw 3109 Military Rd NW

Customer Sample Number:

Date / Time Collected: 11/7/2022 6:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2211068-017

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 3109 Military Rd NW

Customer Sample Number:

Date / Time Collected: 11/7/2022 6:15 AM

Customer Program Code: DS

Laboratory Sample Number: 2211068-018

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.0	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211076-013

Sample Location: 1st Draw 3424 Livingston St NW

Customer Sample Number:

Date / Time Collected: 10/31/2022 7:09 AM

Customer Program Code: DS

Laboratory Sample Number: 2211076-013

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 3424 Livingston St NW

Customer Sample Number:

Date / Time Collected: 10/31/2022 7:11 AM

Customer Program Code: DS

Laboratory Sample Number: 2211076-014

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211081-005

Sample Location: 1st Draw 3515 20th St NE

Customer Sample Number:

Date / Time Collected: 10/27/2022 4:27 AM

Customer Program Code: DS

Laboratory Sample Number: 2211081-005

Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 3515 20th St NE

Customer Sample Number:

Date / Time Collected: 10/27/2022 4:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2211081-006

Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211068-035

Sample Location: 1st Draw 36 Farragut PI NW

Customer Sample Number:

Date / Time Collected: 11/2/2022 4:50 PM

Customer Program Code: DS

Laboratory Sample Number: 2211068-035

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 36 Farragut PI NW

Customer Sample Number:

Date / Time Collected: 11/2/2022 4:51 PM

Customer Program Code: DS

Laboratory Sample Number: 2211068-036

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211076-011

Sample Location: 1st Draw 3637 Ingomar PI NW

Customer Sample Number:

Date / Time Collected: 10/31/2022 6:43 AM

Customer Program Code: DS

Laboratory Sample Number: 2211076-011

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 3637 Ingomar PI NW

Customer Sample Number:

Date / Time Collected: 10/31/2022 6:46 AM

Customer Program Code: DS

Laboratory Sample Number: 2211076-012

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211068-029

Sample Location: 1st Draw 3930 Harrison St NW

Customer Sample Number:

Date / Time Collected: 11/5/2022 9:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2211068-029

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 3930 Harrison St NW

Customer Sample Number:

Date / Time Collected: 11/5/2022 9:00 AM

Customer Program Code: DS

Laboratory Sample Number: 2211068-030

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211081-007

Sample Location: 1st Draw 4112 Legation St NW

Customer Sample Number:

Date / Time Collected: 10/14/2022 5:10 AM

Customer Program Code: DS

Laboratory Sample Number: 2211081-007

Date / Time Received: 11/10/2022 8:35:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L	H	11/29/2022	Lgallimore

Sample Location: 2nd Draw 4112 Legation St NW

Customer Sample Number:

Date / Time Collected: 10/14/2022 5:12 AM

Customer Program Code: DS

Laboratory Sample Number: 2211081-008

Date / Time Received: 11/10/2022 8:35:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L	H	11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211068-027

Sample Location: 1st Draw 4420 50th St NW

Customer Sample Number:

Date / Time Collected: 10/31/2022 6:29 PM

Customer Program Code: DS

Laboratory Sample Number: 2211068-027

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 4420 50th St NW

Customer Sample Number:

Date / Time Collected: 10/31/2022 6:33 PM

Customer Program Code: DS

Laboratory Sample Number: 2211068-028

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211076-015

Sample Location: 1st Draw 4422 42nd St NW

Customer Sample Number:

Date / Time Collected: 10/30/2022 7:28 AM

Customer Program Code: DS

Laboratory Sample Number: 2211076-015

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 4422 42nd St NW

Customer Sample Number:

Date / Time Collected: 10/30/2022 7:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2211076-016

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211068-009

Sample Location: 1st Draw 4606 43rd St NW

Customer Sample Number:

Date / Time Collected: 11/7/2022 9:25 AM

Customer Program Code: DS

Laboratory Sample Number: 2211068-009

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 4606 43rd St NW

Customer Sample Number:

Date / Time Collected: 11/7/2022 9:26 AM

Customer Program Code: DS

Laboratory Sample Number: 2211068-010

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211068-033

Sample Location: 1st Draw 48 Quincy PI NE

Customer Sample Number:

Date / Time Collected: 10/31/2022 8:26 AM

Customer Program Code: DS

Laboratory Sample Number: 2211068-033

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 48 Quincy PI NE

Customer Sample Number:

Date / Time Collected: 10/31/2022 8:45 AM

Customer Program Code: DS

Laboratory Sample Number: 2211068-034

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211076-001

Sample Location: 1st Draw 4818 8th St NW
Customer Sample Number: 3022580
Date / Time Collected: 11/2/2022 5:09 PM

Customer Program Code: DS
Laboratory Sample Number: 2211076-001
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 4818 8th St NW
Customer Sample Number: 3022580
Date / Time Collected: 11/2/2022 5:12 PM

Customer Program Code: DS
Laboratory Sample Number: 2211076-002
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211081-003

Sample Location: 1st Draw 5105 Chevy Chase Pkwy NW

Customer Sample Number:

Date / Time Collected: 10/19/2022 7:04 AM

Customer Program Code: DS

Laboratory Sample Number: 2211081-003

Date / Time Received: 11/10/2022 8:35:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	11/29/2022	Lgallimore

Sample Location: 2nd Draw 5105 Chevy Chase Pkwy NW

Customer Sample Number:

Date / Time Collected: 10/19/2022 7:07 AM

Customer Program Code: DS

Laboratory Sample Number: 2211081-004

Date / Time Received: 11/10/2022 8:35:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211076-003

Sample Location: 1st Draw 5221 New Hampshire Ave NW

Customer Sample Number:

Date / Time Collected: 7/20/2022 8:19 AM

Customer Program Code: DS

Laboratory Sample Number: 2211076-003

Date / Time Received: 11/4/2022 11:00:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/29/2022	Lgallimore

Sample Location: 2nd Draw 5221 New Hampshire Ave NW

Customer Sample Number:

Date / Time Collected: 7/20/2022 8:21 AM

Customer Program Code: DS

Laboratory Sample Number: 2211076-004

Date / Time Received: 11/4/2022 11:00:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211068-031

Sample Location: 1st Draw 537 6th St SE
Customer Sample Number:
Date / Time Collected: 11/1/2022 4:43 PM

Customer Program Code: DS
Laboratory Sample Number: 2211068-031
Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 537 6th St SE
Customer Sample Number:
Date / Time Collected: 11/1/2022 4:45 PM

Customer Program Code: DS
Laboratory Sample Number: 2211068-032
Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211076-017

Sample Location: 1st Draw 5727 16th St NW

Customer Sample Number:

Date / Time Collected: 10/22/2022 6:12 AM

Customer Program Code: DS

Laboratory Sample Number: 2211076-017

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 5727 16th St NW

Customer Sample Number:

Date / Time Collected: 10/22/2022 6:14 AM

Customer Program Code: DS

Laboratory Sample Number: 2211076-018

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211076-007

Sample Location: 1st Draw 6124 33rd St NW

Customer Sample Number:

Date / Time Collected: 10/31/2022 8:20 AM

Customer Program Code: DS

Laboratory Sample Number: 2211076-007

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 6124 33rd St NW

Customer Sample Number:

Date / Time Collected: 10/31/2022 8:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2211076-008

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211076-009

Sample Location: 1st Draw 6341 31st PI NW

Customer Sample Number:

Date / Time Collected: 10/30/2022 6:30 AM

Customer Program Code: DS

Laboratory Sample Number: 2211076-009

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 6341 31st PI NW

Customer Sample Number:

Date / Time Collected: 10/30/2022 6:36 AM

Customer Program Code: DS

Laboratory Sample Number: 2211076-010

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211081-013

Sample Location: 1st Draw 6824 5th St NW
Customer Sample Number:
Date / Time Collected: 11/6/2022 8:00 AM

Customer Program Code: DS
Laboratory Sample Number: 2211081-013
Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 6824 5th St NW
Customer Sample Number:
Date / Time Collected: 11/6/2022 8:02 AM

Customer Program Code: DS
Laboratory Sample Number: 2211081-014
Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS-2211081-011

Sample Location: 1st Draw 730 Roxboro PI NW

Customer Sample Number:

Date / Time Collected: 10/5/2022 7:27 AM

Customer Program Code: DS

Laboratory Sample Number: 2211081-011

Date / Time Received: 11/10/2022 8:35:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/29/2022	Lgallimore

Sample Location: 2nd Draw 730 Roxboro PI NW

Customer Sample Number:

Date / Time Collected: 10/5/2022 7:27 AM

Customer Program Code: DS

Laboratory Sample Number: 2211081-012

Date / Time Received: 11/10/2022 8:35:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS250- 2211068-005

Sample Location: 1st Draw 1007 Bryant St NE #5

Customer Sample Number:

Date / Time Collected: 10/30/2022 1:00 PM

Customer Program Code: DS250

Laboratory Sample Number: 2211068-005

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 1007 Bryant St NE #5

Customer Sample Number:

Date / Time Collected: 10/30/2022 1:00 PM

Customer Program Code: DS250

Laboratory Sample Number: 2211068-006

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS250- 2211077-001

Sample Location: 1st Draw 216 Rhode Island Ave NW

Customer Sample Number:

Date / Time Collected: 10/29/2022 8:05 AM

Customer Program Code: DS250

Laboratory Sample Number: 2211077-001

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 216 Rhode Island Ave NW

Customer Sample Number:

Date / Time Collected: 10/29/2022 8:05 AM

Customer Program Code: DS250

Laboratory Sample Number: 2211077-002

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers

Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-DS250- 2211068-007

Sample Location: 1st Draw 425 Massachusetts Ave NW Apt 1228

Customer Sample Number:

Date / Time Collected: 11/1/2022 11:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2211068-007

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 425 Massachusetts Ave NW Apt 1228

Customer Sample Number:

Date / Time Collected: 11/1/2022 11:00 AM

Customer Program Code: DS250

Laboratory Sample Number: 2211068-008

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Post Lead Service Line Replacement Samples

DC Water operates a program where lead sampling kits are dropped off to customers that have had a partial or full lead service line replacement. Samples are typically dropped off approximately 4 months after the replacement to determine if it is necessary for customers to continue filtering their water. The kit comes with bottles and instructions on how to take first and second draw samples. Customers collect their own samples and contact DC Water to deliver the bottles to the Washington Aqueduct. Results are then reported back to the customer through DC Water's Customer Service Program.



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-Post-LSR- 2206202-008

Sample Location: 1st Draw 115 Madison St NW

Customer Sample Number:

Date / Time Collected: 6/23/2022 7:51 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2206202-008

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 115 Madison St NW

Customer Sample Number:

Date / Time Collected: 6/23/2022 7:52 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2206202-009

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-Post-LSR- 2206202-004

Sample Location: 1st Draw 129 6th St NE
Customer Sample Number:
Date / Time Collected: 6/24/2022 8:00 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2206202-004
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 129 6th St NE
Customer Sample Number:
Date / Time Collected: 6/24/2022 8:01 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2206202-005
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-Post-LSR- 2206202-012

Sample Location: 1st Draw 1513 27th St NW

Customer Sample Number:

Date / Time Collected: 6/27/2022 8:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2206202-012

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 1513 27th St NW

Customer Sample Number:

Date / Time Collected: 6/27/2022 8:35 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2206202-013

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-Post-LSR- 2206172-011

Sample Location: 1st Draw 1600 East Capitol St NE
Customer Sample Number:
Date / Time Collected: 6/20/2022 7:30 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2206172-011
Date / Time Received: 6/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 1600 East Capitol St NE
Customer Sample Number:
Date / Time Collected: 6/20/2022 7:35 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2206172-012
Date / Time Received: 6/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-Post-LSR- 2206202-006

Sample Location: 1st Draw 1638 Nicholson St NW

Customer Sample Number:

Date / Time Collected: 6/23/2022 6:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2206202-006

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 1638 Nicholson St NW

Customer Sample Number:

Date / Time Collected: 6/23/2022 6:02 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2206202-007

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-Post-LSR- 2206202-010

Sample Location: 1st Draw 18 Bates St. NW

Customer Sample Number:

Date / Time Collected: 6/22/2022 6:50 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2206202-010

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 18 Bates St. NW

Customer Sample Number:

Date / Time Collected: 6/22/2022 6:55 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2206202-011

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-Post-LSR- 2206172-015

Sample Location: 1st Draw 1806 D St SE
Customer Sample Number:
Date / Time Collected: 6/20/2022 11:53 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2206172-015
Date / Time Received: 6/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 1806 D St SE
Customer Sample Number:
Date / Time Collected: 6/20/2022 11:55 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2206172-016
Date / Time Received: 6/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-Post-LSR- 2206202-016

Sample Location: 1st Draw 2423 Tunlaw RD NW

Customer Sample Number:

Date / Time Collected: 6/26/2022 7:40 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2206202-016

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 2423 Tunlaw RD NW

Customer Sample Number:

Date / Time Collected: 6/26/2022 7:43 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2206202-017

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-Post-LSR- 2206172-007

Sample Location: 1st Draw 3025 Yost PI NE

Customer Sample Number:

Date / Time Collected: 6/19/2022 7:58 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2206172-007

Date / Time Received: 6/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 3025 Yost PI NE

Customer Sample Number:

Date / Time Collected: 6/19/2022 8:01 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2206172-008

Date / Time Received: 6/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-Post-LSR- 2206202-014

Sample Location: 1st Draw 310 E Capitol St NE, #D
Customer Sample Number:
Date / Time Collected: 6/22/2022 7:07 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2206202-014
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 310 E Capitol St NE, #D
Customer Sample Number:
Date / Time Collected: 6/22/2022 7:08 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2206202-015
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-Post-LSR- 2206172-017

Sample Location: 1st Draw 3224 Warder St NW

Customer Sample Number:

Date / Time Collected: 6/21/2022 10:25 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2206172-017

Date / Time Received: 6/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 3224 Warder St NW

Customer Sample Number:

Date / Time Collected: 6/21/2022 10:26 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2206172-018

Date / Time Received: 6/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-Post-LSR- 2206172-013

Sample Location: 1st Draw 46 Hamilton St NW

Customer Sample Number:

Date / Time Collected: 6/20/2022 7:44 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2206172-013

Date / Time Received: 6/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 46 Hamilton St NW

Customer Sample Number:

Date / Time Collected: 6/20/2022 7:48 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2206172-014

Date / Time Received: 6/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: L-DC-Post-LSR- 2206202-002

Sample Location: 1st Draw 4800 Iowa Ave NW

Customer Sample Number:

Date / Time Collected: 6/15/2022 6:45 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2206202-002

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		7/1/2022	SBrooks

Sample Location: 2nd Draw 4800 Iowa Ave NW

Customer Sample Number:

Date / Time Collected: 6/15/2022 6:45 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2206202-003

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 7/12/2022

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-Post-LSR- 2206202-001

Sample Location: 1st Draw 5004 5th St NW

Customer Sample Number:

Date / Time Collected: 6/22/2022 8:01 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2206202-001

Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-Post-LSR- 2207005-007

Sample Location: 1st Draw 1243 C Street SE

Customer Sample Number:

Date / Time Collected: 6/28/2022 5:05 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207005-007

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		7/14/2022	RLamsal

Sample Location: 2nd Draw 1243 C Street SE

Customer Sample Number:

Date / Time Collected: 6/28/2022 5:10 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207005-008

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		7/14/2022	RLamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-Post-LSR- 2207005-001

Sample Location: 1st Draw 1411 Crittenden St NW

Customer Sample Number:

Date / Time Collected: 6/29/2022 7:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207005-001

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/14/2022	RLamsal

Sample Location: 2nd Draw 1411 Crittenden St NW

Customer Sample Number:

Date / Time Collected: 6/29/2022 7:16 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207005-002

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/14/2022	RLamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-Post-LSR- 2207005-005

Sample Location: 1st Draw 1614 V St SE
Customer Sample Number:
Date / Time Collected: 6/27/2022 7:00 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2207005-005
Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		7/14/2022	RLamsal

Sample Location: 2nd Draw 1614 V St SE
Customer Sample Number:
Date / Time Collected: 6/27/2022 7:05 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2207005-006
Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.8	ug/L		7/14/2022	RLamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-Post-LSR- 2207087-023

Sample Location: 1st Draw 1809 KILBORNE PL NW

Customer Sample Number:

Date / Time Collected: 7/4/2022 8:34 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207087-023

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 1809 KILBORNE PL NW

Customer Sample Number:

Date / Time Collected: 7/4/2022 8:39 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207087-024

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-Post-LSR- 2207087-003

Sample Location: 1st Draw 40 R St NW
Customer Sample Number:
Date / Time Collected: 6/30/2022 8:30 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2207087-003
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 40 R St NW
Customer Sample Number:
Date / Time Collected: 6/30/2022 8:32 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2207087-004
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-Post-LSR- 2207087-015

Sample Location: 1st Draw 426 Irving St NW

Customer Sample Number:

Date / Time Collected: 7/2/2022 8:35 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207087-015

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 426 Irving St NW

Customer Sample Number:

Date / Time Collected: 7/2/2022 8:38 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207087-016

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-Post-LSR- 2207087-013

Sample Location: 1st Draw 5213 Kansas Ave NW

Customer Sample Number:

Date / Time Collected: 7/2/2022 8:14 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207087-013

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 5213 Kansas Ave NW

Customer Sample Number:

Date / Time Collected: 7/2/2022 8:16 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207087-014

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-Post-LSR- 2207087-021

Sample Location: 1st Draw 5513 30th PI NW

Customer Sample Number:

Date / Time Collected: 7/4/2022 7:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207087-021

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 5513 30th PI NW

Customer Sample Number:

Date / Time Collected: 7/4/2022 7:18 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207087-022

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-Post-LSR- 2207087-045

Sample Location: 1st Draw 5705 Sherier PI NW

Customer Sample Number:

Date / Time Collected: 7/11/2022 6:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207087-045

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		7/19/2022	Rlamsal

Sample Location: 2nd Draw 5705 Sherier PI NW

Customer Sample Number:

Date / Time Collected: 7/11/2022 6:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207087-046

Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-Post-LSR- 2207005-003

Sample Location: 1st Draw 5710 13th St NW

Customer Sample Number:

Date / Time Collected: 6/28/2022 6:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207005-003

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/14/2022	RLamsal

Sample Location: 2nd Draw 5710 13th St NW

Customer Sample Number:

Date / Time Collected: 6/28/2022 6:18 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207005-004

Date / Time Received: 7/1/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/14/2022	RLamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-Post-LSR- 2207173-001

Sample Location: 1st Draw 316 12th St NE

Customer Sample Number:

Date / Time Collected: 7/10/2022 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207173-001

Date / Time Received: 7/28/2022 8:35:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L	H	8/3/2022	Bprakash

Sample Location: 2nd Draw 316 12th St NE

Customer Sample Number:

Date / Time Collected: 7/10/2022 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207173-002

Date / Time Received: 7/28/2022 8:35:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-Post-LSR- 2207130-003

Sample Location: 1st Draw 3430 34th St NW

Customer Sample Number:

Date / Time Collected: 7/18/2022 7:50 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207130-003

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.4	0.4	ug/L		7/28/2022	BPrakash

Sample Location: 2nd Draw 3430 34th St NW

Customer Sample Number:

Date / Time Collected: 7/18/2022 7:55 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207130-004

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/28/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-Post-LSR- 2207173-003

Sample Location: 1st Draw 3936 Legation St NW

Customer Sample Number:

Date / Time Collected: 7/19/2022 5:40 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207173-003

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		8/3/2022	Bprakash

Sample Location: 2nd Draw 3936 Legation St NW

Customer Sample Number:

Date / Time Collected: 7/19/2022 5:42 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207173-004

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-Post-LSR- 2207130-001

Sample Location: 1st Draw 768 Lamont St NW

Customer Sample Number:

Date / Time Collected: 7/13/2022 7:22 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207130-001

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/28/2022	BPrakash

Sample Location: 2nd Draw 768 Lamont St NW

Customer Sample Number:

Date / Time Collected: 7/13/2022 7:23 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2207130-002

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/28/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-Post-LSR- 2208097-013

Sample Location: 1st Draw 1018 Taussig PI NE

Customer Sample Number:

Date / Time Collected: 8/10/2022 7:23 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208097-013

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 1018 Taussig PI NE

Customer Sample Number:

Date / Time Collected: 8/10/2022 7:27 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208097-014

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-Post-LSR- 2208085-043

Sample Location: 1st Draw 1104 Jefferson St. NW

Customer Sample Number:

Date / Time Collected: 8/7/2022 6:36 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208085-043

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 1104 Jefferson St. NW

Customer Sample Number:

Date / Time Collected: 8/7/2022 6:44 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208085-044

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-Post-LSR- 2208097-007

Sample Location: 1st Draw 1205 Perry St NE
Customer Sample Number:
Date / Time Collected: 8/10/2022 6:00 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2208097-007
Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 1205 Perry St NE
Customer Sample Number:
Date / Time Collected: 8/10/2022 6:03 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2208097-008
Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-Post-LSR- 2208085-025

Sample Location: 1st Draw 204 Kentucky Ave SE

Customer Sample Number:

Date / Time Collected: 8/5/2022 6:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208085-025

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.5	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 204 Kentucky Ave SE

Customer Sample Number:

Date / Time Collected: 8/5/2022 6:32 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208085-026

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-Post-LSR- 2208097-001

Sample Location: 1st Draw 2116 2nd St NW
Customer Sample Number:
Date / Time Collected: 8/10/2022 6:15 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2208097-001
Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 2116 2nd St NW
Customer Sample Number:
Date / Time Collected: 8/10/2022 6:15 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2208097-002
Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-Post-LSR- 2208085-035

Sample Location: 1st Draw 2329 20th St NW

Customer Sample Number:

Date / Time Collected: 8/6/2022 5:00 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208085-035

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 2329 20th St NW

Customer Sample Number:

Date / Time Collected: 8/6/2022 5:00 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208085-036

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-Post-LSR- 2208097-009

Sample Location: 1st Draw 2405 3rd St NE
Customer Sample Number:
Date / Time Collected: 8/6/2022 5:56 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2208097-009
Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 2405 3rd St NE
Customer Sample Number:
Date / Time Collected: 8/6/2022 5:59 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2208097-010
Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-Post-LSR- 2208097-003

Sample Location: 1st Draw 316 17th St NE
Customer Sample Number:
Date / Time Collected: 8/9/2022 6:29 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2208097-003
Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 316 17th St NE
Customer Sample Number:
Date / Time Collected: 8/9/2022 6:31 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2208097-004
Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-Post-LSR- 2208085-011

Sample Location: 1st Draw 3223 KLINGLE RD NW

Customer Sample Number:

Date / Time Collected: 8/2/2022 6:35 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208085-011

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 3223 KLINGLE RD NW

Customer Sample Number:

Date / Time Collected: 8/2/2022 6:40 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208085-012

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-Post-LSR- 2208042-041

Sample Location: 1st Draw 3318 19th St. NW

Customer Sample Number:

Date / Time Collected: 8/1/2022 7:28 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208042-041

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 3318 19th St. NW

Customer Sample Number:

Date / Time Collected: 8/1/2022 7:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208042-042

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-Post-LSR- 2208085-047

Sample Location: 1st Draw 4010 13th St NW

Customer Sample Number:

Date / Time Collected: 8/8/2022 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208085-047

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 4010 13th St NW

Customer Sample Number:

Date / Time Collected: 8/8/2022 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208085-048

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-Post-LSR- 2208085-023

Sample Location: 1st Draw 4320 Jay St. NE

Customer Sample Number:

Date / Time Collected: 8/4/2022 7:28 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208085-023

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 4320 Jay St. NE

Customer Sample Number:

Date / Time Collected: 8/4/2022 7:32 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208085-024

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-Post-LSR- 2208042-029

Sample Location: 1st Draw 5350 MacArthur Blvd NW

Customer Sample Number:

Date / Time Collected: 7/30/2022 8:29 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208042-029

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	18.2	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 5350 MacArthur Blvd NW

Customer Sample Number:

Date / Time Collected: 7/30/2022 8:34 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208042-030

Date / Time Received: 8/4/2022 10:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-Post-LSR- 2208097-005

Sample Location: 1st Draw 6216 8th St NW
Customer Sample Number:
Date / Time Collected: 8/9/2022 4:35 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2208097-005
Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 6216 8th St NW
Customer Sample Number:
Date / Time Collected: 8/9/2022 4:39 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2208097-006
Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-Post-LSR- 2208085-033

Sample Location: 1st Draw 627 Otis PI NW

Customer Sample Number:

Date / Time Collected: 8/6/2022 9:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208085-033

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 627 Otis PI NW

Customer Sample Number:

Date / Time Collected: 8/6/2022 9:05 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208085-034

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-Post-LSR- 2208097-011

Sample Location: 1st Draw 6704 Piney Branch Rd NW

Customer Sample Number:

Date / Time Collected: 8/8/2022 4:04 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208097-011

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	8.6	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 6704 Piney Branch Rd NW

Customer Sample Number:

Date / Time Collected: 8/8/2022 4:06 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208097-012

Date / Time Received: 8/12/2022 12:13:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.7	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-Post-LSR- 2208085-041

Sample Location: 1st Draw 907 44th St. NE
Customer Sample Number:
Date / Time Collected: 8/7/2022 6:00 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2208085-041
Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Sample Location: 2nd Draw 907 44th St. NE
Customer Sample Number:
Date / Time Collected: 8/7/2022 6:05 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2208085-042
Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208150-003

Sample Location: 1st Draw 1016 HAMLIN ST NE

Customer Sample Number:

Date / Time Collected: 8/14/2022 6:35 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208150-003

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 1016 HAMLIN ST NE

Customer Sample Number:

Date / Time Collected: 8/14/2022 6:35 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208150-004

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208150-013

Sample Location: 1st Draw 1140 Morse St NE

Customer Sample Number:

Date / Time Collected: 8/15/2022 7:45 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208150-013

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 1140 Morse St NE

Customer Sample Number:

Date / Time Collected: 8/15/2022 7:46 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208150-014

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208222-003

Sample Location: 1st Draw 1215 Kearny St. NE

Customer Sample Number:

Date / Time Collected: 8/24/2022 6:44 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208222-003

Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 1215 Kearny St. NE

Customer Sample Number:

Date / Time Collected: 8/24/2022 6:48 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208222-004

Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208193-003

Sample Location: 1st Draw 124 5th St SE
Customer Sample Number:
Date / Time Collected: 8/22/2022 6:00 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2208193-003
Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 124 5th St SE
Customer Sample Number:
Date / Time Collected: 8/22/2022 6:00 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2208193-004
Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208150-025

Sample Location: 1st Draw 139 T St. NW
Customer Sample Number:
Date / Time Collected: 8/16/2022 7:03 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2208150-025
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 139 T St. NW
Customer Sample Number:
Date / Time Collected: 8/16/2022 7:06 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2208150-026
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208222-007

Sample Location: 1st Draw 1402 Morse St. NE

Customer Sample Number:

Date / Time Collected: 8/28/2022 8:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208222-007

Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 1402 Morse St. NE

Customer Sample Number:

Date / Time Collected: 8/28/2022 8:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208222-008

Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208193-007

Sample Location: 1st Draw 1702 Constitution Ave NE

Customer Sample Number:

Date / Time Collected: 8/21/2022 6:50 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208193-007

Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 1702 Constitution Ave NE

Customer Sample Number:

Date / Time Collected: 8/21/2022 6:53 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208193-008

Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208181-029

Sample Location: 1st Draw 20 5th St, SE
Customer Sample Number:
Date / Time Collected: 8/21/2022 9:28 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2208181-029
Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 20 5th St, SE
Customer Sample Number:
Date / Time Collected: 8/21/2022 9:39 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2208181-030
Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208129-001

Sample Location: 1st Draw 2730 28th St NE

Customer Sample Number:

Date / Time Collected: 8/12/2022 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208129-001

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 2730 28th St NE

Customer Sample Number:

Date / Time Collected: 8/12/2022 7:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208129-002

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208193-005

Sample Location: 1st Draw 3034 Dent PI NW

Customer Sample Number:

Date / Time Collected: 8/23/2022 8:52 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208193-005

Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 3034 Dent PI NW

Customer Sample Number:

Date / Time Collected: 8/23/2022 8:54 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208193-006

Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208181-035

Sample Location: 1st Draw 317 Bryant St. NE

Customer Sample Number:

Date / Time Collected: 8/22/2022 1:30 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208181-035

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 317 Bryant St. NE

Customer Sample Number:

Date / Time Collected: 8/22/2022 1:30 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208181-036

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208181-015

Sample Location: 1st Draw 3666 Park PI NW

Customer Sample Number:

Date / Time Collected: 8/18/2022 7:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208181-015

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 3666 Park PI NW

Customer Sample Number:

Date / Time Collected: 8/18/2022 7:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208181-016

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208129-007

Sample Location: 1st Draw 3917 13th St NW

Customer Sample Number:

Date / Time Collected: 8/9/2022 6:15 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208129-007

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 3917 13th St NW

Customer Sample Number:

Date / Time Collected: 8/9/2022 6:18 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208129-008

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208150-007

Sample Location: 1st Draw 420 Randolph St. NW

Customer Sample Number:

Date / Time Collected: 8/14/2022 6:50 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208150-007

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 420 Randolph St. NW

Customer Sample Number:

Date / Time Collected: 8/14/2022 6:52 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208150-008

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208129-003

Sample Location: 1st Draw 445 Luray PI NW

Customer Sample Number:

Date / Time Collected: 8/12/2022 7:22 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208129-003

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.1	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 445 Luray PI NW

Customer Sample Number:

Date / Time Collected: 8/12/2022 7:26 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208129-004

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208129-011

Sample Location: 1st Draw 4611 9th St NW
Customer Sample Number:
Date / Time Collected: 8/13/2022 6:42 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2208129-011
Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 4611 9th St NW
Customer Sample Number:
Date / Time Collected: 8/13/2022 6:45 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2208129-012
Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208193-001

Sample Location: 1st Draw 609 Quincy St NW

Customer Sample Number:

Date / Time Collected: 8/20/2022 8:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208193-001

Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 609 Quincy St NW

Customer Sample Number:

Date / Time Collected: 8/20/2022 8:33 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208193-002

Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208129-013

Sample Location: 1st Draw 621 Hamilton St. NW

Customer Sample Number:

Date / Time Collected: 8/13/2022 7:07 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208129-013

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 621 Hamilton St. NW

Customer Sample Number:

Date / Time Collected: 8/13/2022 7:10 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208129-014

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208129-009

Sample Location: 1st Draw 633 Quebec Place NW

Customer Sample Number:

Date / Time Collected: 8/9/2022 5:45 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208129-009

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 633 Quebec Place NW

Customer Sample Number:

Date / Time Collected: 8/9/2022 5:48 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208129-010

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.9	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208175-001

Sample Location: 1st Draw 634 Kenyon St NW

Customer Sample Number:

Date / Time Collected: 8/10/2022 8:53 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208175-001

Date / Time Received: 8/24/2022 8:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 634 Kenyon St NW

Customer Sample Number:

Date / Time Collected: 8/10/2022 8:56 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208175-002

Date / Time Received: 8/24/2022 8:25:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208181-011

Sample Location: 1st Draw 636 Quebec PL NW

Customer Sample Number:

Date / Time Collected: 8/17/2022 3:40 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208181-011

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 636 Quebec PL NW

Customer Sample Number:

Date / Time Collected: 8/17/2022 3:41 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208181-012

Date / Time Received: 8/25/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-Post-LSR- 2208129-005

Sample Location: 1st Draw 6700 Piney Branch Rd NW

Customer Sample Number:

Date / Time Collected: 8/11/2022 7:20 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208129-005

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		9/1/2022	SBrooks

Sample Location: 2nd Draw 6700 Piney Branch Rd NW

Customer Sample Number:

Date / Time Collected: 8/11/2022 7:23 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2208129-006

Date / Time Received: 8/17/2022 8:42:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-Post-LSR- 2209055-001

Sample Location: 1st Draw 112 Third St NE

Customer Sample Number:

Date / Time Collected: 8/19/2022 5:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2209055-001

Date / Time Received: 9/9/2022 8:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	9/14/2022	Rlamsal

Sample Location: 2nd Draw 112 Third St NE

Customer Sample Number:

Date / Time Collected: 8/19/2022 5:02 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2209055-002

Date / Time Received: 9/9/2022 8:15:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-Post-LSR- 2209069-001

Sample Location: 1st Draw 1509 D St SE
Customer Sample Number:
Date / Time Collected: 9/5/2022 6:40 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2209069-001
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 1509 D St SE
Customer Sample Number:
Date / Time Collected: 9/5/2022 6:42 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2209069-002
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-Post-LSR- 2209055-003

Sample Location: 1st Draw 1606 E Capitol St NE

Customer Sample Number:

Date / Time Collected: 9/5/2022 9:05 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2209055-003

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 1606 E Capitol St NE

Customer Sample Number:

Date / Time Collected: 9/5/2022 9:10 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2209055-004

Date / Time Received: 9/9/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-Post-LSR- 2209017-007

Sample Location: 1st Draw 3624 Military Rd NW

Customer Sample Number:

Date / Time Collected: 8/31/2022 5:57 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2209017-007

Date / Time Received: 9/2/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 3624 Military Rd NW

Customer Sample Number:

Date / Time Collected: 8/31/2022 5:59 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2209017-008

Date / Time Received: 9/2/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-Post-LSR- 2209005-001

Sample Location: 1st Draw 3700 T St NW
Customer Sample Number:
Date / Time Collected: 8/29/2022 6:00 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2209005-001
Date / Time Received: 9/1/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 3700 T St NW
Customer Sample Number:
Date / Time Collected: 8/29/2022 6:02 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2209005-002
Date / Time Received: 9/1/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-Post-LSR- 2209017-005

Sample Location: 1st Draw 410 A St SE
Customer Sample Number:
Date / Time Collected: 8/29/2022 3:20 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2209017-005
Date / Time Received: 9/2/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		9/14/2022	Rlamsal

Sample Location: 2nd Draw 410 A St SE
Customer Sample Number:
Date / Time Collected: 8/29/2022 3:22 PM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2209017-006
Date / Time Received: 9/2/2022 8:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-Post-LSR- 2209156-003

Sample Location: 1st Draw 1330 Montague St NW

Customer Sample Number:

Date / Time Collected: 9/19/2022 8:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2209156-003

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/29/2022	BPrakash

Sample Location: 2nd Draw 1330 Montague St NW

Customer Sample Number:

Date / Time Collected: 9/19/2022 8:05 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2209156-004

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-Post-LSR- 2209156-007

Sample Location: 1st Draw 1364 Meridian PI NW

Customer Sample Number:

Date / Time Collected: 9/20/2022 6:38 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2209156-007

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		9/29/2022	BPrakash

Sample Location: 2nd Draw 1364 Meridian PI NW

Customer Sample Number:

Date / Time Collected: 9/20/2022 6:40 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2209156-008

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.8	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-Post-LSR- 2209099-001

Sample Location: 1st Draw 1370 Taylor St NW

Customer Sample Number:

Date / Time Collected: 9/10/2022 6:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2209099-001

Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 1370 Taylor St NW

Customer Sample Number:

Date / Time Collected: 9/10/2022 6:35 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2209099-002

Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-Post-LSR- 2209116-007

Sample Location: 1st Draw 2327 3rd St NE
Customer Sample Number:
Date / Time Collected: 9/8/2022 7:40 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2209116-007
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Sample Location: 2nd Draw 2327 3rd St NE
Customer Sample Number:
Date / Time Collected: 9/8/2022 7:43 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2209116-008
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-Post-LSR- 2209156-005

Sample Location: 1st Draw 424 LURAY PL NW

Customer Sample Number:

Date / Time Collected: 9/19/2022 9:28 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2209156-005

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/29/2022	BPrakash

Sample Location: 2nd Draw 424 LURAY PL NW

Customer Sample Number:

Date / Time Collected: 9/19/2022 9:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2209156-006

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-Post-LSR- 2209156-001

Sample Location: 1st Draw 4716 48th St NW

Customer Sample Number:

Date / Time Collected: 9/5/2022 6:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2209156-001

Date / Time Received: 9/22/2022 8:48:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L	H	9/29/2022	BPrakash

Sample Location: 2nd Draw 4716 48th St NW

Customer Sample Number:

Date / Time Collected: 9/5/2022 6:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2209156-002

Date / Time Received: 9/22/2022 8:48:00 AM

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L	H	9/29/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-Post-LSR- 2210091-049

Sample Location: 1st Draw 1014 Spring Rd NW

Customer Sample Number:

Date / Time Collected: 10/4/2022 6:40 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210091-049

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1014 Spring Rd NW

Customer Sample Number:

Date / Time Collected: 10/4/2022 6:42 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210091-050

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-Post-LSR- 2210052-003

Sample Location: 1st Draw 160 N Carolina Ave SE

Customer Sample Number:

Date / Time Collected: 10/4/2022 3:30 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210052-003

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.5	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 160 N Carolina Ave SE

Customer Sample Number:

Date / Time Collected: 10/4/2022 3:40 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210052-004

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.6	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-Post-LSR- 2210123-001

Sample Location: 1st Draw 1804 Wyoming Ave NW

Customer Sample Number:

Date / Time Collected: 10/3/2022 3:30 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210123-001

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1804 Wyoming Ave NW

Customer Sample Number:

Date / Time Collected: 10/3/2022 3:35 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210123-002

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-Post-LSR- 2210141-071

Sample Location: 1st Draw 1867 Monroe St. NW

Customer Sample Number:

Date / Time Collected: 10/10/2022 12:36 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210141-071

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 1867 Monroe St. NW

Customer Sample Number:

Date / Time Collected: 10/10/2022 12:38 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210141-072

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-Post-LSR- 2210179-001

Sample Location: 1st Draw 2301 38th St NW

Customer Sample Number:

Date / Time Collected: 10/17/2022 7:38 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210179-001

Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 2301 38th St NW

Customer Sample Number:

Date / Time Collected: 10/17/2022 7:40 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210179-002

Date / Time Received: 10/25/2022 9:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-Post-LSR- 2210052-005

Sample Location: 1st Draw 232 11th St NE

Customer Sample Number:

Date / Time Collected: 10/3/2022 6:20 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210052-005

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 232 11th St NE

Customer Sample Number:

Date / Time Collected: 10/3/2022 6:21 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210052-006

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-Post-LSR- 2210141-069

Sample Location: 1st Draw 314 17th St NE
Customer Sample Number:
Date / Time Collected: 10/14/2022 8:48 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2210141-069
Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 314 17th St NE
Customer Sample Number:
Date / Time Collected: 10/14/2022 8:51 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2210141-070
Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-Post-LSR- 2210091-047

Sample Location: 1st Draw 315 17th St NE
Customer Sample Number:
Date / Time Collected: 10/10/2022 7:20 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2210091-047
Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 315 17th St NE
Customer Sample Number:
Date / Time Collected: 10/10/2022 7:23 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2210091-048
Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-Post-LSR- 2210040-001

Sample Location: 1st Draw 3203 7th St NE
Customer Sample Number:
Date / Time Collected: 10/1/2022 10:15 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2210040-001
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 3203 7th St NE
Customer Sample Number:
Date / Time Collected: 10/1/2022 10:16 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2210040-002
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.5	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-Post-LSR- 2210123-003

Sample Location: 1st Draw 3511 R ST NW
Customer Sample Number:
Date / Time Collected: 10/4/2022 6:15 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2210123-003
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 3511 R ST NW
Customer Sample Number:
Date / Time Collected: 10/4/2022 6:20 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2210123-004
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-Post-LSR- 2210052-001

Sample Location: 1st Draw 3713 Woodley Rd NW

Customer Sample Number:

Date / Time Collected: 10/2/2022 8:16 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210052-001

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.9	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 3713 Woodley Rd NW

Customer Sample Number:

Date / Time Collected: 10/2/2022 8:18 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210052-002

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-Post-LSR- 2210123-005

Sample Location: 1st Draw 3718 Morrison St NW

Customer Sample Number:

Date / Time Collected: 9/30/2022 8:55 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210123-005

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 3718 Morrison St NW

Customer Sample Number:

Date / Time Collected: 9/30/2022 8:55 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210123-006

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.8	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-Post-LSR- 2210091-053

Sample Location: 1st Draw 610 Columbia Rd NW

Customer Sample Number:

Date / Time Collected: 10/5/2022 9:50 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210091-053

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 610 Columbia Rd NW

Customer Sample Number:

Date / Time Collected: 10/5/2022 9:54 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210091-054

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-Post-LSR- 2210040-003

Sample Location: 1st Draw 6115 7th PI NW
Customer Sample Number:
Date / Time Collected: 9/28/2022 8:01 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2210040-003
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Sample Location: 2nd Draw 6115 7th PI NW
Customer Sample Number:
Date / Time Collected: 9/28/2022 8:06 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2210040-004
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-Post-LSR- 2210141-067

Sample Location: 1st Draw 638 Otis PI NW
Customer Sample Number:
Date / Time Collected: 10/9/2022 7:40 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2210141-067
Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 638 Otis PI NW
Customer Sample Number:
Date / Time Collected: 10/9/2022 7:44 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2210141-068
Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-Post-LSR- 2210091-051

Sample Location: 1st Draw 900 Savannah St SE

Customer Sample Number:

Date / Time Collected: 10/6/2022 7:40 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210091-051

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		10/27/2022	SBrooks

Sample Location: 2nd Draw 900 Savannah St SE

Customer Sample Number:

Date / Time Collected: 10/6/2022 7:45 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210091-052

Date / Time Received: 10/13/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-Post-LSR- 2210217-035

Sample Location: 1st Draw 120 N. Carolina Ave SE

Customer Sample Number:

Date / Time Collected: 10/19/2022 7:10 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210217-035

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 120 N. Carolina Ave SE

Customer Sample Number:

Date / Time Collected: 10/19/2022 7:14 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210217-036

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-Post-LSR- 2210217-037

Sample Location: 1st Draw 3513 HOLMEAD PL NW

Customer Sample Number:

Date / Time Collected: 10/19/2022 7:25 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210217-037

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.7	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 3513 HOLMEAD PL NW

Customer Sample Number:

Date / Time Collected: 10/19/2022 7:25 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2210217-038

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/5/2022

Report Number: L-DC-Post-LSR- 2210217-013

Sample Location: 1st Draw 4136 7th St NW
Customer Sample Number:
Date / Time Collected: 10/15/2022 7:58 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2210217-013
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/4/2022	BPrakash

Sample Location: 2nd Draw 4136 7th St NW
Customer Sample Number:
Date / Time Collected: 10/15/2022 8:01 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2210217-014
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/4/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211068-047

Sample Location: 1st Draw 1327 Taylor St NW

Customer Sample Number:

Date / Time Collected: 11/4/2022 6:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-047

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 1327 Taylor St NW

Customer Sample Number:

Date / Time Collected: 11/4/2022 6:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-048

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211081-019

Sample Location: 1st Draw 1605 Rosedale St NE

Customer Sample Number:

Date / Time Collected: 11/6/2022 8:09 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211081-019

Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 1605 Rosedale St NE

Customer Sample Number:

Date / Time Collected: 11/6/2022 8:11 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211081-020

Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211068-067

Sample Location: 1st Draw 2908 Cortland Pl

Customer Sample Number:

Date / Time Collected: 11/3/2022 7:50 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-067

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 2908 Cortland Pl

Customer Sample Number:

Date / Time Collected: 11/3/2022 7:50 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-068

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211068-043

Sample Location: 1st Draw 3136 O St NW

Customer Sample Number:

Date / Time Collected: 9/30/2022 8:10 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-043

Date / Time Received: 11/9/2022 9:08:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/29/2022	Lgallimore

Sample Location: 2nd Draw 3136 O St NW

Customer Sample Number:

Date / Time Collected: 9/30/2022 8:13 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-044

Date / Time Received: 11/9/2022 9:08:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211081-025

Sample Location: 1st Draw 3369 Rittenhouse St NW

Customer Sample Number:

Date / Time Collected: 11/8/2022 7:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211081-025

Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 3369 Rittenhouse St NW

Customer Sample Number:

Date / Time Collected: 11/8/2022 7:32 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211081-026

Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211068-049

Sample Location: 1st Draw 3605 Livingston St NW

Customer Sample Number:

Date / Time Collected: 11/5/2022 7:17 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-049

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 3605 Livingston St NW

Customer Sample Number:

Date / Time Collected: 11/5/2022 7:22 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-050

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211081-021

Sample Location: 1st Draw 3619 Fordham Rd NW

Customer Sample Number:

Date / Time Collected: 11/6/2022 6:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211081-021

Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 3619 Fordham Rd NW

Customer Sample Number:

Date / Time Collected: 11/6/2022 6:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211081-022

Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211068-065

Sample Location: 1st Draw 3755 W St NW
Customer Sample Number:
Date / Time Collected: 11/3/2022 6:32 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2211068-065
Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 3755 W St NW
Customer Sample Number:
Date / Time Collected: 11/3/2022 6:35 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2211068-066
Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.6	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211068-063

Sample Location: 1st Draw 3814 Van Ness St NW

Customer Sample Number:

Date / Time Collected: 11/3/2022 5:53 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-063

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 3814 Van Ness St NW

Customer Sample Number:

Date / Time Collected: 11/3/2022 5:55 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-064

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211068-069

Sample Location: 1st Draw 4221 Brandywine St NW
Customer Sample Number:
Date / Time Collected: 11/6/2022 6:30 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2211068-069
Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 4221 Brandywine St NW
Customer Sample Number:
Date / Time Collected: 11/6/2022 6:32 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2211068-070
Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211081-017

Sample Location: 1st Draw 4341 Verplanck PI NW

Customer Sample Number:

Date / Time Collected: 11/7/2022 6:09 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211081-017

Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 4341 Verplanck PI NW

Customer Sample Number:

Date / Time Collected: 11/7/2022 6:11 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211081-018

Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211068-057

Sample Location: 1st Draw 4413 River Rd NW

Customer Sample Number:

Date / Time Collected: 11/3/2022 6:00 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-057

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 4413 River Rd NW

Customer Sample Number:

Date / Time Collected: 11/3/2022 6:04 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-058

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211068-061

Sample Location: 1st Draw 4428 New Hampshire Avenue

Customer Sample Number:

Date / Time Collected: 11/1/2022 5:20 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-061

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 4428 New Hampshire Avenue

Customer Sample Number:

Date / Time Collected: 11/1/2022 5:25 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-062

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.4	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211068-053

Sample Location: 1st Draw 4535 44th St NW

Customer Sample Number:

Date / Time Collected: 11/1/2022 5:42 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-053

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 4535 44th St NW

Customer Sample Number:

Date / Time Collected: 11/1/2022 5:45 PM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-054

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211068-071

Sample Location: 1st Draw 4535 48th St NW

Customer Sample Number:

Date / Time Collected: 11/1/2022 6:10 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-071

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 4535 48th St NW

Customer Sample Number:

Date / Time Collected: 11/1/2022 6:13 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-072

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211081-023

Sample Location: 1st Draw 4622 9th St NW
Customer Sample Number:
Date / Time Collected: 11/5/2022 9:05 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2211081-023
Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 4622 9th St NW
Customer Sample Number:
Date / Time Collected: 11/5/2022 9:07 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2211081-024
Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211081-015

Sample Location: 1st Draw 5012 45th St NW

Customer Sample Number:

Date / Time Collected: 11/8/2022 6:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211081-015

Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 5012 45th St NW

Customer Sample Number:

Date / Time Collected: 11/8/2022 6:30 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211081-016

Date / Time Received: 11/10/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211076-019

Sample Location: 1st Draw 605 Roxboro PI NW

Customer Sample Number:

Date / Time Collected: 10/28/2022 6:55 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211076-019

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 605 Roxboro PI NW

Customer Sample Number:

Date / Time Collected: 10/28/2022 7:01 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211076-020

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211068-059

Sample Location: 1st Draw 6124 32nd PI NW
Customer Sample Number:
Date / Time Collected: 11/6/2022 6:44 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2211068-059
Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 6124 32nd PI NW
Customer Sample Number:
Date / Time Collected: 11/6/2022 6:45 AM

Customer Program Code: Post-LSR
Laboratory Sample Number: 2211068-060
Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211068-055

Sample Location: 1st Draw 6135 Utah Ave NW

Customer Sample Number:

Date / Time Collected: 11/4/2022 6:55 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-055

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 6135 Utah Ave NW

Customer Sample Number:

Date / Time Collected: 11/4/2022 6:56 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-056

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211068-041

Sample Location: 1st Draw 6208 30th St NW

Customer Sample Number:

Date / Time Collected: 11/7/2022 5:32 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-041

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 6208 30th St NW

Customer Sample Number:

Date / Time Collected: 11/7/2022 5:37 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-042

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211068-051

Sample Location: 1st Draw 734 Marietta PL NW

Customer Sample Number:

Date / Time Collected: 11/2/2022 6:57 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-051

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2nd Draw 734 Marietta PL NW

Customer Sample Number:

Date / Time Collected: 11/2/2022 7:01 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-052

Date / Time Received: 11/9/2022 9:08:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-Post-LSR- 2211068-045

Sample Location: 1st Draw 807 Kentucky Ave SE

Customer Sample Number:

Date / Time Collected: 10/3/2022 6:53 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-045

Date / Time Received: 11/9/2022 9:08:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	11/29/2022	Lgallimore

Sample Location: 2nd Draw 807 Kentucky Ave SE

Customer Sample Number:

Date / Time Collected: 10/3/2022 6:56 AM

Customer Program Code: Post-LSR

Laboratory Sample Number: 2211068-046

Date / Time Received: 11/9/2022 9:08:00 AM

H = Holding Time Exceeded: Sample was analyzed outside of 8-hour holding time as specified in the method.

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Customer Collected Profiles

DC Water operates a program when customers request a lead sampling kit without knowledge of their service line material. The profile kit comes with ten bottles and instructions on how to collect samples. Customers collect their own samples and contact DC Water to deliver the bottles to the Washington Aqueduct. Results are then reported back to the customer through DC Water's Customer Service Program.



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: LT-DC-CCPF-2206208

Sample Location: 1 2021 Hillyer PI NW
Date Collected: 6/21/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206208-001
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.0	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2 2021 Hillyer PI NW
Date Collected: 6/21/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206208-002
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	13.4	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.2	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 3 2021 Hillyer PI NW
Date Collected: 6/21/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206208-003
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.1	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 2021 Hillyer PI NW
Date Collected: 6/21/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206208-004
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.3	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 5 2021 Hillyer PI NW
Date Collected: 6/21/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206208-005
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.3	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 6 2021 Hillyer PI NW
Date Collected: 6/21/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206208-006
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.3	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 7 2021 Hillyer PI NW
Date Collected: 6/21/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206208-007
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.3	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 8 2021 Hillyer PI NW
Date Collected: 6/21/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206208-008
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.4	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 2021 Hillyer PI NW
Date Collected: 6/21/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206208-009
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.4	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 10 2021 Hillyer PI NW
Date Collected: 6/21/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206208-010
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.6	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: LT-DC-CCPF-2206209

Sample Location: 1 1935 Jackson St NE
Date Collected: 6/16/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206209-001
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	0.5	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	0.2	ug/L		7/1/2022	SBrooks

Sample Location: 2 1935 Jackson St NE
Date Collected: 6/16/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206209-002
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	0.6	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 3 1935 Jackson St NE
Date Collected: 6/16/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206209-003
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.3	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	0.9	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	0.5	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 1935 Jackson St NE
Date Collected: 6/16/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206209-004
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.5	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.0	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	0.5	ug/L		7/1/2022	SBrooks

Sample Location: 5 1935 Jackson St NE
Date Collected: 6/16/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206209-005
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	21.0	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.6	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.5	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	0.6	ug/L		7/1/2022	SBrooks

Sample Location: 6 1935 Jackson St NE
Date Collected: 6/16/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206209-006
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	45.3	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.4	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.8	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	0.6	ug/L		7/1/2022	SBrooks

Sample Location: 7 1935 Jackson St NE
Date Collected: 6/16/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206209-007
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	72.1	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.4	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	2.1	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	0.8	ug/L		7/1/2022	SBrooks

Sample Location: 8 1935 Jackson St NE
Date Collected: 6/16/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206209-008
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	13.1	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.2	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	0.7	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	0.4	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 1935 Jackson St NE
Date Collected: 6/16/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206209-009
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.4	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	0.6	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	0.2	ug/L		7/1/2022	SBrooks

Sample Location: 10 1935 Jackson St NE
Date Collected: 6/16/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206209-010
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.2	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	0.5	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	0.2	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/12/2022

Report Number: LT-DC-CCPF-2206210

Sample Location: 1 6117 32nd PI NW
Date Collected: 6/25/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206210-001
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.5	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.3	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 2 6117 32nd PI NW
Date Collected: 6/25/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206210-002
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.5	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 3 6117 32nd PI NW
Date Collected: 6/25/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206210-003
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.5	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 6117 32nd PI NW
Date Collected: 6/25/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206210-004
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.4	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 5 6117 32nd PI NW
Date Collected: 6/25/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206210-005
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.4	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 6 6117 32nd PI NW
Date Collected: 6/25/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206210-006
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.4	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 7 6117 32nd PI NW
Date Collected: 6/25/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206210-007
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.4	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 8 6117 32nd PI NW
Date Collected: 6/25/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206210-008
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.5	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 6117 32nd PI NW
Date Collected: 6/25/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206210-009
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.5	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/1/2022	SBrooks

Sample Location: 10 6117 32nd PI NW
Date Collected: 6/25/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2206210-010
Date / Time Received: 6/29/2022 8:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/1/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks
Manganese	EPA 200.8		0.2	1.6	ug/L		7/1/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: LT-DC-CCPF-2207085

Sample Location: 1 1219 Independence Ave SE
Date Collected: 6/29/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207085-001
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/19/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal
Manganese	EPA 200.8		0.2	0.5	ug/L		7/19/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 2 1219 Independence Ave SE
Date Collected: 6/29/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207085-002
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/19/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal
Manganese	EPA 200.8		0.2	0.5	ug/L		7/19/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 3 1219 Independence Ave SE
Date Collected: 6/29/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207085-003
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/19/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal
Manganese	EPA 200.8		0.2	0.5	ug/L		7/19/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 1219 Independence Ave SE
Date Collected: 6/29/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207085-004
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/19/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal
Manganese	EPA 200.8		0.2	0.5	ug/L		7/19/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 5 1219 Independence Ave SE
Date Collected: 6/29/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207085-005
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/19/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal
Manganese	EPA 200.8		0.2	0.5	ug/L		7/19/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 6 1219 Independence Ave SE
Date Collected: 6/29/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207085-006
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/19/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal
Manganese	EPA 200.8		0.2	0.5	ug/L		7/19/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 7 1219 Independence Ave SE
Date Collected: 6/29/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207085-007
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/19/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal
Manganese	EPA 200.8		0.2	0.5	ug/L		7/19/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 8 1219 Independence Ave SE
Date Collected: 6/29/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207085-008
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/19/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal
Manganese	EPA 200.8		0.2	0.5	ug/L		7/19/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 1219 Independence Ave SE
Date Collected: 6/29/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207085-009
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/19/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal
Manganese	EPA 200.8		0.2	0.5	ug/L		7/19/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 10 1219 Independence Ave SE
Date Collected: 6/29/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207085-010
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/19/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal
Manganese	EPA 200.8		0.2	0.5	ug/L		7/19/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: LT-DC-CCPF-2207086

Sample Location: 1 510 3rd St. NE
Date Collected: 6/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207086-001
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	44.7	ug/L		7/19/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal
Manganese	EPA 200.8		0.2	2.2	ug/L		7/19/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 2 510 3rd St. NE
Date Collected: 6/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207086-002
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	47.1	ug/L		7/19/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal
Manganese	EPA 200.8		0.2	2.2	ug/L		7/19/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 3 510 3rd St. NE
Date Collected: 6/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207086-003
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	44.8	ug/L		7/19/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal
Manganese	EPA 200.8		0.2	2.3	ug/L		7/19/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 510 3rd St. NE
Date Collected: 6/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207086-004
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	58.6	ug/L		7/19/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal
Manganese	EPA 200.8		0.2	2.5	ug/L		7/19/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 5 510 3rd St. NE
Date Collected: 6/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207086-005
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	33.1	ug/L		7/19/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal
Manganese	EPA 200.8		0.2	2.1	ug/L		7/19/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 6 510 3rd St. NE
Date Collected: 6/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207086-006
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	24.4	ug/L		7/19/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal
Manganese	EPA 200.8		0.2	1.9	ug/L		7/19/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 7 510 3rd St. NE
Date Collected: 6/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207086-007
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	29.4	ug/L		7/19/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal
Manganese	EPA 200.8		0.2	2.0	ug/L		7/19/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 8 510 3rd St. NE
Date Collected: 6/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207086-008
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/19/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal
Manganese	EPA 200.8		0.2	1.7	ug/L		7/19/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 510 3rd St. NE
Date Collected: 6/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207086-009
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	31.7	ug/L		7/19/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal
Manganese	EPA 200.8		0.2	2.1	ug/L		7/19/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 10 510 3rd St. NE
Date Collected: 6/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207086-010
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	36.9	ug/L		7/19/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal
Manganese	EPA 200.8		0.2	2.1	ug/L		7/19/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: LT-DC-CCPF-2207131

Sample Location: 1 6608 Piney Branch Rd NW
Date Collected: 7/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207131-001
Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/22/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.3	ug/L		7/22/2022	SBrooks
Manganese	EPA 200.8		0.2	4.0	ug/L		7/22/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/22/2022	SBrooks

Sample Location: 2 6608 Piney Branch Rd NW
Date Collected: 7/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207131-002
Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/22/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.3	ug/L		7/22/2022	SBrooks
Manganese	EPA 200.8		0.2	4.0	ug/L		7/22/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/22/2022	SBrooks

Sample Location: 3 6608 Piney Branch Rd NW
Date Collected: 7/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207131-003
Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/22/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.3	ug/L		7/22/2022	SBrooks
Manganese	EPA 200.8		0.2	3.9	ug/L		7/22/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/22/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 6608 Piney Branch Rd NW
Date Collected: 7/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207131-004
Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/22/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.3	ug/L		7/22/2022	SBrooks
Manganese	EPA 200.8		0.2	3.9	ug/L		7/22/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/22/2022	SBrooks

Sample Location: 5 6608 Piney Branch Rd NW
Date Collected: 7/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207131-005
Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	10.1	ug/L		7/22/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.4	ug/L		7/22/2022	SBrooks
Manganese	EPA 200.8		0.2	2.6	ug/L		7/22/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/22/2022	SBrooks

Sample Location: 6 6608 Piney Branch Rd NW
Date Collected: 7/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207131-006
Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	10.5	ug/L		7/22/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.4	ug/L		7/22/2022	SBrooks
Manganese	EPA 200.8		0.2	2.1	ug/L		7/22/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/22/2022	SBrooks

Sample Location: 7 6608 Piney Branch Rd NW
Date Collected: 7/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207131-007
Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/22/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.5	ug/L		7/22/2022	SBrooks
Manganese	EPA 200.8		0.2	2.1	ug/L		7/22/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/22/2022	SBrooks

Sample Location: 8 6608 Piney Branch Rd NW
Date Collected: 7/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207131-008
Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/22/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.4	ug/L		7/22/2022	SBrooks
Manganese	EPA 200.8		0.2	2.8	ug/L		7/22/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/22/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 6608 Piney Branch Rd NW

Date Collected: 7/12/2022

Customer Program Code: CCPF

Laboratory Sample Number: 2207131-009

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/22/2022	SBrooks
Lead	EPA 200.8	15	0.2	1.7	ug/L		7/22/2022	SBrooks
Manganese	EPA 200.8		0.2	3.4	ug/L		7/22/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/22/2022	SBrooks

Sample Location: 10 6608 Piney Branch Rd NW

Date Collected: 7/12/2022

Customer Program Code: CCPF

Laboratory Sample Number: 2207131-010

Date / Time Received: 7/21/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		7/22/2022	SBrooks
Lead	EPA 200.8	15	0.2	3.2	ug/L		7/22/2022	SBrooks
Manganese	EPA 200.8		0.2	3.7	ug/L		7/22/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		7/22/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: LT-DC-CCPF-2207174

Sample Location: 1 1742 D St NE
Date Collected: 7/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207174-001
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		8/3/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash
Manganese	EPA 200.8		0.2	1.8	ug/L		8/3/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 2 1742 D St NE
Date Collected: 7/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207174-002
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		8/3/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash
Manganese	EPA 200.8		0.2	1.7	ug/L		8/3/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 3 1742 D St NE
Date Collected: 7/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207174-003
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	10.3	ug/L		8/3/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash
Manganese	EPA 200.8		0.2	1.6	ug/L		8/3/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 1742 D St NE
Date Collected: 7/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207174-004
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		8/3/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash
Manganese	EPA 200.8		0.2	1.5	ug/L		8/3/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 5 1742 D St NE
Date Collected: 7/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207174-005
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		8/3/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash
Manganese	EPA 200.8		0.2	1.2	ug/L		8/3/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 6 1742 D St NE
Date Collected: 7/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207174-006
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		8/3/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash
Manganese	EPA 200.8		0.2	1.2	ug/L		8/3/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 7 1742 D St NE
Date Collected: 7/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207174-007
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		8/3/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash
Manganese	EPA 200.8		0.2	1.1	ug/L		8/3/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 8 1742 D St NE
Date Collected: 7/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207174-008
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		8/3/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash
Manganese	EPA 200.8		0.2	1.1	ug/L		8/3/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 1742 D St NE
Date Collected: 7/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207174-009
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		8/3/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash
Manganese	EPA 200.8		0.2	1.1	ug/L		8/3/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 10 1742 D St NE
Date Collected: 7/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207174-010
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		8/3/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash
Manganese	EPA 200.8		0.2	0.8	ug/L		8/3/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: LT-DC-CCPF-2207175

Sample Location: 1 1363 Emerald St NE
Date Collected: 7/20/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207175-001
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	28.1	ug/L		8/3/2022	Bprakash
Lead	EPA 200.8	15	0.2	0.4	ug/L		8/3/2022	Bprakash
Manganese	EPA 200.8		0.2	3.6	ug/L		8/3/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 2 1363 Emerald St NE
Date Collected: 7/20/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207175-002
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	28.5	ug/L		8/3/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash
Manganese	EPA 200.8		0.2	4.0	ug/L		8/3/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 3 1363 Emerald St NE
Date Collected: 7/20/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207175-003
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	30.2	ug/L		8/3/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash
Manganese	EPA 200.8		0.2	3.9	ug/L		8/3/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 1363 Emerald St NE
Date Collected: 7/20/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207175-004
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	27.4	ug/L		8/3/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash
Manganese	EPA 200.8		0.2	3.6	ug/L		8/3/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 5 1363 Emerald St NE
Date Collected: 7/20/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207175-005
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	29.9	ug/L		8/3/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash
Manganese	EPA 200.8		0.2	4.0	ug/L		8/3/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 6 1363 Emerald St NE
Date Collected: 7/20/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207175-006
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	28.9	ug/L		8/3/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash
Manganese	EPA 200.8		0.2	4.0	ug/L		8/3/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 7 1363 Emerald St NE
Date Collected: 7/20/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207175-007
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	29.3	ug/L		8/3/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash
Manganese	EPA 200.8		0.2	3.9	ug/L		8/3/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 8 1363 Emerald St NE
Date Collected: 7/20/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207175-008
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	29.4	ug/L		8/3/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash
Manganese	EPA 200.8		0.2	4.0	ug/L		8/3/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 1363 Emerald St NE
Date Collected: 7/20/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207175-009
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	32.8	ug/L		8/3/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash
Manganese	EPA 200.8		0.2	3.9	ug/L		8/3/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		8/3/2022	Bprakash

Sample Location: 10 1363 Emerald St NE
Date Collected: 7/20/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2207175-010
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	35.1	ug/L		8/3/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	Bprakash
Manganese	EPA 200.8		0.2	3.8	ug/L		8/3/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: LT-DC-CCPF-2208148

Sample Location: 1 5023 11th St NE
Date Collected: 8/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208148-001
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	1.1	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 2 5023 11th St NE
Date Collected: 8/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208148-002
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	0.9	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 3 5023 11th St NE
Date Collected: 8/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208148-003
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	0.9	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 5023 11th St NE
Date Collected: 8/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208148-004
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	0.8	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 5 5023 11th St NE
Date Collected: 8/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208148-005
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	0.6	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 6 5023 11th St NE
Date Collected: 8/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208148-006
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	0.6	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 7 5023 11th St NE
Date Collected: 8/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208148-007
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	0.7	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 8 5023 11th St NE
Date Collected: 8/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208148-008
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	0.7	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 5023 11th St NE
Date Collected: 8/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208148-009
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	0.8	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 10 5023 11th St NE
Date Collected: 8/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208148-010
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	0.8	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: LT-DC-CCPF-2208194

Sample Location: 1 1437 E St NE
Date Collected: 8/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208194-001
Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	15.5	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	1.1	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	2.0	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 2 1437 E St NE
Date Collected: 8/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208194-002
Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	13.9	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	1.0	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	2.0	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 3 1437 E St NE
Date Collected: 8/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208194-003
Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	19.8	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	1.2	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	2.6	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 1437 E St NE
Date Collected: 8/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208194-004
Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	13.2	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	1.3	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	1.8	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 5 1437 E St NE
Date Collected: 8/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208194-005
Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	12.6	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	1.3	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	1.8	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 6 1437 E St NE
Date Collected: 8/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208194-006
Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	12.5	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	1.3	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	1.9	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 7 1437 E St NE
Date Collected: 8/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208194-007
Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	12.3	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	1.3	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	1.9	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 8 1437 E St NE
Date Collected: 8/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208194-008
Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	12.4	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	3.5	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	1.7	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 9 1437 E St NE
Date Collected: 8/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208194-009
Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	11.6	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	6.1	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	1.5	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 10 1437 E St NE
Date Collected: 8/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208194-010
Date / Time Received: 8/26/2022 8:32:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	11.9	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	4.2	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	1.5	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: LT-DC-CCPF-2208195

Sample Location: 1 6691 32nd PI NW
Date Collected: 8/21/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208195-001
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	92.6	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	9.0	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 2 6691 32nd PI NW
Date Collected: 8/21/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208195-002
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	86.4	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	9.0	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 3 6691 32nd PI NW
Date Collected: 8/21/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208195-003
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	94.6	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	9.1	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	0.3	ug/L		9/7/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 6691 32nd PI NW
Date Collected: 8/21/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208195-004
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	93.9	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	9.1	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 5 6691 32nd PI NW
Date Collected: 8/21/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208195-005
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	91.3	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	8.8	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 6 6691 32nd PI NW
Date Collected: 8/21/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208195-006
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	92.3	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	9.0	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 7 6691 32nd PI NW
Date Collected: 8/21/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208195-007
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	93.0	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	9.1	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 8 6691 32nd PI NW
Date Collected: 8/21/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208195-008
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	95.4	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	9.1	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	0.4	ug/L		9/7/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 6691 32nd PI NW
Date Collected: 8/21/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208195-009
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	13.9	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	8.9	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	2.0	ug/L		9/7/2022	SBrooks

Sample Location: 10 6691 32nd PI NW
Date Collected: 8/21/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208195-010
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	9.7	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: LT-DC-CCPF-2208217

Sample Location: 1 2000 Klingle Rd. NW
Date Collected: 8/23/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208217-001
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	11.0	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	2.2	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	1.1	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 2 2000 Klingle Rd. NW
Date Collected: 8/23/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208217-002
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	10.1	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	2.4	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	1.0	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 3 2000 Klingle Rd. NW
Date Collected: 8/23/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208217-003
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	14.1	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	2.7	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	1.0	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 2000 Klingle Rd. NW
Date Collected: 8/23/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208217-004
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	4.3	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	0.9	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	0.4	ug/L		9/7/2022	SBrooks

Sample Location: 5 2000 Klingle Rd. NW
Date Collected: 8/23/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208217-005
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	4.8	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	0.6	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 6 2000 Klingle Rd. NW
Date Collected: 8/23/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208217-006
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	3.3	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	0.7	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 7 2000 Klingle Rd. NW
Date Collected: 8/23/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208217-007
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	2.0	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	0.7	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	0.2	ug/L		9/7/2022	SBrooks

Sample Location: 8 2000 Klingle Rd. NW
Date Collected: 8/23/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208217-008
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	2.3	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	0.6	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	0.3	ug/L		9/7/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 2000 Klingle Rd. NW
Date Collected: 8/23/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208217-009
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	1.7	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	0.8	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	0.4	ug/L		9/7/2022	SBrooks

Sample Location: 10 2000 Klingle Rd. NW
Date Collected: 8/23/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208217-010
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.8	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	0.8	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: LT-DC-CCPF-2208218

Sample Location: 1 1421 Buchanan St NW
Date Collected: 8/27/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208218-001
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	56.0	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	6.1	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 2 1421 Buchanan St NW
Date Collected: 8/27/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208218-002
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	55.6	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	6.0	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 3 1421 Buchanan St NW
Date Collected: 8/27/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208218-003
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	58.6	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	6.3	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 1421 Buchanan St NW
Date Collected: 8/27/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208218-004
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	55.3	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	6.1	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 5 1421 Buchanan St NW
Date Collected: 8/27/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208218-005
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	61.4	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	6.2	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 6 1421 Buchanan St NW
Date Collected: 8/27/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208218-006
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	60.5	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	6.3	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 7 1421 Buchanan St NW
Date Collected: 8/27/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208218-007
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	60.4	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	6.1	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 8 1421 Buchanan St NW
Date Collected: 8/27/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208218-008
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	59.9	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	6.2	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 1421 Buchanan St NW
Date Collected: 8/27/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208218-009
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	58.1	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	6.1	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 10 1421 Buchanan St NW
Date Collected: 8/27/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208218-010
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	58.6	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	6.1	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/20/2022

Report Number: LT-DC-CCPF-2208146

Sample Location: 1 1631 Newton St NW

Date Collected: 8/4/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2208146-001

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	1.6	ug/L	H	9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	1.3	ug/L	H	9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L	H	9/7/2022	SBrooks

Sample Location: 2 1631 Newton St NW

Date Collected: 8/4/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2208146-002

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.9	ug/L	H	9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	1.4	ug/L	H	9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L	H	9/7/2022	SBrooks

Sample Location: 3 1631 Newton St NW

Date Collected: 8/4/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2208146-003

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.5	ug/L	H	9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	1.4	ug/L	H	9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L	H	9/7/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 1631 Newton St NW						Customer Program Code: CCPF			
Date Collected: 8/4/2022						Laboratory Sample Number: 2208146-004			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 8/19/2022 8:21:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	ND	ug/L	H	9/7/2022	SBrooks	
Lead	EPA 200.8	15	0.2	0.8	ug/L	H	9/7/2022	SBrooks	
Manganese	EPA 200.8		0.2	1.5	ug/L	H	9/7/2022	SBrooks	
Tin	EPA 200.8		0.2	ND	ug/L	H	9/7/2022	SBrooks	

Sample Location: 5 1631 Newton St NW						Customer Program Code: CCPF			
Date Collected: 8/4/2022						Laboratory Sample Number: 2208146-005			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 8/19/2022 8:21:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	ND	ug/L	H	9/7/2022	SBrooks	
Lead	EPA 200.8	15	0.2	0.6	ug/L	H	9/7/2022	SBrooks	
Manganese	EPA 200.8		0.2	1.5	ug/L	H	9/7/2022	SBrooks	
Tin	EPA 200.8		0.2	ND	ug/L	H	9/7/2022	SBrooks	

Sample Location: 6 1631 Newton St NW						Customer Program Code: CCPF			
Date Collected: 8/4/2022						Laboratory Sample Number: 2208146-006			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 8/19/2022 8:21:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	ND	ug/L	H	9/7/2022	SBrooks	
Lead	EPA 200.8	15	0.2	1.3	ug/L	H	9/7/2022	SBrooks	
Manganese	EPA 200.8		0.2	1.6	ug/L	H	9/7/2022	SBrooks	
Tin	EPA 200.8		0.2	ND	ug/L	H	9/7/2022	SBrooks	

Sample Location: 7 1631 Newton St NW						Customer Program Code: CCPF			
Date Collected: 8/4/2022						Laboratory Sample Number: 2208146-007			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 8/19/2022 8:21:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	ND	ug/L	H	9/7/2022	SBrooks	
Lead	EPA 200.8	15	0.2	1.3	ug/L	H	9/7/2022	SBrooks	
Manganese	EPA 200.8		0.2	1.6	ug/L	H	9/7/2022	SBrooks	
Tin	EPA 200.8		0.2	ND	ug/L	H	9/7/2022	SBrooks	

Sample Location: 8 1631 Newton St NW						Customer Program Code: CCPF			
Date Collected: 8/4/2022						Laboratory Sample Number: 2208146-008			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 8/19/2022 8:21:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	ND	ug/L	H	9/7/2022	SBrooks	
Lead	EPA 200.8	15	0.2	2.0	ug/L	H	9/7/2022	SBrooks	
Manganese	EPA 200.8		0.2	1.7	ug/L	H	9/7/2022	SBrooks	
Tin	EPA 200.8		0.2	ND	ug/L	H	9/7/2022	SBrooks	

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 1631 Newton St NW

Date Collected: 8/4/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2208146-009

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	1.6	ug/L	H	9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	1.7	ug/L	H	9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L	H	9/7/2022	SBrooks

Sample Location: 10 1631 Newton St NW

Date Collected: 8/4/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2208146-010

Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	9/13/2022	RIamsal
Lead	EPA 200.8	15	0.2	1.0	ug/L	H	9/13/2022	RIamsal
Manganese	EPA 200.8		0.2	1.6	ug/L	H	9/13/2022	RIamsal
Tin	EPA 200.8		0.2	ND	ug/L	H	9/13/2022	RIamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/20/2022

Report Number: LT-DC-CCPF-2208147

Sample Location: 1 223 Gallatin St NW
Date Collected: 8/8/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208147-001
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	69.7	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	2.5	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	0.3	ug/L		9/7/2022	SBrooks

Sample Location: 2 223 Gallatin St NW
Date Collected: 8/8/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208147-002
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	123	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	2.6	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	0.7	ug/L		9/7/2022	SBrooks

Sample Location: 3 223 Gallatin St NW
Date Collected: 8/8/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208147-003
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	108	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	2.5	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	0.3	ug/L		9/7/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 223 Gallatin St NW
Date Collected: 8/8/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208147-004
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	86.7	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	2.4	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 5 223 Gallatin St NW
Date Collected: 8/8/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208147-005
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	55.8	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	2.3	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 6 223 Gallatin St NW
Date Collected: 8/8/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208147-006
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	56.5	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	2.5	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	7.7	ug/L		9/7/2022	SBrooks

Sample Location: 7 223 Gallatin St NW
Date Collected: 8/8/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208147-007
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	46.9	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	2.4	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 8 223 Gallatin St NW
Date Collected: 8/8/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208147-008
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	43.5	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	2.5	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 223 Gallatin St NW
Date Collected: 8/8/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208147-009
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	39.6	ug/L		9/7/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		9/7/2022	SBrooks
Manganese	EPA 200.8		0.2	2.6	ug/L		9/7/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		9/7/2022	SBrooks

Sample Location: 10 223 Gallatin St NW
Date Collected: 8/8/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2208147-010
Date / Time Received: 8/19/2022 8:21:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	31.6	ug/L		9/13/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		9/13/2022	Rlamsal
Manganese	EPA 200.8		0.2	2.5	ug/L		9/13/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		9/13/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/20/2022

Report Number: LT-DC-CCPF-2209072

Sample Location: 1 517 Aspen St NW
Date Collected: 9/7/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209072-001
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	538	ug/L		9/13/2022	Rlamsal
Lead	EPA 200.8	15	0.2	1.6	ug/L		9/13/2022	Rlamsal
Manganese	EPA 200.8		0.2	14.8	ug/L		9/13/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		9/13/2022	Rlamsal

Sample Location: 2 517 Aspen St NW
Date Collected: 9/7/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209072-002
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	735	ug/L		9/13/2022	Rlamsal
Lead	EPA 200.8	15	0.2	1.9	ug/L		9/13/2022	Rlamsal
Manganese	EPA 200.8		0.2	13.7	ug/L		9/13/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		9/13/2022	Rlamsal

Sample Location: 3 517 Aspen St NW
Date Collected: 9/7/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209072-003
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	462	ug/L		9/13/2022	Rlamsal
Lead	EPA 200.8	15	0.2	1.6	ug/L		9/13/2022	Rlamsal
Manganese	EPA 200.8		0.2	8.9	ug/L		9/13/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		9/13/2022	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 517 Aspen St NW
Date Collected: 9/7/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209072-004
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	359	ug/L		9/13/2022	Rlamsal
Lead	EPA 200.8	15	0.2	1.4	ug/L		9/13/2022	Rlamsal
Manganese	EPA 200.8		0.2	8.0	ug/L		9/13/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		9/13/2022	Rlamsal

Sample Location: 5 517 Aspen St NW
Date Collected: 9/7/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209072-005
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	309	ug/L		9/13/2022	Rlamsal
Lead	EPA 200.8	15	0.2	1.2	ug/L		9/13/2022	Rlamsal
Manganese	EPA 200.8		0.2	7.2	ug/L		9/13/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		9/13/2022	Rlamsal

Sample Location: 6 517 Aspen St NW
Date Collected: 9/7/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209072-006
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	404	ug/L		9/13/2022	Rlamsal
Lead	EPA 200.8	15	0.2	1.6	ug/L		9/13/2022	Rlamsal
Manganese	EPA 200.8		0.2	8.2	ug/L		9/13/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		9/13/2022	Rlamsal

Sample Location: 7 517 Aspen St NW
Date Collected: 9/7/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209072-007
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	354	ug/L		9/13/2022	Rlamsal
Lead	EPA 200.8	15	0.2	1.5	ug/L		9/13/2022	Rlamsal
Manganese	EPA 200.8		0.2	7.6	ug/L		9/13/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		9/13/2022	Rlamsal

Sample Location: 8 517 Aspen St NW
Date Collected: 9/7/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209072-008
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	343	ug/L		9/13/2022	Rlamsal
Lead	EPA 200.8	15	0.2	1.4	ug/L		9/13/2022	Rlamsal
Manganese	EPA 200.8		0.2	7.5	ug/L		9/13/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		9/13/2022	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 517 Aspen St NW

Date Collected: 9/7/2022

Customer Program Code: CCPF

Laboratory Sample Number: 2209072-009

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	381	ug/L		9/13/2022	Rlamsal
Lead	EPA 200.8	15	0.2	1.4	ug/L		9/13/2022	Rlamsal
Manganese	EPA 200.8		0.2	7.7	ug/L		9/13/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		9/13/2022	Rlamsal

Sample Location: 10 517 Aspen St NW

Date Collected: 9/7/2022

Customer Program Code: CCPF

Laboratory Sample Number: 2209072-010

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	378	ug/L		9/13/2022	Rlamsal
Lead	EPA 200.8	15	0.2	1.5	ug/L		9/13/2022	Rlamsal
Manganese	EPA 200.8		0.2	7.5	ug/L		9/13/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		9/13/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/20/2022

Report Number: LT-DC-CCPF-2209073

Sample Location: 1 1249 1/2 C St SE
Date Collected: 9/5/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209073-001
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/13/2022	Rlamsal
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/13/2022	Rlamsal
Manganese	EPA 200.8		0.2	0.8	ug/L		9/13/2022	Rlamsal
Tin	EPA 200.8		0.2	4.4	ug/L		9/13/2022	Rlamsal

Sample Location: 2 1249 1/2 C St SE
Date Collected: 9/5/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209073-002
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/13/2022	Rlamsal
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/13/2022	Rlamsal
Manganese	EPA 200.8		0.2	0.9	ug/L		9/13/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		9/13/2022	Rlamsal

Sample Location: 3 1249 1/2 C St SE
Date Collected: 9/5/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209073-003
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/13/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		9/13/2022	Rlamsal
Manganese	EPA 200.8		0.2	1.4	ug/L		9/13/2022	Rlamsal
Tin	EPA 200.8		0.2	0.3	ug/L		9/13/2022	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 1249 1/2 C St SE
Date Collected: 9/5/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209073-004
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/13/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		9/13/2022	Rlamsal
Manganese	EPA 200.8		0.2	1.2	ug/L		9/13/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		9/13/2022	Rlamsal

Sample Location: 5 1249 1/2 C St SE
Date Collected: 9/5/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209073-005
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/13/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		9/13/2022	Rlamsal
Manganese	EPA 200.8		0.2	1.3	ug/L		9/13/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		9/13/2022	Rlamsal

Sample Location: 6 1249 1/2 C St SE
Date Collected: 9/5/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209073-006
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/13/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		9/13/2022	Rlamsal
Manganese	EPA 200.8		0.2	1.3	ug/L		9/13/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		9/13/2022	Rlamsal

Sample Location: 7 1249 1/2 C St SE
Date Collected: 9/5/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209073-007
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	18.3	ug/L		9/13/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		9/13/2022	Rlamsal
Manganese	EPA 200.8		0.2	1.3	ug/L		9/13/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		9/13/2022	Rlamsal

Sample Location: 8 1249 1/2 C St SE
Date Collected: 9/5/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209073-008
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/13/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		9/13/2022	Rlamsal
Manganese	EPA 200.8		0.2	1.3	ug/L		9/13/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		9/13/2022	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 1249 1/2 C St SE
Date Collected: 9/5/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209073-009
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/13/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		9/13/2022	Rlamsal
Manganese	EPA 200.8		0.2	1.3	ug/L		9/13/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		9/13/2022	Rlamsal

Sample Location: 10 1249 1/2 C St SE
Date Collected: 9/5/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209073-010
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/13/2022	Rlamsal
Lead	EPA 200.8	15	0.2	ND	ug/L		9/13/2022	Rlamsal
Manganese	EPA 200.8		0.2	1.5	ug/L		9/13/2022	Rlamsal
Tin	EPA 200.8		0.2	ND	ug/L		9/13/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: LT-DC-CCPF-2209100

Sample Location: 1 1506 Missouri Ave NW
Date Collected: 9/11/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209100-001
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	83.3	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	2.1	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	5.5	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	2.6	ug/L		9/22/2022	BPrakash

Sample Location: 2 1506 Missouri Ave NW
Date Collected: 9/11/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209100-002
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	81.5	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	1.3	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	5.1	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 3 1506 Missouri Ave NW
Date Collected: 9/11/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209100-003
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	77.3	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	1.3	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	5.1	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 1506 Missouri Ave NW
Date Collected: 9/11/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209100-004
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	79.4	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	1.2	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	5.0	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 5 1506 Missouri Ave NW
Date Collected: 9/11/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209100-005
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	79.1	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	2.1	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	4.9	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 6 1506 Missouri Ave NW
Date Collected: 9/11/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209100-006
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	75.9	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	4.3	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	4.9	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 7 1506 Missouri Ave NW
Date Collected: 9/11/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209100-007
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	74.3	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	4.0	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	4.9	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 8 1506 Missouri Ave NW
Date Collected: 9/11/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209100-008
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	81.7	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	2.6	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	5.1	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 1506 Missouri Ave NW
Date Collected: 9/11/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209100-009
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	93.7	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	1.4	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	5.0	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 10 1506 Missouri Ave NW
Date Collected: 9/11/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209100-010
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	107	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	2.5	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	5.2	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	1.0	ug/L		9/22/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: LT-DC-CCPF-2209101

Sample Location: 1 1714 9th St NW
Date Collected: 9/11/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209101-001
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	20.2	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	12.6	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	2.6	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	0.8	ug/L		9/22/2022	BPrakash

Sample Location: 2 1714 9th St NW
Date Collected: 9/11/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209101-002
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	0.7	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 3 1714 9th St NW
Date Collected: 9/11/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209101-003
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	0.8	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 1714 9th St NW
Date Collected: 9/11/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209101-004
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	0.8	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 5 1714 9th St NW
Date Collected: 9/11/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209101-005
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	0.8	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 6 1714 9th St NW
Date Collected: 9/11/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209101-006
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	0.8	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 7 1714 9th St NW
Date Collected: 9/11/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209101-007
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	0.8	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 8 1714 9th St NW
Date Collected: 9/11/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209101-008
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	1.0	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	0.8	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 1714 9th St NW
Date Collected: 9/11/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209101-009
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	ND	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	0.8	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 10 1714 9th St NW
Date Collected: 9/11/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209101-010
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	1.0	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: LT-DC-CCPF-2209102

Sample Location: 1 2202 Kalorama Rd NW
Date Collected: 9/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209102-001
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	18.0	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	1.3	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 2 2202 Kalorama Rd NW
Date Collected: 9/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209102-002
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	13.8	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	1.4	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 3 2202 Kalorama Rd NW
Date Collected: 9/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209102-003
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	10.6	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	1.3	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 2202 Kalorama Rd NW
Date Collected: 9/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209102-004
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	13.0	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	1.3	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 5 2202 Kalorama Rd NW
Date Collected: 9/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209102-005
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	11.8	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	1.3	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 6 2202 Kalorama Rd NW
Date Collected: 9/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209102-006
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	10.9	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	1.3	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 7 2202 Kalorama Rd NW
Date Collected: 9/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209102-007
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	12.2	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	1.3	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 8 2202 Kalorama Rd NW
Date Collected: 9/12/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209102-008
Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	11.4	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	1.3	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 2202 Kalorama Rd NW

Date Collected: 9/12/2022

Customer Program Code: CCPF

Laboratory Sample Number: 2209102-009

Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	10.2	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	1.2	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 10 2202 Kalorama Rd NW

Date Collected: 9/12/2022

Customer Program Code: CCPF

Laboratory Sample Number: 2209102-010

Date / Time Received: 9/15/2022 8:50:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	11.1	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	1.3	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: LT-DC-CCPF-2209112

Sample Location: 1 1009 Webster St NW
Date Collected: 9/8/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209112-001
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.7	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	3.9	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 2 1009 Webster St NW
Date Collected: 9/8/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209112-002
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.8	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	3.3	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 3 1009 Webster St NW
Date Collected: 9/8/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209112-003
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	3.7	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	1.5	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 1009 Webster St NW
Date Collected: 9/8/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209112-004
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	4.7	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	1.2	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 5 1009 Webster St NW
Date Collected: 9/8/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209112-005
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	165	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	7.1	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	3.2	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 6 1009 Webster St NW
Date Collected: 9/8/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209112-006
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		20	703	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	19.7	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	7.8	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 7 1009 Webster St NW
Date Collected: 9/8/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209112-007
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		20	651	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	16.6	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	6.4	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 8 1009 Webster St NW
Date Collected: 9/8/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209112-008
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	154	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	2.6	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	2.0	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 1009 Webster St NW
Date Collected: 9/8/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209112-009
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	135	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	1.2	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	1.7	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Sample Location: 10 1009 Webster St NW
Date Collected: 9/8/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209112-010
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	199	ug/L		9/22/2022	BPrakash
Lead	EPA 200.8	15	0.2	1.0	ug/L		9/22/2022	BPrakash
Manganese	EPA 200.8		0.2	1.9	ug/L		9/22/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/22/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: LT-DC-CCPF-2209167

Sample Location: 1 1230 Savannah St SE
Date Collected: 9/14/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209167-001
Date / Time Received: 9/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	20.8	ug/L		9/29/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.9	ug/L		9/29/2022	BPrakash
Manganese	EPA 200.8		0.2	2.9	ug/L		9/29/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/29/2022	BPrakash

Sample Location: 2 1230 Savannah St SE
Date Collected: 9/14/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209167-002
Date / Time Received: 9/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/29/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.4	ug/L		9/29/2022	BPrakash
Manganese	EPA 200.8		0.2	1.5	ug/L		9/29/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/29/2022	BPrakash

Sample Location: 3 1230 Savannah St SE
Date Collected: 9/14/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209167-003
Date / Time Received: 9/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/29/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/29/2022	BPrakash
Manganese	EPA 200.8		0.2	1.3	ug/L		9/29/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 1230 Savannah St SE
Date Collected: 9/14/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209167-004
Date / Time Received: 9/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/29/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.3	ug/L		9/29/2022	BPrakash
Manganese	EPA 200.8		0.2	2.6	ug/L		9/29/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/29/2022	BPrakash

Sample Location: 5 1230 Savannah St SE
Date Collected: 9/14/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209167-005
Date / Time Received: 9/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/29/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/29/2022	BPrakash
Manganese	EPA 200.8		0.2	1.2	ug/L		9/29/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/29/2022	BPrakash

Sample Location: 6 1230 Savannah St SE
Date Collected: 9/14/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209167-006
Date / Time Received: 9/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/29/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/29/2022	BPrakash
Manganese	EPA 200.8		0.2	1.2	ug/L		9/29/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/29/2022	BPrakash

Sample Location: 7 1230 Savannah St SE
Date Collected: 9/14/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209167-007
Date / Time Received: 9/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/29/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/29/2022	BPrakash
Manganese	EPA 200.8		0.2	1.2	ug/L		9/29/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/29/2022	BPrakash

Sample Location: 8 1230 Savannah St SE
Date Collected: 9/14/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209167-008
Date / Time Received: 9/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	68.5	ug/L		9/29/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/29/2022	BPrakash
Manganese	EPA 200.8		0.2	1.3	ug/L		9/29/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 1230 Savannah St SE
Date Collected: 9/14/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209167-009
Date / Time Received: 9/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	33.3	ug/L		9/29/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/29/2022	BPrakash
Manganese	EPA 200.8		0.2	1.3	ug/L		9/29/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/29/2022	BPrakash

Sample Location: 10 1230 Savannah St SE
Date Collected: 9/14/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209167-010
Date / Time Received: 9/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		9/29/2022	BPrakash
Lead	EPA 200.8	15	0.2	0.2	ug/L		9/29/2022	BPrakash
Manganese	EPA 200.8		0.2	1.4	ug/L		9/29/2022	BPrakash
Tin	EPA 200.8		0.2	ND	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: LT-DC-CCPF-2209212

Sample Location: 1 621 Allison St NW
Date Collected: 9/22/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209212-001
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	87.1	ug/L		10/7/2022	LGallimore
Lead	EPA 200.8	15	0.2	0.5	ug/L		10/7/2022	LGallimore
Manganese	EPA 200.8		0.2	9.7	ug/L		10/7/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/7/2022	LGallimore

Sample Location: 2 621 Allison St NW
Date Collected: 9/22/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209212-002
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	70.4	ug/L		10/7/2022	LGallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		10/7/2022	LGallimore
Manganese	EPA 200.8		0.2	7.7	ug/L		10/7/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/7/2022	LGallimore

Sample Location: 3 621 Allison St NW
Date Collected: 9/22/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209212-003
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	76.3	ug/L		10/7/2022	LGallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		10/7/2022	LGallimore
Manganese	EPA 200.8		0.2	8.6	ug/L		10/7/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/7/2022	LGallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 621 Allison St NW
Date Collected: 9/22/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209212-004
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	80.4	ug/L		10/7/2022	LGallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		10/7/2022	LGallimore
Manganese	EPA 200.8		0.2	9.1	ug/L		10/7/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/7/2022	LGallimore

Sample Location: 5 621 Allison St NW
Date Collected: 9/22/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209212-005
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	53.9	ug/L		10/7/2022	LGallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/7/2022	LGallimore
Manganese	EPA 200.8		0.2	6.3	ug/L		10/7/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/7/2022	LGallimore

Sample Location: 6 621 Allison St NW
Date Collected: 9/22/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209212-006
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	74.2	ug/L		10/7/2022	LGallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/7/2022	LGallimore
Manganese	EPA 200.8		0.2	8.4	ug/L		10/7/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/7/2022	LGallimore

Sample Location: 7 621 Allison St NW
Date Collected: 9/22/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209212-007
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	73.1	ug/L		10/7/2022	LGallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/7/2022	LGallimore
Manganese	EPA 200.8		0.2	8.5	ug/L		10/7/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/7/2022	LGallimore

Sample Location: 8 621 Allison St NW
Date Collected: 9/22/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2209212-008
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	69.8	ug/L		10/7/2022	LGallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/7/2022	LGallimore
Manganese	EPA 200.8		0.2	8.3	ug/L		10/7/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/7/2022	LGallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 621 Allison St NW

Date Collected: 9/22/2022

Customer Program Code: CCPF

Laboratory Sample Number: 2209212-009

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	79.4	ug/L		10/7/2022	LGallimore
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/7/2022	LGallimore
Manganese	EPA 200.8		0.2	9.3	ug/L		10/7/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/7/2022	LGallimore

Sample Location: 10 621 Allison St NW

Date Collected: 9/22/2022

Customer Program Code: CCPF

Laboratory Sample Number: 2209212-010

Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	74.2	ug/L		10/27/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.4	ug/L		10/27/2022	SBrooks
Manganese	EPA 200.8		0.2	8.9	ug/L		10/27/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: LT-DC-CCPF-2210042

Sample Location: 1 4514 Dix St NE
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210042-001
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.5	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 2 4514 Dix St NE
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210042-002
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.4	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 3 4514 Dix St NE
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210042-003
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.4	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 4514 Dix St NE
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210042-004
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.9	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 5 4514 Dix St NE
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210042-005
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.9	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 6 4514 Dix St NE
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210042-006
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.8	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 7 4514 Dix St NE
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210042-007
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.7	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 8 4514 Dix St NE
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210042-008
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.6	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 4514 Dix St NE
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210042-009
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.8	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 10 4514 Dix St NE
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210042-010
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	ND	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.4	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: LT-DC-CCPF-2210043

Sample Location: 1 1608 V St NW
Date Collected: 10/3/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210043-001
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	83.6	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.7	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	4.9	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 2 1608 V St NW
Date Collected: 10/3/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210043-002
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	78.9	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	3.4	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	6.9	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 3 1608 V St NW
Date Collected: 10/3/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210043-003
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	82.0	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	3.3	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	7.0	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 1608 V St NW
Date Collected: 10/3/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210043-004
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	70.0	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	2.8	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	6.5	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 5 1608 V St NW
Date Collected: 10/3/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210043-005
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	96.3	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	2.6	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	7.2	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 6 1608 V St NW
Date Collected: 10/3/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210043-006
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	95.7	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	2.1	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	6.9	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 7 1608 V St NW
Date Collected: 10/3/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210043-007
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	111	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.6	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	7.2	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 8 1608 V St NW
Date Collected: 10/3/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210043-008
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	122	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.2	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	7.3	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 1608 V St NW
Date Collected: 10/3/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210043-009
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	123	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.1	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	7.6	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 10 1608 V St NW
Date Collected: 10/3/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210043-010
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	132	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.9	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	7.7	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: LT-DC-CCPF-2210044

Sample Location: 1 5 U St NW
Date Collected: 9/27/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210044-001
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	53.9	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.8	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	2.2	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 2 5 U St NW
Date Collected: 9/27/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210044-002
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	44.3	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.7	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.6	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 3 5 U St NW
Date Collected: 9/27/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210044-003
Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	61.1	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	2.4	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	2.6	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 5 U St NW

Date Collected: 9/27/2022

Customer Program Code: CCPF

Laboratory Sample Number: 2210044-004

Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	62.8	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	6.7	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	2.3	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 5 5 U St NW

Date Collected: 9/27/2022

Customer Program Code: CCPF

Laboratory Sample Number: 2210044-005

Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	49.2	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	7.3	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.9	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 6 5 U St NW

Date Collected: 9/27/2022

Customer Program Code: CCPF

Laboratory Sample Number: 2210044-006

Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	53.9	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	3.5	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	2.3	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 7 5 U St NW

Date Collected: 9/27/2022

Customer Program Code: CCPF

Laboratory Sample Number: 2210044-007

Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	44.6	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	6.4	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.9	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 8 5 U St NW

Date Collected: 9/27/2022

Customer Program Code: CCPF

Laboratory Sample Number: 2210044-008

Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	17.3	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.7	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.0	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 9 5 U St NW

Date Collected: 9/27/2022

Customer Program Code: CCPF

Laboratory Sample Number: 2210044-009

Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	11.2	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.7	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.8	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 10 5 U St NW

Date Collected: 9/27/2022

Customer Program Code: CCPF

Laboratory Sample Number: 2210044-010

Date / Time Received: 10/6/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	10.9	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.7	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.8	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/1/2022

Report Number: LT-DC-CCPF-2210055

Sample Location: 1 535 Cedar St NW
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210055-001
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	57.8	ug/L		10/13/2022	LGallimore
Lead	EPA 200.8	15	0.2	1.4	ug/L		10/13/2022	LGallimore
Manganese	EPA 200.8		0.2	5.5	ug/L		10/13/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	LGallimore

Sample Location: 2 535 Cedar St NW
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210055-002
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	88.8	ug/L		10/13/2022	LGallimore
Lead	EPA 200.8	15	0.2	1.2	ug/L		10/13/2022	LGallimore
Manganese	EPA 200.8		0.2	5.5	ug/L		10/13/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	LGallimore

Sample Location: 3 535 Cedar St NW
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210055-003
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	82.5	ug/L		10/13/2022	LGallimore
Lead	EPA 200.8	15	0.2	1.2	ug/L		10/13/2022	LGallimore
Manganese	EPA 200.8		0.2	5.0	ug/L		10/13/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	LGallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 535 Cedar St NW
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210055-004
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	85.8	ug/L		10/13/2022	LGallimore
Lead	EPA 200.8	15	0.2	1.4	ug/L		10/13/2022	LGallimore
Manganese	EPA 200.8		0.2	5.2	ug/L		10/13/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	LGallimore

Sample Location: 5 535 Cedar St NW
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210055-005
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	88.6	ug/L		10/13/2022	LGallimore
Lead	EPA 200.8	15	0.2	1.4	ug/L		10/13/2022	LGallimore
Manganese	EPA 200.8		0.2	5.3	ug/L		10/13/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	LGallimore

Sample Location: 6 535 Cedar St NW
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210055-006
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	92.3	ug/L		10/13/2022	LGallimore
Lead	EPA 200.8	15	0.2	3.1	ug/L		10/13/2022	LGallimore
Manganese	EPA 200.8		0.2	5.4	ug/L		10/13/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	LGallimore

Sample Location: 7 535 Cedar St NW
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210055-007
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	85.0	ug/L		10/13/2022	LGallimore
Lead	EPA 200.8	15	0.2	5.6	ug/L		10/13/2022	LGallimore
Manganese	EPA 200.8		0.2	5.6	ug/L		10/13/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	LGallimore

Sample Location: 8 535 Cedar St NW
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210055-008
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	82.5	ug/L		10/13/2022	LGallimore
Lead	EPA 200.8	15	0.2	6.6	ug/L		10/13/2022	LGallimore
Manganese	EPA 200.8		0.2	5.7	ug/L		10/13/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	LGallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 535 Cedar St NW
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210055-009
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	84.6	ug/L		10/13/2022	LGallimore
Lead	EPA 200.8	15	0.2	5.8	ug/L		10/13/2022	LGallimore
Manganese	EPA 200.8		0.2	5.8	ug/L		10/13/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	LGallimore

Sample Location: 10 535 Cedar St NW
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210055-010
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	70.6	ug/L		10/13/2022	LGallimore
Lead	EPA 200.8	15	0.2	5.2	ug/L		10/13/2022	LGallimore
Manganese	EPA 200.8		0.2	5.7	ug/L		10/13/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	LGallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/1/2022

Report Number: LT-DC-CCPF-2210056

Sample Location: 1 1636 Florida Ave NW
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210056-001
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	2.6	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 2 1636 Florida Ave NW
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210056-002
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	3.3	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 3 1636 Florida Ave NW
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210056-003
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	3.7	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 1636 Florida Ave NW
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210056-004
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	2.9	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 5 1636 Florida Ave NW
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210056-005
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.8	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 6 1636 Florida Ave NW
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210056-006
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	2.1	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 7 1636 Florida Ave NW
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210056-007
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.2	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 8 1636 Florida Ave NW
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210056-008
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	1.0	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 1636 Florida Ave NW
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210056-009
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.9	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Sample Location: 10 1636 Florida Ave NW
Date Collected: 9/30/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210056-010
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		10/13/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.9	ug/L		10/13/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		10/13/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		10/13/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/1/2022

Report Number: LT-DC-CCPF-2210128

Sample Location: 1 4855 Reservoir Rd NW
Date Collected: 10/4/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210128-001
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	48.5	ug/L		10/28/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		10/28/2022	SBrooks
Manganese	EPA 200.8		0.2	8.3	ug/L		10/28/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		10/28/2022	SBrooks

Sample Location: 2 4855 Reservoir Rd NW
Date Collected: 10/4/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210128-002
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	57.1	ug/L		10/28/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		10/28/2022	SBrooks
Manganese	EPA 200.8		0.2	8.5	ug/L		10/28/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		10/28/2022	SBrooks

Sample Location: 3 4855 Reservoir Rd NW
Date Collected: 10/4/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210128-003
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	61.6	ug/L		10/28/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		10/28/2022	SBrooks
Manganese	EPA 200.8		0.2	9.0	ug/L		10/28/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		10/28/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 4855 Reservoir Rd NW
Date Collected: 10/4/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210128-004
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	55.1	ug/L		10/28/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		10/28/2022	SBrooks
Manganese	EPA 200.8		0.2	8.4	ug/L		10/28/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		10/28/2022	SBrooks

Sample Location: 5 4855 Reservoir Rd NW
Date Collected: 10/4/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210128-005
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	55.2	ug/L		10/28/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		10/28/2022	SBrooks
Manganese	EPA 200.8		0.2	8.6	ug/L		10/28/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		10/28/2022	SBrooks

Sample Location: 6 4855 Reservoir Rd NW
Date Collected: 10/4/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210128-006
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	54.8	ug/L		10/28/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		10/28/2022	SBrooks
Manganese	EPA 200.8		0.2	8.9	ug/L		10/28/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		10/28/2022	SBrooks

Sample Location: 7 4855 Reservoir Rd NW
Date Collected: 10/4/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210128-007
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	66.4	ug/L		10/28/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		10/28/2022	SBrooks
Manganese	EPA 200.8		0.2	9.0	ug/L		10/28/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		10/28/2022	SBrooks

Sample Location: 8 4855 Reservoir Rd NW
Date Collected: 10/4/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210128-008
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	64.7	ug/L		10/28/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		10/28/2022	SBrooks
Manganese	EPA 200.8		0.2	8.6	ug/L		10/28/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		10/28/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 4855 Reservoir Rd NW

Date Collected: 10/4/2022

Customer Program Code: CCPF

Laboratory Sample Number: 2210128-009

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	65.7	ug/L		10/28/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		10/28/2022	SBrooks
Manganese	EPA 200.8		0.2	8.6	ug/L		10/28/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		10/28/2022	SBrooks

Sample Location: 10 4855 Reservoir Rd NW

Date Collected: 10/4/2022

Customer Program Code: CCPF

Laboratory Sample Number: 2210128-010

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	63.8	ug/L		10/28/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		10/28/2022	SBrooks
Manganese	EPA 200.8		0.2	7.7	ug/L		10/28/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		10/28/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/1/2022

Report Number: LT-DC-CCPF-2210129

Sample Location: 1 306 Emerson St NW
Date Collected: 10/5/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210129-001
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	136	ug/L		10/28/2022	SBrooks
Lead	EPA 200.8	15	0.2	2.0	ug/L		10/28/2022	SBrooks
Manganese	EPA 200.8		0.2	2.9	ug/L		10/28/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		10/28/2022	SBrooks

Sample Location: 2 306 Emerson St NW
Date Collected: 10/5/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210129-002
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	52.1	ug/L		10/28/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.6	ug/L		10/28/2022	SBrooks
Manganese	EPA 200.8		0.2	1.9	ug/L		10/28/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		10/28/2022	SBrooks

Sample Location: 3 306 Emerson St NW
Date Collected: 10/5/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210129-003
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	31.4	ug/L		10/28/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.4	ug/L		10/28/2022	SBrooks
Manganese	EPA 200.8		0.2	1.4	ug/L		10/28/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		10/28/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 306 Emerson St NW
Date Collected: 10/5/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210129-004
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	26.2	ug/L		10/28/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.3	ug/L		10/28/2022	SBrooks
Manganese	EPA 200.8		0.2	1.0	ug/L		10/28/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		10/28/2022	SBrooks

Sample Location: 5 306 Emerson St NW
Date Collected: 10/5/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210129-005
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	22.6	ug/L		10/28/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		10/28/2022	SBrooks
Manganese	EPA 200.8		0.2	1.0	ug/L		10/28/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		10/28/2022	SBrooks

Sample Location: 6 306 Emerson St NW
Date Collected: 10/5/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210129-006
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	22.0	ug/L		10/28/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		10/28/2022	SBrooks
Manganese	EPA 200.8		0.2	1.1	ug/L		10/28/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		10/28/2022	SBrooks

Sample Location: 7 306 Emerson St NW
Date Collected: 10/5/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210129-007
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	20.6	ug/L		10/28/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		10/28/2022	SBrooks
Manganese	EPA 200.8		0.2	1.3	ug/L		10/28/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		10/28/2022	SBrooks

Sample Location: 8 306 Emerson St NW
Date Collected: 10/5/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210129-008
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	18.3	ug/L		10/28/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		10/28/2022	SBrooks
Manganese	EPA 200.8		0.2	1.3	ug/L		10/28/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		10/28/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 306 Emerson St NW
Date Collected: 10/5/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210129-009
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	17.1	ug/L		10/28/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		10/28/2022	SBrooks
Manganese	EPA 200.8		0.2	1.1	ug/L		10/28/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		10/28/2022	SBrooks

Sample Location: 10 306 Emerson St NW
Date Collected: 10/5/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210129-010
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	16.5	ug/L		10/28/2022	SBrooks
Lead	EPA 200.8	15	0.2	ND	ug/L		10/28/2022	SBrooks
Manganese	EPA 200.8		0.2	0.9	ug/L		10/28/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		10/28/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/1/2022

Report Number: LT-DC-CCPF-2210158

Sample Location: 1 1027 Cecil PI NW

Date Collected: 10/2/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2210158-001

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	0.3	ug/L	H	11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.6	ug/L	H	11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	11/8/2022	Bprakash

Sample Location: 2 1027 Cecil PI NW

Date Collected: 10/2/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2210158-002

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	0.4	ug/L	H	11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.5	ug/L	H	11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	11/8/2022	Bprakash

Sample Location: 3 1027 Cecil PI NW

Date Collected: 10/2/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2210158-003

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.5	ug/L	H	11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	11/8/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 1027 Cecil PI NW **Customer Program Code:** CCPF
Date Collected: 10/2/2022 **Laboratory Sample Number:** 2210158-004
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.6	ug/L	H	11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	11/8/2022	Bprakash

Sample Location: 5 1027 Cecil PI NW **Customer Program Code:** CCPF
Date Collected: 10/2/2022 **Laboratory Sample Number:** 2210158-005
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.6	ug/L	H	11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	11/8/2022	Bprakash

Sample Location: 6 1027 Cecil PI NW **Customer Program Code:** CCPF
Date Collected: 10/2/2022 **Laboratory Sample Number:** 2210158-006
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.6	ug/L	H	11/8/2022	Bprakash
Tin	EPA 200.8		0.2	0.3	ug/L	H	11/8/2022	Bprakash

Sample Location: 7 1027 Cecil PI NW **Customer Program Code:** CCPF
Date Collected: 10/2/2022 **Laboratory Sample Number:** 2210158-007
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	0.2	ug/L	H	11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.5	ug/L	H	11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	11/8/2022	Bprakash

Sample Location: 8 1027 Cecil PI NW **Customer Program Code:** CCPF
Date Collected: 10/2/2022 **Laboratory Sample Number:** 2210158-008
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method. **Date / Time Received:** 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.6	ug/L	H	11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	11/8/2022	Bprakash

Comments:

ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit

Sample Location: 9 1027 Cecil PI NW

Date Collected: 10/2/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2210158-009

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.7	ug/L	H	11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	11/8/2022	Bprakash

Sample Location: 10 1027 Cecil PI NW

Date Collected: 10/2/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2210158-010

Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L	H	11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.7	ug/L	H	11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	11/8/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/1/2022

Report Number: LT-DC-CCPF-2210210

Sample Location: 1 5325 42nd PI NW
Date Collected: 10/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210210-001
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		20	102	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.4	11.2	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 2 5325 42nd PI NW
Date Collected: 10/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210210-002
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		50	96.7	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		1	10.4	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 3 5325 42nd PI NW
Date Collected: 10/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210210-003
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	84.8	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	10.3	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 5325 42nd PI NW
Date Collected: 10/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210210-004
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	68.3	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	9.7	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 5 5325 42nd PI NW
Date Collected: 10/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210210-005
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	65.4	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	10.0	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 6 5325 42nd PI NW
Date Collected: 10/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210210-006
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	62.7	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	9.7	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 7 5325 42nd PI NW
Date Collected: 10/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210210-007
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	69.3	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	9.6	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 8 5325 42nd PI NW
Date Collected: 10/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210210-008
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	81.0	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	9.3	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 5325 42nd PI NW
Date Collected: 10/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210210-009
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	84.1	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	9.2	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 10 5325 42nd PI NW
Date Collected: 10/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210210-010
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	84.6	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	9.2	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/1/2022

Report Number: LT-DC-CCPF-2210211

Sample Location: 1 1619 V Street NW
Date Collected: 10/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210211-001
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	25.3	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	1.0	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.4	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 2 1619 V Street NW
Date Collected: 10/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210211-002
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	32.7	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	0.8	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.3	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 3 1619 V Street NW
Date Collected: 10/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210211-003
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	33.7	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	1.1	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.3	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 1619 V Street NW
Date Collected: 10/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210211-004
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	35.8	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	1.7	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.6	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 5 1619 V Street NW
Date Collected: 10/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210211-005
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	37.9	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	1.2	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.7	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 6 1619 V Street NW
Date Collected: 10/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210211-006
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	39.4	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	0.9	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.7	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 7 1619 V Street NW
Date Collected: 10/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210211-007
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	40.0	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	0.8	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.4	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 8 1619 V Street NW
Date Collected: 10/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210211-008
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	38.0	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	0.9	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.5	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 1619 V Street NW
Date Collected: 10/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210211-009
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	39.1	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	3.4	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.9	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 10 1619 V Street NW
Date Collected: 10/17/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210211-010
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	47.3	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	4.9	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	1.4	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/1/2022

Report Number: LT-DC-CCPF-2210212

Sample Location: 1 4917 7th St NW
Date Collected: 10/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210212-001
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	32.1	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	0.6	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	3.4	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 2 4917 7th St NW
Date Collected: 10/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210212-002
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	31.6	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	0.6	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	3.5	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 3 4917 7th St NW
Date Collected: 10/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210212-003
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	31.6	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	0.6	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	3.6	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 4917 7th St NW
Date Collected: 10/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210212-004
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	33.0	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	0.6	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	3.7	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 5 4917 7th St NW
Date Collected: 10/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210212-005
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	31.8	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	0.6	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	3.6	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 6 4917 7th St NW
Date Collected: 10/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210212-006
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	29.4	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	1.2	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	4.2	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 7 4917 7th St NW
Date Collected: 10/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210212-007
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	29.0	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	3.1	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	5.3	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 8 4917 7th St NW
Date Collected: 10/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210212-008
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	28.9	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	3.3	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	5.1	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 4917 7th St NW
Date Collected: 10/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210212-009
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	28.5	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	2.9	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	4.7	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 10 4917 7th St NW
Date Collected: 10/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210212-010
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	26.2	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	1.9	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	4.7	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/1/2022

Report Number: LT-DC-CCPF-2210213

Sample Location: 1 1507 3rd St NW
Date Collected: 10/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210213-001
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	0.2	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	1.9	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 2 1507 3rd St NW
Date Collected: 10/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210213-002
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	1.4	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 3 1507 3rd St NW
Date Collected: 10/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210213-003
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.8	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 1507 3rd St NW
Date Collected: 10/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210213-004
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.9	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 5 1507 3rd St NW
Date Collected: 10/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210213-005
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.8	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 6 1507 3rd St NW
Date Collected: 10/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210213-006
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	0.9	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 7 1507 3rd St NW
Date Collected: 10/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210213-007
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	1.3	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 8 1507 3rd St NW
Date Collected: 10/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210213-008
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	1.2	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 1507 3rd St NW
Date Collected: 10/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210213-009
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	1.0	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Sample Location: 10 1507 3rd St NW
Date Collected: 10/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2210213-010
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L		11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	1.4	ug/L		11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L		11/8/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/1/2022

Report Number: LT-DC-CCPF-2211022

Sample Location: 1 6415 31st St NW

Date Collected: 10/14/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2211022-001

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	41.5	ug/L	H	11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	1.2	ug/L	H	11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	11/8/2022	Bprakash

Sample Location: 2 6415 31st St NW

Date Collected: 10/14/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2211022-002

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	38.9	ug/L	H	11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	1.2	ug/L	H	11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	11/8/2022	Bprakash

Sample Location: 3 6415 31st St NW

Date Collected: 10/14/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2211022-003

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	36.6	ug/L	H	11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	1.4	ug/L	H	11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	11/8/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 4 6415 31st St NW						Customer Program Code: CCPF			
Date Collected: 10/14/2022						Laboratory Sample Number: 2211022-004			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 11/2/2022 10:05:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	41.7	ug/L	H	11/8/2022	Bprakash	
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/8/2022	Bprakash	
Manganese	EPA 200.8		0.2	1.8	ug/L	H	11/8/2022	Bprakash	
Tin	EPA 200.8		0.2	ND	ug/L	H	11/8/2022	Bprakash	

Sample Location: 5 6415 31st St NW						Customer Program Code: CCPF			
Date Collected: 10/14/2022						Laboratory Sample Number: 2211022-005			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 11/2/2022 10:05:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	41.5	ug/L	H	11/8/2022	Bprakash	
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/8/2022	Bprakash	
Manganese	EPA 200.8		0.2	2.0	ug/L	H	11/8/2022	Bprakash	
Tin	EPA 200.8		0.2	ND	ug/L	H	11/8/2022	Bprakash	

Sample Location: 6 6415 31st St NW						Customer Program Code: CCPF			
Date Collected: 10/14/2022						Laboratory Sample Number: 2211022-006			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 11/2/2022 10:05:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	39.2	ug/L	H	11/8/2022	Bprakash	
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/8/2022	Bprakash	
Manganese	EPA 200.8		0.2	2.3	ug/L	H	11/8/2022	Bprakash	
Tin	EPA 200.8		0.2	ND	ug/L	H	11/8/2022	Bprakash	

Sample Location: 7 6415 31st St NW						Customer Program Code: CCPF			
Date Collected: 10/14/2022						Laboratory Sample Number: 2211022-007			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 11/2/2022 10:05:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	35.8	ug/L	H	11/8/2022	Bprakash	
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/8/2022	Bprakash	
Manganese	EPA 200.8		0.2	2.3	ug/L	H	11/8/2022	Bprakash	
Tin	EPA 200.8		0.2	ND	ug/L	H	11/8/2022	Bprakash	

Sample Location: 8 6415 31st St NW						Customer Program Code: CCPF			
Date Collected: 10/14/2022						Laboratory Sample Number: 2211022-008			
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.						Date / Time Received: 11/2/2022 10:05:00 AM			
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst	
Iron	EPA 200.8		10	34.2	ug/L	H	11/8/2022	Bprakash	
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/8/2022	Bprakash	
Manganese	EPA 200.8		0.2	2.1	ug/L	H	11/8/2022	Bprakash	
Tin	EPA 200.8		0.2	ND	ug/L	H	11/8/2022	Bprakash	

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Sample Location: 9 6415 31st St NW

Date Collected: 10/14/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2211022-009

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	34.9	ug/L	H	11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	1.9	ug/L	H	11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	11/8/2022	Bprakash

Sample Location: 10 6415 31st St NW

Date Collected: 10/14/2022

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Customer Program Code: CCPF

Laboratory Sample Number: 2211022-010

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	33.0	ug/L	H	11/8/2022	Bprakash
Lead	EPA 200.8	15	0.2	ND	ug/L	H	11/8/2022	Bprakash
Manganese	EPA 200.8		0.2	1.8	ug/L	H	11/8/2022	Bprakash
Tin	EPA 200.8		0.2	ND	ug/L	H	11/8/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/9/2022

Report Number: LT-DC-CCPF-2211079

Sample Location: 1 6905 5th St NW
Date Collected: 10/31/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211079-001
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	50.8	ug/L		11/17/2022	LGallimore
Lead	EPA 200.8	15	0.2	0.4	ug/L		11/17/2022	LGallimore
Manganese	EPA 200.8		0.2	4.8	ug/L		11/17/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/17/2022	LGallimore

Sample Location: 2 6905 5th St NW
Date Collected: 10/31/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211079-002
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	50.9	ug/L		11/17/2022	LGallimore
Lead	EPA 200.8	15	0.2	0.5	ug/L		11/17/2022	LGallimore
Manganese	EPA 200.8		0.2	4.8	ug/L		11/17/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/17/2022	LGallimore

Sample Location: 3 6905 5th St NW
Date Collected: 10/31/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211079-003
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	54.4	ug/L		11/17/2022	LGallimore
Lead	EPA 200.8	15	0.2	1.3	ug/L		11/17/2022	LGallimore
Manganese	EPA 200.8		0.2	5.0	ug/L		11/17/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/17/2022	LGallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 6905 5th St NW
Date Collected: 10/31/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211079-004
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	59.9	ug/L		11/17/2022	LGallimore
Lead	EPA 200.8	15	0.2	2.5	ug/L		11/17/2022	LGallimore
Manganese	EPA 200.8		0.2	5.2	ug/L		11/17/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/17/2022	LGallimore

Sample Location: 5 6905 5th St NW
Date Collected: 10/31/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211079-005
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	53.9	ug/L		11/17/2022	LGallimore
Lead	EPA 200.8	15	0.2	3.2	ug/L		11/17/2022	LGallimore
Manganese	EPA 200.8		0.2	5.2	ug/L		11/17/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/17/2022	LGallimore

Sample Location: 6 6905 5th St NW
Date Collected: 10/31/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211079-006
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	52.4	ug/L		11/17/2022	LGallimore
Lead	EPA 200.8	15	0.2	3.5	ug/L		11/17/2022	LGallimore
Manganese	EPA 200.8		0.2	5.2	ug/L		11/17/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/17/2022	LGallimore

Sample Location: 7 6905 5th St NW
Date Collected: 10/31/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211079-007
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	49.9	ug/L		11/17/2022	LGallimore
Lead	EPA 200.8	15	0.2	3.1	ug/L		11/17/2022	LGallimore
Manganese	EPA 200.8		0.2	5.2	ug/L		11/17/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/17/2022	LGallimore

Sample Location: 8 6905 5th St NW
Date Collected: 10/31/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211079-008
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	50.4	ug/L		11/17/2022	LGallimore
Lead	EPA 200.8	15	0.2	2.6	ug/L		11/17/2022	LGallimore
Manganese	EPA 200.8		0.2	5.1	ug/L		11/17/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/17/2022	LGallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 6905 5th St NW
Date Collected: 10/31/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211079-009
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	51.3	ug/L		11/17/2022	LGallimore
Lead	EPA 200.8	15	0.2	2.0	ug/L		11/17/2022	LGallimore
Manganese	EPA 200.8		0.2	5.1	ug/L		11/17/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/17/2022	LGallimore

Sample Location: 10 6905 5th St NW
Date Collected: 10/31/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211079-010
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	56.9	ug/L		11/17/2022	LGallimore
Lead	EPA 200.8	15	0.2	1.6	ug/L		11/17/2022	LGallimore
Manganese	EPA 200.8		0.2	5.1	ug/L		11/17/2022	LGallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/17/2022	LGallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/9/2022

Report Number: LT-DC-CCPF-2211080

Sample Location: 1 236 12th PI NE
Date Collected: 10/29/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211080-001
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	44.4	ug/L		11/17/2022	Lgallimore
Lead	EPA 200.8	15	0.2	32.0	ug/L		11/17/2022	Lgallimore
Manganese	EPA 200.8		0.2	3.2	ug/L		11/17/2022	Lgallimore
Tin	EPA 200.8		0.2	2.4	ug/L		11/17/2022	Lgallimore

Sample Location: 2 236 12th PI NE
Date Collected: 10/29/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211080-002
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	15.9	ug/L		11/17/2022	Lgallimore
Lead	EPA 200.8	15	0.2	8.7	ug/L		11/17/2022	Lgallimore
Manganese	EPA 200.8		0.2	1.2	ug/L		11/17/2022	Lgallimore
Tin	EPA 200.8		0.2	0.2	ug/L		11/17/2022	Lgallimore

Sample Location: 3 236 12th PI NE
Date Collected: 10/29/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211080-003
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/17/2022	Lgallimore
Lead	EPA 200.8	15	0.2	3.5	ug/L		11/17/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.6	ug/L		11/17/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/17/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 236 12th PI NE
Date Collected: 10/29/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211080-004
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/17/2022	Lgallimore
Lead	EPA 200.8	15	0.2	4.8	ug/L		11/17/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.8	ug/L		11/17/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/17/2022	Lgallimore

Sample Location: 5 236 12th PI NE
Date Collected: 10/29/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211080-005
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/17/2022	Lgallimore
Lead	EPA 200.8	15	0.2	16.3	ug/L		11/17/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.7	ug/L		11/17/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/17/2022	Lgallimore

Sample Location: 6 236 12th PI NE
Date Collected: 10/29/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211080-006
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/17/2022	Lgallimore
Lead	EPA 200.8	15	0.2	5.7	ug/L		11/17/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.6	ug/L		11/17/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/17/2022	Lgallimore

Sample Location: 7 236 12th PI NE
Date Collected: 10/29/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211080-007
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/17/2022	Lgallimore
Lead	EPA 200.8	15	0.2	4.3	ug/L		11/17/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.6	ug/L		11/17/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/17/2022	Lgallimore

Sample Location: 8 236 12th PI NE
Date Collected: 10/29/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211080-008
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/17/2022	Lgallimore
Lead	EPA 200.8	15	0.2	2.9	ug/L		11/17/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.6	ug/L		11/17/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/17/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 236 12th PI NE
Date Collected: 10/29/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211080-009
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/17/2022	Lgallimore
Lead	EPA 200.8	15	0.2	0.9	ug/L		11/17/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.4	ug/L		11/17/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/17/2022	Lgallimore

Sample Location: 10 236 12th PI NE
Date Collected: 10/29/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2211080-010
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		11/17/2022	Lgallimore
Lead	EPA 200.8	15	0.2	229	ug/L		11/17/2022	Lgallimore
Manganese	EPA 200.8		0.2	0.7	ug/L		11/17/2022	Lgallimore
Tin	EPA 200.8		0.2	ND	ug/L		11/17/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/3/2023

Report Number: LT-DC-CCPF-2212014

Sample Location: 1 1352 Parkwood PL NW
Date Collected: 11/22/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212014-001
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Lead	EPA 200.8	15	0.2	1.6	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	0.6	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2 1352 Parkwood PL NW
Date Collected: 11/22/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212014-002
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Lead	EPA 200.8	15	0.2	1.7	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	0.8	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 3 1352 Parkwood PL NW
Date Collected: 11/22/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212014-003
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Lead	EPA 200.8	15	0.2	1.5	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	0.6	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 1352 Parkwood PL NW
Date Collected: 11/22/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212014-004
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Lead	EPA 200.8	15	0.2	1.9	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	0.5	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 5 1352 Parkwood PL NW
Date Collected: 11/22/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212014-005
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Lead	EPA 200.8	15	0.2	8.0	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	0.3	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 6 1352 Parkwood PL NW
Date Collected: 11/22/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212014-006
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Lead	EPA 200.8	15	0.2	9.7	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	0.2	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 7 1352 Parkwood PL NW
Date Collected: 11/22/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212014-007
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Lead	EPA 200.8	15	0.2	3.9	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	0.3	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 8 1352 Parkwood PL NW
Date Collected: 11/22/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212014-008
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Lead	EPA 200.8	15	0.2	5.8	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	0.3	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 1352 Parkwood PL NW
Date Collected: 11/22/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212014-009
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Lead	EPA 200.8	15	0.2	7.3	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	0.4	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 10 1352 Parkwood PL NW
Date Collected: 11/22/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212014-010
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Lead	EPA 200.8	15	0.2	2.9	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	0.6	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/3/2023

Report Number: LT-DC-CCPF-2212015

Sample Location: 1 602 Keefer PI NW
Date Collected: 11/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212015-001
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.7	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	0.9	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 2 602 Keefer PI NW
Date Collected: 11/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212015-002
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.6	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	0.9	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 3 602 Keefer PI NW
Date Collected: 11/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212015-003
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.7	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	1.0	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 4 602 Keefer PI NW
Date Collected: 11/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212015-004
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.7	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	0.9	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 5 602 Keefer PI NW
Date Collected: 11/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212015-005
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.7	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	0.9	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 6 602 Keefer PI NW
Date Collected: 11/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212015-006
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.6	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	1.0	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 7 602 Keefer PI NW
Date Collected: 11/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212015-007
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.7	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	1.0	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 8 602 Keefer PI NW
Date Collected: 11/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212015-008
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.6	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	0.9	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Sample Location: 9 602 Keefer PI NW
Date Collected: 11/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212015-009
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.6	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	0.9	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Sample Location: 10 602 Keefer PI NW
Date Collected: 11/18/2022

Customer Program Code: CCPF
Laboratory Sample Number: 2212015-010
Date / Time Received: 12/2/2022 7:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Lead	EPA 200.8	15	0.2	0.5	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	0.9	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Customer Collected Filtered Samples

DC Water operates a program where customers request a lead sampling kit to test their in-line point-of-use filtered water. The test kit comes with a 1-L bottle and instructions on how to take a sample. Customers collect their own sample and contact DC Water to deliver the bottle to the Washington Aqueduct. Results are then reported back to the customer through DC Water's Customer Service Program.



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Report Date: 7/12/2022

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Number: L-DC-CUSTFILT- 2206170-001

Sample Location: 5145 8th St NE
Customer Sample Number:
Date / Time Collected: 6/21/2022 8:40 PM

Customer Program Code: CUSTFILT
Laboratory Sample Number: 2206170-001
Date / Time Received: 6/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-CUSTFILT- 2207176-001

Sample Location: 318 14th PI NE
Customer Sample Number:
Date / Time Collected: 7/25/2022 8:00 AM

Customer Program Code: CUSTFILT
Laboratory Sample Number: 2207176-001
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		8/3/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-CUSTFILT- 2210146-001

Sample Location: 1621 H St SE
Customer Sample Number:
Date / Time Collected: 10/12/2022 6:15 AM

Customer Program Code: CUSTFILT
Laboratory Sample Number: 2210146-001
Date / Time Received: 10/19/2022 11:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Pipe Loop Research

DC Water collected stagnated samples from lead pipe loops to simulate lead levels released in the distribution system. The Washington Aqueduct laboratory analyzed the samples for lead.



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 7/8/2022

Report Number: L-DC-LLP- 08072022

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: HO
Date / Time Collected: 6/10/2022 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2206135-001
Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L		6/27/2022	Lgallimore

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: HO
Date / Time Collected: 6/10/2022 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2206135-002
Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		6/27/2022	Lgallimore

Sample Location: 3900 Donaldson PI NW Baseline
Sample Collected By: HO
Date / Time Collected: 6/10/2022 11:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2206135-003
Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		6/27/2022	Lgallimore

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: HO
Date / Time Collected: 6/14/2022 9:20 AM

Customer Program Code: LLP
Laboratory Sample Number: 2206135-004
Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.0	ug/L		6/27/2022	Lgallimore

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: HO
Date / Time Collected: 6/14/2022 9:20 AM

Customer Program Code: LLP
Laboratory Sample Number: 2206135-005
Date / Time Received: 6/16/2022 8:20:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		6/27/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minumum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/4/2022

Report Number: L-DC-LLP- 04082022

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: HB
Date / Time Collected: 6/17/2022 9:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207084-001
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L	H	7/19/2022	Rlamsal
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: HB
Date / Time Collected: 6/17/2022 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207084-002
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L	H	7/19/2022	Rlamsal
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW Baseline
Sample Collected By: HB
Date / Time Collected: 6/17/2022 9:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207084-003
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	7/19/2022	Rlamsal
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: JPL
Date / Time Collected: 6/22/2022 10:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207084-004
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L	H	7/19/2022	Rlamsal
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 8/4/2022

Report Number: L-DC-LLP- 04082022

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: JPL
Date / Time Collected: 6/22/2022 10:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207084-005
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L	H	7/19/2022	Rlamsal

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: JPL
Date / Time Collected: 6/29/2022 9:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207084-006
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		7/19/2022	Rlamsal

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: JPL
Date / Time Collected: 6/29/2022 9:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207084-007
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		7/19/2022	Rlamsal

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: HB
Date / Time Collected: 7/1/2022 10:10 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207084-008
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L		7/19/2022	Rlamsal

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: HB
Date / Time Collected: 7/1/2022 10:10 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207084-009
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		7/19/2022	Rlamsal

Sample Location: 3900 Donaldson PI NW Baseline
Sample Collected By: HB
Date / Time Collected: 7/1/2022 11:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207084-010
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/19/2022	Rlamsal

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: JPL
Date / Time Collected: 7/6/2022 10:39 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207084-011
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L		7/19/2022	Rlamsal

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: JPL
Date / Time Collected: 7/6/2022 10:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207084-012
Date / Time Received: 7/13/2022 8:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L		7/19/2022	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minumum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/11/2022

Report Number: L-DC-LLP- 11082022

Sample Location: 3900 Donaldson PI NW Pipeloop 1
Sample Collected By: JPL
Date / Time Collected: 7/12/2022 9:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207162-001
Date / Time Received: 7/26/2022 2:05:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		7/28/2022	BPrakash

Sample Location: 3900 Donaldson PI NW Pipeloop 3
Sample Collected By: JPL
Date / Time Collected: 7/12/2022 9:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207162-002
Date / Time Received: 7/26/2022 2:05:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.3	ug/L		7/28/2022	BPrakash

Sample Location: 3900 Donaldson PI NW Pipeloop 1
Sample Collected By: HB
Date / Time Collected: 7/15/2022 11:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207162-003
Date / Time Received: 7/26/2022 2:05:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		7/28/2022	BPrakash

Sample Location: 3900 Donaldson PI NW Pipeloop 3
Sample Collected By: HB
Date / Time Collected: 7/15/2022 11:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207162-004
Date / Time Received: 7/26/2022 2:05:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.3	ug/L		7/28/2022	BPrakash

Sample Location: 3900 Donaldson PI NW Baseline
Sample Collected By: HB
Date / Time Collected: 7/15/2022 12:00 PM

Customer Program Code: LLP
Laboratory Sample Number: 2207162-005
Date / Time Received: 7/26/2022 2:05:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		7/28/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 8/11/2022

Report Number: L-DC-LLP- 11082022

Sample Location: 3900 Donaldson PI NW Pipeloop 1
Sample Collected By: JPL
Date / Time Collected: 7/19/2022 9:15 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207162-006
Date / Time Received: 7/26/2022 2:05:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		7/28/2022	BPrakash

Sample Location: 3900 Donaldson PI NW Pipeloop 3
Sample Collected By: JPL
Date / Time Collected: 7/19/2022 9:15 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207162-007
Date / Time Received: 7/26/2022 2:05:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.7	ug/L		7/28/2022	BPrakash

Sample Location: 3900 Donaldson PI NW Pipeloop 1
Sample Collected By: JPL
Date / Time Collected: 7/22/2022 9:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207162-008
Date / Time Received: 7/26/2022 2:05:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.6	ug/L		7/28/2022	BPrakash

Sample Location: 3900 Donaldson PI NW Pipeloop 3
Sample Collected By: JPL
Date / Time Collected: 7/22/2022 9:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207162-009
Date / Time Received: 7/26/2022 2:05:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.3	ug/L		7/28/2022	BPrakash

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: KLC
Date / Time Collected: 7/27/2022 8:15 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207177-001
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		8/3/2022	Bprakash

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: KLC
Date / Time Collected: 7/27/2022 8:15 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207177-002
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.9	ug/L		8/3/2022	Bprakash

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: KLC
Date / Time Collected: 7/27/2022 8:15 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207177-003
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.2	ug/L		8/3/2022	Bprakash

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: KLC
Date / Time Collected: 7/27/2022 8:15 AM

Customer Program Code: LLP
Laboratory Sample Number: 2207177-004
Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	10.5	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 8/11/2022

Report Number: L-DC-LLP- 11082022

Sample Location: 5 Byrant Street - Lead Pipe Section 5

Sample Collected By: KLC

Date / Time Collected: 7/27/2022 8:15 AM

Customer Program Code: LLP

Laboratory Sample Number: 2207177-005

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.8	ug/L		8/3/2022	Bprakash

Sample Location: 6 Byrant Street - Lead Pipe Section 6

Sample Collected By: KLC

Date / Time Collected: 7/27/2022 8:15 AM

Customer Program Code: LLP

Laboratory Sample Number: 2207177-006

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.8	ug/L		8/3/2022	Bprakash

Sample Location: 7 Byrant Street - Lead Pipe Section 7

Sample Collected By: KLC

Date / Time Collected: 7/27/2022 8:15 AM

Customer Program Code: LLP

Laboratory Sample Number: 2207177-007

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.3	ug/L		8/3/2022	Bprakash

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Sample Collected By: KLC

Date / Time Collected: 7/27/2022 8:15 AM

Customer Program Code: LLP

Laboratory Sample Number: 2207177-008

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.6	ug/L		8/3/2022	Bprakash

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: KLC

Date / Time Collected: 7/27/2022 8:15 AM

Customer Program Code: LLP

Laboratory Sample Number: 2207177-009

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.0	ug/L		8/3/2022	Bprakash

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: KLC

Date / Time Collected: 7/27/2022 8:15 AM

Customer Program Code: LLP

Laboratory Sample Number: 2207177-010

Date / Time Received: 7/28/2022 8:35:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.7	ug/L		8/3/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 8/22/2022

Report Number: L-DC-LLP- 22082022

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: JPL
Date / Time Collected: 7/27/2022 9:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2208077-001
Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.0	ug/L		8/16/2022	Lgallimore

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: JPL
Date / Time Collected: 7/27/2022 9:40 AM

Customer Program Code: LLP
Laboratory Sample Number: 2208077-002
Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.6	ug/L		8/16/2022	Lgallimore

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: JPL
Date / Time Collected: 7/29/2022 9:15 AM

Customer Program Code: LLP
Laboratory Sample Number: 2208077-003
Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		8/16/2022	Lgallimore

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)
Sample Collected By: JPL
Date / Time Collected: 7/29/2022 9:15 AM

Customer Program Code: LLP
Laboratory Sample Number: 2208077-004
Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L		8/16/2022	Lgallimore

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)
Sample Collected By: JPL
Date / Time Collected: 8/2/2022 9:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2208077-005
Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.4	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minumum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 8/22/2022

Report Number: L-DC-LLP- 22082022

Sample Location: 3900 Donaldson PI NW (Pipeloop 3)						Customer Program Code: LLP		
Sample Collected By: JPL						Laboratory Sample Number: 2208077-006		
Date / Time Collected: 8/2/2022 9:00 AM						Date / Time Received: 8/10/2022 9:30:00 AM		
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.7	ug/L		8/16/2022	Lgallimore
Sample Location: 1 Byrant Street - Lead Pipe Section 1						Customer Program Code: LLP		
Sample Collected By: KLC						Laboratory Sample Number: 2208078-001		
Date / Time Collected: 8/10/2022 8:00 AM						Date / Time Received: 8/10/2022 9:30:00 AM		
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		8/16/2022	Lgallimore
Sample Location: 2 Byrant Street - Lead Pipe Section 2						Customer Program Code: LLP		
Sample Collected By: KLC						Laboratory Sample Number: 2208078-002		
Date / Time Collected: 8/10/2022 8:00 AM						Date / Time Received: 8/10/2022 9:30:00 AM		
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.0	ug/L		8/16/2022	Lgallimore
Sample Location: 3 Byrant Street - Lead Pipe Section 3						Customer Program Code: LLP		
Sample Collected By: KLC						Laboratory Sample Number: 2208078-003		
Date / Time Collected: 8/10/2022 8:00 AM						Date / Time Received: 8/10/2022 9:30:00 AM		
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.6	ug/L		8/16/2022	Lgallimore
Sample Location: 4 Byrant Street - Lead Pipe Section 4						Customer Program Code: LLP		
Sample Collected By: KLC						Laboratory Sample Number: 2208078-004		
Date / Time Collected: 8/10/2022 8:00 AM						Date / Time Received: 8/10/2022 9:30:00 AM		
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	10.2	ug/L		8/16/2022	Lgallimore
Sample Location: 5 Byrant Street - Lead Pipe Section 5						Customer Program Code: LLP		
Sample Collected By: KLC						Laboratory Sample Number: 2208078-005		
Date / Time Collected: 8/10/2022 8:00 AM						Date / Time Received: 8/10/2022 9:30:00 AM		
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	7.1	ug/L		8/16/2022	Lgallimore
Sample Location: 6 Byrant Street - Lead Pipe Section 6						Customer Program Code: LLP		
Sample Collected By: KLC						Laboratory Sample Number: 2208078-006		
Date / Time Collected: 8/10/2022 8:00 AM						Date / Time Received: 8/10/2022 9:30:00 AM		
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.2	ug/L		8/16/2022	Lgallimore
Sample Location: 7 Byrant Street - Lead Pipe Section 7						Customer Program Code: LLP		
Sample Collected By: KLC						Laboratory Sample Number: 2208078-007		
Date / Time Collected: 8/10/2022 8:00 AM						Date / Time Received: 8/10/2022 9:30:00 AM		
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.5	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory5900 MacArthur Blvd, NW
Washington, DC 20016Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 8/22/2022

Report Number: L-DC-LLP- 22082022

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Sample Collected By: KLC

Date / Time Collected: 8/10/2022 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208078-008

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.7	ug/L		8/16/2022	Lgallimore

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: KLC

Date / Time Collected: 8/10/2022 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208078-009

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.5	ug/L		8/16/2022	Lgallimore

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: KLC

Date / Time Collected: 8/10/2022 8:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208078-010

Date / Time Received: 8/10/2022 9:30:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.0	ug/L		8/16/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/15/2022

Report Number: L-DC-LLP- 15092022

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: HR
Date / Time Collected: 8/17/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2208131-001
Date / Time Received: 8/17/2022 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		9/1/2022	SBrooks

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: HR
Date / Time Collected: 8/17/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2208131-002
Date / Time Received: 8/17/2022 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		9/1/2022	SBrooks

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: HR
Date / Time Collected: 8/17/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2208131-003
Date / Time Received: 8/17/2022 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		9/1/2022	SBrooks

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: HR
Date / Time Collected: 8/17/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2208131-004
Date / Time Received: 8/17/2022 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	7.7	ug/L		9/1/2022	SBrooks

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: HR
Date / Time Collected: 8/17/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2208131-005
Date / Time Received: 8/17/2022 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.9	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 9/15/2022

Report Number: L-DC-LLP- 15092022

Sample Location: 6 Byrant Street - Lead Pipe Section 6

Sample Collected By: HR

Date / Time Collected: 8/17/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208131-006

Date / Time Received: 8/17/2022 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.4	ug/L		9/1/2022	SBrooks

Sample Location: 7 Byrant Street - Lead Pipe Section 7

Sample Collected By: HR

Date / Time Collected: 8/17/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208131-007

Date / Time Received: 8/17/2022 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.1	ug/L		9/1/2022	SBrooks

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Sample Collected By: HR

Date / Time Collected: 8/17/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208131-008

Date / Time Received: 8/17/2022 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L		9/1/2022	SBrooks

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: HR

Date / Time Collected: 8/17/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208131-009

Date / Time Received: 8/17/2022 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.1	ug/L		9/1/2022	SBrooks

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: HR

Date / Time Collected: 8/17/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208131-010

Date / Time Received: 8/17/2022 10:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.0	ug/L		9/1/2022	SBrooks

Sample Location: 1 Byrant Street - Lead Pipe Section 1

Sample Collected By: HR

Date / Time Collected: 8/22/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208182-001

Date / Time Received: 8/25/2022 2:52:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		9/1/2022	SBrooks

Sample Location: 2 Byrant Street - Lead Pipe Section 2

Sample Collected By: HR

Date / Time Collected: 8/22/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208182-002

Date / Time Received: 8/25/2022 2:52:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		9/1/2022	SBrooks

Sample Location: 3 Byrant Street - Lead Pipe Section 3

Sample Collected By: HR

Date / Time Collected: 8/22/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208182-003

Date / Time Received: 8/25/2022 2:52:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Report Date: 9/15/2022

Report Number: L-DC-LLP- 15092022

Sample Location: 4 Byrant Street - Lead Pipe Section 4

Sample Collected By: HR

Date / Time Collected: 8/22/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208182-004

Date / Time Received: 8/25/2022 2:52:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	7.8	ug/L		9/1/2022	SBrooks

Sample Location: 5 Byrant Street - Lead Pipe Section 5

Sample Collected By: HR

Date / Time Collected: 8/22/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208182-005

Date / Time Received: 8/25/2022 2:52:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.4	ug/L		9/1/2022	SBrooks

Sample Location: 6 Byrant Street - Lead Pipe Section 6

Sample Collected By: HR

Date / Time Collected: 8/22/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208182-006

Date / Time Received: 8/25/2022 2:52:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.8	ug/L		9/1/2022	SBrooks

Sample Location: 7 Byrant Street - Lead Pipe Section 7

Sample Collected By: HR

Date / Time Collected: 8/22/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208182-007

Date / Time Received: 8/25/2022 2:52:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.1	ug/L		9/1/2022	SBrooks

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Sample Collected By: HR

Date / Time Collected: 8/22/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208182-008

Date / Time Received: 8/25/2022 2:52:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.0	ug/L		9/1/2022	SBrooks

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: HR

Date / Time Collected: 8/22/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208182-009

Date / Time Received: 8/25/2022 2:52:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L		9/1/2022	SBrooks

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: HR

Date / Time Collected: 8/22/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208182-010

Date / Time Received: 8/25/2022 2:52:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L		9/1/2022	SBrooks

Sample Location: 1 Byrant Street - Lead Pipe Section 1

Sample Collected By: HR

Date / Time Collected: 8/25/2022 7:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208183-001

Date / Time Received: 8/25/2022 2:52:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Report Date: 9/15/2022

Report Number: L-DC-LLP- 15092022

Sample Location: 2 Byrant Street - Lead Pipe Section 2

Sample Collected By: HR

Date / Time Collected: 8/25/2022 7:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208183-002

Date / Time Received: 8/25/2022 2:52:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.4	ug/L		9/1/2022	SBrooks

Sample Location: 3 Byrant Street - Lead Pipe Section 3

Sample Collected By: HR

Date / Time Collected: 8/25/2022 7:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208183-003

Date / Time Received: 8/25/2022 2:52:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		9/1/2022	SBrooks

Sample Location: 4 Byrant Street - Lead Pipe Section 4

Sample Collected By: HR

Date / Time Collected: 8/25/2022 7:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208183-004

Date / Time Received: 8/25/2022 2:52:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	11.2	ug/L		9/1/2022	SBrooks

Sample Location: 5 Byrant Street - Lead Pipe Section 5

Sample Collected By: HR

Date / Time Collected: 8/25/2022 7:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208183-005

Date / Time Received: 8/25/2022 2:52:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.9	ug/L		9/1/2022	SBrooks

Sample Location: 6 Byrant Street - Lead Pipe Section 6

Sample Collected By: HR

Date / Time Collected: 8/25/2022 7:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208183-006

Date / Time Received: 8/25/2022 2:52:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.4	ug/L		9/1/2022	SBrooks

Sample Location: 7 Byrant Street - Lead Pipe Section 7

Sample Collected By: HR

Date / Time Collected: 8/25/2022 7:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208183-007

Date / Time Received: 8/25/2022 2:52:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.3	ug/L		9/1/2022	SBrooks

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Sample Collected By: HR

Date / Time Collected: 8/25/2022 7:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208183-008

Date / Time Received: 8/25/2022 2:52:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.6	ug/L		9/1/2022	SBrooks

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: HR

Date / Time Collected: 8/25/2022 7:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208183-009

Date / Time Received: 8/25/2022 2:52:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.3	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Report Date: 9/15/2022

Report Number: L-DC-LLP- 15092022

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: HR

Date / Time Collected: 8/25/2022 7:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208183-010

Date / Time Received: 8/25/2022 2:52:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.5	ug/L		9/1/2022	SBrooks

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)

Sample Collected By: HB

Date / Time Collected: 8/5/2022 10:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208219-001

Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L	H	9/1/2022	SBrooks

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)

Sample Collected By: HB

Date / Time Collected: 8/5/2022 10:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208219-002

Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.3	ug/L	H	9/1/2022	SBrooks

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW Baseline

Sample Collected By: HB

Date / Time Collected: 8/5/2022 11:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208219-003

Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	9/1/2022	SBrooks

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)

Sample Collected By: DM

Date / Time Collected: 8/9/2022 10:50 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208219-004

Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.7	ug/L	H	9/1/2022	SBrooks

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipelooop 3)

Sample Collected By: DM

Date / Time Collected: 8/9/2022 10:50 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208219-005

Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.8	ug/L	H	9/1/2022	SBrooks

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW (Pipelooop 1)

Sample Collected By: HB

Date / Time Collected: 8/12/2022 11:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2208219-006

Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L	H	9/1/2022	SBrooks

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory5900 MacArthur Blvd, NW
Washington, DC 20016Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 9/15/2022

Report Number: L-DC-LLP- 15092022

Sample Location: 3900 Donaldson PI NW (Pipeloop 3)
Sample Collected By: HB
Date / Time Collected: 8/12/2022 11:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2208219-007
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L	H	9/1/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW Baseline
Sample Collected By: HB
Date / Time Collected: 8/12/2022 12:00 PM

Customer Program Code: LLP
Laboratory Sample Number: 2208219-008
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	9/1/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloop 1)
Sample Collected By: YT
Date / Time Collected: 8/16/2022 9:52 AM

Customer Program Code: LLP
Laboratory Sample Number: 2208220-001
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L	H	9/1/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloop 3)
Sample Collected By: YT
Date / Time Collected: 8/16/2022 9:55 AM

Customer Program Code: LLP
Laboratory Sample Number: 2208220-002
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L	H	9/1/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW (Pipeloop 1)
Sample Collected By: LS
Date / Time Collected: 8/23/2022 9:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2208220-003
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		9/1/2022	SBrooks

Sample Location: 3900 Donaldson PI NW (Pipeloop 3)
Sample Collected By: LS
Date / Time Collected: 8/23/2022 9:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2208220-004
Date / Time Received: 8/31/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L		9/1/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 9/19/2022

Report Number: L-DC-LLP- 19092022

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: HR
Date / Time Collected: 9/2/2022 6:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209014-001
Date / Time Received: 9/2/2022 7:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.5	ug/L		9/14/2022	Rlamsal

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: HR
Date / Time Collected: 9/2/2022 6:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209014-002
Date / Time Received: 9/2/2022 7:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.2	ug/L		9/14/2022	Rlamsal

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: HR
Date / Time Collected: 9/2/2022 6:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209014-003
Date / Time Received: 9/2/2022 7:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.6	ug/L		9/14/2022	Rlamsal

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: HR
Date / Time Collected: 9/2/2022 6:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209014-004
Date / Time Received: 9/2/2022 7:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	8.1	ug/L		9/14/2022	Rlamsal

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: HR
Date / Time Collected: 9/2/2022 6:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209014-005
Date / Time Received: 9/2/2022 7:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.0	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 9/19/2022

Report Number: L-DC-LLP- 19092022

Sample Location: 6 Byrant Street - Lead Pipe Section 6

Sample Collected By: HR

Date / Time Collected: 9/2/2022 6:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2209014-006

Date / Time Received: 9/2/2022 7:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.7	ug/L		9/14/2022	Rlamsal

Sample Location: 7 Byrant Street - Lead Pipe Section 7

Sample Collected By: HR

Date / Time Collected: 9/2/2022 6:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2209014-007

Date / Time Received: 9/2/2022 7:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.8	ug/L		9/14/2022	Rlamsal

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Sample Collected By: HR

Date / Time Collected: 9/2/2022 6:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2209014-008

Date / Time Received: 9/2/2022 7:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.8	ug/L		9/14/2022	Rlamsal

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: HR

Date / Time Collected: 9/2/2022 6:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2209014-009

Date / Time Received: 9/2/2022 7:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.3	ug/L		9/14/2022	Rlamsal

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: HR

Date / Time Collected: 9/2/2022 6:00 AM

Customer Program Code: LLP

Laboratory Sample Number: 2209014-010

Date / Time Received: 9/2/2022 7:15:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.7	ug/L		9/14/2022	Rlamsal

Sample Location: 1 Byrant Street - Lead Pipe Section 1

Sample Collected By: KLC

Date / Time Collected: 9/7/2022 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2209046-001

Date / Time Received: 9/8/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		9/14/2022	Rlamsal

Sample Location: 2 Byrant Street - Lead Pipe Section 2

Sample Collected By: KLC

Date / Time Collected: 9/7/2022 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2209046-002

Date / Time Received: 9/8/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.2	ug/L		9/14/2022	Rlamsal

Sample Location: 3 Byrant Street - Lead Pipe Section 3

Sample Collected By: KLC

Date / Time Collected: 9/7/2022 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2209046-003

Date / Time Received: 9/8/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.5	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Report Date: 9/19/2022

Report Number: L-DC-LLP- 19092022

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: KLC
Date / Time Collected: 9/7/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209046-004
Date / Time Received: 9/8/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L		9/14/2022	Rlamsal

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: KLC
Date / Time Collected: 9/7/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209046-005
Date / Time Received: 9/8/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.7	ug/L		9/14/2022	Rlamsal

Sample Location: 6 Byrant Street - Lead Pipe Section 6
Sample Collected By: KLC
Date / Time Collected: 9/7/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209046-006
Date / Time Received: 9/8/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.9	ug/L		9/14/2022	Rlamsal

Sample Location: 7 Byrant Street - Lead Pipe Section 7
Sample Collected By: KLC
Date / Time Collected: 9/7/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209046-007
Date / Time Received: 9/8/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.3	ug/L		9/14/2022	Rlamsal

Sample Location: 8 Byrant Street - Lead Pipe Section 8
Sample Collected By: KLC
Date / Time Collected: 9/7/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209046-008
Date / Time Received: 9/8/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	8.2	ug/L		9/14/2022	Rlamsal

Sample Location: 9 Byrant Street - Lead Pipe Section 9
Sample Collected By: KLC
Date / Time Collected: 9/7/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209046-009
Date / Time Received: 9/8/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.0	ug/L		9/14/2022	Rlamsal

Sample Location: 10 Byrant Street - Lead Pipe Section 10
Sample Collected By: KLC
Date / Time Collected: 9/7/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209046-010
Date / Time Received: 9/8/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.5	ug/L		9/14/2022	Rlamsal

Sample Location: 3900 Donaldson PI NW Pipeloop 1
Sample Collected By: HB
Date / Time Collected: 8/26/2022 11:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209071-001
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L	H	9/14/2022	Rlamsal

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 9/19/2022

Report Number: L-DC-LLP- 19092022

Sample Location: 3900 Donaldson PI NW Pipeloop 3
Sample Collected By: HB
Date / Time Collected: 8/26/2022 11:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209071-002
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.4	ug/L	H	9/14/2022	Rlamsal

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW Baseline
Sample Collected By: HB
Date / Time Collected: 8/26/2022 12:00 PM

Customer Program Code: LLP
Laboratory Sample Number: 2209071-003
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	9/14/2022	Rlamsal

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW Pipeloop 1
Sample Collected By: LS
Date / Time Collected: 8/30/2022 9:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209071-004
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		9/14/2022	Rlamsal

Sample Location: 3900 Donaldson PI NW Pipeloop 3
Sample Collected By: LS
Date / Time Collected: 8/30/2022 9:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209071-005
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		9/14/2022	Rlamsal

Sample Location: 3900 Donaldson PI NW Pipeloop 1
Sample Collected By: HB
Date / Time Collected: 9/2/2022 11:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209071-006
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.2	ug/L		9/14/2022	Rlamsal

Sample Location: 3900 Donaldson PI NW Pipeloop 3
Sample Collected By: HB
Date / Time Collected: 9/2/2022 11:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209071-007
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L		9/14/2022	Rlamsal

Sample Location: 3900 Donaldson PI NW Pipeloop 1
Sample Collected By: LS
Date / Time Collected: 9/7/2022 11:13 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209071-008
Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 9/19/2022

Report Number: L-DC-LLP- 19092022

Sample Location: 3900 Donaldson PI NW Pipeloop 3

Customer Program Code: LLP

Sample Collected By: LS

Laboratory Sample Number: 2209071-009

Date / Time Collected: 9/7/2022 11:14 AM

Date / Time Received: 9/12/2022 8:02:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L		9/14/2022	Rlamsal

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

*Washington Aqueduct
Laboratory*

*5900 MacArthur Blvd, NW
Washington, DC 20016*

*Phone (202) 345-5928
Fax (202) 587-9446*



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 10/5/2022

Report Number: L-DC-LLP- 05102022

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: KLC
Date / Time Collected: 9/14/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209114-001
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		9/20/2022	BPrakash

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: KLC
Date / Time Collected: 9/14/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209114-002
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.6	ug/L		9/20/2022	BPrakash

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: KLC
Date / Time Collected: 9/14/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209114-003
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.1	ug/L		9/20/2022	BPrakash

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: KLC
Date / Time Collected: 9/14/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209114-004
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	7.1	ug/L		9/20/2022	BPrakash

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: KLC
Date / Time Collected: 9/14/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209114-005
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.9	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 10/5/2022

Report Number: L-DC-LLP- 05102022

Sample Location: 6 Byrant Street - Lead Pipe Section 6
Sample Collected By: KLC
Date / Time Collected: 9/14/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209114-006
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.1	ug/L		9/20/2022	BPrakash

Sample Location: 7 Byrant Street - Lead Pipe Section 7
Sample Collected By: KLC
Date / Time Collected: 9/14/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209114-007
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.4	ug/L		9/20/2022	BPrakash

Sample Location: 8 Byrant Street - Lead Pipe Section 8
Sample Collected By: KLC
Date / Time Collected: 9/14/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209114-008
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.4	ug/L		9/20/2022	BPrakash

Sample Location: 9 Byrant Street - Lead Pipe Section 9
Sample Collected By: KLC
Date / Time Collected: 9/14/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209114-009
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.1	ug/L		9/20/2022	BPrakash

Sample Location: 10 Byrant Street - Lead Pipe Section 10
Sample Collected By: KLC
Date / Time Collected: 9/14/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209114-010
Date / Time Received: 9/16/2022 8:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.3	ug/L		9/20/2022	BPrakash

Sample Location: 1 Byrant Street - Lead Pipe Section 1
Sample Collected By: HR
Date / Time Collected: 9/16/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209115-001
Date / Time Received: 9/16/2022 11:28:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		9/20/2022	BPrakash

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: HR
Date / Time Collected: 9/16/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209115-002
Date / Time Received: 9/16/2022 11:28:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L		9/20/2022	BPrakash

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: HR
Date / Time Collected: 9/16/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209115-003
Date / Time Received: 9/16/2022 11:28:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		9/20/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 10/5/2022

Report Number: L-DC-LLP- 05102022

Sample Location: 4 Byrant Street - Lead Pipe Section 4

Sample Collected By: HR

Date / Time Collected: 9/16/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2209115-004

Date / Time Received: 9/16/2022 11:28:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	7.6	ug/L		9/20/2022	BPrakash

Sample Location: 5 Byrant Street - Lead Pipe Section 5

Sample Collected By: HR

Date / Time Collected: 9/16/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2209115-005

Date / Time Received: 9/16/2022 11:28:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.2	ug/L		9/20/2022	BPrakash

Sample Location: 6 Byrant Street - Lead Pipe Section 6

Sample Collected By: HR

Date / Time Collected: 9/16/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2209115-006

Date / Time Received: 9/16/2022 11:28:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		9/20/2022	BPrakash

Sample Location: 7 Byrant Street - Lead Pipe Section 7

Sample Collected By: HR

Date / Time Collected: 9/16/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2209115-007

Date / Time Received: 9/16/2022 11:28:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		9/20/2022	BPrakash

Sample Location: 8 Byrant Street - Lead Pipe Section 8

Sample Collected By: HR

Date / Time Collected: 9/16/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2209115-008

Date / Time Received: 9/16/2022 11:28:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.8	ug/L		9/20/2022	BPrakash

Sample Location: 9 Byrant Street - Lead Pipe Section 9

Sample Collected By: HR

Date / Time Collected: 9/16/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2209115-009

Date / Time Received: 9/16/2022 11:28:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.5	ug/L		9/20/2022	BPrakash

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: HR

Date / Time Collected: 9/16/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2209115-010

Date / Time Received: 9/16/2022 11:28:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		9/20/2022	BPrakash

Sample Location: 1 Byrant Street - Lead Pipe Section 1

Sample Collected By: KLC

Date / Time Collected: 9/21/2022 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2209157-001

Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Report Date: 10/5/2022

Report Number: L-DC-LLP- 05102022

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: KLC
Date / Time Collected: 9/21/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209157-002
Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.9	ug/L		9/29/2022	BPrakash

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: KLC
Date / Time Collected: 9/21/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209157-003
Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.1	ug/L		9/29/2022	BPrakash

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: KLC
Date / Time Collected: 9/21/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209157-004
Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.5	ug/L		9/29/2022	BPrakash

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: KLC
Date / Time Collected: 9/21/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209157-005
Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.0	ug/L		9/29/2022	BPrakash

Sample Location: 6 Byrant Street - Lead Pipe Section 6
Sample Collected By: KLC
Date / Time Collected: 9/21/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209157-006
Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.4	ug/L		9/29/2022	BPrakash

Sample Location: 7 Byrant Street - Lead Pipe Section 7
Sample Collected By: KLC
Date / Time Collected: 9/21/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209157-007
Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.7	ug/L		9/29/2022	BPrakash

Sample Location: 8 Byrant Street - Lead Pipe Section 8
Sample Collected By: KLC
Date / Time Collected: 9/21/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209157-008
Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.9	ug/L		9/29/2022	BPrakash

Sample Location: 9 Byrant Street - Lead Pipe Section 9
Sample Collected By: KLC
Date / Time Collected: 9/21/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209157-009
Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.7	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 10/5/2022

Report Number: L-DC-LLP- 05102022

Sample Location: 10 Byrant Street - Lead Pipe Section 10
Sample Collected By: KLC
Date / Time Collected: 9/21/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209157-010
Date / Time Received: 9/22/2022 8:48:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.9	ug/L		9/29/2022	BPrakash

Sample Location: 3900 Donaldson PI NW Pipeloop 1
Sample Collected By: HB
Date / Time Collected: 9/9/2022 11:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209168-001
Date / Time Received: 9/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		9/29/2022	BPrakash

Sample Location: 3900 Donaldson PI NW Pipeloop 3
Sample Collected By: HB
Date / Time Collected: 9/9/2022 11:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209168-002
Date / Time Received: 9/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		9/29/2022	BPrakash

Sample Location: 3900 Donaldson PI NW Baseline
Sample Collected By: HB
Date / Time Collected: 9/9/2022 12:00 PM

Customer Program Code: LLP
Laboratory Sample Number: 2209168-003
Date / Time Received: 9/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/29/2022	BPrakash

Sample Location: 3900 Donaldson PI NW Pipeloop 1
Sample Collected By: YT
Date / Time Collected: 9/13/2022 9:41 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209168-004
Date / Time Received: 9/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		9/29/2022	BPrakash

Sample Location: 3900 Donaldson PI NW Pipeloop 3
Sample Collected By: YT
Date / Time Collected: 9/13/2022 9:42 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209168-005
Date / Time Received: 9/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		9/29/2022	BPrakash

Sample Location: 3900 Donaldson PI NW Pipeloop 1
Sample Collected By: HB
Date / Time Collected: 9/16/2022 11:10 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209168-006
Date / Time Received: 9/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L		9/29/2022	BPrakash

Sample Location: 3900 Donaldson PI NW Pipeloop 3
Sample Collected By: HB
Date / Time Collected: 9/16/2022 11:10 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209168-007
Date / Time Received: 9/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 10/5/2022

Report Number: L-DC-LLP- 05102022

Sample Location: 3900 Donaldson PI NW Baseline

Customer Program Code: LLP

Sample Collected By: HB

Laboratory Sample Number: 2209168-008

Date / Time Collected: 9/16/2022 12:30 PM

Date / Time Received: 9/23/2022 8:40:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		9/29/2022	BPrakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

*Washington Aqueduct
Laboratory*

*5900 MacArthur Blvd, NW
Washington, DC 20016*

*Phone (202) 345-5928
Fax (202) 587-9446*



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/14/2022

Report Number: L-DC-LLP- 14112022

Sample Location: 1 Bryant Street - Lead Pipe Section 1
Sample Collected By: KLC
Date / Time Collected: 9/28/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209211-001
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		10/11/2022	LGallimore

Sample Location: 2 Bryant Street - Lead Pipe Section 2
Sample Collected By: KLC
Date / Time Collected: 9/28/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209211-002
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.8	ug/L		10/11/2022	LGallimore

Sample Location: 3 Bryant Street - Lead Pipe Section 3
Sample Collected By: KLC
Date / Time Collected: 9/28/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209211-003
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.5	ug/L		10/11/2022	LGallimore

Sample Location: 4 Bryant Street - Lead Pipe Section 4
Sample Collected By: KLC
Date / Time Collected: 9/28/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209211-004
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	7.0	ug/L		10/11/2022	LGallimore

Sample Location: 5 Bryant Street - Lead Pipe Section 5
Sample Collected By: KLC
Date / Time Collected: 9/28/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209211-005
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.3	ug/L		10/11/2022	LGallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 11/14/2022

Report Number: L-DC-LLP- 14112022

Sample Location: 6 Bryant Street - Lead Pipe Section 6
Sample Collected By: KLC
Date / Time Collected: 9/28/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209211-006
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.0	ug/L		10/11/2022	LGallimore

Sample Location: 7 Bryant Street - Lead Pipe Section 7
Sample Collected By: KLC
Date / Time Collected: 9/28/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209211-007
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.7	ug/L		10/11/2022	LGallimore

Sample Location: 8 Bryant Street - Lead Pipe Section 8
Sample Collected By: KLC
Date / Time Collected: 9/28/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209211-008
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.2	ug/L		10/11/2022	LGallimore

Sample Location: 9 Bryant Street - Lead Pipe Section 9
Sample Collected By: KLC
Date / Time Collected: 9/28/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209211-009
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.7	ug/L		10/11/2022	LGallimore

Sample Location: 10 Bryant Street - Lead Pipe Section 10
Sample Collected By: KLC
Date / Time Collected: 9/28/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2209211-010
Date / Time Received: 9/30/2022 8:45:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.8	ug/L		10/11/2022	LGallimore

Sample Location: Bryant Street - Lead Pipe Section 1
Sample Collected By: HR
Date / Time Collected: 9/30/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210013-001
Date / Time Received: 10/3/2022 3:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		10/11/2022	Lgallimore

Sample Location: Bryant Street - Lead Pipe Section 2
Sample Collected By: HR
Date / Time Collected: 9/30/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210013-002
Date / Time Received: 10/3/2022 3:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		10/11/2022	Lgallimore

Sample Location: Bryant Street - Lead Pipe Section 3
Sample Collected By: HR
Date / Time Collected: 9/30/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210013-003
Date / Time Received: 10/3/2022 3:30:00 PM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.5	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 11/14/2022

Report Number: L-DC-LLP- 14112022

Sample Location: Bryant Street - Lead Pipe Section 4						Customer Program Code: LLP		
Sample Collected By: HR						Laboratory Sample Number: 2210013-004		
Date / Time Collected: 9/30/2022 8:00 AM						Date / Time Received: 10/3/2022 3:30:00 PM		
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.8	ug/L		10/11/2022	Lgallimore

Sample Location: Bryant Street - Lead Pipe Section 5						Customer Program Code: LLP		
Sample Collected By: HR						Laboratory Sample Number: 2210013-005		
Date / Time Collected: 9/30/2022 8:00 AM						Date / Time Received: 10/3/2022 3:30:00 PM		
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.3	ug/L		10/11/2022	Lgallimore

Sample Location: Bryant Street - Lead Pipe Section 6						Customer Program Code: LLP		
Sample Collected By: HR						Laboratory Sample Number: 2210013-006		
Date / Time Collected: 9/30/2022 8:00 AM						Date / Time Received: 10/3/2022 3:30:00 PM		
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		10/11/2022	Lgallimore

Sample Location: Bryant Street - Lead Pipe Section 7						Customer Program Code: LLP		
Sample Collected By: HR						Laboratory Sample Number: 2210013-007		
Date / Time Collected: 9/30/2022 8:00 AM						Date / Time Received: 10/3/2022 3:30:00 PM		
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		10/11/2022	Lgallimore

Sample Location: Bryant Street - Lead Pipe Section 8						Customer Program Code: LLP		
Sample Collected By: HR						Laboratory Sample Number: 2210013-008		
Date / Time Collected: 9/30/2022 8:00 AM						Date / Time Received: 10/3/2022 3:30:00 PM		
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.9	ug/L		10/11/2022	Lgallimore

Sample Location: Bryant Street - Lead Pipe Section 9						Customer Program Code: LLP		
Sample Collected By: HR						Laboratory Sample Number: 2210013-009		
Date / Time Collected: 9/30/2022 8:00 AM						Date / Time Received: 10/3/2022 3:30:00 PM		
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		10/11/2022	Lgallimore

Sample Location: Bryant Street - Lead Pipe Section 10						Customer Program Code: LLP		
Sample Collected By: HR						Laboratory Sample Number: 2210013-010		
Date / Time Collected: 9/30/2022 8:00 AM						Date / Time Received: 10/3/2022 3:30:00 PM		
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		10/11/2022	Lgallimore

Sample Location: 1 Byrant Street - Lead Pipe Section 1						Customer Program Code: LLP		
Sample Collected By: KLC						Laboratory Sample Number: 2210054-001		
Date / Time Collected: 10/3/2022 7:20 AM						Date / Time Received: 10/7/2022 8:53:00 AM		
Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		10/11/2022	Lgallimore

Comments:
 ND = Non-Detect
 AL = Action Level
 MRL = Minumum Reporting Limit

Washington Aqueduct
 Laboratory

5900 MacArthur Blvd, NW
 Washington, DC 20016

Phone (202) 345-5928
 Fax (202) 587-9446

Report Date: 11/14/2022

Report Number: L-DC-LLP- 14112022

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: KLC
Date / Time Collected: 10/3/2022 7:20 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210054-002
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L		10/11/2022	Lgallimore

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: KLC
Date / Time Collected: 10/3/2022 7:20 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210054-003
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		10/11/2022	Lgallimore

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: KLC
Date / Time Collected: 10/3/2022 7:20 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210054-004
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.4	ug/L		10/11/2022	Lgallimore

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: KLC
Date / Time Collected: 10/3/2022 7:20 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210054-005
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.6	ug/L		10/11/2022	Lgallimore

Sample Location: 6 Byrant Street - Lead Pipe Section 6
Sample Collected By: KLC
Date / Time Collected: 10/3/2022 7:20 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210054-006
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L		10/11/2022	Lgallimore

Sample Location: 7 Byrant Street - Lead Pipe Section 7
Sample Collected By: KLC
Date / Time Collected: 10/3/2022 7:20 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210054-007
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.5	ug/L		10/11/2022	Lgallimore

Sample Location: 8 Byrant Street - Lead Pipe Section 8
Sample Collected By: KLC
Date / Time Collected: 10/3/2022 7:20 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210054-008
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L		10/11/2022	Lgallimore

Sample Location: 9 Byrant Street - Lead Pipe Section 9
Sample Collected By: KLC
Date / Time Collected: 10/3/2022 7:20 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210054-009
Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L		10/11/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 11/14/2022

Report Number: L-DC-LLP- 14112022

Sample Location: 10 Byrant Street - Lead Pipe Section 10

Sample Collected By: KLC

Date / Time Collected: 10/3/2022 7:20 AM

Customer Program Code: LLP

Laboratory Sample Number: 2210054-010

Date / Time Received: 10/7/2022 8:53:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L		10/11/2022	Lgallimore

Sample Location: 1 Byrant Street - Lead Pipe Section 1

Sample Collected By: KLC

Date / Time Collected: 10/12/2022 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2210125-001

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		10/27/2022	SBrooks

Sample Location: 2 Byrant Street - Lead Pipe Section 2

Sample Collected By: KLC

Date / Time Collected: 10/12/2022 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2210125-002

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.0	ug/L		10/27/2022	SBrooks

Sample Location: 3 Byrant Street - Lead Pipe Section 3

Sample Collected By: KLC

Date / Time Collected: 10/12/2022 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2210125-003

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.3	ug/L		10/27/2022	SBrooks

Sample Location: 4 Byrant Street - Lead Pipe Section 4

Sample Collected By: KLC

Date / Time Collected: 10/12/2022 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2210125-004

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.5	ug/L		10/27/2022	SBrooks

Sample Location: 5 Byrant Street - Lead Pipe Section 5

Sample Collected By: KLC

Date / Time Collected: 10/12/2022 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2210125-005

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	5.3	ug/L		10/27/2022	SBrooks

Sample Location: 6 Byrant Street - Lead Pipe Section 6

Sample Collected By: KLC

Date / Time Collected: 10/12/2022 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2210125-006

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.9	ug/L		10/27/2022	SBrooks

Sample Location: 7 Byrant Street - Lead Pipe Section 7

Sample Collected By: KLC

Date / Time Collected: 10/12/2022 8:40 AM

Customer Program Code: LLP

Laboratory Sample Number: 2210125-007

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.9	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory5900 MacArthur Blvd, NW
Washington, DC 20016Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 11/14/2022

Report Number: L-DC-LLP- 14112022

Sample Location: 8 Byrant Street - Lead Pipe Section 8
 Sample Collected By: KLC
 Date / Time Collected: 10/12/2022 8:40 AM

Customer Program Code: LLP
 Laboratory Sample Number: 2210125-008
 Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.2	ug/L		10/27/2022	SBrooks

Sample Location: 9 Byrant Street - Lead Pipe Section 9
 Sample Collected By: KLC
 Date / Time Collected: 10/12/2022 8:40 AM

Customer Program Code: LLP
 Laboratory Sample Number: 2210125-009
 Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.1	ug/L		10/27/2022	SBrooks

Sample Location: 10 Byrant Street - Lead Pipe Section 10
 Sample Collected By: KLC
 Date / Time Collected: 10/12/2022 8:40 AM

Customer Program Code: LLP
 Laboratory Sample Number: 2210125-010
 Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.8	ug/L		10/27/2022	SBrooks

Sample Location: 3900 Donaldson PI NW Pipeloop 1
 Sample Collected By: LS
 Date / Time Collected: 9/20/2022 9:00 AM

Customer Program Code: LLP
 Laboratory Sample Number: 2210126-001
 Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.5	ug/L	H	10/27/2022	SBrooks

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW Pipeloop 3
 Sample Collected By: LS
 Date / Time Collected: 9/20/2022 9:00 AM

Customer Program Code: LLP
 Laboratory Sample Number: 2210126-002
 Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L	H	10/27/2022	SBrooks

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW Pipeloop 1
 Sample Collected By: HB
 Date / Time Collected: 9/23/2022 9:30 AM

Customer Program Code: LLP
 Laboratory Sample Number: 2210126-003
 Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.6	ug/L	H	10/27/2022	SBrooks

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Sample Location: 3900 Donaldson PI NW Pipeloop 3
 Sample Collected By: HB
 Date / Time Collected: 9/23/2022 9:30 AM

Customer Program Code: LLP
 Laboratory Sample Number: 2210126-004
 Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.1	ug/L	H	10/27/2022	SBrooks

H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.

Comments:

ND = Non-Detect
 AL = Action Level
 MRL = Minimum Reporting Limit

Report Date: 11/14/2022

Report Number: L-DC-LLP- 14112022

Sample Location: 3900 Donaldson PI NW Baseline

Customer Program Code: LLP

Sample Collected By: HB

Laboratory Sample Number: 2210126-005

Date / Time Collected: 9/23/2022 11:00 AM

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L	H	10/27/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW Pipeloop 1

Customer Program Code: LLP

Sample Collected By: LS

Laboratory Sample Number: 2210126-006

Date / Time Collected: 9/27/2022 10:30 AM

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L	H	10/27/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW Pipeloop 3

Customer Program Code: LLP

Sample Collected By: LS

Laboratory Sample Number: 2210126-007

Date / Time Collected: 9/27/2022 10:30 AM

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L	H	10/27/2022	SBrooks
H = Holding Time Exceeded: Sample was preserved with nitric acid beyond 14-days from date of sample collection as specified in the method.								

Sample Location: 3900 Donaldson PI NW Pipeloop 1

Customer Program Code: LLP

Sample Collected By: HB

Laboratory Sample Number: 2210126-008

Date / Time Collected: 9/30/2022 10:30 AM

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		10/27/2022	SBrooks

Sample Location: 3900 Donaldson PI NW Pipeloop 3

Customer Program Code: LLP

Sample Collected By: HB

Laboratory Sample Number: 2210126-009

Date / Time Collected: 9/30/2022 10:30 AM

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L		10/27/2022	SBrooks

Sample Location: 3900 Donaldson PI NW Baseline

Customer Program Code: LLP

Sample Collected By: HB

Laboratory Sample Number: 2210126-010

Date / Time Collected: 9/30/2022 12:00 PM

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Sample Location: 1 Byrant Street - Lead Pipe Section 1

Customer Program Code: LLP

Sample Collected By: HR

Laboratory Sample Number: 2210127-001

Date / Time Collected: 10/14/2022 8:00 AM

Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.4	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Report Date: 11/14/2022

Report Number: L-DC-LLP- 14112022

Sample Location: 2 Byrant Street - Lead Pipe Section 2
Sample Collected By: HR
Date / Time Collected: 10/14/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210127-002
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.0	ug/L		10/27/2022	SBrooks

Sample Location: 3 Byrant Street - Lead Pipe Section 3
Sample Collected By: HR
Date / Time Collected: 10/14/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210127-003
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		10/27/2022	SBrooks

Sample Location: 4 Byrant Street - Lead Pipe Section 4
Sample Collected By: HR
Date / Time Collected: 10/14/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210127-004
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	10.4	ug/L		10/27/2022	SBrooks

Sample Location: 5 Byrant Street - Lead Pipe Section 5
Sample Collected By: HR
Date / Time Collected: 10/14/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210127-005
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.3	ug/L		10/27/2022	SBrooks

Sample Location: 6 Byrant Street - Lead Pipe Section 6
Sample Collected By: HR
Date / Time Collected: 10/14/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210127-006
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L		10/27/2022	SBrooks

Sample Location: 7 Byrant Street - Lead Pipe Section 7
Sample Collected By: HR
Date / Time Collected: 10/14/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210127-007
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		10/27/2022	SBrooks

Sample Location: 8 Byrant Street - Lead Pipe Section 8
Sample Collected By: HR
Date / Time Collected: 10/14/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210127-008
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.4	ug/L		10/27/2022	SBrooks

Sample Location: 9 Byrant Street - Lead Pipe Section 9
Sample Collected By: HR
Date / Time Collected: 10/14/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210127-009
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 11/14/2022

Report Number: L-DC-LLP- 14112022

Sample Location: 10 Byrant Street - Lead Pipe Section 10
Sample Collected By: HR
Date / Time Collected: 10/14/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210127-010
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.1	ug/L		10/27/2022	SBrooks

Sample Location: 3900 Donaldson PI NW Pipeloop 1
Sample Collected By: HB
Date / Time Collected: 10/7/2022 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210130-001
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		10/27/2022	SBrooks

Sample Location: 3900 Donaldson PI NW Pipeloop 3
Sample Collected By: HB
Date / Time Collected: 10/7/2022 10:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210130-002
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L		10/27/2022	SBrooks

Sample Location: 3900 Donaldson PI NW Baseline
Sample Collected By: HB
Date / Time Collected: 10/7/2022 10:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210130-003
Date / Time Received: 10/14/2022 9:55:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		10/27/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 11/29/2022

Report Number: L-DC-LLP- 29112022

Sample Location: 1 Bryant Street - Lead Pipe Section 1
Sample Collected By: HB
Date / Time Collected: 10/20/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210207-001
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L		11/4/2022	Bprakash

Sample Location: 2 Bryant Street - Lead Pipe Section 2
Sample Collected By: HB
Date / Time Collected: 10/20/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210207-002
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.9	ug/L		11/4/2022	Bprakash

Sample Location: 3 Bryant Street - Lead Pipe Section 3
Sample Collected By: HB
Date / Time Collected: 10/20/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210207-003
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		11/4/2022	Bprakash

Sample Location: 4 Bryant Street - Lead Pipe Section 4
Sample Collected By: HB
Date / Time Collected: 10/20/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210207-004
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		11/4/2022	Bprakash

Sample Location: 5 Bryant Street - Lead Pipe Section 5
Sample Collected By: HB
Date / Time Collected: 10/20/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210207-005
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.1	ug/L		11/4/2022	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 11/29/2022

Report Number: L-DC-LLP- 29112022

Sample Location: 6 Bryant Street - Lead Pipe Section 6
Sample Collected By: HB
Date / Time Collected: 10/20/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210207-006
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		11/4/2022	Bprakash

Sample Location: 7 Bryant Street - Lead Pipe Section 7
Sample Collected By: HB
Date / Time Collected: 10/20/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210207-007
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		11/4/2022	Bprakash

Sample Location: 8 Bryant Street - Lead Pipe Section 8
Sample Collected By: HB
Date / Time Collected: 10/20/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210207-008
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	10.9	ug/L		11/4/2022	Bprakash

Sample Location: 9 Bryant Street - Lead Pipe Section 9
Sample Collected By: HB
Date / Time Collected: 10/20/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210207-009
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.3	ug/L		11/4/2022	Bprakash

Sample Location: 10 Bryant Street - Lead Pipe Section 10
Sample Collected By: HB
Date / Time Collected: 10/20/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210207-010
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.2	ug/L		11/4/2022	Bprakash

Sample Location: 1 Bryant Street - Lead Pipe Section 1
Sample Collected By: KLC
Date / Time Collected: 10/24/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210208-001
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		11/4/2022	Bprakash

Sample Location: 2 Bryant Street - Lead Pipe Section 2
Sample Collected By: KLC
Date / Time Collected: 10/24/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210208-002
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.6	ug/L		11/4/2022	Bprakash

Sample Location: 3 Bryant Street - Lead Pipe Section 3
Sample Collected By: KLC
Date / Time Collected: 10/24/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210208-003
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L		11/4/2022	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 11/29/2022

Report Number: L-DC-LLP- 29112022

Sample Location: 4 Bryant Street - Lead Pipe Section 4
Sample Collected By: KLC
Date / Time Collected: 10/24/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210208-004
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.8	ug/L		11/4/2022	Bprakash

Sample Location: 5 Bryant Street - Lead Pipe Section 5
Sample Collected By: KLC
Date / Time Collected: 10/24/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210208-005
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.5	ug/L		11/4/2022	Bprakash

Sample Location: 6 Bryant Street - Lead Pipe Section 6
Sample Collected By: KLC
Date / Time Collected: 10/24/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210208-006
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.6	ug/L		11/4/2022	Bprakash

Sample Location: 7 Bryant Street - Lead Pipe Section 7
Sample Collected By: KLC
Date / Time Collected: 10/24/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210208-007
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.9	ug/L		11/4/2022	Bprakash

Sample Location: 8 Bryant Street - Lead Pipe Section 8
Sample Collected By: KLC
Date / Time Collected: 10/24/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210208-008
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.9	ug/L		11/4/2022	Bprakash

Sample Location: 9 Bryant Street - Lead Pipe Section 9
Sample Collected By: KLC
Date / Time Collected: 10/24/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210208-009
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L		11/4/2022	Bprakash

Sample Location: 10 Bryant Street - Lead Pipe Section 10
Sample Collected By: KLC
Date / Time Collected: 10/24/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210208-010
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.4	ug/L		11/4/2022	Bprakash

Sample Location: 1 Bryant Street - Lead Pipe Section 1
Sample Collected By: HR
Date / Time Collected: 10/27/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210209-001
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.7	ug/L		11/4/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 11/29/2022

Report Number: L-DC-LLP- 29112022

Sample Location: 2 Bryant Street - Lead Pipe Section 2
Sample Collected By: HR
Date / Time Collected: 10/27/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210209-002
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		11/4/2022	Bprakash

Sample Location: 3 Bryant Street - Lead Pipe Section 3
Sample Collected By: HR
Date / Time Collected: 10/27/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210209-003
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.9	ug/L		11/4/2022	Bprakash

Sample Location: 4 Bryant Street - Lead Pipe Section 4
Sample Collected By: HR
Date / Time Collected: 10/27/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210209-004
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		11/4/2022	Bprakash

Sample Location: 5 Bryant Street - Lead Pipe Section 5
Sample Collected By: HR
Date / Time Collected: 10/27/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210209-005
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.8	ug/L		11/4/2022	Bprakash

Sample Location: 6 Bryant Street - Lead Pipe Section 6
Sample Collected By: HR
Date / Time Collected: 10/27/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210209-006
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.0	ug/L		11/4/2022	Bprakash

Sample Location: 7 Bryant Street - Lead Pipe Section 7
Sample Collected By: HR
Date / Time Collected: 10/27/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210209-007
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.3	ug/L		11/4/2022	Bprakash

Sample Location: 8 Bryant Street - Lead Pipe Section 8
Sample Collected By: HR
Date / Time Collected: 10/27/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210209-008
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	9.0	ug/L		11/4/2022	Bprakash

Sample Location: 9 Bryant Street - Lead Pipe Section 9
Sample Collected By: HR
Date / Time Collected: 10/27/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210209-009
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.2	ug/L		11/4/2022	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 11/29/2022

Report Number: L-DC-LLP- 29112022

Sample Location: 10 Bryant Street - Lead Pipe Section 10
Sample Collected By: HR
Date / Time Collected: 10/27/2022 8:00 AM

Customer Program Code: LLP
Laboratory Sample Number: 2210209-010
Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	1.6	ug/L		11/4/2022	Bprakash

Sample Location: 1 Bryant Street - Lead Pipe Section 1
Sample Collected By: KLC
Date / Time Collected: 11/1/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211021-001
Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.0	ug/L		11/4/2022	Bprakash

Sample Location: 2 Bryant Street - Lead Pipe Section 2
Sample Collected By: KLC
Date / Time Collected: 11/1/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211021-002
Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.8	ug/L		11/4/2022	Bprakash

Sample Location: 3 Bryant Street - Lead Pipe Section 3
Sample Collected By: KLC
Date / Time Collected: 11/1/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211021-003
Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.0	ug/L		11/4/2022	Bprakash

Sample Location: 4 Bryant Street - Lead Pipe Section 4
Sample Collected By: KLC
Date / Time Collected: 11/1/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211021-004
Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	7.5	ug/L		11/4/2022	Bprakash

Sample Location: 5 Bryant Street - Lead Pipe Section 5
Sample Collected By: KLC
Date / Time Collected: 11/1/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211021-005
Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.9	ug/L		11/4/2022	Bprakash

Sample Location: 6 Bryant Street - Lead Pipe Section 6
Sample Collected By: KLC
Date / Time Collected: 11/1/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211021-006
Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.0	ug/L		11/4/2022	Bprakash

Sample Location: 7 Bryant Street - Lead Pipe Section 7
Sample Collected By: KLC
Date / Time Collected: 11/1/2022 8:30 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211021-007
Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.1	ug/L		11/4/2022	Bprakash

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Report Date: 11/29/2022

Report Number: L-DC-LLP- 29112022

Sample Location: 8 Bryant Street - Lead Pipe Section 8

Sample Collected By: KLC

Date / Time Collected: 11/1/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2211021-008

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.7	ug/L		11/4/2022	Bprakash

Sample Location: 9 Bryant Street - Lead Pipe Section 9

Sample Collected By: KLC

Date / Time Collected: 11/1/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2211021-009

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.8	ug/L		11/4/2022	Bprakash

Sample Location: 10 Bryant Street - Lead Pipe Section 10

Sample Collected By: KLC

Date / Time Collected: 11/1/2022 8:30 AM

Customer Program Code: LLP

Laboratory Sample Number: 2211021-010

Date / Time Received: 11/2/2022 10:05:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	3.5	ug/L		11/4/2022	Bprakash

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Lead Report

Customer Information

District of Columbia Water and Sewer Authority
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 12/15/2022

Report Number: L-DC-LLP- 15122022

Sample Location: 1 Bryant Street - Lead Pipe Section 1
Sample Collected By: HR
Date / Time Collected: 11/4/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211078-001
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 2 Bryant Street - Lead Pipe Section 2
Sample Collected By: HR
Date / Time Collected: 11/4/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211078-002
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	23.8	ug/L		11/29/2022	Lgallimore

Sample Location: 3 Bryant Street - Lead Pipe Section 3
Sample Collected By: HR
Date / Time Collected: 11/4/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211078-003
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Sample Location: 4 Bryant Street - Lead Pipe Section 4
Sample Collected By: HR
Date / Time Collected: 11/4/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211078-004
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/29/2022	Lgallimore

Sample Location: 5 Bryant Street - Lead Pipe Section 5
Sample Collected By: HR
Date / Time Collected: 11/4/2022 8:45 AM

Customer Program Code: LLP
Laboratory Sample Number: 2211078-005
Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	ND	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect
AL = Action Level
MRL = Minimum Reporting Limit

Washington Aqueduct
Laboratory

5900 MacArthur Blvd, NW
Washington, DC 20016

Phone (202) 345-5928
Fax (202) 587-9446

Report Date: 12/15/2022

Report Number: L-DC-LLP- 15122022

Sample Location: 6 Bryant Street - Lead Pipe Section 6

Sample Collected By: HR

Date / Time Collected: 11/4/2022 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2211078-006

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.7	ug/L		11/29/2022	Lgallimore

Sample Location: 7 Bryant Street - Lead Pipe Section 7

Sample Collected By: HR

Date / Time Collected: 11/4/2022 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2211078-007

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.3	ug/L		11/29/2022	Lgallimore

Sample Location: 8 Bryant Street - Lead Pipe Section 8

Sample Collected By: HR

Date / Time Collected: 11/4/2022 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2211078-008

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	6.9	ug/L		11/29/2022	Lgallimore

Sample Location: 9 Bryant Street - Lead Pipe Section 9

Sample Collected By: HR

Date / Time Collected: 11/4/2022 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2211078-009

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	4.2	ug/L		11/29/2022	Lgallimore

Sample Location: 10 Bryant Street - Lead Pipe Section 10

Sample Collected By: HR

Date / Time Collected: 11/4/2022 8:45 AM

Customer Program Code: LLP

Laboratory Sample Number: 2211078-010

Date / Time Received: 11/4/2022 11:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	2.9	ug/L		11/29/2022	Lgallimore

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

Customer Special Sampling

DC Water created special sampling profiles to determine the source of lead based on individual needs. DC Water collected samples at the customer's home. Samples were analyzed by the Washington Aqueduct.



US Army Corps of Engineers
Washington Aqueduct Laboratory

Lab Certification Number: DC00005

Metals Report

Customer Information

District of Columbia Water and Sewer Authority
Maureen Schmelling
Bureau of Water Services
301 Bryant Street, NW
Washington, DC 20001

Laboratory Information

Washington Aqueduct Laboratory
5900 MacArthur Blvd, NW
Washington, DC 20016

Robert P. Hoffa, Laboratory Manager

Report Date: 1/9/2023

Report Number: L-DC-SPEC-09012023

Sample Location: 1619 V St NW

Customer Program Code: SP

Date / Time Collected: 10/17/2022 7:35 AM

Laboratory Sample Number: 2210206-001

Date / Time Received: 10/28/2022 9:00:00 AM

Analyte	Method	AL	MRL	Result	Units	Qualifier	Analysis Date	Analyst
Lead	EPA 200.8	15	0.2	0.8	ug/L		12/20/2022	SBrooks
Iron	EPA 200.8		10	ND	ug/L		12/20/2022	SBrooks
Manganese	EPA 200.8		0.2	1.4	ug/L		12/20/2022	SBrooks
Tin	EPA 200.8		0.2	ND	ug/L		12/20/2022	SBrooks

Comments:

ND = Non-Detect

AL = Action Level

MRL = Minimum Reporting Limit

**Washington Aqueduct
Laboratory**

**5900 MacArthur Blvd, NW
Washington, DC 20016**

**Phone (202) 345-5928
Fax (202) 587-9446**